

### The SAILOR MAN

3 Screens-Plus-"INVISO SCREEN"

### The First 64K Arcade Game For the Color Computer

NOUNCING

The first screen objective is to catch enough of Elsie's kisses (those Red Heart Shaped Things) to fill in the squares on the Sailorman's house. If you can time your punch just so, you can send the punching bag over to knock the bucket down and, with a little bit of luck, right onto Bigfatbadguy's head. This will give you a little (but not much) time to catch all those RHSTs.

You must avoid contact with **Bigfatbadguy** who is actively pursuing you. You must also be careful of **Olduglysea-woman** who will appear at higher difficulty levels to chuck empties at you. Either avoid the flying bottles or punch them (with the fire button) to keep from being knocked into the water.

The second screen objective is to collect enough notes to play Elsie a little love song. You may jump off and onto the other end of Fatguyeatingahamburger's teetertotter to fly up a deck and even two decks if you manage to catch hold of Smartaleckkid's grab handles. Time it right and away you go.

The Third screen objective is to collect enough letters (thrown by Elsie's cries for H-E-L-P) to complete a ladder all the way to the crow's nest where Elsie is calling you. Beware of the Crow, however, who thinks you are after her eggs!

On all screens, eating a can of **collard greens** (labeled "S" for Collard and grasped by punching the can just right) will give you amazing speed, strength and agility and allow you to send **Bigfatbadguy** into the drink with a single punch.

### PLUS...

- 1. All Machine Code
- 2. Save Scores Feature
- 3. Start on any screen
- 4. Set your own difficulty level
- 5. Choose the number of men desired







REQUIRES 64K DISK \$34.95 TAPE \$29.95



TOM MIX SOFTWARE

4285 BRADFORD N.E. GRAND RAPIDS, MI 49506

(616)957-0444



•ADD \$2.50 POSTAGE & HANDLING•TOP ROYALTIES PAID•
•MICHIGAN RESIDENTS ADD 4% SALES TAX•
LOOKING FOR NEW SOFTWARE



ARCADE ACTION GAMES



### From Computer Plus to YOU...

### PLUS after PLUS after PLUS



Model 100 8K \$339 Model 100 24K \$510



Color Computer II w/16K Ext. Basic \$135 w/64K Ext. Basic \$179



Tandy 1000 \$999 Tandy 1200 \$2595





Color Computer Disk Drive Drive 0 \$289 Drive 1 \$220



### **BIG SAVINGS** ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

COMPUTERS	
Model 4 Portable	970
Model 4	970
Model 1000	999
Model 1200	2595
Model 2000 2 Drive	2299
MODEMS	
Hayes Smartmodem II	215
Radio Shack AC-3	125
Radio Shack DC Modem I	89
Radio Shack DC Modem II	160
Radio Shack DC Modern 11	315
	315
PRINTERS	
Radio Shack TRP100	229
Radio Shack DMP105	160
Radio Shack DMP110	305
Radio Shack DMP430	660
Radio Shack CGP220 Ink Jet	545
Silver Reed EXP500 D.W.	430
Star Gemini 10X	289
Star Gemini Powertype	345
	-
Panasonic P1091	315
C. Itoh Prowriter 8510	320
Okidata and Epson	CALL

ETC.	
Radio Shack Drive Controller	119
Radio Shack Ext. Basic Kit	39.95
PBH Ser/Par Conv.	69
64K Upgrade Kit	49
Radio Shack Deluxe Keyboard	135.95
HJL Keyboard	79.95
Radio Shack CCR-81 Recorder	52
Radio Shack Del. Joystick (each	
Radio Shack Joysticks (pair)	22
Video Plus (monitor adapter)	
Video Plus IIC	39.95
Amdek Color 300	265
Amdek Video 300 Green	145
Amdek Video 300 Amber	159
Taxan Color 220 Monitor	245
Taxan 115 Green	125
Taxan 116 Amber	129
Radio Shack VM-2	139
SOFTWARE (Tape Ve	
The Sailor Man	29.95
The King	26.95
Buzzard Bait	27.95
Worlds of Flight	29.95

Colorpede	29.95
Juniors Revenge	28.95
Pac Attack	24.95
Block Head	26.95
Lunar Rover Patrol	24.95
Lancer	24.95
Typing Tutor	23.95
Galagon	24.95
Scott Adams Adventures	19.95
Sea Dragon	34.95
Colorcome	49.95
Telewriter 64	49.95
Deft Pascal (disk)	79.95
Elite-Calc	59.95
VIP Writer (tape & disk)	69.95
VIP Calc (tape & disk)	69.95
VIP Terminal (tape & disk)	49.95
VIP Database (disk)	59.95
VIP Integrated Library (disk)	149.95
Graphicom (disk)	29.95

Order any 2 software pieces listed and take 10% off their listed price. All Radio Shack software 10% off list. Send for complete list.

**SINCE 1973** 

### CALL TOLL FREE 1-800-343-8124

- LOWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE








### Computer P.O. Box 1094 480 King Street

IN MASSACHUSETTS CALL (617) 486-3193

Littleton, MA 01460




FEATURES

Floating Point Math/Steven R. Broadwater \_\_\_\_\_ MATH TUTORIAL Understanding and applying these math routines

**GAME** Keep away from the coneheads

Weather . . . Or Not?/Marty Goodman \_\_\_\_ DATA COMMUNICATIONS Process satellite signals into graphics



Computer Cupid/T. Gray\_\_\_\_ 76 GAME CoCo plays the matchmaker Buffer Stuffer/Richard W. Rutter \_\_\_\_\_\_90

ML UTILITY Enhance keyboard input Put Programs On Automatic/Jeffry Dwight\_\_\_\_\_\_128

LOADING UTILITY Makes ML programs self-EXEC Simplify And Sharpen Displays/John D. Boyle \_\_\_\_\_ BASIC TUTORIAL Ease writing of programs involving displays

CoCopadd/Joel Robbins \_\_ \_ 140 UTILITY Makes CoCo a math whiz

Cooking With CoCo/Colin J. Stearman \_\_\_\_\_\_146 **EXPANDING BASIC** Part VIII, conclusion Fix Your CoCo 2 Disk Controller/Marty Goodman \_\_\_\_\_\_149

TUTORIAL Save time on repairs Cassette Merge Program/John D. Boyle\_\_\_\_\_\_\_158 TAPE UTILITY How not to let the bugs bite

CoComon Junior/Steve Roberts \_\_\_\_ \_ 164 ML UTILITY Speed typing of machine language programs

Get It Together With Disk Merge/Paul Gani\_\_\_\_\_\_175 DISK UTILITY Better than BACKUP

FILECOPY — A Handy OS-9 Utility/ Gerry Schechter \_\_\_\_\_\_ 242 BASIC09 UTILITY Relief for type-weary fingers


Graphics Bazaar/ Paul Vernon Miller 246 **GRAPHICS** Experience different sights and sounds

Block Out Troublesome Granules/Charles C. Zimmer \_\_\_\_\_ 250 DISK UTILITY Addendum to last month's article



33

18



66

NEXT MONTH: Our business and finance issue. Long-time contributor Jorge Mir will be back! And, along with our RAINBOW regulars we'll also have Susan Davis, Tim Harris and Brian Lantz. In addition to a solid payroll program, we show you how to prepare a personal income statement and how to measure your performance in the stock market. We'll also look at treasury bill investments and we'll provide a program to show you how to buy in quantity to save money. We'll also have a BASIC09 mailing list program, and we'll launch our Third Annual Rainbow Adventure Contest!.

But our CoCo isn't an all work and no play machine, so look for a variety of other useful articles and listings, and games, too, Reach for the March RAINBOW for more on the Color Computer than is available from any other

PRODUCT REVIEWS\_\_\_\_\_

Product Review Contents \_\_\_\_\_\_\_ 185

Cover art® by Fred Crawford



February 1985

Vol. IV No. 7

#### Editor and Publisher Lawrence C. Falk

Managing Editor James E. Reed Senior Editor Courtney Noe Technical Editor Dan Downard Submissions Editor Jutta Kapfhammer Copy Editor Tamara Solley Reviews Editor Monica Dorth Editorial Assistants Jody Doyle, Valarie Edwards, Wendy Falk, Debbie Hartley, Suzanne Benish Kurowsky, Lynn Miller,

Shirley Morgan, Kevin Nickols

Technical Assistant Ed Ellers
Contributing Editors Bob Albrecht, R. Bartly Betts, Steve Blyn, R. Wayne Day, Tony DiStefano.

Dan Eastham, Frank Hogg, Don Inman, Joseph Kolar, Michael Plog, Dale Puckett, Fran Saito, Paul Searby, Fred Scerbo, Richard White

Art Director Sally Gellhaus Assistant Art Director Jerry McKiernan Designers Neal C. Lauron, Eileen O'Malley Kevin Quiggins

Advertising Coordinator Doris Taylor Advertising Representative Kate Tucci Advertising Assistant Debbie Baxter (502) 228-4492

General Manager Patricia H. Hirsch Asst. General Manager for Finance Donna Shuck Bookkeeper Diane Moore Advertising Accounts Beverly Taylor

Dealer Accounts Judy Quashnock Administrative Assistant to the Publisher Marianne Booth

RAINBOWfest Site Management Willo Falk Director of Fulfillment Services Bonnie Shepard Asst. Customer Service Manager Deidra Henry Customer Service Representative Sandy Apple Word Processor Manager Lynda Wilson RAINBOW ON TAPE Subscriptions Monica Wheat Research Assistants Laurie Falk, Judi Hutchinson,

Debbie Leake, Loretta Varda Dispatch Janice Eastburn Production Assistant Melba Smith

> For RAINBOW Advertising and Marketing Office information, see Page 288

THE RAINBOW is published every month of the year by FALSOFT, Inc., 9529 U.S. Highway 42, P.O. Box 385, Prospect, KY, 40059. Phone (502) 228-4492. THE RAINBOW and THE RAINBOW logotypes are ® trademarks

RAINBOW and THE RAINBOW logotypes are ® trademarks of FALSOFT, Inc.
Second class postage paid Prospect, KY and additional offices. USPS N. 705-050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to THE RAINBOW, P.O. Box385, Prospect, KY 40059. Forwarding Postage Guaranteed. Authorized as second class postage paid from Hamilton, Ontario by Canada Post, Ottawa, Ontario, Canada.

Entire contents ® by FALSOFT, Inc., 1985. THE RAINBOW is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use

for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any

distributed in an as is basis, without warranty of any kind whatsoever.


TRS-80, Color BASIC, Extended Color BASIC, Scripsit and Program Pak are ® trademarks of the Tandy Corp. CompuServe is a ® trademark of CompuServe Inc.

Subscriptions to THE RAINBOW are \$31 per year in the United States. Canadian rates are U.S. \$38. Surface mail to other countries is U.S. \$68, air mail U.S. \$103. All subscriptions begin with next available issue.

Limited back issues are available. Please see notice for issues which are in print and costs. Payment accepted by VISA, MasterCard, American Express, Cash, Check or Money Order in U.S. currency only.

### LETTERS TO THE RAINBOW

### ARTS AND LETTERS



**Envelope Of The Month** 

George Marsh III Williamsburg, VA

### IN PURSUIT OF SCHOLARLY SOFTWARE

Editor:

There has always been an interest in promoting the use of Color Computers in education in THE RAINBOW. You have run highly successful programming contests in the past. I would like to propose that you combine the two into an educational software programming contest.

The Color Computer has a decided lack of educational software available for it compared to other popular systems. All of the educational software catalogs that are mailed to me as a teacher have precious little for the Color Computer. The impression created is that there is virtually no software.

You probably can't help what makes it into the software catalogs we get, but a successful contest would produce winners for publication in your annual September back-to-school issue, and the top dozen or two programs could then be made available

in book/cassette combination similar to what you did with your Adventure game contest.

Anything would help. Please consider the idea. Thank you.

Paul French Burlington, IA

#### INFORMATION PLEASE

Editor:

While recently devouring the December 1984 issue of THE RAINBOW, I came across the advertisement "Announcing...The Rainbow Bookshelf." I am interested in your products, although I do have a question or two.

You advertised *The Rainbow Book of Simulations*, which had both a book and a tape. Along with that was also *The Rainbow Book of Adventures*, which also had both the book and tape. Is it necessary

to have the book to have the tape, or vice versa? Or does that book consist of the programs, etc., while the tape does not?

I am interested in purchasing them, but I am curious about the difference/similarities. Please advise so that I may order accordingly.

Also, do you have any other books from the Bookshelf?

Thank you for such a great magazine and keep up the great work.

Dave Helfrich New Port Richey, FL

Editor's Note: Both books have all the listings and instructions needed to use each program. The tapes have only the programs; you still need the book for operating instructions. The Complete Rainbow Guide To OS-9 is the latest Rainbow Bookshelf offering. A second Adventure book and a second Simulations book are among works in progress.

### **COURSE ON MORSE?**

Editor:

I am writing to you to see if I can find any tapes on Morse code for the TRS-80 Color Computer — learning, sending or receiving?

I enjoy THE RAINBOW, keep it up.

Oscar H. Ash, Jr. Willoughby, OH

### сосо сноо-сноо

Editor:

I would like to know if anyone has in the past or is currently utilizing their CoCo to control a model railroad? If so, please write me at 1492 Chaffee Court, 60007.

Patrick Quinnett Elk Grove Village, IL

#### 'BEEPING' WITH THANKS

Editor:

I[wish to] express thanks and compliments to Marc Labbe of Biddeford, Maine, for his hints and tips in the December 1984 RAINBOW magazine, Page 6.

Thank you Marc, my computer beeps everytime I press the keyboard.

Paul Ellias Chicago, IL

Editor:

In your December 1984 issue under "Hints and Tips" in "Letters To The Rainbow" there is a letter from Marc Labbe that makes a key-beep. If you change POKE 1541,4 to POKE 1541,0 this produces more of a key-click sound.

I saved it to tape and load and run it every time I power up. This doesn't slow up the listing of a program nearly as much as the key-beep.

John R. Reed Easton, MD

#### HINTS AND TIPS

Editor:

Here is a hint for your readers. To make shorter sounds in BASIC, POKE 140, (a number 1-255 for the tone): EXEC43345 ENTER.

10 FOR J = 2 TO 100 STEP 5 20 FOR I = 1 TO 255 STEP J 30 POKE 140,I:EXEC43345 40 NEXT I

Paul Wagorn Carp, Ontario

#### INTRODUCTION LINE

Editor:

I would like to pass on to your readers this tip I have found very useful.

Since most programs do not use Line 0 as a program statement, I insert a REM statement listing the program name, publication, month, year and page number. This enables me to find the listing or supporting documentation for debugging or what have you. For example:

0 REM ROAD RACE; RAINBOW 11/84,36

If Line 0 is being used, I just insert the REM statement as the last line of the program.

Wavne C. Bell Bangor, PA

#### TV GUIDE

Editor:

Here are some computer "programs" that beginners, as well as experienced hackers, might enjoy.

Innovation - PBS The New Tech Times — PBS The New Literacy — PBS Educational Computing — PBS Family Computing — Lifetime (Cable) The Computer Programme — PBS

Check your local public TV stations and cable system for times.

Mike Sims Nanuet, NY

#### BREAKING THE SPEED LIMIT

I received a letter from Mr. Glenn P. Alfrey who has a problem saving a program to tape. It is evident that Mr. Alfrey is trying to save the program while the computer is in the high speed mode.

It would be a good idea for you to remind your readers that whenever a program uses a POKE 65495,0 statement, they should always POKE 65494,0 before trying to save on cassette in order to reset the computer to its normal speed.

> Jacques Bourgeois Longueuil, Quebec

#### COMPUTER CONSORTIUM

Editor:

ECCO, the Educational Computer Consortium of Ohio, is now accepting proposals for presentation for its Fifth Annual Educational Computer Fair, to be held on Friday and Saturday, October 11-12, 1985 in Cleveland.

Classroom teachers, administrators, university faculty and those with practical computer education experience are encouraged to submit proposals. We are searching for proposals in all content areas and grade levels, preschool through college, for both beginning and advanced computer educators. We are particularly interested in applications into all areas of the curriculum.

To obtain the brief proposal form, send a request to Alice Fredman, Director, ECCO, 1123 S.O.M. Center Road, 44124.

Vendors are invited to contact ECCO for information about commercial displays.

Alice Fredman Cleveland, OH

#### **BULLETIN BOARD SERVICE**

Editor:

My school is interested in setting up a bulletin board. If anyone has a BBS at their school, please write me at P.O. Box 1123, 32742 and tell me about it.

Richard Beck IV Kissimmee, FL

We would like to announce the Great Gamma Color 80 BBS of the colonial capital of Virginia. The BBS number is (804) 887-5302 and is operating 24 hours.

We have many downloadable programs; our database has weekly football standings, members' movie reviews and many others. We have electronic shopping with Radio Shack products from Williamsburg Radio Shack with owner Dennis Welch sponsoring our BBS. We welcome all types of computers. Our mailing address is The Great Gamma BBS, 16 Embers Lane 23185.

George Marsh Williamsburg, VA

Editor:

North Shore BBS will be on line 24 hours a day, seven days a week. We have downloads, uploads as well as electronic mail and all features of Colorama BBS software. For more information call (302) 227-4375 or write North Shore BBS, Eric Flores (SYS-OP), U.S.CG Indian River, 19971.

Eric Flores Rehoboth Beach, DE

Editor:

The Syracuse High School Computer Club is operating a BBS at (316) 384-7446. Hours are from 5 p.m. to 7 a.m., M.S.T.

> Greg Davidson Syracuse, KS

Editor:

I have been operating a BBS in San Jose since last December. I bought the BBS from Shawn Jipp (the old 733-6809 number). My number is (408) MAX-BBSS or (408) 629-2277 and operates 24 hours, seven days a week. The BBS signs on with the logo of MicroBur BBS on a Color 80 BBS program.

Terrance D. Burnes San Jose, CA

We would like to announce The Peninsula CoCo Board now in service in the Peninsula area of Virginia. It is being run on a 64K CoCo with two DSDD TEAC drives, but is open to everyone. We are using the Color 80 BBS software. The board is open seven days a week, 24 hours a day. It supports downloading, uploading, messages and a data file at 300/1200 Baud. The phone number is (804) 868-0922.

Bill Satterwhite Tabb, VA

Editor:

I run the Lighthouse BBS in Renton. My address and phone number is 3813 NE 8th Court, 98056, (206) 255-5150.

Marshall Butler Renton, WA

#### PRINTER PRESCRIPTION

Editor:

In the December 1984 issue, Page 8, "Letters To Rainbow," Rogers George IV, Terrace, Minn. has a ribbon replacement problem for "Impact Data Printer."

Computer Friends, 6415 SW Canyon Court, Suite 10, Portland, OR 97225, has a wide variety of cartridges, loaded or empty, and ribbon reloads. I suggest he write them; ask about the MacInker - it's great.

THE RAINBOW is still fantastic. Keep it up. J. Stewart Campbell Ocean City, NH

#### BOUQUETS

Editor:

Often you print letters expounding the merits of THE RAINBOW, and I must agree, THE RAINBOW is the one for me, too. A poll on a local CoCo BBS indicates that THE RAINBOW is the favorite of all the CoCo users in the area.

However, the reason I'm writing this letter is to applaud one of your advertisers. Endicott Computer Software And Accessories of Huntsville, Ala. I have been purchasing products from Endicott for several months and their products, prices and service are always as advertised.

Recently, I received a software package that contained a flawed diskette. In a short telephone conversation with an Endicott employee, I was told to return the package to them. I did so, and in less than two weeks I received a brand new replacement. Considering the shipping time (two ways) I feel their attention to my problem was superb and worthy of emulation by the majority of the mail-order houses that are vying for our business today.

S.M. Whitehouse, Jr. Clearwater, FL

Editor:

I recently purchased a Video Pal Video and Audio Interface from RGS Micro, Inc. in Montreal, an advertiser in THE RAINBOW.

It was delivered by certified mail and arrived in five days. Unfortunately, some of the pins on the 40-pin header were damaged in shipment, so I returned it to them. Within a week, I received an undamaged unit.

The instructions were printed on two sheets of paper (four pages) and included a parts layout diagram. The instructions were detailed and easy to follow. The unit functions as advertised (driving an Amdek 300A Monitor).

Total elapsed time for this unit to travel across Canada four times was 13 days, which is excellent service indeed. I highly recommend RGS Micro.

D.E. Wilson West Vancouver, British Columbia

Editor:

Being a person who gets up on his hind legs and screams to the high heavens when I am wronged puts me under an obligation to comment when I am unusually well treated!

I bought Dennis Derringer's Master Design. It worked, but not perfectly. A letter to him brought by return mail a new version suited to the somewhat different combination of equipment that I use — without charge!

Having purchased his *Pro-Color-File Enhanced*, I had difficulty getting it to work. I am not as computer literate as I would like to be, and had difficulty understanding the directions. The extreme patience that Dennis Derringer showed me when I called

him, soon had me on the right track — and now that I understand how to make it go, I am aware that the directions actually covered every question I had. It's a fine program, very versatile, and with a national users group.

Hugo Spatz Port Charlotte, FL

#### KUDOS

Editor

Thank you so much for bringing RAIN-BOWfest to Irvine, Calif. I am really looking forward to it.

I would like to say that I subscribed to another Color Computer magazine before finding THE RAINBOW. THE RAINBOW is by far the best CoCo magazine on the market. Thank you for all the programs and all the things you've taught me about my CoCo.

Becky Bergsma Corona, CA

#### PRAISE FOR PASCAL


Editor:

This is just a note commending you on Daniel Eastham's "Personable Pascal" articles.

I've really been enjoying them, they're an excellent diversification for the magazine. Thanks!

Mark Mosty Kerrville, TX





32K Machine Language. No Joysticks Required. Tape \$34.95 Disk \$37.95

- No delay for personal checks.
- Money Orders, COD's welcome.
- •NO CHARGE for postage, handling or COD's.

. N.Y.S. residents add sales tax.

You've heard about our crowded skys and the concerns for air travel safety. Have you ever wondered how the system works? Now YOU can learn. No aviation background is needed. This is a complete educational package which includes the following:

- Air Traffic Control Simulator software on cassette or diskette.
  - 100% machine language.
  - Dramatically exploits the CoCo's processing capability.
  - Simulates 40 mile x 10,000 ft. surveillance volume.
  - Realistic radar pesentation displays airborne and surface traffic.
  - Pilot-to-Tower/Tower-to-Pilot communications.
  - Develops ATC skills such as traffic separation, approach/departure vectoring, sequencing and tower procedures.
  - Scoring system provides feedback on controller performance.
  - Three levels of difficulty for beginners to experts.
- •Comprehensive manual includes tutorial on Principles of air Traffic Control.
- Communications quick reference card.

Will educate, entertain and impress CoCo users. Carefully engineered for the novice, yet will challenge the experts.


### BETASOFT SYSTEMS

P.O. Box 1174 Smithtown, New York 11787 (516) 666-7240

Dealer Inquiries Invited



### Introducing Volksmodem



SPECIFICATIONS

Data Interface

Inputs

Data Format

Operate Mode

MODULAR WALL OUTLET Data Rate

REG.\$99

ONLY

Modulation

RS-232C compatible MARK (OFF) -4.0V min (typical) SPACE (ON) +4.0V min (typical)

MARK (OFF) 0 to -25V SPACE (ON) +2.5 to +25V

Serial, binary, asynchronous

Manual dial, manual answer, automatic answer/originate mode select

0 to 300 bps, full duplex or half duplex

Phase coherent, frequency shiftkeyed (FSK)

Includes cable for color computer



### AUTOTERM

TURNS YOUR COLOR COMPUTER INTO THE

### WORLD'S SMARTEST TERMINAL!

YOU'LL ALSO USE AUTOTERM FOR SIMPLE WORD PROCESSING & RECORD KEEPING.

Cassette \$39.95

Diskette \$49.95

- Total Communications Capability
- Send/Receive Text, Graphics, & ML Programs Scroll, Search, Edit, Load, Save while On Line
- Built-in Word Processor
- HI-RES Lower Case is Optional & Fast Screen Widths of 32, 40, 42, 51, & 64
- Many Printer Options
- Optional Key-Beep & Error Beebop
- Automatic Block Graphics
- Unbelievable Keystroke Multiplier Abilities

### PACKAGE PRICE

Volksmodem™ & AUTOTERM



### Basic transportation for data.

### COLOR TERM + PLUS +

129.96 Now even more + PLUS + features than before!!!

New and Improved!! (TAPE) (DISK) An Intelligent Terminal Program For The Color

- Computer or TDP 100.
- Change printer BAUD rate: 600-9600

Communications BAUD rate: 110-19200

- Select printer line feeds if needed Select Half or Full Duplex Select Odd, Even, or No Parity
- Select 7 or 8 Bit Words
- Select 1 or 2 Stop Bits
- Send Control Characters
- Separate Keys for Escape & Delete (Rubout)
- Turn off those UGLY Lower case letters Word Wrap eliminate all aplit words
- Selectable Reverse or Normal Video
- THE BEST

YOU CAN BUY

### COLORGOM / E

839 85 SMART TERMINAL PACKAGE

- Complete Uplcad and Download Support
- Online Cassette/Disk Reads and Writes 110, 300, 600, or 1200 Boud
- Full or Holf Duralus
- Preenter Data Butore Catting (Saves SS's)
   Office and Online Scrolling
   ROM Pack or Dak

- Munification State
  Automatic Capture of Files
  Send At 177 ASCII Chanacter from Keyboard
  Vard Mode Elictinates spit Wout
  7 or 8 Data Bit (Victuary Graphics Support)
  17 or 8 Data Bit (Victuary Graphics Support)
  18 Efficient Data Statege 5 Fire 1-to the 1-Mamory
  100% Compatible w/Maricow Connection 1881 it
  100% Connection 1881 it

COLORCOM/E \$49.95

### ORDERING INFORMATION

A GREAT

BUY!

ADD \$2.00 PER ORDER

FOR SHIPPING. WE ACCEPT VISA, MASTERCARD, CHECKS, M.O.

C.O.D. ADD \$3.00 EXTRA.

California Residents, Add 6%

Sales Tax to Orders

Sale Price Good Thru 3/31/85




(916) 726-8793



Citrus Heights, CA 95610

6201 C Greenback Lane

### CIVE MORE MUSCLES TO YOUR [O-[O



our super 128k RAM CARD

INCREASES YOUR 64K CO CO OR COCO 11 TO 128K RAM !

- FITS COMPLETELY INSIDE YOUR COMPUTER
- SWITCHES TWO NEW 32K BANKS OF RAM IN AND OUT OF MEMORY.
- BANKS CAN BE MAPPED IN THE UPPER HALF OR LOWER HALF, OR CAN ALSO BE A SECOND COMPLETE 64K BANK.
- SIMPLE INSTALLATION AND DOCUMENTATION
- A MUST FOR OS-9 USERS
- COMPLETE WITH 8 (4164) RAM CHIPS
- PAL CHIP HANDLES ALL BANKING COMMANDS

INCLUDES Kdos!!!



149.95

### rgs micro electronics

### USA

RGS MICRO INC.
MAIN ST.
DERBY LINE, VERMONT
ZIP 05630

TEL: 802-873-3386

ORDER LINE:

800-824-4454

TERMS: UISA, MC, SHIPPING: RATES?

### CANADA

RGS MICRO INC.
759 UICTORIA SQUARE, #303
MONTREAL H2Y 2J3
TEL: (514) 287-1563
ORDER LINE ONLY, FOR
QUEBEC, ONTARIO, MARITIMES

### 800-361-5336

WESTERN CANADA: 800-361-5155

### BLAXLAND COMPUTER

76A MURPHY STREET BLAXLAND 2774 PO BOX 125 BLAXLAND NEW SOUTH WALES AUSTRALIA

TEL:(047) 30-3903

HOURS: MONDAY-FRIDAY 10-6 SATURDAY 10-4

### DEWIII K=DOS

THE FIRST FULY RS-DOS COMPATIBLE

INTEGRATED SCREEN EDIT CURSOR CONTROL. undo - FOR SCREEN EDIT COLD START RAIII-MOVE ROM TO RAIII -SHIFT CLEAR MENU ALLOWS TWO KEY ENTRY TO 128 K-CARD, SECS 80 AND HARD AND FLOPPY-DISKS DRIVES WIRE MULTIPACK TAPE TO DISK SCREEN TO PRINTER DUMP USER DEFINABLE COMANDS

on sk e-prom

SUPPORTS AUTOBOOT

\$ 69.95

### WITH OUR 80 COLUMN no boots required

Just turn on to our

SECS 30 I



SCREEN Edit Control System 30 Colomn-Card

### BECS 80 FEATURES

- \*FULL SCREEN EDIT CURSER CONTROL
- \*2K STAND ALONE SYSTEM OR 8K K-DOS INTEGRATED VERSION, REQUIRING NO INTERNAL MEMORY.
- FULL UPPER AND LOWER CASE ATTRIBUTES INCLUD: BLINKING, UNDERLINE, INVERSE VIDEO, SELECTABLE CURSOR STYLE, THINE & WIDE GRAPHICS AND SMOOTH SCROLL OR OPTIONAL 25TH NON- SCROLLING LINE.

2K VERSION

\$ 99.95

8K VERSION

\$ 129.95

### HARD DISK DRIVES I

5,10, or 20 meg

JUST PLUG ID I

STARTING FROM \$ 699.00


Our complete operating system FEATURES: \*\*\*\*\*\*\*\*\*\*\*\*\*

- \* Fully integrated into disk basic
- \* Tape to hard disk
- Disk to hard-disk
- \* hard-disk to tape
- \* Hard-disk to disk
- \* Duplicate
- \* Cold start
- m-run
- \* ALL EXTENDED DISK BASIC COMMANDS ARE SUPPORTED
- \* SUPPORTS K-DOS , 128 K-RAM CARD & SECS-80 CARD.

05-9 utility pack

BOOT STRAPS, FORMATTER

0 129.00



### HACKERS KIT

\$ 399 99

HARD DISK CONTROLLER, INTERFACE CARD, CABLE & OPERATING SYSTEM WITH MANUAL.

SUPER SALE I ON NEW DISKDRIVES STARTING FROM

\$149.00

TANDON, TEAC, PANASONIC

SERIAL PARALLEL PRINTER INTERFACE -DUAL DOS SWITCHER FOR JON CONTROLLER - \$ 19.95

\$ 39.95

WRITE FOR OUR CATALOG



ur favorite computer — Radio Shack's CoCo — is the best selling machine Tandy Corp. has ever had and is expected to continue its leadership in the foreseeable future, according to top planners in the firm's computer merchandising area.

"In terms of units sold, the Color Computer is far and away the best selling computer we have ever had," Mark Yamagata, director of computer merchandising-personal computer products, told THE RAINBOW in an exclusive interview.

"Not only is it our best seller, but all our plans, buying strategy and marketing decisions, anticipate that it will continue to be the number one computer in sales in the Tandy line," he added.

However, in a whimsical aside, Yamagata noted that, effective almost immediately, "there will be no more TRS-80 Color Computers manufactured." The reason? All of Tandy's new computers — as well as most of its present line — will be known as "Tandy" computers from now on. "So, it now becomes the Tandy Color Computer," Yamagata explained.

Indeed, in a wide-ranging interview with THE RAINBOW, Yamagata and Barry Thompson, Color Computer product line manager, exuded enthusiasm about plans for continued support and expansion of the Color Computer line — now Tandy Color Computer line — in both the immediate and prospective future.

As to the immediate future, Thompson points out that considering the scope of the CoCo market, buying decisions have to be made as much as a year in advance. Thus, in December 1984, Tandy is already beginning to make decisions on how many CoCos it will sell for the holiday buying season next year.

Yamagata gestured toward Thompson: "He's still here and that's what he's doing — buying Color Computers for next Christmas. Lots of them. As long as he's here, we'll be buying Color Computers."

"And I'm not going anywhere," Thompson confirms.

Both Thompson and Yamagata acknowledge that they see the Color Computer as a consumer product whose sales will become somewhat more seasonal than they have been historically. Because of this, many new products for CoCo will appear in the fall rather than the spring.

"But we will continue to bring new products and programs for the Color Computer to the stores as soon as they become available," Yamagata says. "It is just that the real push each year will be for products appearing in the fall catalog rather than in the one we do for the spring."

"The fact that we do not announce a whole bunch of new things for the Color Computer in the spring catalog does not mean that we are in any way soft on the CoCo," says Thompson. "It is just that many things were announced in the fall because we knew then that we would produce them. Some, of course, have not been brought to the stores yet."

Thompson believes there is still a huge, untapped market for "home" computers. And he believes Tandy will get a huge share of that market — as it has already done.

"When you look at it, only some two to three percent of American homes have home computers," says Yamagata. "That leaves a market that is huge by any comparison. And, I believe we have demonstrated that we will have a large share of that market — as we do now."

Thompson points out there have been some industry "experts" who have compared the home computer market with the Citizen's Band craze of several years ago. But, he adds: "This has passed the CB radio stage and passed the CB radio philosophy. So many people thought that home computers would die out like CB radio, but that has not happened."

"Of course, in order for this to continue, the home computer has to be viewed as a personal productivity tool. One of the things we are trying to do is enhance an individual's use of a computer in the home or small business as a device which can increase that person's personal productivity."

Because of this, both Yamagata and Thompson put little credence in reports that the day of the eight-bit computer is numbered.

# Telewriter-64 the Color Computer Word Processor

- 3 display formats: 51/64/85 columns × 24 lines
- True lower case characters
- User-friendly full-screen editor
- Right justification
- Easy hyphenation
- Drives any printer
- Embedded format and control codes
- Runs in 16K, 32K, or 64K
- Menu-driven disk and cassette I/O
- No hardware modifications required

#### THE ORIGINAL

Simply stated, Telewriter is the most powerful word processor you can buy for the TRS-80 Color Computer. The original Telewriter has received rave reviews in every major Color Computer and TRS-80 magazine, as well as enthusiastic praise from thousands of satisfied owners. And rightly so.

The standard Color Computer display of 32 characters by 16 lines without lower case is simply inadequate for serious word processing. The checkerboard letters and tiny lines give you no feel for how your writing looks or reads. Telewriter gives the Color Computer a 51 column by 24 line screen display with *true lower case characters*. So a Telewriter screen looks like a printed page, with a good chunk of text on screen at one time. In fact, more on screen text than you'd get with Apple II, Atari, TI, Vic or TRS-80 Model III.

On top of that, the sophisticated Telewriter full-screen editor is so simple to use, it makes writing fun. With single-letter mnemonic commands, and menu-driven I/O and formatting, Telewriter surpasses all others for user friendliness and pure power.

Telewriter's chain printing feature means that the size of your text is never limited by the amount of memory you have, and Telewriter's advanced cassette handler gives you a powerful word processor without the major additional cost of a disk.

...one of the best programs for the Color Computer I have seen...

- Color Computer News, Jan. 1982

#### **TELEWRITER-64**

But now we've added more power to Telewriter. Not just bells and whistles, but major features that give you total control over your writing. We call this new supercharged version Telewriter-64. For two reasons.

### 64K COMPATIBLE

Telewriter-64 runs fully in any Color Computer — 16K, 32K, or 64K, with or without Extended Basic, with disk or cassette or both. It automatically configures itself to take optimum advantage of all available memory. That means that when you upgrade your memory, the Telewriter-64 text buffer grows accordingly. In a 64K cassette based system, for example, you get about 40K of memory to store text. So you don't need disk or FLEX to put all your 64K to work immediately.

#### 64 COLUMNS (AND 85!)

Besides the original 51 column screen, Telewriter-64 now gives you 2 additional high-density displays:  $64 \times 24$  and  $85 \times 24!!$  Both high density modes provide all the standard Telewriter editing capabilities, and you can switch instantly to any of the 3 formats with a single control key command.

The 51 × 24 display is clear and crisp on the screen. The two high density modes are more crowded and less easily readable, but they are perfect for showing you the exact layout of your printed page, all on the screen at one time. Compare this with cumbersome "windows" that show you only fragments at a time and don't even allow editing.

### RIGHT JUSTIFICATION & HYPHENATION

One outstanding advantage of the full-width screen display is that you can now set the screen width to match the width of your printed page, so that "what you see is what you get." This makes exact alignment of columns possible and it makes hyphenation simple.

Since short lines are the reason for the large spaces often found in standard right justified text, and since hyphenation is the most effective way to eliminate short lines, Telewriter-64 can now promise you some of the best looking right justification you can get on the Color Computer.

#### **FEATURES & SPECIFICATIONS:**

Printing and formatting: Drives any printer (LPVII/VIII, DMP-100/200, Epson, Okidata, Centronics, NEC, C. Itoh, Smith-Corona, Terminet, etc).

Embedded control codes give full dynamic access to intelligent printer features like: underlining, subscript, superscript, variable font and type size, dotgraphics, etc.

Dynamic (embedded) format controls for: top, bottom, and left margins; line length, lines per page, line spacing, new page, change page numbering, conditional new page, enable/disable justification.

Menu-driven control of these parameters, as well as: pause at page bottom, page numbering, baud rate (so you can run your printer at top speed), and Epson font. "Typewriter" feature sends typed lines directly to your printer, and Direct mode sends control codes right from the keyboard. Special Epson driver simplifies use with MX-80.

Supports single and multi-line headers and automatic centering. Print or save all or any section of the text buffer. Chain print any number of files from cassette or disk.

RAINBOW

File and I/O Features: ASCII format files — create and edit BASIC, Assembly, Pascal, and C programs, Smart Terminal files (for uploading or downloading), even text files from other word processors. Compatible with spelling checkers (like Spell 'n Fix).

Cassette verify command for sure saves. Cassette autoretry means you type a load command only once no matter where you are in the tape.

Read in, save, partial save, and append files with disk and/or cassette. For disk: print directory with free space to screen or printer, kill and rename files, set default drive. Easily customized to the number of drives in the system.

Editing features: Fast, full-screen editor with wordwrap, block copy, block move, block delete, line delete, global search and replace (or delete), wild card search, fast auto-repeat cursor, fast scrolling, cursor up, down, right, left, begin line, end line, top of text, bottom of text; page forward, page backward, align text, tabs, choice of buff or green background, complete error protection, line counter, word counter, space left, current file name, default drive in effect, set line length on screen.

Insert or delete text anywhere on the screen without changing "modes." This fast "free-form" editor provides maximum ease of use. Everything you do appears immediately on the screen in front of you. Commands require only a single key or a single key plus CLEAR.

...truly a state of the art word processor...
outstanding in every respect.

— The RAINBOW, Jan. 1982

#### PROFESSIONAL WORD PROCESSING

You can no longer afford to be without the power and efficiency word processing brings to everything you write. The TRS-80 Color Computer is the lowest priced micro with the capability for serious word processing. And only Telewriter-64 fully unleashes that capability.

Telewriter-64 costs \$49.95 on cassette, \$59.95 on disk, and comes complete with over 70 pages of well-written documentation. (The step-by-step tutorial will have your writing with Telewriter-64 in a matter of minutes.)

To order, send check or money order to:

Cognitec 704 Nob Street Del Mar, CA 92014

Or check your local software store. If you have questions, or would like to order by Visa or Mastercard, call us at (619) 755-1258 (weekdays, 8AM-4PM PST). Dealer inquiries invited.

(Add \$2 for shipping. Californians add 6% state tax.

### Now available at Radio shack stores via express order

Apple II is a trademark of Apple Computer, Inc.; Atari is a trademark of Atari, Inc.; TRS-80 is a trademark of Tandy Corp; MX-80 is a trademark of Epson America, Inc.

"If you get what you want done, at a cost that you want," Thompson says, "no one cares whether he is using an eightbit or 16-bit machine. The 'average' new user doesn't care if there are eight bits or eight million — so long as the job gets done. We know the CoCo can do the job.'

This, interjects Yamagata, is further proof that the home computer market is, essentially, a consumer market. The typical consumer is not into the hardware, the details of programming or other aspects of computing as is the hobbyist. "He wants to get the job done," Yamagata believes.

But, as Thompson points out, the Color Computer is, in many ways, a 16-bit machine anyway. Yet "we don't advertise it that way — maybe because we're a little more conservative, or a little more truthful," he says.

Of great interest, Yamagata points out, is that more and more "name" software firms are beginning to work with Tandy. One of them, Imagic, has a program due out soon.

"Why are these people coming to us more and more?" Yamagata asks. "Because they see a very healthy and an increasing share of the market. We still don't release our sales figures, but the message is pretty plain in the marketplace.

"The Color Computer is clearly the leader in the home computer field and we intend to do what we can to keep it that way."

So, what about the future?

"Of course, we plan to extend and expand the Color Computer," Yamagata says. "We would be foolish if we were to cut out the most successful computer we

"Naturally, there will be some changes and additions to the line, as time goes by," he adds. "But, remember, one of the major benefits of a Tandy computer has always been that it is upwardly compatible so that software that runs on a Color Computer today will run on a Color Computer tomorrow. This, of course, pertains to our own software as well as the software from people who do not use undocumented calls into the ROM.

"I think this is a very important consideration in the computer market. It is something we have considered very important at Tandy and it should certainly be a major consideration for people who buy computers."

The one watchword of the future? "This is our - and one of the world's — most successful computers, in terms of sales, customer acceptance and value," says Yamagata.

"Anyone who had a product like that would be a fool to do anything less than continue to support it 100 percent. We may be a lot of things here, but foolish certainly isn't one of them."

- Lonnie Falk





### YOU COULD FALL IN LOVE WITH AUTOTERM!

IT TURNS YOUR COLOR COMPUTER INTO THE

### WORLD'S SMARTEST TERMINAL

AND MOST LOVABLE

### GOOD LOOKIN'

AUTOTERM shows true upper/ lower case in screen widths of 32, 40, 42, 51, or 64 characters with no split words. The width of 32 has extra large letters. Scrolling is forward, backward, and fast. Block graphics pictures are displayed automatically and can be scrolled.

The screen's top line shows operating mode, unused memory size, memory on/off, and capslock on/off. It also gives helpful prompts.

### SWEET TALKIN'

KEY-BEEP can be on/off. Unacceptable keystrokes cause a lower pitched BOP! This ERROR-BEEBOP can be on/off.

Talks to other computers with Full or Half Duplex; Baud Rate of 110, 150, 300, 600, 1200; Parity as even, odd, mark, space, none; 7 or 8 bit Word; any Stop Bits; all 128 ASCII characters; true line Break; XON/XOFF protocol; and optional line-at-a-time transmission. Able to send and receive text, block graphics, BASIC and ML programs. A 64K machine holds up to 46,600 characters (34,900 in HI-RES).

DUAL PROCESSING lets you review & edit while more data is coming in.

Fully supports D.C. Hayes and other intelligent modems.

Talks to your printer with any page size, margins, line spacing, split word avoidance. Embed your printer's control sequences for boldface, underlining, etc. Narrow text can be automatically spread out.

### You'll also use Autoterm for simple word processing and record keeping

You can display directories, delete files, transmit directly from disk, and work with files larger than memory. Easily maintain a disk copy of an entire session.

Compatible with TELEWRITER (ASCII) & other word processors.

### SMOOTH WALKIN'

AUTOTERM moves smoothly and quickly between word processing and intelligent terminal action. Create text, correct your typing errors; then connect to the other computer, upload your text, download information, file it, and sign-off; then edit the received data, print it in an attractive format, and/or save it on file.

Editing is super simple with the cursor. Find strings instantly, too! Any operating parameter, such as screen width, can be altered at any time. Uncompleted commands can be cancelled.

### PUTTY IN YOUR HANDS

The word processor can be used to create, print, and/or save on file your personal KSMs. They let AUTOTERM act like you. For example, it can dial through your modem, sign-on, interact, perform file operations, & sign-off; an entire session without your help. KSMs can answer the phone, prompt the caller, take messages, save them, hang-up, and wait for the next call. The KSM potential is unbelievable!

NO OTHER COMPUTER IN THE WORLD CAN MATCH YOUR COCO'S AUTOMATIC TERMINAL CAPABILITIES!!!

### WHAT THE REVIEWERS SAY

"AUTOTERM is the Best of Class." Graham, *RAINBOW*, 6/83

"The AUTOTERM buffer system is the most sophisticated — and one of the easiest to use..."

Banta, HOT CoCo, 9/84

"Almost a full featured word processor..."
Ellers, RAINBOW, 11/84

RECOMMEND 32K to 64K Tape-to-Disk Upgrade \$23 You Keep the Cassette

#### CASSETTE \$39.95 DISKETTE \$49.95

Add \$3 shipping and handling MC/VISA/C.O.D.

PXE Computing 11 Vicksburg Lane Richardson, Texas 75080 214/699-7273

Please hire the mentally retarded. They are sincere, hard working and appreciative. *Thanks! Phyllis*.



BUT IF YOU DON'T KNOW LOGO Send for our LOGO STARTER program...

ations from the northern sky and is an exciting

introduction to the stars. (Requires Color Logo)

Teachers agree: LOGO is the best way to introduce children to computers. Now, with LOGO STARTER you won't have to read a book or instruction manual. Just load the LOGO STARTER tape. Your child will draw exciting designs right from the start. You won't waste your time on a lot of tedious typing. And your child will be on the way to computer literacy. (Requires Radio Shack Color LOGO) \$13.95

### SPEED READING \$17.95

Busy executives! Students! Increase reading speed dramatically. Best available speed reading program for the CoCo. Reading material appears on the TV screen at the speed you select, training you to read faster. You can even change speed while reading. Complete with 6 different text selections and a quiz for comprehension, plus a drill to improve visual span & perception.

### WILD PARTY-\$27.95

A naughty, sexy computer game for 2 to 6 couples. (Write us—we'll send a copy of the Review.)

"Would definitely liven up most parties." —Rainbow Magazine

All programs on cassette tape for 16K Color Computer Extended BASIC not required. Prices include postage (PA residents add 6%). Send check to P.O. Box 210, Jenkintown, PA 19046

### **B&B Software**

### BUILDING FEBRUARY'S RAINBOW

Our Utilities Issue . . .

Maybe An Educational Program Contest . . . And, Let's Keep The One-Liners Coming . . .

his is our utilities issue. Those who took part in our survey at the RAINBOWfest in Princeton put utilities at the top of the list of things they'd like to see more of in THE RAINBOW. So, even though we had several utilities last month, we decided to give you even more of what you're most asking for. Also in answer to popular demand, two are in OS-9 and one is in BASIC09. Some of the other utilities are for cassette users, while others are for disk. We do hope you find some choice pickings from this month's offerings.

For a long while, we had intended this to be our Adventure contest kickoff edition. And, yes, we already have a number of prizes lined up for our Third Annual Rainbow Adventure Contest. We'll just wait a bit and sound the starting gun next month as something lighter to complement the material in our March business and financial issue. If you can't wait to get started,

plunge on in; the rules will be similar to last year's.

Speaking of contests, what do you think of one for educational programs? Paul French, of Burlington, Iowa, proposes such a competition in this month's Letters to the Editor. Sure, we've considered such a contest, but maybe his letter is what we needed to go into action. What do you think? What sort of rules? Who should we get to do the judging? Share your thoughts with us. While you're at it, maybe you have an idea for another contest. And, while we're asking, what sort of extra treat would you like to see in RAINBOW's fourth anniversary issue in July? As many of you know, we always include a surprise in the anniversary issue. Last year, we had the Scratch and Sniff Adventure. The year before: a soundsheet with three computer programs recorded on it ready to load in and run. This year? Maybe your idea's time has arrived.

While we're talking contests, don't forget our continuing competition: The First Great Rainbow One-Liner Contest! In the September 1984 installment of this column, we introduced a standing contest. No deadlines. Few rules. Some guidelines. Well, we get new entries daily, but since many of you are just joining us, we want you to know you can enter, too. Just send us the best you can put together in one line of BASIC. We think these one-liners, several of which appear in each issue of THE RAINBOW, are a great learning aid, as well as just plain fun. It's a treat to see what can be done in just one line number. As long as new entries keep coming in, we plan to keep publishing the best of the crop. Enter as often as you like.


Repeating the guidelines. Programs must work in Extended BASIC and have only one line number. They must be entirely self-contained; no loading other programs, no calling ROM routines, no ML POKEs. Please don't try to "sneak in" machine language; the program must work as if typed in from a cold start. Don't pack so tightly that we can't LIST or LLIST the entire line after all, we want to share your work with RAINBOW readers. Keep documentation to 25 words or less. Give the one-liner a title that hints at what it does. Saving it on cassette is the best way to submit your entry, and a printout helps, but provide a cover letter, too. As in any contest, packaging often makes the difference; entries penciled in on the back of a chewing gum wrapper are unlikely to fare well. Nonetheless, if you must break a rule or two, go ahead; we don't want to miss out on the world's greatest one-liner because of some arbitrary guideline. Lastly — just for the record — we'll consider your act of entering the contest as consent to publish your incomparable original. Whew, that's a lot of guidelines for a wide-open, nodeadline, ignore-the-rules-if-you-have-to contest.

I'll conclude with my usual one-liner: If you haven't sent in your entry, in the form of a subscription to THE RAINBOW, why not do so right away; our judges believe you'll declare it the top prize winner in the CoCo competition

— no contest!

— Jim Reed

### **Graduate With DEFT Pascal**



As a result of the programming language requirement of the Advanced Placement (AP) Tests, Pascal has become the standard language used in High Schools and Colleges today. On the Color Computer, DEFT Pascal is the standard.

#### DEFT Bench \$49.95

**DEFT Edit** 

Full screen editor

DEFT Linker (see DEFT Pascal)

DEFT Lib

create and maintain program object libraries

**DEFT Debugger** 

debug Pascal machine programs symbolically

DEFT Macro/6809

supports entire 6809 instruction set,

lets you define your own instructions

RS# 90-5001

All **DEFT** software and programs developed with **DEFT** software are BASIC ROM independent and **use all** of the **memory** in your Color Computer **without OS-9**. All you need is **DEFT** software and a TRS-80 Color Computer with Extended Disk BASIC, at least 32K of RAM and One Disk Drive. With **DEFT Pascal** (\$79.95) you will also need a text editor to write your programs. Software licensing arrangements are available for schools. Dealer inquiries welcome.

### DEFT Pascal \$79.95

**DEFT Pascal** Compiler

complete **Pascal** language, generates machine language object

DEFT Linker

combines multiple program objects into one binary program

RS# 90-5000

DEFT Pascal Workbench \$119.95 (DEFT Pascal And DEFT Bench Together)

RS# 90-5002



N	ow /	Avai	lable	9
By	Expi	ress	Ord	er
		ur L		
		aci		

Orders and Sales Information 1-800-992-DEFT
Technical Assistance 1-301-253-1300

DEFT is a Trademark of DEFT Systems, Inc. TRS-80 is a Trademark of TANDY Corporation

Ouantity of Each: DEFT Pascal DEFT Bench DEFT Pascal Workbench  Method of Payment (check one) Check Enclosed VISA Master Card COD	DEFT Systems, Inc. Suite 4, Damascus Centre Damascus, MD 20872
Account Number Card Expiration Date // Signature	
Name	
Street	
City	_ State _ Zip
All orders are shipped UPS within 24 hours of receipt. Ad- residents add 5% for State Sales Tax; add \$2.00 for COL	

## FLOATING

he floating point math package included in the Color BASIC 1.1 ROM contains an error. This article explains the bug in the Color BASIC ROM and how it can be fixed when running in the 64K mode. It also explains what "floating point numbers" are and explains how the floating point math routines can be utilized.

### **Floating Point Format**

The floating point format used by the Color Computer is similar to the 'E' notation used by BASIC. The statement X = 1.5 E+03 in a BASIC program means that the value of 'X' is:

$$1.5 \times 10^3 = 1.5 \times 1000 = 1500$$

In this statement, the value 1.5 is called the mantissa and +03 is called the exponent. The exponent represents a power of 10.

The Color Computer's floating point format also represents numbers in mantissa/exponent form. However, both the mantissa and the exponent must be stored in binary, and the exponent represents a power of 2, not 10.

In decimal numbers, the position of a digit relative to the decimal point indicates its magnitude. For binary numbers, the same kind of positioning can be done relative to a "binary point." The weighting is assigned as follows:


23	22	21	20	2-1	2-2	2-3	2-4
X	X	X	X	X	X	X	X
8	4	2	1	0.5	0.25	0.125	0.0625

Using this weighting, the value 5.5 could be represented with a mantissa of 101.1 and with an exponent of 0. By convention, however, the mantissa is adjusted so no digits

(Steve Broadwater has extensive experience in writing 8080 assembly language software for data acquisition and automatic control applications. He is an engineer with a large public utility corporation, where he is involved in the design and installation of telecommunications equipment.)

# POINT MATH

By Steven R. Broadwater



19



### and showed you our best deals on computer hardware.

### HARDWARE SPECIALS

Extended Basic w/bk	\$ 39.95	26-1192 CGP-115 Printer/Plotter	\$119.95
64k (DEI) Memory Upg	\$ 59.95	26-1276 DMP-105 Printer 80 cps	\$179.95
26-3029 CoCo Drive 0	\$275.00	C. Itoh 8510 AP Printer 120 cps	\$399.95
26-3023 CoCo Drive 1	\$229.00	Gorilla/NAP Video Monitor (Grn)	109.95
HJL Keyboard (D,E,F,2)	\$ 79.95	Video Monitor Adapters	\$ 29.95
Super Pro Keybd. (D,E)	\$ 64.95	26-3024 RS Multi-Pac Interface	\$ 89.95
26-3127 64K Extended CoCo2	\$179.95	Botek Ser/Par Interface	\$ 69.95
26-3134 16K Standard CoCo2	\$ 89.95	CGP-220 Ink Jet Printer	\$379.00
26-3136 16K Extended CoCo2	\$129.95	DMP 110 Printer	\$349.00
26-3801 Model 100 8K	\$349.95	DWP 210 Printer	\$379.00
26-3816P 8K Upgrade Model 100	\$ 69.95		

### **ACCESSORIES**

Volksmodem 1200	\$299.00	Mach II Joystick	\$	39.95
RS D.C. Modem IB	\$ 89.95	26-3030 OS-9 (64k)	\$	64.95 (disk)
Novation J-Cat Modem	\$129.95	Basic-09 (req. OS-9)	\$	87.95 (disk)
RS D.C. Modem II	\$179.95	"C" Compiler (OS-9)	S	87.95 (disk)
USR Password 300	\$179.95	FHL 0-Pak (req. 0S-9)	\$	34.95 (disk)
Hayes SM 300 Modem	\$239.95	Elite Word	\$	59.95 (d&c)
USR Password 1200	\$429.00	Elite Calc	\$	59.95 (d&c)
CoCo Switcher	\$ 39.95	Color Term Plus	5	29.95 (cass)
Elephant Disks ssdd	\$ 22.95	Deft Pascal	S	79.95
		26-3012 Deluxe Joystick	\$	34.95
NEW! Dual Double Sided Dr	rives including	NEW! 26-3128 64K		

### **MSI SOFTWARE**

case, power supply & cable

MSI DISKUTIL	NEW	\$ 19.95	MSI NAMEFILE		\$ 24.95
COLOR FINANCE 1		\$ 49.95	MSI CALENDAR	NEW	\$ 19.95
COLOR EINANCE II	NEW	\$ 60.05	MSI COLOR PAYROLL	NEW	\$ 00 05

Call for prices and availability of your favorite software and hardware. All advertised items subject to availability. **Prices do not include shipping and handling.** All of the above units are covered by our 120 day carry-in warranty.

TRS-80 Trademark Tandy Corporation. Prices subject to change without notice. Write for our FREE newsletter.



### DELKER ELECTRONICS, INC.

Direct Video CoCo2

P.O. Box 897 408C Nissan Blvd. Smyrna, TN 37167



800-251-5008 800-545-2502 (TENNESSEE) 615-459-2636 (TENNESSEE) 514-254-0088 (NASHVILLE)



\$219.95

to the left of the binary point are set and the first digit to the right of the binary point is set. The adjustment is made by rotating or shifting the mantissa to the left or right as many times as required to correctly position the most significant bit. Since rotating the mantissa once to the right is the same as dividing it by two, the exponent must be incremented by one each time the mantissa is rotated to the right, and must be decremented each time the mantissa is rotated to the left.

In this example, the mantissa becomes 0.1101 and the exponent becomes 011, or 3. This form can be seen to be equivalent in that the value of the mantissa is now:

$0 \times 2^{0}$	=	0 x 1	=	0
1 x 2-1	=	1 x 0.5	=	0.5
$0 \times 2^{-2}$	=	$0 \times 0.25$	=	0
$1 \times 2^{-3}$	=	1 x 0.125	=	0.125
$1 \times 2^{-4}$	=	1 x 0.0625	=	0.0625
				0.6875

and the value of the quantity represented by the mantissa and the exponent taken together is:

$$0.6875 \times 2^3 = 0.6875 \times 8 = 5.5$$

By following this convention, all of the floating point routines can simply assume the binary point is to the immediate left of the most significant bit of the mantissa. Therefore, it is not necessary to store the binary point itself in memory. When this convention is utilized, the value is said to be "normalized."

The Color Computer uses one byte (eight bits) to represent the exponent, and four bytes (32 bits) to represent the mantissa of any number. The mantissa appears:

.1XXX XXXX	XXXX XXXX	XXXX XXXX	XXXX XXXX
Most	Next	Next	Least
Significant	Most	Least	Significant
Byte	Significant	Significant	Byte
	Byte	Byte	


The most significant bit has a weight of 2-1; the least significant bit has a value of 2-32.

The exponent is represented by expressing its magnitude as a 2's complement 8-bit integer. That is, a magnitude of +1 is expressed as \$01, 0 is expressed as \$00, -1 is expressed as \$FF, etc. Then, \$80 is added to the 2's complement integer. The result is the representation of the exponent stored in memory. So, an exponent of +1 will be stored as \$81 (since \$01 + \$80 = \$81). Zero will be stored as \$80, and -1 will be stored as \$7F (\$FF + \$80). By representing exponents in this fashion, the most significant bit indicates the sign of the exponent. If it is set, the exponent is positive; if it is clear, the exponent is negative.

How the sign of the mantissa is represented depends on where in memory the number is stored. There are two 6-byte areas reserved in low memory where numbers are stored when math functions are about to be performed and results are placed. These 6-byte areas are known as floating point accumulators and are called FPAC1 and FPAC2.

Call Toll Free:

# THE BIG 3



Pro-Color-Series™

### THE LOGICAL CHOICES

### **DYNACALC®**

COMPUTER SYSTEMS CENTER 42 Four Seasons Chesterfield, MO 63017 Ph: 314/576-5020

### Telewriter-64...

COGNITEC 704 NOB ST. DEL MAR, CA 92014 (619) 755-1258

### **Pro-Color-Series™**


DERRINGER SOFTWARE, INC. PO BOX 5300 FLORENCE, SC 29502-2300 (803) 665-5676

SEE ADS FOR THESE PROGRAMS IN THIS ISSUE. REFER TO THE ADVERTISER'S INDEX.

# OTALLY NTEGRATED ACKAGE

After two years on the market, we've orchestrated our software to perform for you in ways other programs can't even play second fiddle to.

The all new **Pro-Color-Series**™ offers total integration between its advanced database functions, word processing, spread sheet, graphics and communications.



PRO-COLOR-FILE will listen to your spread program and create data files that can be reported and sorted even further. PRO-COLOR-FORMS will take data from PRO-COLOR-FILE and merge it with a letter for bulk mailings. It will even merge hi-res graphics from MASTER DESIGN for placement within a letter or form. It will send reports to a printer, screen or an ASCII text file that can then be transmitted by your communications program or read by your word processor.

SAME SAME

### Pro-Color-Series™

© 1984 by Derringer Software, Inc.

Now there's a series of programs that offers integration between the five major uses of a computer — Database, Word Processing, Spread Sheet, Communications and Graphics!

### PRO-COLOR FILE \*Enhanced\* 2.0 \$59.95

An all new version of **PRO-COLOR-FILE** will once again leave its mark as the most flexible database in its price range for the Color Computer.

• 60 Data Fields • 1020 BYTE RECORDS • TRUE MULTI DRIVE SUPPORT • 4000+ RECORD CAPACITY • 4 USER DEFINED DATA ENTRY SCREENS • 28 MATH EQUATIONS • IF-THEN-ELSE FUNCTIONS IN EQUATIONS • FILE-WIDE RECALCULATION • 8 USER DEFINED REPORT FORMATS • 6 USER DEFINED LABEL FORMATS • TOTAL FIELDS ON REPORTS • SUMMARIZE FIELDS • SEND REPORTS TO PRINTER, SCREEN OR TEXT FILE • FAST ML SORT (750 RECORDS IN LESS THAN 5 MINUTES) • CREATE UP TO 16 INDEXES FOR SORTING OR REPORTING RECORDS • AUTO KEY REPEAT • KEYBOARD CLICK • STORES FORMATS FOR REPEATED USE • CUSTOM SELECTION MENUS • PASSWORD PROTECTION • CREATES FILES COMPATIBLE WITH DYNACALC®

Because of PRO-COLOR-FILES ability to send reports to a text file, this means you can use your favorite communications program to transmit reports to other computers or read them in with your favorite word processor for creating customized reports. You can also convert ASCII files from your favorite spread sheet program into data files that can be accessed for further reporting and analyzing. PRO-COLOR-FILE is also supported by the PRO-COLOR-FILE National Users Group with quarterly newsletters. Join the rest of the world and discover for yourself what you've been missing.

### **MASTER DESIGN**

\$29.95

This graphics program does more for you than just hi-res graphic editing. It will generate lettering in hi-res graphics that can be different sizes, skinny, bold, textured, drop shadowed, raise shadowed or tall. It will also interface with the Telewriter-64 word processor for printing hi-res displays with your letters.

As a graphics editor, it takes full advantage of all the extended BASIC hires graphic commands. Create boxes, circles, lines, copy displays and utilize GET and PUT features. Some added commands include mirror reflection, turn displays backwards or upside down, Squish displays, create dot patterns for shading or diagonal lines for creative backgrounds.

Special text files created with the Letter Head Utility allow you to access hi-res graphics from Telewriter-64, your own BASIC programs or **PRO-COLOR-FORMS**.

MASTER DESIGN comes with its own screen dump routine which interfaces with all popular dot matrix printers that have dot addressable graphic ability.

See reviews in:

July '84 Rainbow,Oct. '84 Hot CoCo Telewriter-64 © 1983 by Cognitec

### PRO-COLOR-DIR

\$21.95

Need to organize all your diskettes so you know where each program is? PRO-COLOR-DIR will read your directories and create a master data file that can be accessed by PRO-COLOR-FILE for sorting and reporting. 1000 + records can be stored on one diskette with valuable information about each program.

• DISK ID NAME • FILENAME/EXT • TYPE OF FILE • DATE CREATED • DATE UPDATED • NUMBER OF GRANS ALLOCATED • NUMBER OF SECTORS ALLOCATED AND USED • MACHINE LANGUAGE ADDRESSES •

A diskettes directory can be re-stored in the data file with old entries deleted and new ones appended automatically. You can obtain hard copies of the information and create labels of the filenames for placing on the diskette itself.

### PRO-COLOR-FORMS 2.0

\$29.95

PRO-COLOR-FORMS will access data files you create with PRO-COLOR-FILE and merge them with a letter or place them on pre-printed forms such as statements. Any field of information from your data file can be placed anywhere and repeated as many times in the letter or on the form. You can use the built in ML text editor for creating the form or use your favorite word processor.

- DESIGN UP TO 6 FORMATS AT ONE TIME USER DEFINED PAGE SIZE • SUPPORTS SPECIAL PRINTER CONTROL CODES • RIGHT JUSTIFICA-TION • PASSWORD PROTECTION • MERGES WITH GRAPHICS FROM MASTER DESIGN •
- If you use our graphics program MASTER DESIGN, you can merge graphics with your forms for added enhancements. Have your graphic letter head printed at the top of each letter or incorporate designs, bar graphs or any display created within the form itself.

### Buy any 3 and deduct 10% — Buy all 4 and deduct 15%

Shipping: Include \$3.00 for UPS shipping, \$6.00 postal, \$12.00 overseas Send orders to: Derringer Software, Inc. P.O. Box 5300, Florence, SC 29502-2300 VISA/MasterCard customers call: (803) 665-5676 10:00 am to 5:00 pm EDT

### **DYNACALG®**

THE BEST SPREAD SHEET PROGRAM ON THE MARKET\* \$99.95 (Includes DYNAGRAPH©) \$89.95 IF PURCHASED WITH ANY OF THE ABOVE PROGRAMS.

Their locations are:

Add (He		Definition
FPAC1	FPAC2	
\$004F	\$005C	Exponent
\$0050	\$005D	Mantissa — MS
\$0051	\$005E	Mantissa — NMS
\$0052	\$005F	Mantissa — NLS
\$0053	\$0060	Mantissa — LS
\$0054	\$0061	Mantissa — Sign

In the floating point accumulators, there is one byte used for the exponent, four bytes used for the mantissa, and one byte used for the sign of the mantissa. Only the most significant bit of the sign byte is used. If it is clear, the mantissa is taken to be positive; if it is set, the mantissa is negative. The other seven bits of the sign byte are meaningless. The number 5.5 stored in FPAC1 would appear as:

Address	Data Byte
\$004F	\$83
\$0050	\$0B0
\$0051	\$00
\$0052	\$00
\$0053	\$00
\$0054	\$30

The exponent  $\$83 = 1000\ 0011$ . Since the most significant bit is set, the exponent is positive. The value of the exponent is given by \$83 - \$80 = +3.

The mantissa is \$B0000000, or

### **About Your Subscription**

Your copy of THE RAINBOW is sent second class mail. If you do not receive your copy by the 5th of the month of the publication date, send us a card and we will mail another immediately via first class mail.

You must notify us of a new address when you move. Notification should reach us no later than the 15th of the month prior to the month in which you change your address. Sorry, we cannot be responsible for sending another copy when you fail to notify us.

Your mailing label also shows an "account number" and the subscription expiration date. Please indicate this account number when renewing or corresponding with us. It will help us help you better and faster.

For Canadian and other non-U.S. subscribers, there may be a mailing address shown that is different from our editorial office address. Do not send any correspondence to that mailing address. Send it to our editorial offices at P.O. Box 385, Prospect, KY 40059. This applies to everyone except those whose subscriptions are through our distributor in Australia.

and has a value of 0.6875 as shown above.

The sign byte is \$30 or 0011 0000. Since the most significant bit is clear, the mantissa is positive. The other seven bits in the sign byte don't matter.

BASIC reserves space in memory in which to store values of variables used in a program. However, to conserve memory, only five bytes are used to store a value anywhere in memory *except* in the two accumulators. The most significant bit of the mantissa is discarded (since it's always set), and the most significant bit of the sign byte is moved into its place. Thus, the number 5.5 stored at location \$1E7D appears:

Address	Data Byte
\$1E7D	\$83
\$1E7E	\$30
\$1E7F	\$00
\$1E80	\$00
\$1E81	\$00

A value of -5.5 will be stored as follows:

Address	Data Byte	Address	Data Byte
FPAC1	<u>=</u> :		
\$004F	\$83	\$1E7D	\$83
\$0050	\$0B0	\$1E7E	\$0B0
\$0051	\$00	\$1E7F	\$00
\$0052	\$00	\$1E80	\$00
\$0053	\$00	\$1E81	\$00
\$0054	\$0B0		

One special case remains to be discussed. How is the value '0' represented? At first glance, a mantissa of all zeros would appear to work, but this representation does not conform to the convention that the most significant bit of the mantissa must be set. Instead, the exponent is set to \$00, and the floating point routines always assume that the value of the number is zero when the exponent is zero, regardless of the value of the mantissa.

Now that the standard or normalized format of floating point numbers is defined, the range of values that can be represented with this format can be determined. The absolute value of any number must fall in the range:

If an attempt is made to define a variable's value below the lower limit of this range, the value of the variable will be taken as zero. Violating the upper limit generates an OV Error in BASIC.


#### Floating Point Routines

The Color BASIC ROM contains software routines that allow addition, subtraction, multiplication and division of numbers expressed in floating point format. BASIC uses these routines, and it's also possible to use them in an assembly language program.

There are six floating point routines of interest. Their entry points (that is, the addresses where the routines begin) are listed below, together with a short description of the function of each. Each has also been assigned an arbitrary name to facilitate the following discussion. An assembly language program must either refer to a routine by using the address of its entry point, or must contain an EQU or SET statement that defines the name.

With this restriction in mind, the important routines are:

### Direct a Symphony on Your Color Computer



### with VIP Integrated Library™

### VIP Desktop Magic!

Finally, you can have the power and integration of Lotus-Symphony, 1.2.3 or Open Access for the larger micros on your Color Computer! The convenience of instant changes to a new application and effortless transfer of files is at the tip of your finger.

With VIP Desktop, the six applications of VIP Library are integrated into one program, on one disk. You have instant access to word processing, with a spelling checker always in attendance, data management with mail merge, spreadsheet financial analysis, telecommunications and disk maintenance. Just move the hand to point to the volume, and the new application is there. And VIP Integrated Library has been made to work well with one disk drive, or all four, so be ready to push your Color Computer to the limits!

# Available By Express Order At Your Local Radio Thack Store!

Radio Shack Catalog No. 90-0213

Ask to see the demonstration diskette.

Radio Shack is a registered trademark of Landy Corp. Landy 2000 is a trademark of Landy Corp. Symphonic and 1.2 Can. trademarks of Little Corp. Open Access is a fadientark of Software Products International "...PICTURE getting your instantaneous investment report with your modem, using it in a spreadsheet calculation, making a report, and writing a memo including that report and data from your database with your word processor - all this power without leaving VIP Desktop! . . ."

#### Elegance!

VIP Integrated Library is a product with finesse, inside and out. Inside is one awesome but very elegant program. On the outside, it comes handsomely bound in two cloth covered, gold embossed binders with slipcases - like those you get with software for the Tandy 2000". And remember, to get software of this quality for the Tandy 2000 you would have to pay hundreds more!

Buy the Integrated Library for

**\$149.95** 

Or buy the individual volumes separately, as shown on the following pages!†

Requires 64K and one or more disk drives.

VIP Integrated Library comes on one disk. Tape versions of programs are not supplied.

### Stand-Alone Power

VIP Integrated Library is not one of those slip-shod, all-in-one slicer-dicer machines, good for one day and then you throw it away. It fully integrates the six top-of-the-line stand-alone programs described in the following pages: VIP Writer, VIP Speller, VIP Calc, VIP Database, VIP Terminal & VIP Disk-ZAP. You can buy the entire Integrated Library at once, or you can buy one or two programs that you need now and upgrade to the integrated Library later t

### Shared Files, Shared Features

All VIP Integrated Library applications share common features, such as ease of use, built-in help, the same commands, full printer control, full use of your 64K of memory, and step-by-step tutorials. Most important, all essential applications feature professional high resolution lowercase displays to give you a choice of 51, 64, or 85 characters per line, with 21 or 24 lines per screen. You get a professional display on your Color Computer without any hardware modification!

### Test Drive VIP Library For Only \$14.95

The \$14.95 will apply to the purchase of any VIP product bought through VIP Technologies. This test drive offer is available only through VIP Technologies.

These already owning one VIP product, except for VIP Speller, may purchase the Integrated Library by sending in the VIP program with a check or money order for 599.95. This upgrade offer is limited to one labrary per person, credit will ONLY be given for one VIP program, regardless of heav many are owned. This upgrade offer is available ONLY through Softlaw, and not through Radio Shark stores or dealers. Be sure to enclude 50.00 for shipping and handling.

### VIP Writer™

#### Cost!! RATED TOPS IN RAINBOW COLOR COMPUTER MAGAZINE & COMPUTER USER

The most powerful and easy-to-use word processor is available in the showpiece and workhorse of the Library: The VIP Writer".

The result of two years of research, the VIP Writer" offer every feature you could desire from a word processor. It is the most powerful, fastest, most dependable and most versatile. With the hires display, workspace and compatibility features built into the Library the Writer is also the most usable.

... Nearly every feature and option possible to implement on the Color Computer. The design of the program is excellent; the programming is flawless." October 1983 "Rainbow"

"Among word processors for the CoCo, VIP Writer stands alone as the most versatile, most professional program available." May 1984 "Computer User"

The Writer will work with you and your printer to do things you always wanted to do. Every feature of your printer can be put to use, every character set, every graphics capability at any baud rate, EVEN PROPORTIONAL SPACING. All this with simplicity and elegance. You can even automatically print multiple copies.

Although all versions feature tape save and load, the disk version provides the Mini Disk Operating System common to the whole Library, plus disk file linking for continuous printing.

### Professional features of particular note:

■ Memory-Sense with BANK SWITCHING to fully utilize 64K, giving not just 24 or 30K, but up to 53K of workspace with the tape version and 50K with the disk version.

■ TRUE FORMAT WINDOW allowing you to preview the printed page ON THE SCREEN BEFORE PRINTING, showing centered lines, headers, FOOTNOTES, page breaks, page numbers, & margins in line lengths of up to 240 characters. It makes HYPHENATION a snap.

A TRUE EDITING WINDOW in all 9 display modes for those extra

wide reports and graphs (up to 240 columns!)

■ FREEDOM to imbed any number of PRINTER CONTROL CODES anywhere, EVEN WITHIN JUSTIFIED TEXT.

 Full 4-way cursor control, sophisticated edit commands, the ability to edit any BASIC program or ASCII textfile, SEVEN DELETÉ FUNCTIONS, LINE INSERT, LOCATE AND CHANGE, wild card locate, up to TEN SIMULTANEOUS block manipulations, word wrap around, programmable tabs, display memory used and left, non-breakable space, and headers, footers and FOOTNOTES.

 Automatic justification, automatic pagination, automatic centering, automatic flush right, underlining, superscripts, subscripts, pause

print, single-sheet pause, and print comments.

 Type-ahead, typamatic key repeat and key beep for the pros, ERROR DETECTION and UNDO MISTAKE features, 3 PROGRAMMABLE functions, auto column creation, and instant on-screen HELP.

Radio Shack Catalog No. 90-0141 32K (Comes with tape & disk) \$69.95 VIP Writer — VIP Speller Combo comes in VIP Writer Binder.

### VIP Speller™

WITH A 50,000 WORD INDEXED DICTIONARY!

By Bill Argyros

Gone are the eyestrain, boredom and fatigue from endless proofreading. VIP Speller™ is the fastest and most user-friendly speller for your CoCo. It can be used to correct any ASCII file — including VIP Library\*\* files and files from Scripsit\*\* and Telewriter\*\*. It automatically checks files for words to be corrected, marked for special attention or even added to the dictionary. You can even view the word in context, with upper and lowercase. VIP Speller comes with a specially edited 50,000 word dictionary which, unlike other spellers for the CoCo, is indexed for the greatest speed. The shorter your file, the quicker the checking time. And words can be added to or deleted from the dictionary or you can create one of your own. VIP Speller™ also comes with the Library's mini disk operating system.

> Radio Shack Catalog No. 90-0142 32K DISK ONLY \$49.95

Hi-Res Lowercase displays not available on this program.

Includes

VIP Speller at no

additional

Window UIP Writer - When Joy Meed Real Power

When you want the power of a real word washine, when you want up to 85 characters per line with your Color Computer, when you want to wake your printer really move, you need VIP Writer.

VIP Writer is a state-or-tre-art word processor for the pros. It is packed with commands, features and options, yet it's simple to learn and use. Who else gives you on-line help, and even an Undo command to undo mista-es!

A nest feature is the Preview Window, which you see in use ners. This restors allows you to view your text just as it will be printed - centered fittles, page numbers, footnoter, even JUSTIFICATION for even left and right-hand warging! No wore guess work. JUST Writer is your asswer!
PM I is 1 (N I is 6 FM 5)

### VIP Calc<sup>TM</sup>

You can forget the other toy calcs - The real thing is here! No other spreadsheet for the Color Computer gives you:

- 20 ROWS BY 9 COLUMNS ON THE SCREEN AT ONCE
- LOWERCASE LETTERS WITH DESCENDERS
- UP TO 16 CONCURRENT DISPLAY WINDOWS
- FLOATING-POINT MATH
- **CHOICE OF SINGLE AND DOUBLE PRECISION**
- WORKS WITH BASE 2, 10, AND 16 NUMBERS
- UP TO 512 COLUMNS BY 1024 ROWS
- **USER DEFINABLE WORKSHEET SIZE FOR MORE MEMORY**
- LOCATE FUNCTION TO FIND CHECK NUMBERS, NAMES, ETC.
- **COLUMN/ROW MULTIPLE SORTS**
- PROGRAMMABLE FUNCTIONS
- **IMBEDDABLE PRINTER CONTROL CODES**
- 21 ALTERABLE PRINT FORMAT PARAMETERS
- ON-LINE HELP TABLES
- DOES NOT REQUIRE FLEX OR BASIC

VIP Calc is truly the finest and easily the most powerful electronic worksheet and financial modeling program available for the Color Computer. Now every Color Computer owner has access to a calculating and planning tool better than VisiCalc™, containing all its features and commands and then some, WITH USABLE DISPLAYS. Use Visicalc templates with VIP Calc™!

There's nothing left out of VIP Calc™. Every feature you've come to rely on with VisiCalc™ is there, and then some. You get up to 5 TIMES the screen display area of other spreadsheets for the Color Computer and Memory-Sense with BANK SWITCHING to give not just 24, or 30, but UP TO 33K OF WORKSPACE IN 64K!!! This display and memory allow you the FULL SIZE, USABLE WORKSHEETS you require. You also get: User definable worksheet size, up to 512 columns by 1024 rows! \* Up to SIXTEEN VIDEO DISPLAY WINDOWS to compare and contrast results of changes \* 16 DIGIT PRECISION \* Sine, Cosine and other trigonometric functions, Averaging, Exponents, Algebraic functions, and BASE 2, 8, 10 or 16 entry \* Column and Row, Ascending and Descending SORTS for comparison of results \* LOCATE FORMULAS OR TITLES IN CELLS \* Easy entry, replication and block moving of frames \* Global or Local column width control up to 78 characters width per cell \* Create titles of up to 255 characters per cell \* Limitless programmable functions \* Typamatic Key Repeat \* Key Beep \* Typeahead \* Print up to 255 column worksheet \* Prints at any baud rate from 110 to 9600 \* Print formats savable along with worksheet \* Enter PRINTER CONTROL CODES for customized printing with letter quality or dot matrix printer \* Combine spreadsheet tables with VIP Writer" documents to create ledgers, projections, statistical and financial reports and budgets. Both versions feature Tape save and load, but the disk version also has the Mini Disk Operating System of the entire Library.

Radio Shack Catalog No. 90-0143

32K (Comes with tape & disk) \$69.95



RATED BEST IN IANUARY 1984 "RAINBOW"

By Dan Nelson

From your home or office you can join the communication revolution. The VIP Terminal\* opens the world to you. You can monitor your investments with the Dow Jones Information Service, or broaden your horizons with The Source of CompuServe, bulletin boards, other computers, even the mainframe at work.

For your important communication needs you've got to go beyond software that only lets you chat. You need a smart termnal so that you can send and receive programs, messages, even other VIP Library<sup>IM</sup> files. VIP Terminal<sup>IM</sup> has "more features than communications software for CP/M, IBM and CP/M 86 computers." Herb Friedman, Radio Electronics, February 1984.

FEATURES: Choice of 8 hi-res lowercase displays \* Memory-Sense with BANK SWITCHING for full use of workspace \* Selectively print data at baud rates from 110 to 9600 \* Full 128 character ASCII keyboard \* Automatic graphic mode \* Word mode (word wrap) for unbroken words \* Send and receive Library files, Machine Language & BASIC programs. Duplex: Half/Full/Echo, Word length: 7 or 8, Parity: Odd/Even or None, Stop Bits: 1-9 \* Local linefeeds to screen \* Save and load ASCII files, Machine Code & BASIC programs \* Lowercase masking \* 10 Keystroke Multiplier (MACRO) buffers to perform repetitive pre-entry log-on tasks and send short messages \* Programmable prompt or delay for send next line ' Selectable character trapping \* Send up to ten short messages (KSMs), each up to 255 characters long, automatically, to save money when calling long distance.

All versions allow tape load and save of files and KSMs, but the disk version also has the Mini Disk Operating System.

> Radio Shack Catalog No. 90-0139 32K (Comes with tape & disk) \$49.95

> (Tape works in 16K but without hi-res displays)

### **Available** By Express Order t Your Local

Radio Shack is a registered trademark of Tandy Corporation.

All prices subject to change without notice. TRS-80 is a trademark of Tandy Corp. VisiCalc is a trademark of VisiCorp.

1984 by Softlaw Corporation

### **VIP Database**

By Tim Nelson

This high speed MACHINE LANGUAGE program fills all your information management needs, be they for your business or home. And it does so better than any other database program for the Color Computer, featuring machine code, lowercase screens and mailmerge capabilities. Inventory, accounts, mailing lists, family histories, you name it, the VIP Database" will keep track of all your data, and it will merge VIP Writer files.

The VIP Database'\* features the Library Memory Sense with BANK SWITCHING and selectable lowercase displays for maximum utility. It will handle as many records as fit on your disk or disks. It is structured in a simple and easy to understand menu system with full prompting for easy operation. Your data is stored in records of your own design. All files are fully indexed for speed and efficiency. Full sort of records is provided for easy listing of names, figures, addresses, etc., in ascending or descending alphabetic or numeric order. Records can be searched for specific entries, using multiple search criteria. With database form merge you may also combine files, sort and print mailing lists, print "boiler plate" documents, address envelopes - the list is endless. The math package even performs arithmetic operations and updates other fields. Create files compatible with the VIP Writer" and VIP Terminal". Unlimited print format and report generation with the ability to imbed control codes for use with all printers.

As with all other Library programs, the Database features the powerful Mini Disk Operating System.

> Radio Shack Catalog No. 90-0140 32K DISK \$59.95

64K Required for math package & mail merge

**RAVED ABOUT IN THE APRIL 1983 "RAINBOW!"** 

By Tim Nelson

Your database file disk, form letter disk, or BASIC program disk goes bad. An I/O error stops loading, or even backing up of the disk. Weeks, even months of work sit on the disk, irretrievable. Now catastrophic disk errors are repairable, quickly and with confidence, using the VIP Disk-ZAP<sup>TM</sup>. It is the ultimate repair utility for simple and quick repair of all disk errors. Designed with the non-programmer in mind, the VIP Disk-ZAP<sup>TM</sup> will let you retrieve all types of bashed files, BASIC and Machine Code programs.

This high-speed machine code disk utility has a special dual cursor screen display to look at the data on your disk. You are able to: Verify or modify disk sectors at will \* Type right onto the disk to change unwanted program names or prompts \* Send sector contents to the printer \* Search the entire disk for any grouping of characters \* Copy sectors \* Backup tracks or entire disks \* Repair directory tracks and smashed disks \* Full prompting to help you every step of the way \* 50plus page Operators Manual which teaches disk structure and repair.

> Radio Shack Catalog No. 90-0144 16K DISK \$49.95

Hi-Res Lowercase displays not available with this program.



To Order Direct Call: MosterCord



1-800-328-2737

Order Status and Software Questions call (805) 968-4364 MAIL ORDERS: \$3.00 U.S. Shipping per product (\$6.00 CANADA; \$20.00 OVERSEAS), Personal checks allow 3 weeks.



132 Aero Camino Goleta, California 93117

Name	Entry Point	Function
FLADD	\$B9C2	ADD FPAC1 to X, result in FPAC1
FLSUB	\$B9B9	SUBTRACT FPAC1 from X, result in FPAC1
FLMPY	\$BACA	MULTIPLY FPAC1 and X, result in FPAC1
FLDIV	\$BB8F	DIVIDE X by FPAC1, result in FPAC1
FLOAD	\$BC14	move X to FPAC1 and modify format
FLSTO	\$BC35	move FPAC1 to X and modify format

The general procedure for using the four math routines consists of three steps:

- 1) Place the value of one of the inputs in FPAC1 using the FLOAD routine,
- 2) Place the address of the exponent of the second input in the X register,
- Jump to the desired floating point math subroutine, which will perform the operation and leave the result in FPAC1.

Since the format of a floating point number in one of the floating point accumulators is different than the format of the same number stored anywhere else in memory, both FLOAD and FLSTO automatically convert a value into its proper format. Therefore, these two routines *must* be used when transferring a number to or from either of the accumulators.

For the purposes of discussion, assume that a floating point variable called 'A' is stored at location \$6000 (the address of the exponent of 'A' is \$6000), and that a variable called 'B' is stored at location \$6100. The values of 'A' and 'B' have been previously assigned. Suppose that 'A' and 'B' need to be added together and the result, called 'C', is to be stored at \$7000. Assembly language instructions to accomplish this addition are:

LDX	#\$6000
JSR	FLOAD
LDX	#\$6100
JSR	FLADD
LDX	#\$7000
JSR	FLSTO

The first instruction loads register X with the address of the exponent of 'A'. Then the subroutine FLOAD copies the five bytes that represent the value of 'A' into FPAC1. FLOAD also modifies the format by moving the first bit of the mantissa to the sign byte in FPAC1, and restores the most significant bit of the mantissa (always set) to its proper place.

Next, X is loaded with the address of the exponent of 'B' and the floating point addition subroutine FLADD is called. FLADD performs the addition, adjusts the exponent and mantissa of the result to normalized format, and leaves the result in FPAC1.

Finally, X is loaded with the address where the exponent of the result will be stored. The subroutine FLSTO places the most significant bit of the sign byte in the place of the most significant bit of the mantissa and copies the result to the desired location.

The other floating point math routines FLSUB, FLMPY and FLDIV are used as shown in the following examples:

C = A - B:	LDX JSR LDX JSR LDX JSR	#\$6100 FLOAD #\$6000 FLSUB #\$7000 FLSTO
$C = B - \underline{A};$	LDX JSR LDX JSR LDX JSR	#\$6000 FLOAD #\$6100 FLSUB #\$7000 FLSTO
$C = A \times B$ :	LDX JSR LDX JSR LDX JSR	#\$6000 FLOAD #\$6100 FLMPY #\$7000 FLSTO
C = A / B:	LDX JSR LDX JSR LDX JSR	#\$6100 FLOAD #\$6000 FLDIV #\$7000 FLSTO
C = B / A:	LDX JSR LDX JSR LDX JSR	#\$6000 FLOAD #\$6100 FLDIV #\$7000 FLSTO
FPAC1 = A + B + C:	LDX JSR LDX JSR LDX JSR	#\$6000 FLOAD #\$6100 FLADD #\$7000 FLADD

Pay special attention to the subtraction and division examples. To obtain the desired result, 'A' and 'B' must be used in the proper order. Also note that since all four math routines leave the result in FPAC1, chained math operations are easily performed as shown by the last example.

#### **Math Error**

As previously mentioned, there is a bug in the floating point software package in the Color BASIC 1.1 ROM. It's in the floating point addition (FLADD) routine and may also be encountered when using FLSUB. Although it's not necessary to understand how the floating point math routines function internally in order to use them in an assembly language program, it would be helpful to understand a little of how the FLADD and FLUSB routines work in order to understand the bug and how to avoid it.

FLADD first moves the value that register X points to into FPAC2, changing its format as required. Then, the exponent of FPAC1 is placed in the B register and the exponent of FPAC2 is placed in the A register.

FLSUB also begins the same way. Then FLSUB simply changes the sign of the mantissa stored in FPAC1. Since

### FOUR UTILITIES FOR THE COLD MONTHS

### DISK ANTI-PIRATE

on)

(A Breakthrough in Disk Protection)

### Your Only Weapon Against Software Piracy!

Here is a chance for you to copy-protect your Basic and ML programs. DISK ANTI-PIRATE does more than any other program in the market. Compare the features:

- \* Auto starts your Basic/ML programs.
- \* Effectively encrypts your programs.
- ★ Disables BREAK/CLEAR KEY, RESET BUTTON.
- ★ Modifies your code so LIST, LLIST, POKE, PEEK, EXEC, USR, CSAVE (M), CLOAD (M), EDIT, DEL, TRON, TROFF, SAVE (M), LOAD (M), MERGE will ONLY work with your own PASSWORDS.
- ★ Your Basic program loads with LOADM.
- ★ Includes a Title Screen Editor to create title screens, which can be displayed while your program loads.
- ★ 'ONERR GOTO' feature to trap errors (even for ML programs).
- ★ Can be used to turn on 64K ALL-RAM MODE in 32K/64K memory systems.
- ★ EASY-TO-USE and FULL DOCUMENTATION.
- ★ NO ROYALTIES/AGREEMENTS/CONTRACTS.

MIN. 16K ECB Disk System. (Works with CoCol and CoColl) ONLY \$59.95

### **HIDE-A-BASIC 1.1**

(A Breakthrough in Cassette Protection)

AT LAST! A program that combines autostart with complete protection of your valuable Basic programs.

IMPORTANT FEATURES:



- Autostarts your programs.
- A ML program that modifies your program and NOT just 'Stands Apart'.
- Option to disable Break-key, Clear key & Reset button.
- Disables LIST, LLIST, EDIT, DEL, TRON, TROFF, CSAVE (M), CLOAD (M).
- Disables POKE, PEEK, EXEC & USR to prevent 'Back-door entry' to your program.
- Disables disk functions to avoid access thru Disk System.
- Creates an 'ONERR GOTO' routine to trap errors.
- Your Basic program is loaded as a ML program with CLOADM.
- Full documentation.

### WITH HIDE-A-BASIC 1.1 THERE IS PRACTICALLY NO WAY ANYONE CAN 'GET INTO' YOUR PROGRAM.

Buy Now & Protect your Profits. For 16K ECB Cassette System. Tape Only \$24.95.

Buy BOTH for ONLY \$79.95.

# 500 POKES, PEEKS 'N EXECS for the TRS-80 COLOR COMPUTER

PORES
PEERS 'N EXECS
FOR THE
TRS-BO COLOR COMPUTER

Kishore M. Santwani

**NEVER BEFORE** has this information of vital significance to a programmer been so readily available to everyone. This book will help you 'GET UNDERNEATH THE COVER' of the Color Computer and develop your own HI-QUALITY programs, SO WHY WAIT?

### This 80-page book includes POKEs, PEEKs and EXECs to:

- \* Autostart your Basic programs.
- ★ Disable most Color Basic/ECB/Disk Basic commands.
- ★ Disable BREAK KEY, CLEAR KEY and RESET BUTTON.
- ★ Generate a Repeat-Key.
- ★ Merge two Basic programs.
- \* Transfer Rompaks to tape (for 64K only).
- ★ Speed up your programs.
- \* RESET, MOTOR ON/OFF from keyboard.
- ★ Restart your Basic program thru the RESET BUTTON.
- \* Produce Key-Clicks and Error-Beeps.
- ★ Recover Basic programs lost by NEW, ?IO ERRORS and faulty RESET.
- ★ Set 23 different GRAPHIC/SEMIGRAPHIC modes.
- ★ Set 15 of the most commonly used Baud Rates.
- ★ Allow you more plays in 23 of your favorite arcade games.
- ★ AND MUCH MUCH MORE!!!

COMMANDS COMPATIBLE WITH 16K/32K/64K COLOR BASIC/ECB/DISK BASIC CASSETTE and DISK SYSTEMS and CoCol and CoColl.

ONLY \$16.95

### **ALPHA-DIR**

This program will help you arrange your DISK directories in an alphabetical order. Keeps disks in order and allows easy access to programs. Displays Granules and Bytes used on disk.

DISK ...... \$14.95

### **DISKETTES**



51/4" SS/DD Diskettes with tearless sleeves, hub rings, write-protect tabs, and Jackets.

QUANTITY PRICE SHIPPING
1 \$1.95 \$2.00
10 \$16.95 \$2.00
100 \$162.95 \$7.00

NO SHIPPING charges on disks if ordered with any other software.





P.O. BOX 214, FAIRPORT, N.Y. 14450



VISA

To Order: VISA, MC, CHECK, MO, COD (\$2.50 extra) Please add \$2.00 shipping and handling (Foreign \$5.00), NYS Residents, please add Sales Tax. • Immediate shipment • Order by phone and get a \$2.00 refund for your phone call • Call for discounts on bulk quantities • Dealer inquiries invited

24-HOUR ORDER HOT LINE:(716) 223-1477

the operation "X - Y" is the same as the operation "X + (-Y)," FLSUB can simply branch into FLADD at this point.

FLADD now checks to see if the value in either accumulator is zero. If not, FLADD is ready to add the contents of the two accumulators. In order to do the addition, the exponents of the two accumulators must be the same. When the two exponents match, all of the digits in each mantissa carry the same weight as do the corresponding digits in the other mantissa, and the 6809's ADD and ADC instructions can be employed to perform the required multi-byte addition of the two mantissas. FLADD subtracts the two exponents to see if they match; if the result is zero, the mantissas are ready to be added. If the result of the subtraction isn't zero, one of the two values must be unnormalized, that is, its mantissa and exponent must be adjusted until the two exponents match. However, FLADD runs into two problems when it tries to do the unnormalization.

The first problem relates to the magnitude of the two values. Since a mantissa is 32 bits long, if the difference between the two exponents is more than 32, one of the two numbers is insignificant in relation to the other. FLADD doesn't consider this possibility, however; regardless of the magnitude of the difference between the two exponents, it unnormalizes one of the two mantissas. The two mantissas are added, even though one contains all zero digits. This failure to avoid unnecessary unnormalization and addition, while not causing incorrect answers to be returned, slows down the FLADD routine.

The second problem with FLADD is the bug referred to above that causes incorrect answers. FLADD uses the results of the subtraction of the exponents to determine which is larger as well as to see if the exponents initially matched. The subtraction operation automatically sets the 6809's flags based on the result, however, FLADD misinterprets the meaning of the flags.

Consider this example: The floating point representation of 31 is stored in FPAC2. The exponent of this value is \$85, or +5. As seen above, FLADD subtracts the exponent of FPAC1 from the exponent of FPAC2. The following table indicates the state of the flags after the subtraction is executed over the full range of possible values of the exponent of FPAC1:

FPAC2 Exponent	- FPAC1 Exponent	= Result	Flags Set
\$85	\$FF	\$86	N,C
\$85	 \$86	\$FF	N,C
\$85	\$85	\$00	Z
\$85	\$84	\$01	none
\$85	\$06	\$7F	none
\$85	\$05	\$80	N
\$85	\$01	\$84	 N

The result of the subtraction is used to determine which accumulator contains the higher number. A BMI



instruction is used to make the distinction; that is, branch if the 'N' flag is set. FLADD should execute the branch only when the value in FPAC1 is larger than the value in FPAC2. Thus, the branch should be executed only when the exponent of FPAC1 is between \$86 and \$FF inclusive. In the table above, the 'N' flag is set when FPAC1 is, in fact, larger. However, the 'N' flag is also set when FPAC1 is very small.

When BASIC attempts to find the value of the expression "31 - 1E-38," it returns an answer of -1E-38. The exponent of 1E-38 is \$02. From the table, the 'N' flag will be set when the exponents are subtracted and the branch instruction will be executed when it shouldn't be. In other words, the Color Computer incorrectly identifies 1E-38 as being larger than 31. On the other hand, when BASIC attempts to evaluate the expression "31 - 1E-37," it correctly returns an answer of 31. Since the exponent of 1E-37 is \$06, the 'N' flag is not set when the exponents are subtracted and the branch instruction is not executed.

Note that it's the magnitude of the difference of the exponents that's the problem, not the magnitude of either of the two numbers taken alone. This BASIC will also respond with incorrect answers when asked to evaluate "2.5E+21 - 1.2E-18" or "2.5E+37 - 1.2E-01."

The table above demonstrated both the problem and its solution. While the 'N' flag is not a reliable indication of which of the exponents is larger, the 'C' flag is set only when the FPAC1 exponent is higher. Therefore, the bug can be fixed by changing the BMI instruction (op code \$2B) at \$B9D6 to a BCS (branch if 'C' flag is set) instruction (op code \$25). A POKE instruction won't work since this address is in ROM. However, in a Color Computer with 64K RAM chips, the BASIC ROMs can be copied into RAM at the same addresses, the ROMs can be turned off, and then the bug can be fixed.

The following routine illustrates how this can be accomplished:

	ORG	\$7C00	
START	ORCC	#\$50	MASK IRQ & FIRQ
	LDX	#\$8000	X = > 1st EXTEND BASIC
LOOP	LDA	,X	A = ROM CONTENTS
	STA	\$FFDF	GO TO MAP TYPE I
	STA	,X+	COPY BYTE TO RAM
	STA	\$FFDE	GO TO MAP TYPE 0
	<b>CMPX</b>	#\$C000	END OF COLOR BASIC?
	BNE	LOOP	NOT YET — DO NEXT BYTE
	STA	\$FFDF	TURN ROMS OFF
	LDA	#\$25	OP CODE FOR BCS
	STA	\$B9D6	REPLACE BAD INSTRUC-
			TION
	ANDCC	#\$AF	UNMASK IRQ AND FIRQ
	SWI		
	END		

The newer Color BASIC 1.2 ROM fixes the bug in the same way. The byte at \$B9D6 has been changed from \$2B to \$25. Those who have the newer ROM can rest assured their Color Computers won't give wrong answers when adding or subtracting. However, the process will still take longer than it should.

For those wishing further information, the February 1982 issue of the Color Computer News contains a "Comment Corner" feature written by Mr. Andrew Phelps of the Micro Works. It consists of comments that can be used with a disassembly of the floating point routines to explain how they function internally. His article was very helpful and I recommend it highly.

### PRODUCTS FOR THE TRS-80 COLOR COMPUTER®

### **EDITTRON** M

### Full-Screen BASIC Program Editor

EDITTRON is a position-independent, machine-language program that enables you to perform full-screen text editing of your BASIC programs. EDITTRON has ten (10) Cursor-Control functions that allow you to move freely within your BASIC program text and ten (10) time-saving Screen-Editing functions. This BASIC programming aid also features Auto-Repeating keys, Key-Tone on command, user-friendly Prompts and Error Messages, All ROM Compatibility, no ASCII Conversion, 24 pages of comprehensive Documentation, and a Quick Reference Chart.

Minimum system is 16K RAM and Extended Color BASIC.

CASSETTE..... \$ 30 DISKETTE.....\$ 32

### 64K UTILITIES

**HI-BASIC**—RUN your BASIC program from the upper 32K of RAM. This opens up the lower 32K for large amounts of data such as mailing lists, data bases, graphic arrays, etc.

MULTTASK - An interrupt-driven, multi-tasking utility. MULTTASK allows you to RUN two BASIC programs at the SAME time, or you can use the two 32K pages independently.

**ROM-BOOT**— Allows the user to access the full 64K RAM Map. After ROM to RAM transfer, you can POKE and PEEK data, LOAD M/L code into high RAM, and alter the ROMs.

SOFT-VID - Provides four different text screen formats. Green/Black or Orange/Red text in Normal or Reversed video.

TYPEAWAY - An interrupt-driven keyboard buffer which captures all of your keystrokes. Allows you to type ahead of your computer. Works with both line input and INKEY\$.

VIDSPOOL - An interrupt-driven printer spooler that utilizes the 32K of RAM that is normally unavailable to the user. Gives maximum buffer space at no cost to BASIC.

DISK—One for \$14, Two or more for \$10 each. CASS.—One for \$12, Two or more for \$8 each.

### HARDWARE PRODUCTS

### **ROMs** BASIC ROM 1.1 . . . . 34500 BASIC ROM 1.2 . . . . . 3000 E.C.B. ROM 1.1 . . . . 35500 D.E.C.B. ROM 1.1 . . . 53000 RAMS

4164-64K RAM			. \$650
Set of Eight	,		\$5000
4116-16K RAM			. \$110
Set of Eight			. 1800

I.C.s

6809E-1 MHz MPU	12500
68B09E-2 MHz MPU .	\$3000
6821-1 MHz PIA	. \$800
68B21-2 MHz PIA	
6883—SAM	\$2500
6847—VDG	\$2000
1 MHz Set of Four	\$6500
2 MHz Set of Four	
6922 H.D. DIA	

2 MITIZ Set of rout	_	/0
6822-H.D. PIA	5	15
1372-Video Driver		\$5
74LS02-NOR Gate .		1
74LS138—Decoder		\$2

s700	SOL	DER	ESS	KITS
------	-----	-----	-----	------

VT-8302	+ 12V Pilot Light Kit	\$700
VT-8303	Remote Reset Switch Kit	\$700
VT-8304	Rem. Power Switch Kit	\$700

Not Available for Color Computer 2.

#### SERIAL SWITCHERS

VT-8305 2-Port Serial Switcher 52	500
VT-8305PL 2-Port Serial Switcher	
with Mounted Pilot Light 3	000
VT-8306 3-Port Serial Switcher 3	3000
VT-8306PL 3-Port Serial Switcher	
with Mounted Pilot Light 53	3500

#### MISCELLANEOUS

MISOFFFWIAFOOO		
VT-8401 Cooling Fan Kit	\$2500	
6' T.V. Cable with R.F.I. Filter	\$1500	
Clip-on Heatsink for 40-Pin I.C.s .	. \$150	
RAM Button, 16K, 32K or 64K	. \$350	
IC Extractor for 16-24 Pin I.C.s	. \$300	
DIN, Cable, M or F, 4, 5 or 6-Pin	\$150	
DIN, Chassis, Fem., 4, 5 or 6-Pin	\$200	

TERMS: Cashier's checks and Money Orders for immediate delivery • Personal checks allow 2 weeks • Orders over \$100 save 10% • California residents add 6% Sales Tax • Orders under \$25 add \$2 shipping • U.S. C.O.D. orders add \$4




4418 E. Chapman Ave., Suite 284 Orange, CA 92669 (714) 639-4070





### **NEW! HDS FLOPPY DRIVE CONTROLLER**



### **FEATURES:**

- **GOLD PLATED EDGE CARDS**
- **DUAL SELECTABLE ROM SOCKETS**
- NO POTS TO ADJUST COMPATIBLE WITH COCO I & II
- 120 DAY WARRANTY
  DOUBLE AND SINGLE DENSITY
- FULLY SOCKETED BOARD

REDUCE YOUR I/O ERRORS WITH THE NEW HARD DRIVE SPECIALIST FLOPPY DRIVE CONTROLLER FOR THE COLOR COMPUTER. GOLD EDGE CARD CONNECTORS AND THE ABSENCE OF POTENTIOMETERS MAKE THIS THE BEST BOARD AVAILABLE TO DATE. SOLD WITH AND WITHOUT ROM (Read Only Memory)

COMPLETED & TESTED BOARD WITH ROM	\$139.00
(INCLUDES CASE, AND DOS INSTRUCTIONS)	
COMPLETED & TESTED BOARD WITHOUT ROM	\$119.00
(INCLUDES CASE)	
BARE BOARD WITH INSTRUCTION MANUAL	\$39.95
(ADD \$40, FOR COMPLETE PARTS KIT, ADD \$20, FOR ROM)	

HARD DRIVE SPECIALIST

# Looie Wants You To Join The Penguin Patrol

By Paul Wagorn

hose of you who regularly visit your downtown arcade already know what fun it is to put your quarter in your favorite "Pengo" game and try to push the ice blocks into those mean sno-bees. Well, *Penguin* is somewhat like that, except you don't have to put in quarters! It's an action-packed, Hi-Res arcade-style game.

Penguin goes like this: With the four arrow keys you control a penguin named Looie, who is being chased by a pair of coneheads whose only function is to tread him into the ground.

It may seem that everything is pointing towards your destruction, but, there is some hope for your survival. In your little world, you are surrounded by ice blocks which you can push into those meanie coneheads. If one of the ice blocks is in your path, you can simply walk over it. The coneheads, on the other hand, cannot just walk over the ice blocks — they eat them. After one of the coneheads eats an ice block, he must rest for a short while for fear of getting cramps.

While all of this is going on, a timer is slowly ticking away. You have approximately 20 seconds until a tone starts to beep. After the tone starts to beep, you have another eight seconds to destroy both coneheads, or face the consequences!

You also have something else going for you. If you bump into a wall, any

(Paul Wagorn, a senior at Earl of March High School in Carp, Ontario, is a self-taught CoCo enthusiast. He enjoys writing games and practical programs.)

### EPSON+ PRINTER SPECIAL **EPSON RX-80FT PRINTER** AND DESCRIPTION OF **GEMINI 10-X PRINTER** 64-E1 64-2 1/2 VC-3 \*\*\*\*\* 64K MEMORY UPGRADES VIDEO INTERFACE



### **EPSON RX-80FT+**

New Epson+ with true 100 cps and unbelievable

graphics. Friction and pin feed. Built-in Epson serial interface and color computer to Epson cable. 1 year warranty.

\$317 complete (\$7 shpg.)

RX-80 with Epson serial interface and cable. \$287 (\$7 shpg.)



### **GEMINI 10-X**

Gemini 10X. Fast, accurate 120 characters per

second, 10" wide carriage, friction and pin-feed printer. Includes internal Gemini serial interface and color computer to Gemini cable.

complete (\$8 shpg.)

Delta 10X 160 cps parallel & serial with 8K buffer & cable. \$375 (\$9 shpq.)



### DRIVE 0 PACKAGE

Our drive 0 package gives you more on-line storage for your dollars-202,752 bytes more than a 35-track RS Disk Drive, to be exact. Included is

a half-height, double-sided double-density TEAC drive with slim-line case and heavyduty power supply, a J & M controller, and a gold-plated connecting cable. Write for a

359,424 Byte Drive 0 Package \$394 complete (\$7)

free copy of our report that answers questions about the differences in disk drives. Call for additional drive prices.

#### **EXTRAS!**



#### **NEW STANDS**

Howard introduces its newly designed stands with side access to

ROM port, reset, & on/off buttons.
TS-1X NEW TV Stand: Higher and sturdier than TS-1 with open sides. \$39.50 (\$3 shpg.)

TS-1: Our standard for the original Color Computer. 15×11×4.

\$29.50 (\$3 shpg.) TS-2: For Color Computer 2 \$29.50 (\$3 shpg.)

PS-1X NEW Printer Stand with noise suppressing foam top and cork base. \$24.95 (\$3 shpg.)

### DISKETTES

HC-1: New from Verbatim. Head cleaner kit. 2 disks with pre-applied solvent and reusable jacket. \$9.50/set. \$14 for 10 refills. (\$2 shpg.)

VD-1: Verbatim. 5 year warranty. 10/plastic box. Single sided, double density. \$24,70/bx. (\$2 shpg.)

VD-2: Verbatim. 5 year warranty. 10/plastic box. Double sided, double density. \$32.30/bx. (\$2 shpg.) ND-1: No name, but with 30 day return, 10/plastic box, Single sided, double density. \$14.90/bx. (\$2) ND-2: No name, but with 30 day return, 10/plastic box, Double sided, double density, \$22.50/bx, (\$2)

#### CONTROLLERS

DC-1 Disk Controller reads and writes to 35 and 40 track single and double sided drives with all models of the color computer. (J & M) \$134 (\$2 shpg.)

SW-1 Switch between J-DOS & RS DOS or your own Eprom. Mounts inside J & M controller. No soldering,

no trace cuts. 3 position switch. \$29.45/ea. (\$2 shpg.)

VC-1 Video Interface mounts inside color computer by piggy-backing IC on top of interface—no soldering, no trace cuts. All models give composite video and sound. \$24.45 (\$2 shpg.)

VC-2 for Color Computer 2—monochrome only. \$26.45 (\$2 shpg.)

VC-3 for COCO 2—color and monochrome. \$39.45 (\$2 shpg.)
VC-4 for new Color Computer with no sockets, where the chips are soldered to mother board. VC-4 attaches with spring loaded clips. Color & monochrome. \$39.45 (\$2 shpg.)

### MEMORY 64K Upgrades—1 Year Warranty

64-El for E Boards. Complete instructions. Remove old chips and replace with this preassembled package-no soldering, no trace cuts. \$52.45 (\$2 shpg.)

64-F1 for F Boards. 8 chip kit requires no soldering. Capacitor leads must be cut. \$48.45 (\$2 shpg.) 64-2 for Color Computer 2. Kit requires one solder point, no trace cuts. \$48.45 (\$2 shpg.)

### SURGE SUPPRESSORS—\$16.25

SS-1 Surge Suppressor protects your data & equipment against power surges and transients. Reg. \$48 value. Howard's low price: \$16.25 (\$2 shpg.)



#### **OUR UNMATCHED GUARANTEE**

We offer a 30 day refund on all hardware that you purchase from Howard Medical. If for any reason you are not happy with the product, return it within 30 days for a prompt and courteous refund

### **MONITORS**

123 Zenith 12" Green Screen, 640 dots×200 dots resolution, 15 MHz band width. \$114 (\$7 shpg.)

122 Zenith 12" Amber Screen, 640 dots×200 dots resolution, 15 MHz band width, \$134 (\$7 shpq.)

131 Zenith 13" Color Monitor with speaker, composite & RGB jack, 240 dots×200 dots resolution, 2.5 MHz band width. \$334 \$14 shpg.)

NEW: 151 Roland 13" Color Monitor with speaker, 270 dots×200 dots resolution, 15.75 MHz band width. \$247 (\$12 shpg.)

All monitors require video controller.

Volksmodem with cable. \$69.25 (\$2 shpg.)

Howard Medical Computers	Telephone (312	2) 278-1440	21 12 CM	
Box 2, Chicago IL 60690	Computer Bulletin Board (312) 278-9513			
Cat.No. Quantity Description		Unit cost \$	Cost \$	
☐ My check or ☐ Bill (circle one) MC money order is enclosed. ☐ Send C.O.D. ☐ Expiration date ☐	S	Total Cost Shipping		
Name		OD (add 1.90)		
Address City, State, Zip	1	otal order	. \$	

# SPEED RACER

SPEED RACER is a super car race game written in the POLE POSITION™ type of arcade game. It has unbelievable scrolling 3D graphics! Unconditionally guaranteed to be the finest car race game ever written for the COCO. \$34.95 Disk or Tape 32K.





Michilipe


576 S. Telegraph Road Pontiac, Michigan 48053 Orders & Info: (313) 334-6576 coneheads lined up on that wall are temporarily stunned, giving you time to squash the innards out of them.

One conehead is better than the other; he moves faster, doesn't have to rest as long after eating an ice block, and stays stunned for less time than the inferior conehead (not the kind of guy you'd want to meet in a dark alley!).

The speedup POKE is used in Line

7, so if your computer hangs up with the speedup *POKE*, take it out.

I hope you have as much fun playing Penguin as I do. One more thing: good luck, you'll need it!



The listing:

Ø POKE 65494,0

1 CLS:PRINT:PRINT:PRINT:PRINT:PR INT" PENGUIN

BY

APOLLO": FORI=5

9T0100: PLAY"T=I; 05; A-; C; D": SCREE NØ,1:SCREENØ,Ø:NEXTI

2 PLAY"03" 3 PLAY"T4; CAGAFAEADFDEGADAP1T403 L4AP14L2AL4GFL4CL3CL4DFB-AP4FGD4

4 CLEAR3, 16383

L4DC03AB-AAGL3B-L8AL2F"

5 DIMB(4,4),BG(4,4),BL(3,3),SG(4 ,4),DB(3,3)

6 COLOR3,1

7 POKE65495,0:

8 PMODE1,1:PCLS

9 DRAW"S8BM4,14C2FR3URLD2R4L4UH2 F2DR2U4D4R2UE2G2LRDR3EDC1D5C3DGL 10HUE3R6F3":PAINT(18,26),2,3

10 PSET(13,26,3):PSET(15,26,3):P SET(20,27,3):PSET(22,27,3):PSET( 18,28,4)

11 GET(2,2)-(32,32),SG:PCLS

12 DRAW"S8BM14,4C2R3F3D7GL7HU7E2 G3C3D4GU4GD5C1DBM+13,0U4C3U4FD4F U4"

13 PAINT(16,8),2,2:PSET(14,10,3) :PSET(14,12,3):PSET(20,10,3):PSE T(20,12,3):PSET(16,16,3):PSET(18 ,16,3):PSET(12,18,4):PSET(14,20, 4):PSET(16,20,4):PSET(18,20,4):P SET(20,20,4):PSET(22,18,4):PSET( 8,28,3):PSET(8,30,3):PSET(8,32,3 ):PSET(6,32,3)

14 PSET(4,32,3)

15 PSET(24,28,3):PSET(24,30,3):P SET(24,32,3):PSET(22,32,3):PSET( 26,32,3):PSET(28,32,3):PSET(10,3 2,3)

16 GET(2,2)-(32,32),B

17 PCLS; DRAW"S8C3BM16, 8R2F3DFDFD G2LBH2UEUEUE3LC1L5D11R5C4DL3R5C1 RC4R4L3U":PAINT(18,20),2,3:PSET( 14,18,4):PSET(22,18,4):PSET(12,2 4.3):FORI=14T022:PSET(I,22,3):NE XT: PSET (24, 24, 3)

18 GET (2,2)-(32,32),BG

19 PCLS:COLOR3,1:LINE(8,8)-(26,2 6), PSET, BF: COLOR2, 1: LINE (10, 10) -(24,24), PSET, B: COLOR4, 1: LINE (12, 12)-(22,22),PSET,BF:COLOR3,1:LIN E(14,14)-(20,20), PSET, BF: PAINT(1 5,15),4,3:CIRCLE(16,16),3,1,1,0, .25:GET(2,2)-(28,28),BL

20 PCLS:FORI=1TO47:Y=(RND(6)-1)\* 32+4: X=(RND(7)-1)\*32+4:PUT(X,Y)-(X+28, Y+28) , BL: NEXT

21 TIMER=0:SCREEN1.0

22 X=(RND(7)-1)\*32:Y=(RND(6)-1)\* 32

23 X1=(RND(7)-1)\*32:Y1=(RND(6)-1 )\*32: IF X1=X AND Y1=Y THEN 23 24 X2=(RND(7)-1)\*32:Y2=(RND(6)-1 )\*32: IF(Y2=Y AND X2=X)OR (X2=X1 AND Y2=Y1) THEN24

25 LINE (235,0) - (255,191), PSET, B 26 DRAW"BM238,18C3R4FD3GL4U5D10C 1DC3R5L5D4R2L2D4R5L5DC1DC3D7U7F6 DU7DBC1DC3L2GLGD6FR3EU3L3R4C1DBL 2C3D7GL3HU7D8C1D3C3R5L2D7LU7D7L2 R5D1C1D1L5C3D7U7F6DU7"

27 PUT(X1,Y1)-(X1+32,Y1+32),BG:P UT(X2,Y2)-(X2+32,Y2+32),BG:PUT(X ,Y)-(X+32,Y+32),B:PLAY"T301;L4EL 8GBO2GL4.EL4F#L8EDP8DP8P801L4EL8 GBO2GL4. EL4F#L8EDP1"

28 H=0:V=0:IFPEEK(341)=247THENH= 0: V=-32ELSEIFPEEK (342) = 247THENH= 0: V=32: ELSEIFPEEK (343) =247THENH= -32: V=0: ELSEIFPEEK (344) = 247THENH =32: V=Ø

29 IFG1=1THENX1=-1:Y1=-1

30 IFG2=1THENX2=-1: Y2=-1

31 IFY=@ANDV=-32GOSUB8@

32 IFY=32\*5ANDV=32GOSUB80

33 IFX=@ANDH=-32GOSUB8@

34 IFX=6\*32ANDH=32GOSUB80

35 IFX1=X AND Y1=Y ANDG1<>1 THEN 63 ELSE IF X2=X AND Y2=Y ANDG2< >1 THEN 63

36 IF TIMER>=40\*60 THEN 63 37 IF TIMER>=30\*60 THEN PLAY"T25 5;03;1;7"

N

# SUPER BACK-UP UTILITY®

...WITH S.B.U. FROM COMPUTIZE - YOU'LL NEVER NEED ANOTHER BACK-UP UTILITY FOR YOUR COCO!!!

SUPER BACK-UP UTILITY WILL PERFORM ALL OF THE FOLLOWING FUNCTIONS:

- 1. TAPE TO TAPE (Regardless of most protection schemes!)
- TAPE TO DISK (Move Cassette programs to Disk!)
- AUTO RELOCATE (For those Cassette programs that conflict WITH Disk operating systems.)
- DISK TO TAPE (Place Disk programs onto Cassette)
- 5 DISK TO DISK (Our powerful Spit-N-Image Program, \*Regardless of protection schemes!)
- MENU DRIVEN!
- **REQUIRES 32K EXTENDED COCO**
- REQUIRES 1 OR 2 DRIVES (For Disk Functions)
- ALL MACHINE LANGUAGE!!!

COMPARE WITH OTHER INDIVIDUAL PROGRAMS COSTING IN EXCESS OF \$100.00 OR MORE!!!

★ ★ ★ ONLY \$49.95! ★ ★ ★ (SUPPLIED ON DISK)

# T.T.U. - TRIPLE TRANSFER UTILITY (C)

M/L For Cassette & Disk Program Transfer

Transfer contents of disk to tape . Transfer content of tape to disk . "Select" or "All" Option . Will automatically relocate those cassette programs that conflict with the disk operating system! \* Will display machine language program address \* Copies ASCII, Basic, & Machine Language Programs . All contained in 1 menu driven program!!!

REQUIRES 32K CC EXT.

Cassette \$19.95 Disk \$24.95

SPIT-N-IMAGE (C)

M/L Disk Back-Up Utility

M/L DISK Back-Up Utility

RAINBOW

There is no need to suffer the heartbreak of crashed disks any longer. Spit-N-Image will create a mirror image of your valuable disk programs which do not respond to normal back-up functions. Will also initialize and back-up in one pass. Data processing experts always insist on haviang a back-up - it's good practice - Don't wait!

**REQUIRES 32K CC AND 1 OR MORE DRIVES DISKETTE \$34.95** 



ONLY

\$99.95

Have you ever lost a program and didn't have a backup? Sooner or later it happens to everyone. The best policy is to have a backup of EVERYTHING. Thus comes the problem - many programs are copy-protected and won't backup easily. So how do you protect your investment

The MASTER KEY was developed just for this problem. Just as a master key unlocks all doors in a building, this MASTER KEY will <u>unlock ALL programs</u> that load into your CoCo's memory. And it is as easy as flipping a switch! Once you have control, you can copy your programs, proctected or not, to tape or disk. The MASTER KEY

Complete Disassembler Display/Change memory in Hex or ASCII View memory in all Graphic Modes Versatile printer routine for All printers Rom-Fak model has gold contacts for more reliable operation. Comprehensive, easy to follow manual

Search for text or M/L routines Copy memory from one location to another Write memory to tape or disk Defeats All auto-start programs Rom-Pak design allows use of disk system while Master Key is installed.
Works with all versions of CoCo, 16K+

The MASTER KEY may be used to convert many programs from tape to disk, and yet does not require a background in assembly language. Using the METHODS section of the manual will allow even a novice to copy many programs. As you learn more about assembly language, you'll be able to use the MASTER KEY's full campabilities.

ou can leave the MASTER KEY plugged in all of the time. The gold contacts will caprove the 1/0 of your disk drive, and at the flip of a switch you'll have a quality disassembler. The Examine/Change feature will allow the entry of short H/L routines, and the Screen command will allow quick debugging of graphic screens.

30 DAY MONEY BACK GUARANTEE: If you find any program that MASTER KEY cannot take control of, simply return for a full refund.

<u>) T | C E;</u> The MASTER KEY has been developed as an educational tool and to allow puser to examine and save for archival purposes programs he/she has purchased.

NOTE: 'f' board owners must cut a capacitor - details included.

SUPPLIED ON ROM PAK MODEL #MK035

VISA

# "BARMASTER" (C)

# PROFESSIONAL BARTENDERS GUIDE

\*Menu Driven! \*Over 180 Listings! \* Easy to add your favorites! \* Print to 3X5 Index cards for easy reference! \* Access drink by name or liquor content! \*Utilizes computizes "Fast Access Record Retrieval" (any record in just two reads!)

> Requires 32K CC and 1 Drive Disk Only \$19.95

# 64K-IT®

New - From Computize . . . .

Enables the Full 64K of RAM in your 64K Color Computer, Provides up to an additional 16K of RAM. Permits you to change, modify or copy the BASIC, EXTENDED BASIC, ROMPACK, OR DISK PACK

REQUIRES 64K COCO

TAPE \$11.99

# TAPE-DIR®

Tape-Dir is a basic program used for displaying and/or printing information about cassette files In addition to listing file name. Tape-Dir will list and/or print the following information:

- Type of file Machine Language, Data, Basic.
  - Format Binary or ASCII
- M/L Start, End, and Execute addresses
- For Basic & Data Files will show number of bytes used! Useful for sorting out your tape files by those that will run on your 16K, 32K machinel
- Will bypass tape I/O errors no aggravation

REQUIRES 16K EXTENDED COCO, CASSETTE PLAYER. (PRINTER OPTIONAL)

**CASSETTE \$11.99** 

OS-9 \*\*\*\*\* "CONVERT" \*\*\*\*

New - From Computize . . .

This high quality M/L Utility will CONVERT Standard OS-9 Formatted Files/Disks (51/4") to Radio Shack OS-9 to run on your COCO. Will also convert 40 track to 35 track if you require. Runs under COCO OS-9.

REQUIRES 64K COCO AND 2 DRIVES

SUPPLIED ON DISK ONLY \$49.95

# FASTAPE

The Next Best Thing To A Disk Drive From Spectro Systems

Fastape gives you cassette I/O at 3000 baud-Twice Normal Speed. It uses the high-speed (POKE 65495,0) mode, and makes it convenient to stay in this mode throughout. Features automatic adjustment of cassette and printer parameters when speed mode is changed. Controlkey functions for many Basic commands and for changing speed modes. Compatible with all tape file types. Can be used with Telewriter-64 and many other utilities.

"I strongly recommend this fine utility" Rainbow, 7/83 "A treat for those without disk systems" Hot Coco, 10/83

REQUIRES 16K COCO

CASSETTE \$21.95

# THE PEEPER

A Unique Interrupt-Based Program Tracer From Spectro Systems

Imaging being able to monitor the operation of a machine-language program While It Is Running To display any portion of memory in any of Coco's 26 documented display modes, and to move through memory using the arrow keys. To slow the action to a crawl, or freeze it at will. Instantly switch between watching the output of your program and watching Peeper dynamically display (on screen or printer) the contents of the 6809's registers and stack, showing changes as they are happening. In the slowest speed mode, Peeper provides continuous single-stepping, faster modes give a coarser trace. Or, halt the action and single-step by repeatedly pressing the space bar. Peeper supports breakpoints, memory examine/change, and more. Think how much easier it would be to modify someone else's ML software if you could determine what routines were being executed at any given point!

For fun, (and this requires no ML experience), use Peeper with arcade games, watching the fine details of the animation effects in slow motion. See how the game looks and plays in other graphics modes. Or watch what is happening on "hidden screens" you never see. (Makes a superb demonstration.)

**REQUIRES 16K COCO** ON CASSETTE (COPYABLE TO DISK) WITH ASSEMBLER LISTING

\$24.95



Check or M.O. • Add \$3.00 shipping • PA residents add 6% sales tax

3B A=X+16+32\*SGN(H):B=16+Y+32\*SG N(V) 39 IFPPOINT(A,B)=3 GOSUB56 40 IFPPDINT(X+H+16\*SGN(X), Y+V+16 \*SGN(Y))=2 ANDH<>0 AND V<>0THEN 41 IFX+H>=2000RH+X<00RV+Y>=1800R V+Y<ØTHENH=Ø: V=Ø 42 LINE(X,Y)-(X+32,Y+32),PRESET, BF: X=X+H: Y=Y+V: PUT(X,Y)-(X+32,Y+ 32),B 43 IFG1=1ANDG2=1THEN74 44 IF F1<0 THENF1=F1+1:G0T050 45 IFG1=1THEN5@ELSEIFH1=-1THENH1 =0:GOTO28ELSEH1=(RND(3)-2)\*32:V1 = (RND(3)-2)\*32:H2=(RND(3)-2)\*32:V2 = (RND(3) - 2) \* 3246 IFX1+H1>=2000RX1+H1<00RV1+Y1= >1900RV1+Y1<9THEN50 47 IFPPOINT(X1+16+32\*SGN(H1),16+ Y1+32\*SGN(V1))=3 THENF1=-4 48 LINE(X1,Y1)-(X1+32,Y1+32),PRE SET.BF: X1=X1+H1: Y1=Y1+V1: PUT (X1. Y1)-(X1+32,Y1+32),BG 49 IFX1=X ANDY1=Y THEN63 50 H2=(RND(3)-2)\*32:V2=(RND(3)-2 ) \*32: IFG2=1THEN28ELSEIFF2<0THENF 2=F2+1:G0T028 51 IFX2+H2>=2000RX2+H2<00RV2+Y2> =32\*60RV2+Y2<ØTHEN28 52 IFPPOINT(X2+16+32\*SGN(H2),16+ Y2+32\*SGN(V2))=3THENF2=0 53 LINE(X2,Y2)-(X2+32,Y2+32),PRE SET, BF: X2=X2+H2: Y2=Y2+V2: PUT (X2. Y2)-(X2+32,Y2+32),BG 54 IFX2=X ANDY2=Y THEN63 55 GOTO 28 56 SC=SC+20:PLAY"T255;V31;01;1;3 ;; 04; 1; 5; 3; 2; 4": XB=X+H: YB=Y+V 57 IFYB=ØANDH=ØTHENRETURN 58 IFYB=>32\*5ANDV=32THENRETURN 59 IFXB=@ANDH=-32THENRETURN 60 IFXB=>32\*6ANDH=32THEN RETURN 61 I=PPOINT(XB+16+32\*SGN(H),YB+1 6+32\*SGN(V)): IFI=3THEN RETURN: EL SEIFI=2THEN 67 62 LINE(XB,YB)-(XB+30,YB+30),PRE SET BF: XB=XB+H: YB=YB+V: PUT (XB, YB +4)-(XB+30,YB+30),BL:GOTO57 63 PLAY"01T255;1;1;1;1;1;2;2;2;2 ;3;3;3;4;4;4;5;5;6;6;7;8;9;12;02 ; 1; 4; 7; 9; 12; 03; 1; 5; 8; 12; 04; 1; 6; 1 2; 05; 1; 12; T3; 01; L4; DD; L8; D; L3; D; L4; F; L8; E; L4; E; L8; D; L4; D; L8CL2D" : CLS: PRINT"SCORE : "SC: IFSC=>H S THEN HS=SC 64 PRINT:PRINT:PRINT"HIGH SCORE : "HS: PRINT: PRINT: PRINT" LEVELS C OMPLETED : "LE

65 A\$=INKEY\$:PRINT"PRESS ANY KEY TO PLAY AGAIN" 66 PLAY"T255:01:1:2:3:4:1:2:3:4: 1:2:3:4:1:2:3:4:5:6:7:8:9:8:7:6: 5: 4: 3: 2: 1: 2: 3: 4: 5: 6: 7: 6: 5: 6: 7: 6: 5:6:7:8:9:7:5:3:1:1:1":IFINKEY\$= ""THEN66ELSESC=0:G1=0:G2=0:LE=0: GOTO6 67 SC=SC+200: A=XB+32\*SGN(H): B=YB +32\*SGN(V) 68 IFA=X1 AND B=Y1 THEN G1=1:ELS FG2 = 169 IFA=X1 ANDB=Y1 THENPUT(X1,Y1) -(X1+32,Y1+32),SG:ELSEPUT(X2,Y2) -(X2+32,Y2+32),SG 70 PLAY"T255V3101;1;1;1;2;2;2;3; 3; 3; 4; 4; 4; 5; 5; 6; 6; 7; 8; 8; 9; 10; 11; 12; 02; 1; 2; 3; 4; 5; 6; 7; 8; 9; 10; 11; 12 ; D3; 1; 3; 5; 7; 9; 11; 12; D4; 1; 5; 9; 12; 05;1;12" 71 LINE(A,B)-(A+32,B+32),PRESET, BF: PUT (A, B+4) - (A+30, B+30), BL 72 LINE(XB, YB)-(XB+32, YB+32), PRE SET, BF 73 GOTO28 74 T=TIMER:PLAY"T255;05;12;12;12 ; 12; 10; 10; 10; 9; 9; 9; 8; 8; 8; 7; 7; 7; 6 ; ; ; 6; 6; 5; 4; 3; 2; 1; **04**; **12**; **10**; **9**; **8**; **7**; 6; 5; 4; 3; 2; 1; 03; 12; 10; 8; 6; 4; 2; 1; 0 2;12;8;4;1;01;12;1" 75 CLS:PRINT@0,SC:PRINT@32\*8,"LE VELS COMPLETED :"LE+1:LE=LE+1:F ORI=1T040-T/60:T=T+60:SC=SC+10:P RINT@128, "TIME LEFT: "INT(40-T/60 ):PRINT@0,"SCORE: "SC:PLAY"T 25502; 1; 3; 4; 3; 6; 7; 7; 8": NEXT 76 PLAY"P4:02T3:L8:BBBABAB03D02B L4ABPBL8BBBBBBBAGAGL4BP4P8L8BAGED L4EL8EEF#ED01B02L4DEL8GEP2L4EL8F #D" 77 A\$=INKEY\$:PRINT@360."PRESS AN Y KEY" 78 IFINKEY\$=""THEN78 79 SCREEN1,0:G1=0:G2=0:SC=SC+500 :TIMER=0:GOTO 20 80 PLAY"T25502;1;3;5;7;9;7;5;3;1 ; 3; 5; 7; 9; 7; 5; 3; 1; 3; 5; 7; 9; 7; 5; 3; 1 ; 1; 1; 3; 4; 1; 2; 3; 4; 3; 2; 1; 2; 3; 4; 1; 1 :1:1:1": IFH=0THEN84 81 IFX1=X THENF1=-10:PUT(X1,Y1)-(X1+32,Y1+32),SG 82 IFX2=X THENF2=-5:PUT(X2,Y2)-( X2+32,Y2+32),SG 83 GOTO41 84 IFY1=Y THENF1=-10:PUT(X1,Y1)-(X1+32,Y1+32),SG 85 IFY2=Y THENF2=-5:PUT(X2,Y2)-( X2+32, Y2+32), SG 86 GOTO41 0

# A Guide To The Do's And Don'ts Of Modeming

By Wayne Day Rainbow Contributing Editor

By the time you read this, likely all of the Christmas presents will have begun to get a lot of usage, especially if a modem or a new terminal program had been hung in the stocking!

Quite a few new users will have shown up on CompuServe's Color SIG (Special Interest Group), where I serve as the systems operator (SYSOP), and they will begin to learn about the "new" world of telecommunications.

So now might be a good time to review some of the "do's" and "don'ts" of modeming.

First off, get familiar with your equipment and software setup. Knowing your hardware and software capabilities, and limitations, will save you valuable connect time, which is even more important if you're calling long distance or connected to one of the commercial information services.

(Wayne Day, a traffic engineering signal technician, is the SYSOP of The Color SIG of CompuServe, the world's largest consumer information service. He is also a certified paramedic and works part-time for an Emergency Medical Service provider. His amateur radio operator call sign is WA5WDB.)

Read the documentation that comes with the software, paying special attention to instructions on how to capture data (if your software supports that function).

For example, some programs require you to open a buffer manually in order to save anything you receive online, while others allow the host system (the

". . . get familiar with your equipment and software setup. Knowing your hardware and software capabilities, and limitations, will save you valuable connect time . . ."

computer you're calling) to open and close your receive buffer automatically. This latter method is known as "capture characters" since the host sends a particular character to your software, telling it to start "capturing" the data that follows.

On other terminal programs, however, you need to defeat word-wrap and high resolution character screens prior to capturing data in the buffer. Again, the

point is to read those instructions very carefully.

Knowing the operating hours of those BBSs is important, since it might save you a long distance phone call if the system is unavailable. In November, we listed a group of 92 known BBS systems that were of special interest to the CoCo user, and this month we bring you an update, bringing the total up to 115 operating BBS systems.

Other "Do's" to remember:

If you're calling a single-user BBS, be considerate of other users and don't dawdle on the system unnecessarily. Others may be waiting to call (and, you might wind up having to wait sometime).

Make note of any message content policies that the SYSOP may establish, and abide by his wishes. Some BBSs restrict commercial messages and others prohibit them entirely. Ditto on "adult" language.

On the other hand, there are the "don'ts:"

Don't try to "crash" the system, just to see if it can be done; robbing others of the chance to use a BBS is pretty childish. Since most BBS systems make a note in the user log each time someone logs on, you may find that you're no longer welcome on the board next time.

Don't ask folks to help you out with something, and expect them to be mind readers. Asking a question like "I wrote a program and it doesn't work. Why?" doesn't give anyone enough information to work with. The more information you can put in a question, the better your chances for a good answer!

Don't forget to read all of the messages on a BBS system. Quite often you'll stumble across some piece of obscure information that will really save the day — two weeks later!

And finally, don't forget to have plenty of paper and a pencil nearby to take notes on other BBS systems that you might be interested in, as well as a place to jot down that neat little poke everyone's been talking about!

Whew!

## Letters, Letters, Letters

Q: Is it possible to allow another CoCo user to call up my modem, then let him store programs on my disk drives, and use my printer? The reason I ask is that many students at the university I am attending could benefit from a service such as this, while I could make some spare money.

A: Sure, it's possible ... that's basically what services such as The Source and CompuServe do — allow you to use their computer and disks.

On a CoCo, you'd need an autoanswer modem (to answer your phone automatically and connect it to the computer), as well as a remote terminal driver, such as *REMOTERM* (sold by Star-Kits) or Dan Downard's *REMO-TE.BIN*, published in THE RAINBOW in November 1984.

The remote terminal driver basically lets the person calling in on the modem act as if he were sitting at the keyboard of your computer; all of the data he types on his terminal is the input to your computer, and all of the output from your computer goes to his terminal.

There are some limitations, though. Graphics screens cannot be displayed in this manner, since you will be limited to using the normal ASCII character set (CHR\$ 0-127). Additionally, any programs that use PRINT@ statements must be converted to normal PRINT statements, since there is no way to control the other user's cursor or screen position. That also means that a CLS won't work, either.

If you're setting up something like this with a friend, there's no problem since you know who it is that has control over your computer. Remember, though, that since he acts like he's sitting at your keyboard, he can even do a DSKINI and wipe out all your disks!

Therefore, if you're going to be doing this with more than one person, or providing the service commercially, consider the security requirements you'll have to make:

For example, user 'A' should not have access to user "B's" files, to protect confidentiality.

No user should be able to harm the system itself. That means you'll have to provide some way to protect against a *DSKINI* or *POKE* into the wrong place, and that usually means a remote

"The remote terminal driver basically lets the person calling in on the modem act as if he were sitting at the keyboard of your computer . . ."

time-sharing monitor, such as the *TSMON*, part of the Radio Shack OS-9 Operating System.

Q: Your column ("CommLink", October 1984) made the first mention I've ever seen of using a party line for data transmissions. How disastrous is it if someone else on the line picks up the phone? Can they tell something is going on, or will they try to call a repairman to fix the funny noises?

A: There's a two-fold answer to this question: a practical one, and a legal one. First, the legal considerations.

Consider this scenario: It's 2 a.m., and you've finally gotten in to that popular BBS on the West Coast. You've got a lot of downloading to do, and waiting for your chance on the BBS has been a drag.

About halfway through your first download, your neighbor, the one on your party line, is awakened by the smoke detector in his house — he has a fire, and obviously needs to call the fire department, but can't. It seems there are some funny noises on the phone line.

Far-fetched? Possibly, but not too far-fetched.

The simple fact is that all states have laws that require you to hang up the receiver of a party line immediately when told the line is needed for an emergency call to a fire department, or police department, or for medical aid. In Texas, it's an offense that brings a fine of not more than \$500 or imprisonment for a term not exceeding one month, or both (Southwestern Bell Telephone Company Phone Book, 1984)

If you're online, the chances are you won't hear someone on a party line picking up the telephone.

Direct-connect modems must be registered with the Federal Communications Commission, and the F.C.C. restricts direct-connect modems to the extent that they may not be connected to a party line or pay telephone.

Thus, two big reasons why a party line can be hazardous to your moderning health.

Let's consider a one-party line, where someone picks up an extension telephone in some other part of the house.

Depending on what you are doing (downloading using an error-correction protocol like XMODEM or just sending and receiving straight ASCII data), someone picking up one of the other phones in your house can have from a slight to a disastrous effect on your telecommunications session.

From personal experience, there have been times when someone else picked up a phone in my house, and I never knew it (our neighbor still wonders about those funny tones on our line!).

During testing of a new terminal program that uses the XMODEM protocol, we have picked up the phone and shouted into it, played music into it, and generally banged it around, with no ill effects other than causing an error in the transmission of the current packet of information, which was re-sent and received OK after we quit trying to goof it up.

Other times, though, before the installation of the computer's own phone at my house, I've been bumped off by someone picking up the phone — blew me completely off the system I was talking to.

So, it's an iffy situation; sometimes it won't harm anything, and other times it's bad news.

The ultimate solution might be to have a second line installed if modem use and more normal telephone usage conflicts crop up. It's been a lifesaver (mine) at my house!

#### Two Questions, One Basic Answer

Q: I called one of the numbers you

listed in the BBS Roundup (The Rainbow, November 1984) and got a message saying that the number had been disconnected. Can't you keep up with the numbers you list?

Q: How come you didn't list any of the Coco BBSs in my area?

A: Let's kill two birds with one stone here, and explain a bit about how I go about collecting the BBS numbers published with this column.

Since no one can be everywhere at one time, it's only possible to list the BBS phone numbers that we become aware of, usually through messages on the Color SIG on CompuServe, on other BBSs, and in letters to THE RAINBOW.

Likewise, if a BBS goes out of business, we usually don't hear about it until someone writes in, or leaves us a message saying "you blew it!"

Therefore, we need your help in making the BBS listings in THE RAIN-BOW the most accurate and up-to-date that we can. If there's a CoCo BBS in your area, let us know about it. If one goes off-line, you could also drop us a line to let us know.

Every couple of months, we'll try and publish a list of revisions such as the one included at the end of this month's column to keep you up to date. Additionally, I maintain a current list in the SIG's database on CompuServe, so CompuServe subscribers can get the whole shooting match at one time. That list is usually updated at least monthly.

Before I put a BBS on the list, I call it to make sure that, indeed, there is a BBS there, that our information is correct, and that the BBS is open to the public.

# Some Random Thoughts

John Lovell, the SYSOP of The CIC BBS in Miami, has a series of modifications to the *Bee Color BBS* program, and he's making arrangements to make those changes available to SYSOPs who are already running the *BEE* program. Give his BBS a call (305 751-6809) if you're interested in knowing more.

If you're a new user to CompuServe, you might find yourself baffled by the hundreds of things you can do on the system. Well, there's a book written just for you, How to Get The Most Out of CompuServe (Bantam Books, New York, \$12.95). The authors, Charles Bowen and Dave Peyton, are SYSOPs on two of CompuServe's Special Interest Groups, and have compiled the most

comprehensive sourcebook for Compu-Serve users yet. It's available at most book stores, or directly through CompuServe (Go PCS-54).

# February In Irvine

I hope you've made your plans to be at the RAINBOWfest in Irvine, Calif., February 15-17 at the Irvine Marriott Inn, because I'd like the chance to meet you, spread a little bit of gossip, and hear from you as to how I can best serve you through this column.

It will be my privilege to host two seminars during RAINBOWfest: the first one on "Exploring CompuServe and The Color SIG," and the second one dealing with "Local BBS Systems" and how the Coco user, and SYSOP alike, can get the most out of them.

Besides the lectures, we'll have a booth set up where we'll be online to The Color SIG most of the day, so if you're a CompuServe user, or just interested in learning more about CIS, be sure and drop by.

# Coming Up

In the April issue, if all goes well, we'll look at interfacing your CoCo to an amateur radio (ham) station, to transmit color slow-scan television signals, as well as more news in the world of moderning.

Remember, you can contact me one of four ways:

Wayne Day P.O. Box 79074-0074 Fort Worth, TX 76179

CompuServe: 76703,376 MCI Mail: 201-7723

or through the editorial offices of THE RAINBOW. Please remember to enclose a SASE if you desire a quick response.

# Color Computer / FLEX / OS-9 BBS LIST Addendum updated 12/1/84

A/C	Number	City	BBS Name	Remarks
(203) 33	34-5778	Bridgeport, CT	Mission Control	
(209) 67	74-5391	Madeira, CA	Personalized	
			Programming	
(209) 83	35-6496	Tracy, CA	Silicon Rainbow Prod	d
(212)42	23-4623	Woodhaven, NY	Saturn Electronics	
(215)86	66-1805	Bethleham, PA	Colorama	
(217) 35	9-9577	Urbana, IL	CCSH BBS #1	HQ SYS
(303) 29	7-9127	Denver, CO	Trash Heap TBBS	
(305) X	XX-6809	Hialeah, FL	Coco Corner	DELETED
(312) 27	8-9513	Chicago, IL	Howard Med Sys	
(408) 62	9-2277	San Jose, CA	Microbur BBS	
(408)64	6-1850	Monterey, CA	Pen-Co BBS	Note 10
(416) 65	2-3480	Toronto, ON	True North Database	Note 9
(513)39	6-7467	Cincinatti, OH	CINSOFT	
(514) 65	8-3087	Chambly, Que	Color-80 #7	Note 9
(602)89	9-1350	Chandler, AZ	Coco Pub	JDOS
(602)99	6-8828	Scottsdale, AZ	Motorola Coco Bugs	
(609) 39	9-7108	Ocean City NJ	Colorama	
(617) 87	2-5170	Framingham, MA	Framingham Connection	
(701) 83	9-0390	Minot, ND	Country Micro BBS	Correct City
(716)47	3-2334	Rochester, NY	Colorama	0.00
(803) 79	1-7389	Columbia, SC	Midlands-80 Comp	p
(804) 86	8-0922	Tidewater area, VA	Peninsula Color Board	d
(813) 34	5-8100	(unknown), FL	CocoNet	
(914)73	8-6857	Pelham, NY	M&M's Public BBS	
(914) 96	1-8049	Westchester, NY	Westchester BBS #2	

NOTES: 9 — Evenings and Weekends (generally after 1700 on weekdays)

10 — 1800-2000 Mon-Fri / 2200-0700 Sat /

1400-1600 Sun

Download the lowdown with WEFAX

# Weather . . .


a remarkable device. Since 1974, this Geostationary Operational Environmental Satellite (GOES) and its predecessors have been sending pictures of the earth, taken in visible and in infrared light, down to earth stations via a microwave link. Every day, a dozen or more images of the cloud cover over our part of the planet are processed by a government ground station, the images enhanced, and state and national boundaries added. These enhanced images are then "uploaded" back to the satellite by microwave. The satellite retransmits the enhanced images to a number of other earth stations around the country.

(Marty Goodman has, among many other things, been involved with various Color Computer software and hardware projects.)

One such secondary station is near me in Redwood City, Calif. There, meteorologists examine these precious photographs, and are able to draw two synoptic charts per day of weather fronts and such. (A "synoptic chart" is that map with all the wavy lines indicating areas of equal temperature, warm and cold fronts, and sometimes wind and sea information as well.)

The enhanced satellite photos and the hand-drawn synoptic charts are sent in facsimile (fax) format (a 40-year-old electronic protocol for picture transmission used by wire services as well) over a telephone line to a transmitter. In my case, that transmitter is located at Point Reyes, Calif. This fax signal is then rebroadcast, primarily for ships at sea, on a number of high frequency shortwave bands.

Twice a day in my area, a series of visible and infrared photos of my part of the world taken from space, along





# Or Not?

# By Martin H. Goodman, M.D.

with superb meteorological charts, are sent out over shortwave frequencies. Until recently, it took, in addition to a shortwave receiver, \$5,000 worth of mechanical facsimile machines to turn that warbling fax signal back into a picture.

## **About The Authors**

As you might well imagine, my good friends, the authors of *Graphicom*, have an abiding interest in graphics data. They decided to use the processing capabilities of the CoCo and its amazing built-in analog signal processing capabilities to turn a fax signal back into a picture and turn that picture into hard copy.

When they were done, they had a tiny assembly language program (only about 2K long) that uses the zero crossing detector of the cassette port of the CoCo to receive a fax signal from any BFO-equipped shortwave receiver and


process it, turning that signal into a 54K-byte picture inside the CoCo.

Now, a 54K image is exactly nine times more information than the CoCo can display on the screen at one time, so the program they wrote, WEFAX, has built-in routines to allow the user to pan the CoCo Hi-Res screen over that larger "virtual" image.

They also supplied routines for saving the pictures to Graphicom format picture disks (two pictures to a disk, 54K is a lot of data!), and for transferring those pictures from the computer's memory to paper using an Epson dot-matrix printer. It will not surprise users of Graphicom to learn that all program control is via a joystick and one fire button.

#### **Technical Details**

Due to the 64K RAM memory limitation of the CoCo,



my friends were only able to process roughly one-half of the vertical and horizontal data contained in the fax transmission. Even so, the images produced are of remarkable quality. (See the sample pictures included with this article.) Indeed, when they took the pictures down to the Weather Service office in Redwood City, it turned out the CoCo WEFAX hard copy was equal, if not superior, in quality to the hard copy produced by some of the \$5,000 mechanical fax machines there.

Rather than totally throw away every other line of received fax data, the WEFAX program does a remarkable thing. During reception of the picture, it uses every other line to construct on the CoCo Hi-Res screen a 6K compressed, representative image of what it's receiving. When reception is complete, you are then switched to the 54K image and your pan function.

As you will see in the official WEFAX documentation that follows, a minimal amount of hardware is needed to interface a shortwave receiver to the CoCo cassette port. This simple circuit, consisting of two LEDs (used as zener voltage limiting diodes), a single resistor, and a single capacitor, is used solely as a voltage limiter and DC filter. All other processing of the signal is done by the CoCo's internal hardware and the magic of the WEFAX software.

# Required Hardware

A 64K, one disk drive equipped Color Computer (any model) and one joystick are required. An Epson dot-matrix printer is needed to produce hard copy. Almost any general communications shortwave receiver with a BFO

# TEAC PANASONIC MPI





SLIM LINE DISK DRIVES

DIRECT DRIVE, ½ HT. 40 track, 5ms t/t, DSDD DRIVE 0, SINGLE DOUBLE SIDED DRIVE SYSTEM . \$399. DRIVE 0 & 1 DUAL DOUBLE SIDED DRIVE SYSTEM . \$519. Above prices for Panasonic or TEAC. Call for brand availablity if you have a preference.

MPI FULL HEIGHT, 40 track, 5 ms t/t, DSDD.
DRIVE 0, SINGLE DOUBLE SIDED DRIVE SYSTEM . \$299.
DRIVE 0 & 1 DUAL DOUBLE SIDED DRIVE SYSTEM . \$469.

All drives include case and power supply, J&M controller, all cables and Disk BASIC Manual. All connections are gold plated. Dual drives come assembled in dual case with dual supply and rear gold plated date connector.

J&M controller with JDOS and manual	\$129.
J&M controller with RSDOS and manual	\$129.
J&M controller without DOS ROM chip	\$109.
JDOS ROM with manual	\$ 30.

# LIBRARY CASE Holds 70 diskettes, key lock, 7 dividers, tinted acrylic case . . . . . . \$15. DISK BANK

by Media Mate, Holds 50 diskettes, 5 dividers smoked cover tan base. . \$ 12.

# How to order

All items have a 90 day or better replacement policy by us. Include a complete product description of items desired. Add \$3. per order for S&H. Add \$1.75 for COD. For MasterCard or Visa orders add 3% of total including shipping. Indiana residents add 5% sales tax. **OZONE ENGINEERING** 4769 South 200 East Kokomo, IN 46902 Ph. 317-453-0989 5 - 10 p.m. (and preferably LSB and USB selection capability) will do to receive the pictures. Your receiver does need a minimum of frequency stability in order to receive a clear WEFAX picture, but most receivers costing more than \$150 will suffice.

# What Frequencies To Try

There are hundreds of stations all over the world broadcasting weather map data. WEFAX was written explicitly for weather map reception, and while it does receive other fax data (like UPI wirephoto information), images produced are likely to be somewhat blurry and/or distorted. To get you started, here are some of the more useful frequencies to listen to to find WEFAX data. All frequencies are in kilohertz.

East Coast, Station NAM in Norfolk, VA. 3357 kHz, 4975 kHz, 8080 kHz, 10865 kHz, 16410 kHz, 20015 kHz

West Coast, Station NMC in Point Reyes, Calif. 4346 kHz, 8682 kHz, 12730 kHz, 17151 kHz

West Coast, Station WWD in La Jolla, Calif. 8646 kHz, 17411 kHz

# The Program And Its Source Code

The documentation follows the BASIC listing. Carefully type this program in *exactly* as it appears. Be sure *not* to alter even the line numbers. The program has a built-in checker for errors, which, when you run it, will tell you if you made an error typing in the data statements, and the line number where the first error appeared. Those of you receiving RAINBOW ON TAPE will, of course, be spared this agony. When you have the program typed in correctly, typing *RUN* will make it work.

For those who do not receive RAINBOW ON TAPE, the program WEFAX/BAS is available for downloading from CompuServe's Color Computer Special Interest Group (SIG) in database XA2. In addition, also posted in XA2 is WEFAX.ASM, the full assembly language source code (written with a version of the Micro Works SDS Macro 80C). This will be of interest and value to those who wish to insert their own printer routines for different printers. These people should carefully study the existing routine. It prints successive rows of dots in overlapping fashion. To produce a reasonable picture, the printer you support must be capable of doing this, too. For those without this editor-assembler system, note the printer routine is a separate module at the end of the program, allowing you to easily substitute your own routine even if you don't have the source code.


For those who cannot download the source code from CompuServe, I will provide you with a copy if you send me a disk, a mailer, return postage and \$10 for handling. Address requests to Marty Goodman, 1633 Bayo Vista Ave., San Pablo, CA 94806.

I will also provide you with an experimental version of the program that not only receives, but is capable of sending a fax image as well. However, I must make it clear that I will not support either program, or answer any questions about it, because I'm not the original author, and neither I nor the authors have time to do so. Your comments are, of course, welcome, but it is very unlikely we will be able to respond to questions.

Both the authors and I would be delighted to receive any enhancements you may write for the program, especially alternative printer routines. I'd like to see a routine for the C. Itoh Prowriter printer. I haven't had time to write one yet for myself. If you send us such a routine, you'll be on our "list" for receiving other goodies.

#### The Documentation

I'll let the authors themselves provide you with further instruction on using their WEFAX program. Following this listing is material mainly consisting of Graphicom screens the authors meticulously and laboriously drew, just in order to better share this program with you.



# The listing:

10 REM THIS PROGRAM IS PUBLIC DO MAIN 20 PCLEAR4 3Ø F1=651:REM 6Ø LPM ADJUST 40 F2=901:REM 90 LPM ADJUST 50 F3=1027:REM 120 LPM ADJUST 55 POKE150,1:REM PRINT=9600 BAUD 60 CLS 7Ø PRINT" WEATHER FACSIMILE RE CEIVER" 8Ø PRINTSTRING\$(32, "-"); 90 PRINT 100 PRINT"THIS PROGRAM WILL RECE IVE FM FAX"; 110 PRINT"AT 60, 90 & 120 LINES/ MINUTE." 120 PRINT"CONNECT THE CASSETTE E AR (BLACK)"; 13Ø PRINT"PLUG TO THE RADIO'S EA R JACK OR" 14Ø PRINT"CONNECT IT ACROSS THE SPEAKER." 15Ø PRINT"CHECK THAT THE RADIO I S TUNED IN"; 160 PRINT"AND THAT THE BFO IS TU RNED ON." 17Ø PRINT"AFTER THE PROGRAM IS R EADY YOU" 18Ø PRINT"CAN USE THE TUNING MET ER TO" 19Ø PRINT"ADJUST THE RADIO." 200 PRINT

21Ø PRINT"PLEASE WAIT..."

22Ø AD=&H6ØØ:LI=9ØØ

24Ø IF A\$="X" THEN 32Ø

25Ø FOR I=1 TO 64 STEP 2

230 READA\$,CS

26Ø A=VAL("&H"+MID\$(A\$, I, 2)) 270 POKE AD, A: CS=CS-A: AD=AD+1 28Ø NEXT 29Ø IF CS THEN PRINT"DATA ERROR IN LINE"; LI: END 300 PRINT@462,944-LI 31Ø LI=LI+1:GOTO 23Ø 32Ø A=INT(F1/256):POKE&H6ØØ,A:PO KE&H6Ø1,F1-256\*A 33Ø A=INT(F2/256):POKE&H6Ø8,A:PO KE&H609, F2-256\*A 34Ø A=INT(F3/256):POKE&H61Ø.A:PO KE&H611,F3-256\*A 36Ø PRINT"RECEIVE \*6Ø\* \*9Ø\* \*12Ø \* LPM" 37Ø PRINT 38Ø PRINT" \*PRINT TO EPSON PR INTER\*" 39Ø PRINT 400 PRINT" \*REVERSE VIDEO THE P ICTURE\*" 410 PRINT 42Ø A\$=CHR\$(PEEK(&HCØØØ))+CHR\$(P EEK(&HCØØ1)) 43Ø IF A\$<>"DK" THEN PRINT: PRINT :PRINT:GOTO47Ø 44Ø PRINT"DISK \*VIEW\* #1 \*\*\* #2 \*\*\*" \*LOAD\* 45Ø PRINT"PICTURE \*\*\* \*\*\*11 46Ø PRINT"STORAGE \*SAVE\* \*\*\* 47Ø PRINT I----I" 48Ø PRINT"TUNING 490 PRINT"METER: 1500 2300" 500 PRINT 51Ø PRINT"JOYSTICK RESTART SCAN" 520 PRINT"USE WHEN PHASE HOL D PHASE" SCA 53Ø PRINT"RECEIVING: <---->"; N 540 EXEC CS 900 DATA0285050A004D00E703820704 ØØ33ØØ99Ø4ØØØØ8ØØØØ26ØØ72ØF718634 B7FFØ3ØF, 174Ø 9Ø1 DATA66ØF6717ØØE326ØEB7FFDEBE CØØ66F846FØ1AD9FCØØ4B7FFDF7FFF4Ø 7FØ9861Ø,3846 9Ø2 DATACEØ3D78EØ4ØØA6848A4ØA78Ø 8CØ6ØØ25F517Ø3338DØ22ØDE8D57Ø8ØB ØØØ284ØD, 2661 9Ø3 DATA1ØØØØ2821216ØØØ281Ø41B22 Ø48FØ21C44Ø332Ø9ØE66ØØ11Ø9ØE77ØØ 1DØ9ØE88, 1154 904 DATA001C80800000788D28139568 Ø3D61A9C68Ø3D58Ø8ØØØØØ6786Ø22ØØ2 86039761,2490


- 9Ø5 DATA8DØF131568Ø34B1A1C68Ø34A 8Ø8ØØØØØ4E17Ø272351Ø9F628D2ADD64 8D77341Ø.2244
- 906 DATA1700908D1F10936427073510 17008420E71700EE8D4D27EBAEE43003 EC84AD8B,3021
- 907 DATA3510206F8D18FC015A445454 8D1B2607C1082302C60839C10423FBC6 0439B7FF.2850
- 9Ø8 DATADEAD9FAØØAB7FFDF39B7FFDE BECØØØB7FFDF8C444B39B6FFØØ84Ø139 8DF827FC.4792
- 9Ø9 DATA9766398DF1916627ØB8E222E 3Ø1F26FC8DE49766399E628D6B916422 Ø4D16424.3391
- 91Ø DATAØ73ØØ5E6842AFØ398D619165 22F3D16525EF39CEØ4ØØ8D536DØ12AØ4 96651F89,3174
- 911 DATA34Ø2EØE45CE7E4C62Ø3D33CB 8D366DØ12AØ496641F8934Ø6E6842A1Ø 33C6E6C4,3524
- 912 DATAA68DØØ1FA7C4E78DØØ192Ø14 E6C6C84ØE7C64CA16123F533C82ØA6E4 6A6226EC.4Ø4Ø
- 913 DATA326339CFEC84841FC41F39A6 Ø24444444E6Ø2C4ØF39B6FF2Ø5A27Ø5 B1FF2Ø27,3274
- 914 DATAF839C62Ø8DFØ27Ø8C64Ø8DEA 27Ø28DE654D16727158EØ54Ø9667D767 E686CA4Ø.388Ø
- 915 DATAE7869667E686C4BFE7863986 34B7FFØ3863CB7FFØ186D6B7FF2Ø868Ø B4FFØØ27,46Ø5
- 916 DATAØ53DAC842ØØ8DC52DD56DC5Ø DD54862AB7FF2Ø868ØB4FFØØ27Ø43D12 2ØØACC26,3373
- 917 DATAØ2DD56CCØEØØDD548634B7FF Ø19E4Ø86D6B7FF2Ø868ØB4FFØØ27Ø38E ØØØ1862A.3555
- 918 DATAB7FF2Ø868ØB4FFØØ26Ø29E42 3Ø1F26FCA69439DF483A3386DF4C86Ø1 A7844F5F,3616
- 919 DATADD4AB6FF2Ø5CC12625Ø4A1Ø1 2ØØ5B1FF2Ø27F2D74E1DA18BD34ADD4A 9348251B,3557
- 92Ø DATADD4AD64EF7FFØ2D14F698424 Ø43ØØ12ØØ5CCØØØ1E7Ø112C6Ø62ØØF86 Ø1B4FFØØ,3Ø18
- 921 DATA26Ø617FE7716FD8EC6Ø49C4C 25B4DC48934A2FØ7A18B83ØØØ126F917 FF2D399E,3332
- 922 DATAS2DE448660208C5F9E50DE46 862020838DF55F8DEA8DF0C6608DE48D EAC6C020,4425
- 923 DATADE5F2ØØ6C6Ø82ØØ2C61Ø3Ø8D FD123ACEØØ4Ø86Ø8E68ØE7CØ4A26F98D 49861197,3397
- 924 DATA4F8E26Ø29F52CEØEØØDF5Ø33

- C82ØDF543Ø89Ø12Ø9F568DB8DE54DF5Ø 9E569F52,3497
- 925 DATA8CFEØ225E6397FFF22CEFFC6 A75AA75CA75E86Ø444C6Ø74424Ø63341 A7CØ2ØØ2,36Ø2
- 926 DATAA7C15A26F23986FØB7FF22CE FFC6A75AA75DA75F86ØE2ØDC869ØF6Ø1 5BC13F26,4381
- 927 DATAØ15C3D584958498E26Ø23Ø8B B6Ø15A813F26Ø14C3Ø862Ø38ØØØØØØØØ ØØØØØØØØ.1695
- 928 DATAØØØØØØØØØØØØØØØBDBDBDCDFC Ø15A34Ø617FD6BFCØ15A1ØA3E127Ø28D BB17FD83,2983
- 929 DATA27E9398DA18E26Ø2638Ø8CFE Ø225F9391Ø8EØEØØC62ØA68ØA7AØ5A26 F93Ø884Ø,3427
- 93Ø DATA1Ø8C26ØØ25EE391Ø8EØEØØC6 2ØA6AØA78Ø5A26F93Ø884Ø1Ø8C26ØØ25 EE3926Ø2,274Ø
- 931 DATA262226426EØ26E226E42B6Ø2 B622B642C6ØØ2ØØ2C611D76ØD661C1Ø3 26Ø28D24,2738
- 932 DATA17FF43318CD88609AEA13422 9661810326068D9C8D7620048D728DAB 0C603522,3091
- 933 DATA4A26E539B7FFDEFECØØ6CCØ2 ØØEDC4CC11Ø2ED42BEØEØØAF44AD9FCØ Ø4B7FFDF,4263
- 934 DATAD660260FC600A6854C1026FB E95CC11723F439C62BA6854C1026FBDA 5CC14323,3644
- 935 DATAF439C6ED2002C6F7340417FE D9D665C00686033DDB64EBE0D7608602 97618D0C,4102
- 936 DATA7FFF4Ø7FØ98617FC8D26FB39 3476B7FFDEBECØØ6D661E7846FØ1CCØE ØØEDØ4CE,4147
- 937 DATAFFFF966@C6183D1@83@13325 @3C3@@@2334183@@1224F9C3@@13E7@3 1F3@E7@2,2785
- 938 DATA1Ø8EØØ18AD9FCØØ48D1F6CØ4 ECØ21Ø8311Ø126Ø2CBØ25CC11223Ø3C6 Ø14CEDØ2,2497
- 939 DATA313F26EØB7FFDF35F617FC2A 26ØC7FFF4Ø7FØ98617FC2516FB3C3917 FE48B6FF,39Ø5
- 940 DATA228401263886FE976F8E2602 861B8D2386338D1F86178D1B8D24861B 8D158633,2797
- 941 DATA8D1186Ø18DØD8D163Ø89Ø54Ø 8CFEØ225D886ØDB7FFDEAD9FAØØ2B7FF DF398DA9,3845
- 942 DATA86ØD8DEF861B8DEB864C8DE7 86ØØ8DE386Ø38DDF866Ø341286Ø1975F A6841Ø8E,3786
- 943 DATAØØ58C6Ø84969AØ5A26FA3Ø89 ØØCØ24EC8EØØ58C6Ø8A68Ø438DB95A26









Take your CoCo to the MAX.



# as Max

This is one of those rare programs that will captivate everyone in your family....
No one can see CoCo Max and not want to try it!



We are all witnessing an exciting revolution in microcomputers: a radically new kind of computer and software that opens a whole new world of creative power to computer users.

It was inevitable that this exciting approach would be brought to the CoCo. With this in mind, Colorware chose to go all out and maximize this new concept for the color computer. That meant designing not just software but hardware too. It meant thousands of hours of pure machine language programming. Rarely has this much effort been applied to one product for the Color Computer.





# UNMATCHED CAPABILITY...

Because we took the maximum approach: highly optimized machine code combined with hardware, CoCo Max truly stands above the rest as the ultimate creative tool for the Color Computer. It's unrivaled performance lets you create with more brilliance and more speed than any similar system — much more than you ever imagined possible. And, you can do it in black & white or color.



All the sophisticated power of the bigger systems is there: *Icons, Pull-Down Menus,* full *Graphic Editing, Font Styles,* and all kinds of handy tools and shortcuts.

Plug your joystick, mouse or touch pad into CoCo Max's Hi-Res Input Unit. Then use a delightfully simple *Point-and-Click* method to get any of CoCo Max's powerful graphic tools. It has them all:

You can Brush, Spray or Fill with any Color, Shading or Pattern. Use Rubber Band Lines and Shapes (square, rectangle, circle, elipse, etc.) to create perfect illustriations with speed and ease. There's a Pencil, an Eraser and even a selection of Caligraphy Brushes. And, as you can see, CoCo Max can do a lot with text. All of the newest special effects are there: Trace Edges, Flip, Invert, Brush Mirrors, etc. And all of the very latest supercapabilities like: Undo, which automatically reverses your mistakes, and Fat Bits which zooms you way in on any part of your subject to allow dot-for-dot precision.



# THE BIG PICTURE


The large image box in the middle of the CoCo Max screen is actually only a window on an even larger image. Use the Point-and Click "Hand" to effortlessly move your window over any portion of the larger image. You have a working area of up to 3-½ times the area of the window itself.

# FLEXIBLE PRINTING...

CoCo Max gives you many ways to print. Fill a whole page with your image or condense two full CoCo screens to less than ¼ page for a finely detailed copy. "Dump" your CoCo Max screen full size or shrink it to ½ page size.

# FREEDOM TO CREATE...

Anyone who wants to create anything at all on their CoCo screen or printer will certainly be very glad to meet CoCo Max. CoCo Max's friendly yet sophisticated graphic and text capabilities let you almost instantly produce illustrations, diagrams, charts,




graphs, and computer art – for serious use or just for creative fun.



tion by using software schemes such as sliding windows. Although clever, these schemes yield sluggish and awkward results. Only CoCo Max does it the right way. The CoCo Max Hi-Res Input Unit plugs into your ROM slot and adds an entirely new joystick input to your computer — a precision one with a 49,152 point resolution to match the CoCo screen exactly.

Plug your same joystick, mouse or touch

You may then use CoCo Max's graphic magic on it. The DS-69 is available as an option from Colorware from \$149.95 complete with its own software on disk or tape. Using the DS-69 with a disk requires an RS multi-pak adaptor.



# COCO MAX REQUIREMENTS

The CoCo Max System includes the Hi-Res Input Unit, software on disk or cassette (please specify) and user manual. It will work on any 64K Extended or non-

# THE COCO MAX SYSTEM

# AN ABSOLUTE GUARANTEE

CoCo Max is a hardware/software system that no software-only system can match. Get CoCo Max and see your CoCo perform as it never could before. If you don't agree that CoCo Max is the ultimate creative tool for the Color Computer, simply return it within 20 days for a full, courteous refund from Colorware.

# THE HARDWARF...

This is the key to CoCo Max's unmatched performance. Did you know the normal joystick input built into the Color Computer only allows access to 4,096 (64 x 64) points on the CoCo screen? Yet, the Color Computer's high resolution screen



has 49,152 (256 x 192) pixels. This means that a joystick, mouse or even a touch pad can, at best, only access about one tenth of the pixels on the CoCo screen.

Most graphic programs ignore this hardware limitation of the Color Computer and give you only low-res control. Others attempt to overcome the limitapad into this new input and you have a whole new kind of control. The difference is remarkable.



# A DIGITIZER OPTION...

We studied all the video digitizers available and picked the best of them to link with CoCo Max. The DS-69 from Micro Works was our choice. This optional device lets you capture the image from any video source (video recorder, camera, etc.) on your Color Computer.



extended Color Computer. You'll need a Radio Shack or equivalent joystick, mouse or touch pad. Disk systems require a Multi-Slot Interface or Y-Branching Cable.

THE COMPLETE COCO MAX SYSTEM, with software on DISK.........\$69.95 with software on CASSETTE (Available Mar '85)...........\$69.95

Y-BRANCHING CABLE-If you have a disk system but do not have a Multi-Slot Interface, use this economical 40-pin, 1 male, 2 female cable to connect the CoCo Max Hi-Res input unit and your disk controller to your CoCo.....\$27.95



TOLL FREE ORDER LINE: (800) 221-0916


Colorware Inc. 78-03F Jamaica Ave. Woodhaven, NY 11421 (718) 647-2864



# ORDERING INFORMATION

ADD \$3.00 PER ORDER FOR SHIPPING AND HANDLING. C.O.D.'S ADD \$3.00 EXTRA. SHIPPING AND HANDLING FOR CANADA IS \$5.00 WE ACCEPT VISA, MASTER CARD, M.O.'S, CHECKS. N.Y. RESIDENTS MUST ADD SALES TAX.

# THE TOP 4 COCO GAMES...




# **CUBIX**

By Spectral Associates. Very much like the arcade smash! Jump little Cubix around the 3D maze trying to change the color of all the squares. With Death Globes, Discs, Snakes, etc. 32K Tape: \$24.95

# ZAKSUND

From Elite Software comes this fantastic arcade style space action game with 3 different stages of moving 3-D graphics. You've never seen anything like this on your CoCo! Great sound too! 32K Tape: \$24.95





# THE KING

Previously called 'Donkey King', you simply cannot buy a more impressive game for your CoCo. With 4 different screens and loads of fun! From Tom Mix Software, 32K Tape: \$25.95

# **GHOST GOBBLER**

From Spectral Assoc. This "PAC" theme game has been improved several times. It is definitely the best of its type. Brilliant color, action and sound, just like an arcade. 16K Tape: \$24.95



# COLORCADE SUPER JOYSTICK MODULE



JOYSTICK INTERFACE/RAPID FIRE/6 FT. EXTENDER ALL IN ONE! The Colorcade allows connection of any Atari type joystick to your CoCo (including the Wico Red Ball). These switch type sticks are extremely rugged and have a faster and more positive response. They will improve the play of almost any action game.

An adjustable speed rapid fire circuit is built in. Press your fire button and get a great burst of fire instead of just a single shot! You get a real advantage in shooting games that do not have repeat fire.

# ATARI JOYSTICK



THE BEST YOU CAN BUY WICO #15-9730

WICO FAMOUS

# ROM/PROJECT/ PRODUCT CASE



Give a professional look to your project or product! High quality 3 piece injection molded plastic with spring loaded door. Designed especially for the CoCo ROM slot.

2 - 4 pcs				į,	,				ı						\$5.50 Ea.
5 - 9 pcs	,					,			y				,		\$3.50 Ea.
10 - 99 pcs.	5		į		,		i	6	ú	i	ú				\$2.75 Ea.
100 & UP							,								Call Us

P.C. board for 27XX EPROMS... \$4.00 Ea.

# COLORWARE LIGHT PEN



**ONLY \$24.95** 

WITH SIX FREE PROGRAMS ON CASSETTE!

The Colorware Light Pen plugs directly into your joystick port and comes with six fun & useful programs on cassette. Easy instructions show how to use it with Basic and it's compatible with light pen software such as Computer Island's "Fun Pack." Order yours today. Only \$24.95 complete.

# **TELEWRITER-64**

TELENRITER-64

This is an actual unretouthed polorol proto or a black and white screen showing the 51,22 character set that is semerated by "Teletext-64". Notice how there is also true lower cases not the reverse unrer case letters that warely represent lower case characters in other color Convice virolaries.

Telepriter-64 is truly the most rewerful and sochisticated word processor you can buy for you color Computer on 197-100. If you can a printer or are thicking of setting one you really shoul not be without this program. Telepriter can be used with any 16% 32% or 64% system and with an Color Computer coverable entitle rinter.

212345678901-0528-()\*-(3: abcdefshijkinnoperstuvnx z,,,i(>2+1-0528-()\*:--8 DISK ..... \$59.95 CASSETTE... \$49.95

Colorware researched the word processors available for the Color Computer. This is the best. Telewriter-64 is a truly sophisticated system that is marvelously easy to use. It works with any 16K, 32K or 64K system and any CoCo compatible printer.

TOP-RATED COCO WORD PROCESSOR





TOLL FREE ORDERING 800-221-0916

ORDERS ONLY, N.Y. & INFO CALL (718) 647-2864

# Why do more CoCo owners choose 'REAL TALKER'?

Sure it's priced right, but there's more...

Thousands of 'Real Talker' owners know 'Real Talker' beats ALL other Coco voice synthesizers in ease of use and flexibility. And, NO other Coco talker has a clearer, more intelligible voice. That's quite a lot of advantage when you consider Real Talker's unbeatable price. Yet, Real Talker has some important features that you simply will not find in other Coco talkers:

'Real Talker' is compatible with any 16K, 32K, 64K Extended or non-extended Color Computer. It works with any cassette or disk system and comes complete and ready to talk through your T.V. or monitor speaker. Price includes the 'Real Talker' electronic voice synthesizer in a ROM pack, software on cassette (may be transferred to disk), and user manual.

'SAY' command - You'll have your computer talking brilliantly in just minutes thanks to this powerful new command. Type SAY "ANYTHING YOU WANT" and your words are instantly spoken. It's that simple. Think how easy this makes creating speaking Basic programs. Adding speech to your existing programs is a snap too.

'CONVERT' - This is a truly powerful command for the basic programer. CONVERT automatically transforms a machine language dependent speaking program into a stand-alone Basic program. In other words, you can effortlessly write speaking Basic programs that do not require a machine language translator in memory. This is a uni-que feature of 'Real Talker'. No other voice synthesizer gives you anything even remotely approaching this type of capability even synthesizers costing considerably more.

REAL TALKER INSTRUCTION REAL TALK

'Real Talker' is a full-featured electronic voice synthesizer unit built into a compact cartridge case. You simply plug it into the side of your computer.

# **NOW INCLUDED WITH** 'REAL TALKER'.....

- 1. 'DR. TALK-This interactive "Eliza" type psychoanalyst program will discuss your innermost problems at length.
- 2. TALKING BATTLESHIP'-It's you vs. the computer in this speaking version of the classic game.
- 3. TALKING BLACKJACK'- Play for big stakes against a rather talkative casino dealer.

ONLY

Other features include software controlled pitch, unlimited vocabulary text-to-speech, and even a program that will recite any ASCII file (such as from Telewriter-64 & other word processors). You also get Colorware's unique full-screen phoneme editor program that let's you experiment with and modify speech at it's most fundimental level.

'REAL TALKER-1' (for the original Color Computer)......\$59.95 'REAL TALKER-2' (for the Color Computer-2).....\$64.95

'Y - BRANCHING CABLE' For disk systems. If you have a disk system but do not have a Radio Shack Multi-Slot unit, this economical cable will allow to connect and use your Real Talker and Disk system together......27.95

# TALKHEAD

If you have a 'Real Talker', do not deprive yourself of this absolutely incredible machine-language Talking Head simulation program. While other talking head simulations use a minimal cartoonlike face, TALKHEAD uses high resolution, full-screen, digitized images of an actual person's face to create a life-like animated effect.



# SOFTWARE FOR THE 'REAL TALKER'

TALKHEAD can be easily commanded in Basic to appear on screen and say anything you want. Available on cassette or disk for only \$19.95, TALKHEAD requires 64K and a Colorware 'Real

ONLY\$19.95

ACTUAL UNRETOUCHED PHOTO



COLORWARE INC. (718) 647-2864



## \* \* \* ORDERING INFORMATION \* \* \*

ADD \$2.00 PER ORDER FOR SHIPPING & HANDLING. C.O.D. 'S: ADD \$3.00 EXTRA. SHIPPING & HANDLING FOR CANADA IS \$4.00 WE ACCEPT VISA, MASTER CARD, M.O.'S, CHECKS. N.Y. RESIDENTS MUST ADD SALES TAX.

## WEFAX Official Documentation

Have you ever wondered what the weather is doing far out at sea, but lacked the expensive equipment necessary to receive the charts?

Here is a low cost way you can. Just get a Radio Shack 64K Extended BASIC Color Computer, joystick and cassette recorder with cable.

The one other thing you need is a good shortwave receiver that can receive single sideband (SSB) transmissions. SSB is used because it's much more efficient than the regular AM and FM modes used by local broadcasters, but it does require a receiver that has a beat frequency oscillator (BFO) to make any sense of the signal. Many of the newer digital-readout portable shortwave radios (and some cheaper sets) have this, but you probably won't find it on a typical multiband radio or a "jam box." If your set has this capability, there will be a switch to turn the BFO on or off (on better receivers this will have separate CW and SSB positions). Follow the instructions you got with the radio for tuning in SSB transmissions.

WEFAX is written in machine code to get the required operating speed. The machine code for WEFAX is loaded into memory by a BASIC program. The data that makes up the second half of the listing is the actual machine code, along with an error checking number for each line.

Type in the program exactly as it is printed. Be careful to get all the spaces in the text of the menu. When typing is complete, save it two times on tape (or disk) and then type RUN. If you get an error, then reload the program and correct the error. Now save it, then RUN it again. When it loads properly you should see the menu page appear.

#### WEFAX RECEIVE MENU PAGE

RECEIVE +60+ +90+ +120+ LPM

**◆PRINT TO EPSON PRINTER◆** 

\*REVERSE VIDEO THE PICTURE\*


DISK	<b>◆VIEW</b> ◆	#1	+++	#2	+++
PICTURE	+LOAD+		+++		***
STORAGE	<b>◆SAVE</b> ◆		***		+++

TUNING I-----I METER: 1500 2300

JOYSTICK RESTART SCAN
USE WHEN PHASE HOLD PHASE
RECEIVING: <-- SCAN -->

#### Setting Up The Radio

If you find that the computer interferes with the radio, try moving the two apart. Another thing you can try is coiling the cassette cable around a ferrite rod. It also helps to use shielded (coax) cable to an antenna 20 or more feet away.



## OPTIONAL LIMITER/MONITOR

The optional limiter/monitor shown here helps reception of signals with fading and noise. It also lets you monitor the signal at a comfortable (and adjustable) level while maintaining a good signal into the computer.

# The Menu

The menu screen of WEFAX receive is in ways like the control panel of a mechanical facsimile receiver. Try moving the joystick around; you will see that various functions will be highlighted.

To select any function, move the joystick until the function you want is highlighted and tap the button to activate it. When that function is completed or if you don't select any function and tap the button you will pan over the picture (see PAN).

To abort any function, hold down the button until it stops (this may take a second or two for some of the functions like *PRINT*). Don't tap the button, just hold it down until the operation stops.

# **Tuning In A Fax Station**

Here are two stations that broadcast continuously:

West Coast/Pacific: NPM (Hawaii) 14.823 MHz Lower Sideband

East Coast/Atlantic: NAM (Virginia) 8.027 MHz Upper Sideband

Turn on the radio's BFO (switch may say CW or SSB). Tune in the station and adjust for highest reading on the S meter (on some radios you may have to turn the BFO off temporarily to get a proper reading). Notice the jiggling pointer (black rectangle) on the tuning meter. Adjust the BFO control until the movement of the pointer is mostly contained between the 1500 and the 2300 Hz marks. Weather charts are mostly white so the pointer will spend more time on the 2300 Hz mark when tuned to the proper sideband.

Signal + noise:
Receiving The Picture

Now select 120 lines per minute (for most stations), and tap the button, move the joystick to center bottom and you are now receiving a picture.


If you start when a chart is in progress, you may see the chart not properly centered.




To center (phase) the incoming picture move the joystick in the direction that you want the picture to move.



Return joystick to center bottom again and see if picture detail is in from side edges.



Move joystick to top center and wait a second for the scanning to start at the top again.



Then resume scanning by moving stick down.

**Setting The Fine Speed Controls** 

Since fax requires a very accurate speed, the slight variation between different computers must be adjusted for. If the picture appears skewed on your computer, adjust the numbers in the BASIC loader. This is an example of the number being too large:



If you were using 120 speed, edit Line 50 and change the last one or two digits (for the example above try decreasing it by eight). Some experimentation will be needed to get it just right.

Type LIST 30-50. (Adjust these numbers)

30 F1=645 :REM 60 LPM ADJUST

Fine speed set 40 F2=898 :REM 90 LPM ADJUST

50 F3=1024 :REM 120 LPM ADJUST

Write the number down on paper and RUN the program. When you have it exactly right, you will probably want

to SAVE the adjusted copy to avoid having to edit it each time. Note that each speed must be adjusted separately.

#### Pan Over Picture

Tapping the button when no function is highlighted shows you the picture in memory. Since the picture is much larger than can be displayed, the screen is made into a window which is used to pan over the Hi-Res picture. Move the joystick around to see the rest of the picture. Tapping the button again gets you back to the menu. (Note: if you do this before a picture is received or loaded, you will see a memory start up pattern.)



All the menu functions end with pan over picture. After any function you can tap the button to return to the menu.

# Starting And Phasing

WEFAX Receive uses manual start, phasing and stop (abort). Many radios aren't frequency stable enough to make use of the World Meteorological Organization (WMO) remote control signals (300 Hz start, 25s 5% white phasing and 450 Hz stop). To start: select the speed appropriate for the station tuned in. When you hear a low tone followed by a "tweedling" sound, tap the button


# \* \* \* \* [CCN] \* \* \* \*

Now is your opportunity to join a nationwide 24 hr. BBS. Designed especially for the CoCo. CCN provides you with more service than most BBS Systems. You will be able to send and receive mail, get technical information, download free software, read announcements, give us your comments, list your own software and hardware for sale, buy from our business advertisers and much more. CCN is not like some systems that charge you by the hour. We have a small annual fee. You'll be able to use the system as long and as often as you like. We hope that you will. To become a CCN member send \$25.00 to:

> Color Computer Network P.O. Box 573 Franklin, KY 42134


and move the joystick to center bottom. This is a phasing interval and the picture edge mark.

Phase the white break so that it is on the edge by moving the joystick in that direction.



#### Receive Picture

The joystick is used to control the starting and centering of the picture during receive.



The picture you see during receive is only one-ninth the size and resolution. When completed you will see a portion of a much larger picture (see PAN).



#### **Print Picture**

The WEFAX print routine was designed to work with the Epson MX-80 printer with Graftrax. It is also usable on the Epson FX-80 and RX-80 printers. The Color Computer uses a serial port and thus the printer must have the buffered serial option or an external serial interface. For fastest printout of pictures, the program is set to 9600 Baud; set the printer accordingly. (You could also change the Baud rate in the program, but this would slow down the printout of pictures.) To use another type of printer would require changing the machine code portion of the program.

down button until printing stops. This function does nothing if the printer is off or absent. Turn off the printer when the picture is done to minimize interference during reception.


Change this—— to change Baud rate:

55 POKE150, 1: REM PRINT=9600 BAUD


BAUD RATE: 9600 4800 2400 1200 600 300 VALUE: 1 7 18 41 87 180

#### Reverse Video The Picture

Charts are usually sent on a light background, however, if you get this



select: REVERSE VIDEO THE PICTURE to make it look like this.



This function is useful when printing because large black areas squeeze lots of ink out the ribbon and overheat the printer.

(Note, since this function does not change the information content of the picture, you can do it as many times as you want.)

The pictures may be reversed if you are tuned to the wrong sideband for the signal being received. When finished receiving you may want to retune the radio so you won't have to reverse it every time.

Disk Picture Storage

If WEFAX Receive is run on a computer with a disk system, the following functions will appear in the menu:

DISK	*VIEW*	# 1	***	#2	+++
PICTURE	+L□AD+		+++		+++
STORAGE	*SAVE*		+++		+++

These functions allow you to quickly save the pictures for later viewing. No attempt was made to use tape save since it would be hideously slow. There are three disk functions that can be used. Two pictures may be saved on each disk. First, select one of the functions, then select the disk picture that you want it to access. Note: When you use VIEW, you must select one of the nine screens to view. On many charts the title is in the upper righthand corner, so select the upper right-hand asterisk. For SAVE and LOAD, you select the whole picture and all the screens in it will be transferred.

	SCREEN MEMORY	SAVE .	#1 DISK #2
HOW IT WORKS:	PAM	LOAD	田田
	VIEW		

There is enough room on each disk to hold both the two pictures and a few other things (like the WEFAX program). The pictures will not show up in the disk directory, and if you save too many other things there may not be enough room for the pictures. If there is not enough room the picture will not be saved (you won't see the nine screens flash by). To avoid possible problems, you should probably make up several disks for pictures and copy only the WEFAX program onto each.

Use the following procedure to set up a disk:


- 1) Insert a blank disk in drive 0. Type DSKINI 0,1 (press the ENTER key). This will initialize and erase the disk.
- Replace that disk with one containing the WEFAX. Type LOAD "WEFAX" (press ENTER).
- 3) Reinsert the blank (initialized) disk. Type SAVE "WEFAX" (press ENTER).



## **Broadcast Schedule**

Coast Guard station NMC at Point Reyes, Calif. broadcasts facsimile pictures on 4344.1, 8680.1, 12728.1 and 17149.3 kHz at the following times:

GMT	Eastern	Pacific	
1500	10 am	7 am	Primary layer depth analysis, experimental period
1715	12:15 pm	9:15 am	Tropical analysis, surface analysis, satellite pictures
2000	3 pm	noon	Fax transmission schedule, 500 millibar contour and maximum wind, satellite pictures
2330	6:30 pm	3:30 pm	Tropical analysis, surface analysis, experimental period
0100	8 pm	5 pm	Surface forecast, sea state forecast, experimental period
0300	10 pm	7 pm	Sea surface temperature analyses, sea and weather forecasts
0500	12 am	9 pm	Surface analysis, extended surface forecast, experimental period



GRAPHISET CREATES TITLE PAGES, DISPLAYS, ETC. -3 PALE FOR GRAPHICOM \$ 19.95

GRAPHICOM JOYSTICK QUALITY ALPS MOVEMENT -DELUXE SOFTOUCH SWITCHES, ONE LOCKABLE \$24.95

GRAPHICOM FOR GRAPHIC PRODUCTION-"OUTSTANDING" - APRIL '84 \$24.95 RAINBOW

RTD REMOTE TERMINAL DRIVER-100% MACHINE LANGUAGE

BBS & ELECTRONIC SHOPPING (209) 526-2030

THE PROFESSIONAL BBS
WRITTEN BY JEFF FRANCIS
FEATURE FILLED, 100% M.L.
EXTREMELY VERSATILE I
HARDWARE DRIVEN'
COCOI/II 64K \$150.00 FRANCIS COLOR-80 BBS
LATEST EDITION, ONE OF
THE BEST BOARDS AVAILABLE
NEW LOW PRICE \$125.00

SERIAL TO PARALLEL CONVERTER WITH
QUALITY CRYSTAL SWITC
POWER SUPPLY, & ALL
CABLES INCLUDED.
NEW LOW PRICE \$49.95

BASTXT ADDS IT NEW COMMANDS AND HIGH DENSITY TEXT SCREEN TO BASIC. MIXES TEXT & GRAPHICS IF DESIRED. EASILY MODIFIED. \$34.95 64 K - 100% M.L. DISK DISASSEMBLER TACKLES SEGMENTED AND AUTO-EXECUTING FILES B MUCH MORE - BEST WE'VE SEEN YELL LOWEST PRICE 24.95 CUSTOM DOS (new)
ADDS 14 NEW DISK COMMANDS - USE D.S. DRIVES!

MANDS - USE D.S. DRIVES! IMPROVED DIRECTORY & BOOT. EPROM COMPATIBLE\$44.95

529-4343

CATALOG DEALER INQUIRIES WRITE OR CALL INVITED MODESTO CA 200, ROSEBURG AVE. - SUITE 95350

VOICE

PHONE : (209)

# A Look At How The Multi-Pak Interface Works


By Tony DiStefano Rainbow Contributing Editor

his month we'll be looking at what makes Radio Shack's Multi-Pak Interface (MPI for short) tick, and finish off by adding a little LED numeric display to tell you what slot is active.

First off, a little background on the memory map of the Color Computer is necessary. Judging by the amount of questions I get, the concept of a "memory map" is very confusing to many. Hopefully, after reading this article, the memory map for the Color Computer will be better understood by all.

The CPU in this computer is the MC6809. It has 16 address lines. In binary numbers, 16 bits can have 65,536 different combinations, or 2 to the power of 16. That means the CPU can directly access 65,536 (better known as 64K) bytes of memory. The key word here is "directly." At any one time, the CPU will read or write within this boundary, but there is no rule that says we can't fool the CPU into accessing

(Tony DiStefano is well known as an early specialist in computer hardware projects. He lives in Laval Ouest, Quebec.)



more. To the CPU, it looks like only 64K; to the user the amount of memory the CPU can access can be almost limitless. The secret (not a very big one) is bank switching.

A memory chip, be it RAM, ROM, EPROM or whatever, has what is known as a chip enable (CE for short) pin. This pin activates the chip for a read or a write. When this pin is not activated, the chip becomes invisible to the CPU; it is as if it was not there.

Now, think of several chips all in parallel, except for the CE pin. Put all

the CE chips on a switch so you can select one at a time (see Figure 1). Changing the switch would mean whatever memory chip was connected by the chip would be activated. This technique allows the user to have access to more than 64K of memory — how much more depends on how many switches you have.

Let's take this one step further. Instead of the manual switch, as in Figure 1, an electronic switch is put in, (see Figure 2) and if this electronic switch could be controlled by the computer, it could switch to different chips all by itself. That way, the CPU could actually access more than 64K. All the CPU would have to do is change the electronic select switch.

This is done, of course, in software. The software must know there is more than 64K online. It must also know how to access this memory in reference to where the switches are. This is basically what the Multi-Pak Interface is — an extension of the CPU's memory capacity. It comes complete with mechanical and electrical switches, along with everything else you need to make it work, like a power supply, buffers, wires and connectors, etc.

Now that we know what it can do. let's look at how it does it. In order to understand how the Multi-Pak works, an understanding of the Color Computer memory map is necessary. Note that all versions of the CoCo and CoCo 2 have the same memory map. (Figure 3 shows the memory map.) This is a hardware memory map rather than a software map. The hardware map shows what chips are where and what areas are reserved for them. A software map would show what variables are where, i.e., printer Baud rate, input hook, cassette buffer and so on. Right now we are interested in the hardware map.


The following is a point by point description of the memory map as it is when you turn on the computer. The map can deviate from this with certain commands to the SAM (Synchronous Address Multiplexer) chip, but these are the default settings (on power up). The "\$" denotes a Hex number.

- 1) 0 to 32767 (\$0-\$7FFF) This area uses the internal RAM chips. They can be one to two banks of 4K, or 16K DRAM (Dynamic Random Access Memory), or ½ of 64K DRAM.
- 2) 32768 to 40959 (\$8000-\$9FFF)

   This area uses an internal 8K \* 8
  ROM chip. This space is usually taken
  up by Extended BASIC.
- 3) 40960 to 49151 (\$A000-\$BFFF)


   This area uses another internal 8K
  \* 8 ROM chip. This space is occupied
  by Color BASIC.
- 4) 49152 to 65279 (\$C000-\$FEFF)

   This area is 16128 (\$3F00) long. It is one page (page = 256 or \$100) less than 16K. This area is reserved for external memory. It is accessible via the cartridge connector on the side of the computer. More on this later.
  - 5) 65280 to 65311 (\$FF00-\$FF1F)




— This area is normally used as an I/O port. It is used to control a PIA (Peripheral Interface Adapter). This PIA is connected to the keyboard, analog MUX select lines, horizontal and vertical sync interrupt, joysticks and buttons.

6) 65312 to 65343 (\$FF20-\$FF3F) — This area is another internal I/O port. The second PIA in this computer, it controls the 6-bit D/A, cassette I/O, RS-232 I/O, RAM size, motor control, sound enable, single bit sound output, graphics mode control and










# If you use a calendar you need Calindex!



MESSAGE CODE: A0 Get card and candy for Cindy call for dinner res.


**DUE DATE FEB 9, 1985** 



# So easy to use

nce you enter a due date and other information on a file card Calindex starts reminding

you a month in advance of upcoming items. And Calindex keeps reminding you until you tell it the item is taken care of.



# So automatic

chain of command feature allows each member of your group to have a personal

calendar. Up to fifteen individual calendars can be managed by the master calendar. Calindex automatically reports seriously overdue items from the interelated calendars up the "chain of command" until they are taken care of down the line.

# The power of Calindex

# Indespensible for every . . .

- \* Family
- \* Student
- \* Business
- \* Committee
- \* Group
- \* Organization
- \* Parent

- \* Club
- Teacher

CALINDEX is a powerful management program that can be readily adapted for family use. In fact it will help bring the family together. It will do the same for a small business or social organization.

Price \$39.00

Grantham Software Division 702 W. Washington Street Marina del Rev, CA 90292 (213) 827-8087

# Packed full of helpfull features . . .

- · Easy to write file cards
- Chain of command supervisor
- · Automatic tickler file
- Multiple calendar management
- Perpetual calendar entries
- · List creation feature
- · Archive for satisified entries
- Automatic scan selection
- Uses standard printer



Grantham Software Division 702 W. Washington Street Marina del Rey, CA 90292

Yes! SEND me my copy of Calindex for CoCo.

Name

Address -\_ ZIP\_

- State \_\_ ☐ My check for \$39.00 is enclosed (California residents add 6.5% sales tax).
- ☐ Please add a backup disk for an additional \$4.00 (Total \$43.00)

32K + Disk Drive required/Copyright 1984

cartridge interrupt input.


8) 65344 to 65375 (\$FF40-\$FF5F) This area is the third I/O port and is reserved for external use. It is accessible via the cartridge connector on the side of the computer. More on this later.

9) 65376 to 65519 (\$FF60-\$FFEF?) - This area controls the SAM chip. The SAM chip generates all the system timing and all of the device selection.

10) 65520 to 65535 (\$FFF0-\$FFFF) - Finally, this area is the indirect pointers to the CPU interrupt vectors. Each pointer is two bytes long. Starting from the top, they are: Reset, NMI, SWI, IRQ, FIRQ, SWI2, SWI3 and the last one is Reserved. This area is controlled by the SAM chip and whenever it is accessed, the SAM chip will re-route (re-map) it to 49151 (\$BFFF), the top of the Color BASIC area. The reason for this is the CPU must use these vectors, and the only ROM that definitely comes with the computer is this one.

As you can see from the map, the areas that will concern the MPI are #4 and #8. They are accessible through the cartridge port.

Let's start with #4. The most common use for this area is the ROM-Pak. All of Radio Shack ROM-Paks use this area, however, not all of them use the whole 16K area available. Some use 2K or 4K, but most use 8K. In the case of the disk drive system, the software




known as Disk Extended Color BASIC resides in this area. As a matter of interest, this software is kept on an 8K ROM chip, but only uses a little more than 6K of it. The rest of it is blank. The pin that controls (chip enable) this area on the cartridge connector is #32. It is called the Cartridge Select Signal (CTS) and is active LOW.

The second area available to the cartridge port is #8. It is generally used as an I/O port, but can be used for just about anything. The 32 byte length limits it to mostly I/O. Radio Shack game ROM-Paks do not use this area; the disk system does. It uses this area to communicate to the disk controller. Some of my projects also use this area. The pin that controls (chip enable) this area on the cartridge connector is #36. It is called the Spare Select Signal (SCS) and is also active LOW.

There are four slots in the MPI. This means you could put up to four ROM-Paks in there. They don't have to all be ROM-Paks; you could put in a ROM-Pak, a disk controller, a voicepak, an RS-232 adapter, an x-pad and your own "gizmo," just to name a few. They are all different, but fall into two categories: ones that use the SCS and/ or CTS, and ones that use their own

memory map decoding.

Let's look at the ones that do use these signals. The MPI has two ways of selecting which slot will be active: 1) The switch in front of the MPI. This is used as a "power up" default switch. When you turn the system on, the slot



that will be active will correspond to the switch's position. If you want the game in slot #2 to run, place the switch to #2 and turn the computer on. 2) The second way to select the active slot is by the built-in electronic switch. The electronic switch is nothing more than a memory-mapped byte. At this location, there is a latch so the associated circuitry can remember what slot is active. This latch is at 65407 (\$FF7F). Writing to this byte will change the active slot so it is equal to the value stored in that byte. To change the active slot, a poke or a store will do. You can also read the latch. The value returned will correspond to the active slot.

To make matters more complicated, the SCS and the CTS can be switched separately. Yes, the SCS can be in slot 1 and the CTS in slot 3. The electronic switch is divided into two parts, or nibbles. Each is four bits, making it eight bits, which is equal to one byte. The lower four bits controls the SCS and the upper four bits the CTS. A fourbit binary number can have 16 different combinations, but only the first four are used in the MPI. That makes four ports. The value needed to select a given port must start with zero. This is the first slot, even though the numbers start from one.

To select a slot, a little calculation is necessary. It is, of course, easier in Hex numbers. Here is a table that references the slots.

Slot#	CTS	SCS
1	0 (\$0)	0 (\$0)
2	16 (\$10)	1 (\$1)
3	32 (\$20)	2 (\$2)
4	48 (\$30)	3 (\$3)

To select a CTS and an SCS is simple: take the value from the CTS column

that corresponds to the slot number you want active, and add it to the value of the SCS that corresponds to the slot of that one. For example, if you want the CTS to be in slot 3 and the SCS in slot 2, the sequence would be as follows:

$$32 (\$20) + 1 (\$1) = 33 (\$21)$$

You would then *POKE 65407,33* but you must remember when you change

"There are four slots in the MPI... you could put up to four ROM-Paks in there. They don't have to all be ROM-Paks; you could put in a ROM-Pak, a disk controller, a voice pak, an RS-232 adapter, an x-pad and your own 'gizmo,' just to name a few."

slot numbers, the computer might crash. It all depends on what software is running at the time. If, for instance, you were running Disk Extended BASIC and changed the CTS to another slot, a crash would occur and the disk software would no longer be there. If the slot that received control was autostarting, it may start properly, depending on the status of the interrupts.

Now for the project. This is a simple 2-IC circuit. The IC I used in this project is the 7448. It is a BCD (Binary Coded Decimal) to seven-Segment decoder driver. This chip takes a four-bit binary number from zero to nine, and turns on the proper LED display segments to make them look like numbers. This IC can drive the display directly without resistors. It also uses the less expensive common cathode display (RS #276-075).

Unfortunately, the 7448 is not available at Radio Shack. The one available is the 7447 (RS #276-1805). There are two differences between the two: 1) it needs resistors to drive the display, and 2) it drives a common anode (more expensive) display. The choice is yours. If you can find the 7448, then use the common cathode display. If not, then use the 7447 with the common anode display (RS #276-053) and the resistors. Both schematics are shown in Figure

I mounted the ICs and the displays on the same protoboard, as you can see from the photo. I will leave it up to you to mount the display where you want it. The display and the ICs do not have to be on the same board. You could always cut a square hole in the cover and mount the displays there.

To see if the display is working right, with all slots empty, place the front switch to slot #1 and turn the computer and MPI on. The display should read 00. Turn the switch to each position — #2, #3 and #4 — the display should read 11, 22 and 33, respectively. Try POKEing different values according to the Slot Table, and verify that the numbers change accordingly. From now on you will be able to see at a glance which slot is active.


# LOCAL\* IN \* LOS \* ANGELES \* LOCAL\* IN \* LOS \* ANGELES,\* LOCAL \* IN \* LOS \* ANGELES

# \* SOFTWARE \*

Green Mountain Micro!!
Computerware (All)
Custom Software (No Disc.)
Frank Hogg Labs (OS-9 & Flex)
Key Color Software (Key 264K)
Tom Mix (All)
Moreton Bay (More)
Prickly Pear (Colorkit!)
Spectral Associates
Softlaw (VIP & Colorquest)
Speech Systems (All)
Sugar Software & (Super)
CoCoPro (V2)

Computer Systems Center

Valley Micro Systems (BBS)



\* E.D.C. INDUSTRIES \*
Software • Hardware • Support

Educational • Small Business • Games

VOICE (213) 254-6809 10 A.M.-10 P.M.

BBS (213) 258-0640 24 HRS.

300 and 1200 Baud

Extended Hours+Call before coming.

# 6130 YORK BOULEVARD

POST OFFICE BOX 42718 LOS ANGELES, CA. 90050

# \* FEBRUARY SPECIALS \*

 Delta 10
 \$399.95

 Master Directory
 \$25.00

 Platinum Worksaver
 \$35.00

 Hayes 300 Smart
 \$210.00

 Gorilla Green
 \$90.00

 Gorilla Amber
 \$95.00

## See us for:

PBH HJL P Hayes Teac G Interfaces C Speech M

February 1985

PBJ Gemini Controllers Music

ALWAYS MORE AND BETTER CALL US LAST!

LOCAL\* IN \* LOS \* ANGELES \* LOCAL \* IN \* LOS \* ANGELES \* LOCAL \* IN \* LOS \* ANGELES

0

S

G

Ē

E

# COMPUTER

# ISLAND



MATH

#### THE MONEY SERIES BY STEVE BLYN

DOLLARS & SENSE 16K ECB \$14.95 Player buys familiar items using dollars and coins to practice using money correctly. MoCOCO's MENU 18K ECB \$14.95 Learn to buy and add up your pur-chases from a typical fast-food restaurant menu.

MONEY-PAK 32K ECB A combined and menu driven version of the above programs. Includes play money. Reviewed - Rainbow 7/83

**EQUATIONS TUTORS** 19.95 EA. by Ed Guy 32K FB.

Elementary-intermediate algebra. Step by step tutorials. SPECIFY Linear or Quadratic.

GRAPH-IT \$14.95 16K EB. Graph algebraic equations on a hi-

res screen. Linear, quadratic, etc. By D. Steele

MATH INVADERS by David Steele 16K EB. \$17.95

A multi-level 'Space Invaders' type game to reinforce the 4 basic math operations (addition, subtraction, multiplication and division). Problems become more difficult as you progress. Hi-res. graphics, joystick required.

32K EB. Disk \$20.95

# SCIENCE

SCIENCE GAME by J. Keeling 32K EB. Disk Only Over 600 questions in 9 categories. Makes learning science facts fun. Game format. 1 or 2 players, teams. Grade 8 and

BEYOND WORDS 32K ECB \$19.95 Each These Language Arts programs cover common misspellings, and synonyms/antonyms on each level. Additionally, Level 1 tests contractions and abbreviations, Level 2 tests homonyms, and Level 3 tests analogies. Each program has 3 parts and contains over 400 questions and uses over 800 words. All tests are grade appropriate. User modifiable (directions included). Printer option.

Level 1 Grades 3-5 Level 2 Grades 6-8 Level 3 Grades 9-12 DISK VERSION Each \$23.95 THE MATH TUTOR SERIES 16K Ext. These tutorials take the child through each step of the example. All programs include HELP tables, cursor and graphic aids. All allow user to create the example, or let the computer choose. Multi-level. Great teaching pro-

grams. By Ed Guy. LONG DIVISION TUTOR MULTIPLICATION TUTOR \$14.95 \$19.95 **FACTORS THTOR** FRACTIONS TUTOR (Addition) \$19.95 FRACTIONS TUTOR (Subtraction) \$19.95 FRACTIONS TUTOR (Multiplication) \$19.95

TRIGONOMETRY TUTOR 32K By Ed Guy \$24.95

Any 2 FRACTIONS programs

A step by step tutorial for learning to compute the sides and angles of right triangles. All examples have graphic representation.



GRAPH TUTOR 32K ECB Line, bar, pie and pictographs are demonstrated. Learn to read and use these graphs. Test mode, Hi-res graphics throughout. By Chris Phillips.

CROCODILE MATH 16K Fxt. By Art Provost \$17.95

An animated math game using hires graphics. A fish containing a problem moves toward a crocodile containing a possible answer. If the answer is true, open the crocodile's mouth with the joystick to eat the fish. If false, keep his mouth closed. Addition, subtraction, and multiplication examples on 3 levels, 3 speeds. Tape only.

# Preschool

PRESCHOOL SERIES \$11.95 EA. Pre. 1 - 2 programs for number recognition and counting. Pre. 2 - 2 programs for simple addition, number game.

Pre. 3 - Alphabet recognition. All 16K E.B. By J. Kolar



by Penny Bryan graphics. FIRST GAMES 32K EB. tape \$24.95 disk \$27.95 First Games contains 6 menudriven programs to delight and teach your early learners (ages 3-6). These games enrich the learning of colors, numbers, lowercase letters, shapes, memory, visual discrimination and coun-



STATES & CAPITALS \$19.95 Multiple choice quiz on a hi-res screen. 32K E.B.

**EXPLORERS & SETTLERS \$19.95** Hi-res screen. Multiple choice quiz on explorers and settlers of the new world.

# Social Studies

ARROW GAMES by Penny Bryan

32K EB. tape \$21.95 disk \$24.95

Six menu driven games for young

children (ages 3-6) to teach direc-

tions. All games involve using the

arrow keys. Games include

LADYBUG, BUTTERFLY, ARROW

MATCH, KALEIDOSCOPE, RAB-

BIT, and DOODLE. Colorful



KNOW YOUR STATES \$19.95 32K Shows each state to identify on hires screen. Help command and scoring. By J. Keeling

THE HISTORY GAME 32K ECB \$14.95 "Jeopardy" type game by James Keeling, 5 categories and 5 questions in each category. One or two player game checks your knowledge of American History. Different questions each round. Hi-res graphics.

**FAMOUS AMERICAN WOMEN** \$19.95

32K A who-am-I game of over 50 multiple choice questions on a hir-res screen. 32K E.B.

#### Arts Language

(ALL PROGRAMS IN 16-K EXTENDED EXCEPT WHERE NOTED)

CONTEXT CLUES - by Steve Blyn - Multiple choice-reading programs. Specify grade 4,5,6 or 7.

**VOCABULARY BUILDERS** - 32K · Great for test preparations. 200 questions, multiple choice, modifiable, printer option. 1 (grades 3-5), II (6-8) or III (9-12) each \$19.95

READING AIDS 4-PAK - Child creates own reading material. \$19.95

# FOREIGN LANGUAGE

FRENCH OR SPANISH BASEBALL - By S. Blyn Vocabulary practice. 200 words. Modifiable. Specify language. Also in 32K (500 words) \$19.95

HEBREW BULLETIN BOARD-by J.Kolar-utility to print words. MEBREW ALPHABET - Learn the letters of this alphabet.

\$15.95 \$11.95

KING AUTHOR'S TALES \$29.95 Student may create and save original stories on files. Question/Answer, title page picture features, too. Rewirte, review, and printer features. Includes selec-32K EB Disk or 16K EB Tape

tion of stories and pictures.



# Educational

# Software

TEACHER/STUDENT AIDS

THE QUIZ MAKER by David Stanley 32K EB. tape \$24.95 disk \$27.95 A program that enables a teacher to create tests or a student to study for tests in any subject area. Your questions and answers may be saved for future use. Short answer, true-false, fill-in and other quiz formats are supported. Printer option for hard copy test generation. Program randomizes questions, keeps track of score and provides a variety of testing formats.

# ARITHMETIC TUTOR DIAGNOSTIC FRACTIONS TUTOR DIAGNOSTIC 32K DISK \$49.95 each

More of the MATH TUTOR SERIES. A diagnostic feature permits teachers to keep records of students' progress on the disk using a password. Printer option generates hard copy of progress reports. ARITHMETIC TUTOR covers multiplication, division, factoring, and order of operations. FRACTIONS TUTOR covers addition subtraction, multiplication, and division of fractions. Easy to operate. Disk only. By Ed Guy.

COLORGRADE 32KECB \$29.95
A great aid to teachers. Records and calculates grades for up to 6 classes of up to 40 students each. Uses number or letter grades, named or numerical periods and gives a weighted average. Easy to use. Full directions. DISK ONLY. By David Lengyel.

# COMPUTER LITERACY by Steve Blyn

A computer literacy quiz exclusively for the Color Computer. Tests and scores from over 60 questions on a HI-RES upper and lower case screen. Reviews computer literacy and beginning programming knowledge. Ages 10 and up.



TREASURE HUNT by Art Provost
16K E.B. Tape Only \$19.95
Find you way to the treasure
through a maze filled with objects
to collect, warriors, theives, secret
passages, dark caves, hidden
clues. Its all there for you to enjoy.
Includes graphic illustation,
animation, various, levels of play
for ages 6-12. Joystick required.



I LOVE MY COCO
TEE SHIRT

\$6.95 each + \$1.00 S/H per shirt
Available in Adult Sizes

S, M, L, XL, and Youth L (14-16)
White with Red Trim
and Blue Logo
TREAT YOURSELF OR A FRIEND
TO A GREAT GIFT.
CALL US FOR DETAILS
ON SCHOOL/CLUB ORDERS.

#### VERBAL MATH PROBLEMS

PIZZA GAME 32K EB. \$19.95 Learn to locate coordinates on a grid. HI-RES text and graphics.

#### AREA & PERIMETER 32K EB.


Triangles, rectangles, and circles are covered in this HI-RES text and graphics program.

#### SALES & BARGAINS 32K EB.

\$19.95

Learn to find the discounted price. HI-RES text and beautiful graphics.

**GAMES & ACTIVITIES** 



# The Factory: FROM SUMBURST Strategies in Problem Solving

Grades 4-adult. Winner 1983 Learning Software Award. Recommended in Classroom Computer Learning, Courseware Report Card and Electronic Learning Unique three-level program challenges students to create geometric "products" on a simulated machine assembly line which the student designs.

Diskette for 32K TRS-80 Color Computer with Extended Color BASIC. \$39.95

# The Pond: FROM SUMBURST Strategies in Problem Solving

Grades 2-adult. Winner 1983 Learning Software Award. Recommended in Classroom Computer Learing. A small green frog, lost in a pond of lily pads, helps students recognize and articulate patterns, generalize from raw data and think logically. Diskette for 32K TRS-80 Color Computer with Extended Color BASIC. \$39.95

MR. COCOHEAD 16K E.B. \$16.95 Create over 10,000 funny faces. Facial features controlled through keyboard. Surprise command. Ages 4 and up.

LIGHT PEN 16K E.B. \$19.95 Enjoy this interesting piece of hardware. Control screen action with the lightpen. Includes 6 programs.

DISTANCE PROBLEMS \$19.95

Moving graphics and text combines on a hi-res screen. Rate x

Time = Distance in all its forms.

32K E.B.



Dealers inquiries invited.



All payment in U.S. funds.



(718) 948-2748 Dept. R 227 Hampton Green, Staten Island, N.Y. 10312



# The Value of **Comparison Shopping**

a consumer education program for children

By Steve Blyn **Rainbow Contributing Editor** 

onsumer education was traditionally taught only in the higher grade levels; it was naturally assumed these students were closest to being out in the world and on their own. Although this is true, the topic has fortunately been introduced into the lower grades as well. Educators have learned that one is never too young to learn how to manage money wisely.

Young children are exposed to advertising through television. They see toys and cereals and other products meant to attract their attention. They want almost everything: "Daddy, buy me this, Mommy, buy me that." How familiar these phrases are to parents! And what do we answer? "We don't have room for that toy," or "You have one just like it," or the old standby "It costs too much money!" From the age of 2 or 3, our children begin to build an awareness of products, purchasing and prices.

(Steve Blyn teaches both exceptional and gifted children, holds two master's degrees and has won awards for the design of programs to aid the handicapped. He and his wife, Cheryl, own Computer Island.)

Shopping for food is a job most youngsters take part in. Many accompany their parents to the supermarkets. There are many others who are able to shop alone at local groceries at surprisingly early ages. Consumer education should therefore begin when it is appropriate to the experiences of the students.

In the metropolitan New York area, the Wednesday and Sunday newspapers are full of ads and discount coupons for the local supermarkets. Hours can be spent combing the ads looking for the best bargains. It would be counterproductive to travel from market to market to get the best value on each particular item. By careful comparison pricing on selected items, people learn more efficiently to choose the better stores for their needs.

This month's program is designed to help middle grade students learn about comparison shopping in two stores. A list containing several grocery items and their prices in each store is presented.

The learner has two tasks to master. First, one must decide which store has the better price. This exercise gives practice in reading this type of list. Adults are quite familiar with such lists, but they can confuse children in the beginning.

Next, the student must determine how much money is saved in the less expensive store. This is done by subtracting either mentally or on a separate piece of paper. The problem is counted right only if both questions are answered correctly. After 10 examples, a report card is given, and the player can begin again or end the program.

Lines 40 and 50 dimension the number of prices and articles. Each article has two prices. Lines 60-100 draw the screen and its information. Line 110 selects the random number (R). This determines which grocery item is picked for each question. This line also contains the counter (CT) for the total number of examples. The next line monitors the counter.

Lines 130-190 ask which store has the cheaper price on the item in question. Lines 200-230 check to see if the answer is correct. If it is, then lines 240-320 ask and check how many cents were saved at the less expensive store. If answered correctly, the student will receive 10 points.

After 10 questions, a report card is given on lines 420-470. Remember that a question is only counted as correct if both parts are answered correctly. This was done mainly because of the large screen size. We could only fit in eight items and felt it was too easy to merely memorize which item was cheaper. If you desire, you may easily

alter the scoring by giving five points for each part of the two-part question.

This program is certainly not limited to supermarket shopping. The DATA lines are on 400 and 410. Line 400 has the two amounts and Line 410 has the item. You may substitute any items and

amounts of interest to your children or students.

An even better idea is to let the children have fun and learn by substituting their own items and values. One of the best ways to learn is by being an active participant in the program.

AGAIN

310 IF EE=CC THEN PLAY"ABCABC":P

320 IF EE<>CC THEN SOUND10,1:PRI

NT@448, "SORRY, YOU REALLY SAVED";

330 PRINT"SORRY, STORE #";N;" IS

340 PRINT@485, "PRESS <ENTER> TO

38Ø FORT=1376 TO 1535:POKET,128:

400 DATA 1.25,1.33,.84,.79,.64,.

59, 2, 25, 2, 39, 62, 49, 2, 65, 2, 48, .

410 DATA CHEESE, CATFOOD, BEANS, CO

420 CLS5:PRINT@41, "REPORT CARD";

43Ø PRINT@134, "YOUR SCORE WAS"; G

440 PRINT@357, "PRESS <ENTER> TO

46Ø IF ENS=CHR\$(13) THEN RUN

FFEE, CANDY, MILK, JUICE, BREAD

360 IF EE\$=CHR\$(13) THEN 380

RINT@455, "CORRECT

CC; "CENTS": GOTO34Ø

CHEAPER. ": SOUND10,1

B=GB+1:GOTO 34Ø

35Ø EE\$=INKEY\$

37Ø GOTO 35Ø

39Ø GOTO 11Ø


B\*10; "%";

GO ON";

87,.84,1.57,1.74

GO ON";

NEXT T



# The listing:

10 REM"COMPARISON SHOPPING" 20 REM"STEVE BLYN, COMPUTER ISLAN D. NY, 1985" 3Ø CT=Ø:GB=Ø 40 DIM A(8,2): \*\*THE AMOUNTS 50 DIMF\$(8): \*\*THE ITEMS 60 CLSØ 70 PRINT" STORE1 STORE2 ITEM": PRINT STRING\$ (32, 188); 80 FORX=1TO8:FORY=1TO2:READ A(X, Y):NEXTY.X:FORZ=1TO8:READF\$(Z):N EXTZ 90 FOR X=1T08:FORY=1T02:PRINT " ";:PRINTUSING "\$##.##";A(X,Y);:P "; : NEXTY: PRINTF\$(X): NEX TX 100 PRINTSTRING\$ (32, 179); 110 R=RND(8):CT=CT+1 12Ø IF CT>1Ø THEN 42Ø 13Ø PRINT@352," WHICH STORE SEL LS THE ";F\$(R) AT A CHEAPER 140 PRINT@384," PRICE"; 150 REM"EN=PLAYER'S RESPONSE" 160 INPUT EN

17Ø REM"P1=PRICE AT FIRST STORE

AND P2=PRICE AT THE SECOND."

18Ø IF EN<1 OR EN>2 THEN 13Ø

200 REM"CHECK OUT THE ANSWER"

23Ø IF EN=N THEN 25Ø ELSE 33Ø

28Ø IF EE<Ø OR EE>99 THEN 24Ø

24Ø REM"IF CORRECT, ASK HOW MUCH

26Ø PRINT@416," ":PRINT@416,"RIG

19Ø P1=A(R,1):P2=A(R,2)

IS SAVED AT THAT STORE."

HT! HOW MANY CENTS SAVED";

25Ø PLAY"L1ØØ; GFEGFEDC"

29Ø CB=ABS(P1-P2)\*1ØØ

300 CC=INT((CB)+.5)

27Ø INPUT EE

220 IF P1>P2 THEN N=2

each time.

Kraig Brockschmidt Renton, WA

1

The listing:

Ø FMODE4:FORO=1TO4:X(0)=COS(A)\*4  $\emptyset + 128: X(0+4) = X(0): Y(0) = SIN(A)*15$ +75: Y(0+4)=Y(0)+42: A=A+1.6: NEXT: A=A+1.3962: RESTORE: PCLS: FORO=1TO 12: READS, E: LINE (X(S), Y(S)) - (X(E) ,Y(E)),PSET:NEXT:SCREEN1,1:GOTO: DATA1, 2, 2, 3, 3, 4, 4, 1, 5, 6, 6, 7, 7, 8, 8, 5, 1, 5, 2, 6, 3, 7, 4, 8

(For this winning one-liner contest entry, the author has been sent copies of both The Rainbow Book Of Simulations and its companion Rainbow Simulations Tape.)

February 1985


# One-Liner Contest Winner . . .

450 ENS=INKEYS

470 GOTO 450

You can do 3-D animation on the CoCo! This shortie draws a cube over and over, rotating it a few degrees

# **GAME**



(Dan Hamilton is a free-lance programmer who authored several programs for Chromasette. He is currently exploring possibilities of a career in programming.)



# 'Calculate' your way through the solar system with

# Space Race

# By Daniel Hamilton

elcome to Space Race. This is an interesting math game with a new twist. Instead of answering a math problem, you must enter an equation and the CoCo computes the answer. I borrowed the technique to accomplish this from Rich Dersheimer's Mathgame program published in the January 1984 RAINBOW.

The object of the game is simple: be the first player to pilot your spaceship from Earth to Pluto. Each player's turn consists of spinning for three random numbers, then building an equation from the numbers and the arithmetic operators: \* / + -. You may only use each number or operator once to form your equation. When your equation is entered, the CoCo computes its value, and moves your spaceship a distance equal to this value. Only the integer portion of the value is used, and values less than zero are ignored. There are two rules that make the game more interesting.

- If you stop on a planet, you automatically advance to the next planet.
- If you stop on the same position as your opponent, your opponent is sent back to the previous planet.

This means the equation with the highest value is not necessarily the one that will most improve your position in the race. An exception to rule #2 is that planets are considered safety areas; you cannot be bumped back while you are on a planet.

The game can be played by two players, by one person against the computer, or enter "Computer" as the name of the first player and select the one player option, and the computer will play a demonstration game against itself.

I must apologize for the lack of remarks and all the multiple statement lines. I abhor multiple statement lines because they make the logic difficult to follow, especially in lines with multiple *IF* and *ELSE*.

Unfortunately, the program as I originally wrote it ran over 16K, and I really wanted a game everyone could try, so I packed it all together and stripped out all the remarks to get a version that just barely runs in 16K.

A breakdown of the program follows:

Line I	random function							
Line 2	Dummy line to compute input equation							
Line 3-4	Locates dummy line							
Line 5-9	Initialize variables:input names: select mode of play							

Line 10 Draws screen

Line 11 Alternates players (beginning of main loop) Line 12 Spins for 3 random numbers

Line 13 Stores numbers and operators and draws them

on screen
Line 14-17 Gets input equation
Line 18-20 Checks syntax of input

Line 21 Inserts input equation in dummy equation


Line 22-24 Evaluate equation and move rocket (end of main loop)

Line 25-26 Subroutine to move player 1 rocket Line 27-28 Subroutine to move play-

er 2 rocket
Line 29-30 Subroutine to bump back
player 2

Line 31-32 Subroutine to bump back player 1






# **HARDWARE**

DOUBLE SWITCH - Two LEDs show you which port is being used, 1 or 2. High Quality

parts with a great looking face plate!
<b>DOUBLE CABLE</b> — Hook a MODEM and a PRINTER up at the same time with this Y-connector
EXT-CABLE — long printer or MODEM cable (15 feet)
Y-CABLE — You can connect two devices at the same time to your ROM port (80 column card and disk Drive)
<b>DOUBLE DRIVER</b> — Best video driver available for your CoCo. Made by our friends at Moreton Bay Software. Specify CoCo or CoCo II
MINI MOUTH — Now get sound from your mute monitor. Plugs right in, nothing to solder
$ \begin{array}{llllllllllllllllllllllllllllllllllll$
MINI-MODEM — 300 BAUD, Originate/Answer Full Duplex, Direct Connect . \$79.95 (Save \$10.00 when you buy one of our terminal programs and a modem)
DISKS — DISKS — DISKS — DISKS — DISKS Save on blank 51/4" diskettes. Buy in bulk and save! No sleeves. (10 minimum in each order)



# DOUBLE TERM + Plus +

This program is the **ultimate** in CoCo communicating! Double Term + is used with a plug-in 80 column board. Supports either Double 80 Plus, Color Power II or Word Pak.

Here are just some of the features Double Term + has to offer:

#### Select:

Half, Full Duplex or Echo

Odd, Even, Mark, Space or No Parity

7 or 8 Bit Words

1 or 2 Stop Bits

All Caps if needed

Several Printer Formats

Trapping of incoming characters

#### **BAUD Rates:**

110-4800 (communicate) 600-9600 (printer)

#### Screen Format:

80 x 24 upper/lowercase

Send all 128 characters from keyboard

#### Buffer

Merge text or programs

49K to 53K memory

Four Buffer Send Modes

Display Bytes Used/Remaining

Editor—Move forward and reverse thru buffer. Insert, type over, delete lines, characters or words. Block delete.

#### 10 Macro keys

Automatic Capture of incoming files

X on/X off capabilities

Send True Line Break

Transmit/Receive BASIC Programs, Files or Machine Code. No need to translate BASIC programs to ASCII Format.

Save/Load Macros or Parameters to Disk

Use 1 to 4 Disk Drives (w/SAVE, LOAD, DIR & Granule Display)

Print while receiving information\*

Easy to use MENU driven format

Comprehensive users manual

Works on All Radio Shack Color Computers, and All Radio Shack Disk systems.

15-day money back guarantee (less a \$10.00 restocking/use charge.)
Only \$5.00 each for all future upgrades when you return your warranty card.

PRICE:	Double Term +
	/-Cable
	Double 80 Plus
	Complete Package

<sup>\*</sup>Requires PC Pak from PBJ, Inc.

# **DOUBLE 80 PLUS**

 OS9 DRIVER
 12.95

 FLEX DRIVER (available soon)
 12.95

 DOUBLE TERM + (disk only)
 55.95

# COLOR TERM + Plus +

#### Select:

Half, Full Duplex or Echo

Odd, Even, Mark, Space or No Parity

7 or 8 Bit Words

1 or 2 Stop Bits

All Caps if needed

Several Printer Formats

Trapping of incoming characters

#### **BAUD Rates:**

110-4800 (communicate)

600-9600 (printer)

Screen Format:

32 x 16, 42, 51, 64 or 85 x 24

Send all 128 characters from keyboard

#### Buffer:

Merge text or programs

49K to 53K memory

Four Buffer Send Modes

Display Bytes Used/Remaining

Editor-Move forward and reverse thru buffer. Insert, type over, delete lines,

characters or words. Block delete.

10 Macro keys

Automatic Capture of incoming files

X on / X off capabilities

Send True Line Break

Transmit/Receive BASIC Programs, Files or Machine Code. No need to translate

BASIC programs to ASCII Format.

Save/Load Macros or Parameters to Disk

Use 1 to 4 Disk Drives (w/SAVE, LOAD, DIR & Granule Display)

Print while receiving information\*

Easy to use MENU driven format

Comprehensive users manual

Works on All Radio Shack Color Computers, and All Radio Shack Disk systems.

RICE: Color Term + \$49.95 (Disk/Tape)



# 

GALACTIC MATH ... Addition and multiplication drill (saucer game) for ages 6 to 10.

16K ext. ... \$15.95

# **DOUBLE DOS II**

Double DOS II — Now use 35,40,or 80 track (double or single sided) drives, all on one system, all at the same time. All regular disk commands are supported with Double DOS II and are totally transparent to your BASIC programs! You can get up to 158 granules on a disk using an 80 track drive. These are the added commands:

BAUD 1-6 ... change the BAUD rate.

TRACK 35,36,40,80...change number of tracks.

DOUBLE ... enable the double sided option.

PDIR ... print your directory to printer.

DUMP ON/OFF...send programs without a terminal program.

RATE 6,35 ... change the head stepping rate.

VIDEO ON/OFF...reverse video without a hardware mod.

SCROLL 1-255...change your screen scrolling speed.

COMMAND ... will list all new commands.

DUPE 0,1,2...will allow copy & backup from one side of a drive to another!

**DATE...** you can enter the month, day and year as an extension to your programs when they are displayed during a DIR command.

We guarantee that this program will work using the above commands, with all types of 35, 40 or 80 track drives!

PRICE: \$29.95 (DISK ONLY) 64K required

# Double Density Software

620 Kings Row • Denton, Texas 76201 • 817-566-2004





Line 33-38	Subroutine to spin for 3 random numbers	Line 48	screen Subroutine to draw text	Line 55-63	music strings Draws rockets and stores
Line 39-44	Subroutine to build com-		on screen Defines text character		them in arrays Data
Line 45-47	puter's equation Subroutine to draw	Line 49-34	strings: defines	Line 66-67	'End of game' routine

<i>/</i>	
108	42190
22 17	50 110
27 103	53 154
35 107	END96

## The listing:

- 1 CLEAR15Ø:DIMC\$(58),A(1,6),B(1,6),C(1,6),D(1,6),E(1,6),F(1,6),G(1,6),H(1,6),M\$(2),N\$(2),P(2),Z(7),N(3):N=RND(-TIMER):GOTO3
- 2 V=\*\*\*\*: RETURN
- 3 E=PEEK (25) \*256+PEEK (26)
- 4 IFPEEK(E)=173THEN5ELSEE=E+1:GO TO4
- 5 CLSØ:PRINT@267, "space"+CHR\$(128)+"race";:SCREENØ,1:GOSUB49
- 6 A=32:B=8:C=32:D=15:P(1)=Ø:P(2)
  =Ø:F=Ø:CLS:PRINT@256,"";:INPUT"E
  NTER YOUR NAME";N\$(1):IFN\$(1)=""
  THENN\$(1)="PLAYER 1"ELSEIFLEN(N\$(1))>8THENN\$(1)=LEFT\$(N\$(1),8)
  7 CLS:PRINT@256,"PRESS: 1) TO R
  ACE THE COMPUTER";:PRINT@328,"2)
- TO RACE A FRIEND"; 8 A\$=INKEY\$:IFA\$<"1"ORA\$>"2"THEN 8ELSEIFA\$="1"THENN\$(2)="COMPUTER ":GOTO1Ø
- 9 CLS:PRINT@256, ""; INPUT"ENTER
  YOUR FRIEND'S NAME"; N\$(2):IFN\$(2)
  =""THENN\$(2)="PLAYER 2"ELSEIFLE
  N(N\$(2))>8THENN\$(2)=LEFT\$(N\$(2),
  8)
- 1Ø GOSUB45
- 11 IFF<>1THENF=1ELSEF=2
- 12 GOSUB33
- 13 FORI=1TO3: Z(I)=N(I)+48:NEXTI: Z(4)=42: Z(5)=47: Z(6)=43: Z(7)=45: LINE(40,152)-(255,191), PRESET, BF: DRAW"BM48,160": FORI=1TO7: DRAWC\$ (Z(I)-32)+C\$(0):NEXTI: IFN\$(F)="COMPUTER"THENGOSUB39: GOTO21
- 14 G=40:H=183:T\$="ENTER YOUR EQU ATION":GOSUB48:H=191:T\$="PRESS C LEAR TO MAKE CHANGES":GOSUB48:L= 48:T=0:E\$=""
- 15 B\$="BM"+STR\$(L)+",173;"
- 16 A\$=INKEY\$:DRAWB\$+"NR8CØNR8C1"
  :IFA\$=""THEN16ELSEIFT=5THEN17ELS
  EFORI=1T07:IFASC(A\$)=Z(I)THENDRA
  W"BM"+STR\$(32+I\*16)+",160"+C\$(0)
  :DRAWB\$+C\$(Z(I)-32):E\$=E\$+A\$:Z(I)
  =0:L=L+8:T=T+1ELSENEXTI

- 17 IFA\$=CHR\$(12)THEN13ELSEIFA\$=CHR\$(13)ANDT=5THEN18ELSE15
  18 DRAWC\$(Ø)+C\$(29):FORI=1TO5STEP2:IFMID\$(E\$,I,1)<"Ø"THEN19ELSENEXTI:FORI=2TO4STEP2:IFMID\$(E\$,I,1)>"Ø"THEN19ELSENEXTI:GOTO21
  19 LINE(4Ø,175)-(255,191),PRESET,BF:G=4Ø:H=183:T\$="THIS EQUATIONHAS AN ERROR":GOSUB48:H=191:T\$="PRESS CLEAR TO START OVER":GOSUB48
- 20 As=INKEYs:IFAs=""THEN20ELSEIF As<>CHRs(12)THEN19ELSE13
- 21 FORI=ØTO4:A\$=MID\$(E\$,I+1,1):I FA\$>"Ø"THENPOKEE+I,ASC(A\$)ELSEIF A\$="+"THENPOKEE+I,171ELSEIFA\$="-"THENPOKEE+I,172ELSEIFA\$="\*"THEN POKEE+I,173ELSEIFA\$="/"THENPOKEE +I,174
- 22 NEXTI:GOSUB2:V\$=STR\$(V):FORI=
  1TOLEN(V\$):DRAWC\$(ASC(MID\$(V\$,I,
  1))-32):NEXTI:FORI=ØTO4:POKEE+I,
  173:NEXTI:LINE(4Ø,175)-(255,191),
  PRESET,BF:IFV<1THEN11ELSEFORI=P
  (F)+1TOP(F)+INT(V):ONF GOSUB25,2
  7:IFI=3ØØTHEN66ELSENEXTI:P(F)=P(F)+INT(V)
- 23 IFP(F)/5Ø=INT(P(F)/5Ø)THENG=4 8:H=183:T\$="\*\* BONUS \*\*":GOSUB48 :PLAYM\$(Ø):FORI=1TO5Ø:ONF GOSUB2 5,27:NEXTI:P(F)=P(F)+5Ø:IFP(F)=3 ØØTHEN66
- 24 IFP(1)=P(2)THENIFP(1)/5Ø=INT( P(1)/5Ø)THEN11ELSEONF GOSUB29,31 :GOTO11ELSE11
- 25 FORY=32TO128STEP48: IFY=B THEN 26ELSENEXTY: FORJ=1TO2: PUT(A,B)-(A+15,B+6),C,PSET: PUT(A,B)-(A+15,B+6),A,PSET: A=A+2: NEXTJ: IFA=232T HENLINE(A,B)-(A+15,B+6),PRESET,B F:B=B+24: A=A-2Ø: PUT(A,B)-(A+15,B+6),E,PSET: RETURNELSERETURN
- 26 FORJ=1TO2:PUT(A,B)-(A+15,B+6),G,PSET:PUT(A,B)-(A+15,B+6),E,PS ET:A=A-2:NEXTJ:IFA=12THENLINE(A,B)-(A+15,B+6),PRESET,BF:B=B+24:A=A+20:PUT(A,B)-(A+15,B+6),A,PSET:RETURNELSERETURN
- 27 FORY=39T0135STEP48:IFY=D THEN 28ELSENEXTY:FORJ=1T02:PUT(C,D)-( C+15,D+6),D,PSET:PUT(C,D)-(C+15, D+6),B,PSET:C=C+2:NEXTJ:IFC=232T HENLINE(C,D)-(C+15,D+6),PRESET,B

# A steal at any price. Darn near a felony at these prices.

# SDOS®

Real Disk Operating System and Professional Software Tools Full 2-Pass Assembler Text Editor 6809 Debugger

Fully interrupt driven
Disk buffer pool/LRU cache
Supports up to 4 drives
Date-stamped file backup utility
Disk disaster recovery utility
RSDOS data file transfer utility

Friendly command interpreter User-definable error messages Keyboard typeahead at all times (not just when disks are idle) Screen-edit style input editing

Full ASCII keyboard (inc. CTRL) Software selectable baud rates Full serial I/O to 19.2Kb thru RS Modem cartridge 400+ pages documentation

only \$49.95!

## SD BASIC Compiler

Full-featured language
Tight code, fast execution
(3X times faster than RSBASIC
doing Prime Number search)
FOR I=1 to 10000/NEXT I
takes 1.8 second (12X faster)
A=1 takes 2 bytes of memory
(not counting Runtime Package)
Automatic runtime integer/
floating point optimization

32 letter variable/label names
True Subroutine/Functions with
named, multiple arguments
WHILE-DO and IF-THEN-ELSE
All execution errors trappable
Fast, 65K char string facilities
Assembly language interface
Fast Decimal f.p. arithmetic
(no money conversion errors!)

Cursor positioning
Print USING
Device-independent ASCII and
binary file I/O to the byte
Indexed file option available

\$49.95 (requires SDOS) Not RSBASIC compatible

# SEDIT/TYPE: Word Processing


SEDIT: full screen text editor
Place cursor and start typing!
What-you-see-is-what-you-get
Typeahead and autowrap on margin
"No wrap" mode for programs
Edits files up to 80Kb
Global Search/Change
SEDIT or SDOS can use 24 by 80
CRT via modem card with multipak

TYPE: Document Processor

Formats raw text mode with SEDIT according to embedded commands
Automatic justification
Automatic pagination
Definable page titles/footings
Automatic page numbering
Centering
Foreign language accents
Multiple file merge
(for big documents or mailings)
Table of Contents generation
Semi-automatic index generation

150+ pages documentation \$49.95 (requires SDOS)

# CHESSD™: A REAL CoCo Chess Program



High resolution display
High quality play
Variable skills levels
Plays Black or White
Can act as referee
Accepts Algebraic-like notation
Handles and plays special moves
Castle, En Passant, Pawn Promote
Tournament/Rapid Transit Modes
Tournament timer logic built-in
32,000 move disk opening book
\$49.95 (does NOT require SDOS)

All products require Color Computer with 64K and at least one disk drive.



COMPUTER SYSTEMS DISTRIBUTORS P.O. Box 9769 Anaheim, California 92802 (714) 772-1390 Visa and Mastercharge accepted. Shipping charges \$2.00 per order. Dealer inquiries invited. Software consulting also available. F:D=D+24:C=C-20:PUT(C,D)-(C+15,D +6), F, PSET: RETURNELSERETURN 28 FORJ=1TO2:PUT(C,D)-(C+15,D+6) ,H,PSET:PUT(C,D)-(C+15,D+6),F,PS ET:C=C-2:NEXTJ:IFC=12THENLINE(C, D) - (C+15, D+6), PRESET, BF: D=D+24: C =C+2Ø:PUT(C,D)-(C+15,D+6),B,PSET : RETURNELSERETURN 29 LINE(C,D)-(C+15,D+6),PRESET,B F:FORY=39T0135STEP48:IFY=D THENP (2)=P(2)-(212-C)/4:C=212:PUT(C,D )-(C+15, D+6), F, PSETELSENEXTY:P(2 )=P(2)-(C-32)/4:C=32:PUT(C,D)-(C +15, D+6), B, PSET 3Ø G=48:H=183:PLAYM\$(1):T\$="TOO BAD FOR "+N\$(2):GOSUB48:RETURN 31 LINE(A,B)-(A+15,B+6),PRESET,B F:FORY=32T0128STEP48:IFY=B THENP (1)=P(1)-(212-A)/4:A=212:PUT(A,B )-(A+15, B+6), E, PSETELSENEXTY: P(1 )=P(1)-(A-32)/4:A=32:PUT(A,B)-(A +15, B+6), A, PSET 32 G=48:H=183:PLAYM\$(1):T\$="TOO BAD FOR "+N\$(1):GOSUB48:RETURN 33 LINE (40,0)-(255,6), PRESET, BF: LINE (40, 152) - (255, 191), PRESET, BF 34 FORJ=1TO2:P\$=STR\$(P(J)):G=40+ (J-1)\*112:H=6:T\$=N\$(J):808UB48:D

# CO CO-ADS

				angio pri Ar
11 6 14				11
180		(MCC) at ,	Ty 12 hadis allow- free little LIDI as more frame in 24 the 10701 line	oferacient with or my Pursues Ad abach apail
pecial features!! Send \$10,00 to:	Will get full tehwet. 30 SPORT TOWN. Fleene and \$1.50 for shipping and hardling	PEN	PS/8	(00.47)(96)
Modfl Md. W. Simbatore Sur Liteffat) France, Ca. 93709 Marjich Lupe and CoCo. simerumi Md. res wignoles, needs 978 chips. sid	P.O. SOFTWARE P.O. ISSUED 19924 - HEATTON IN 172719	204 176 2410 206 755 5609 815 556 6222 707 257 7465 504 599 0750	FIT OF ETCH SHAWN JEWS STUD DEMY AC HAIL MICHEL WALLAST CTR HER	ATTANTO, LA SAMPLACT, LA MANTAS CITY, MI MANTAS CA MINISTERIO DE
tale hertoern only \$75.00 GH H or for parts of electr recein ! Or ! 1600 Harlish emery upgrade	<u>a</u>	617 See 6/829 216 788 7510	Charles Catalons Charles Mikhols	RECORDING AS

A MONTHLY CLASSIFIED NEWSPAPER FOR COCO OWNERS, SELL OR TRADE YOUR UNWANTED PROGRAMS OR HARDWARE IN THIS NEWSPAPER. FIND GREAT BARGAINS.CIRCULATION - OVER 15,000 COCO OWNERS. LIST YOUR CLUB OR BBS. FULL OF TIPS. PROGRAMS, ARTICLES AND REVIEWS. DON'T DELAY, SUBSCRIPTION IS ONLY \$5.00 FOR 12 ISSUES CLASSIFIED AD'S AT ONLY .25 PER WORD

Yes I would like a subscription to COCO ADS Address

Zip PLEASE HAVE CHECKS PAYABLE TO P D SOFTWARE HOUSTON, TEXAS 77219

RAWC\$(29):FORI=2TOLEN(P\$):DRAWC\$ (ASC(MID\$(P\$,I,1))-32):NEXTI,J:G =176:H=167:T\$=N\$(F)+"'S":GOSUB48 :H=175:T\$="TURN":GOSUB48:H=183:T \$="TO SPIN.":GOSUB48 35 FORI=60T0140STEP40:CIRCLE(I,1 68),10:NEXTI:IFN\$(F)="COMPUTER"T HENG=56: H=191: T\$="\*SPINNING\*": GO SUB48:GOT037ELSEG=40:H=191:T\$="P RESS ENTER TO SPIN. ": GOSUB48 36 As=INKEYs:IFAs<>CHRs(13)THEN3 37 LINE(4Ø,184)-(255,191),PRESET , BF 38 FORI=1T03:FORJ=1T01Ø:N=3\*RND( 3)-3+1:DRAW"BM"+STR\$(18+1\*40)+". 171; "+C\$(Ø)+"BL8"+C\$(16+N):PLAY" L25501C":NEXTJ:N(I)=N:PLAY"05CBC ":NEXTI:FORI=1T0250:NEXTI:RETURN 39 G=56:H=183:T\$="\*THINKING - ST AND BY\*":GOSUB48:IFF=1THENO=2ELS 40 R=P(F)-P(0):S=P(0)-(INT(P(0)/ 50) \*50) : M=0: RESTORE 41 FORX=1TO6:READI, J, K:V=N(I)\*N( J)+N(K):P=42:Q=43:GOSUB43:V=N(I) \*N(J)-N(K):Q=45:GOSUB43:V=N(I)\*N (J)/N(K):Q=47:GOSUB43:V=N(I)-N(J ) \*N(K):P=45:Q=42:GOSUB43:V=N(I)-N(J) + N(K) : Q = 43 : GOSUB43 : V = N(I) - N(I)J)/N(K):Q=47:GOSUB43:V=N(I)/N(J) +N(K):P=47 42 Q=43:GOSUB43:V=N(I)/N(J)-N(K) : Q=45: GOSUB43: NEXTX: LINE (4Ø, 161) -(255,183),PRESET,BF:G=48:H=173: T\$=E\$+" =":GOSUB48:RETURN 43 V=INT(V): IFV<=ØTHENRETURNELSE IFP(F)+V=P(0)ANDS>R+M THENM=S-R: GOTO44ELSEIF(P(F)+V)/50=INT((P(F )+V)/5Ø)ANDP(F)+V+5Ø>M+P(F)THENM =V+5Ø:GOTO44ELSEIFV>M THENM=V:GO

TO44ELSERETURN

44 E\$=CHR\$(N(I)+48)+CHR\$(P)+CHR\$ (N(J)+48)+CHR\$(Q)+CHR\$(N(K)+48): RETURN

45 PMODE3,1:PCLS:FORI=12T0156STE P24:READX:CIRCLE(X,I),14,,.9:PAI NT(X, I), RND(2)+1, 4: NEXTI: PMODE4, 1:SCREEN1, 1:FORH=31T0175STEP24:R EADG. T\$: GOSUB48: NEXTH: FOR I=23TO1 19STEP48:LINE(36, I)-(240, I), PSET :LINE(16, I+24) - (220, I+24), PSET 46 FORJ=ØTO49:IFINT(J/5)=J/5THEN K=2ELSEK=Ø

47 LINE (24Ø-J\*4, I+1+K)-(24Ø-J\*4, I-1), PSET: LINE (16+J\*4, I+25+K)-(1 6+J\*4, I+23), PSET: NEXTJ, I: PMODE3, 1:COLOR1, 4:FORH=14T0158STEP24:RE ADG, T\$: GOSUB48: NEXTH: COLOR4, 1: PM

City State

P 0 BOX 13124

ODE4,1:PUT(32,8)-(47,14),A,PSET:
PUT(32,15)-(47,21),B,PSET:RETURN
48 DKAW"BM"+STR\$(G)+","+STR\$(H)+
";":FORK=1TOLEN(T\$):DRAWC\$(ASC(M
ID\$(T\$,K,1))-32):PLAY"L10005E":N
EXTK:PLAY"C":RETURN

49 C\$(Ø)="CØU6RD6RU6RD6RU6RD6BR3 C1":C\$(7)="BR2BU4U2RD2BD4BR5":C\$ (1Ø)="BR2U6D3NH2NG2NE2F2BDBR4":C \$(11)="BU3R5L3ND2U2RD4BDBR5":C\$( 13)="BU3R5BD3BR3":C\$(14)="URDBR7 ":C\$(15)="E5BD5BR3":C\$(16)="BUU4 NF4ER3FD4GL3BR7"

50 C\$(17)="BR3RU6NGD6RBR3":C\$(18)="BU5ER3FDG2L2GDR5BR3":C\$(19)="BU5ER3FDGNLFDGL3HBDBR8":C\$(20)="BU6D3R4NU3NRD3BR4":C\$(21)="BU6NR5D2R4FD2GL3HBDBR8":C\$(22)="BUU4ER3FBD2BLNL3FDGL3BR7":C\$(23)="BU6R5DG4DBR7":C\$(24)="BUUEHUER3FDGNL2FDGL3BR7"

51 C\$(25)="BUFR3EU4HL3GDFR4BD3BR 3":C\$(29)="BU2R5BU2L5BD4BR8":C\$( 33)="U5ER3FD2NL4D3BR3":C\$(34)="U 6R5FDGNL3FDGL4BR8":C\$(35)="BUU4E R3FBD4GL3BR7":C\$(36)="U6R3F2D2G2 L3BR8":C\$(37)="U6NR5D3NR4D3R5BR3":C\$(38)="U3NR4U3R5BD6BR3"

52 C\$(39)="BUU4ER3FBD2NL2D2GL3BR
7":C\$(40)="U6BR5D3NL5D3BR3":C\$(4
1)="BR2R2LU6LR2BD6BR4":C\$(42)="B
U2DFR3EU5BD6BR3":C\$(43)="U6BR5G4
EF3BR3":C\$(44)="NU6R5BR3":C\$(45)
="U6F2RE2D6BR3":C\$(46)="U6F5DU6B
D6BR3":C\$(47)="BUU4ER3FD4GL3BR7"
:C\$(48)="U6R4FDGL4D3BR8"

53 C\$(49)="BUU4ER3FD3GNHNFGL2BR7":C\$(50)="U6R4FDGL3RF3BR3":C\$(51)="BUFR3EUHL3HUER3FBD5BR3":C\$(52)="BR2U6L2R5L2D6BR5":C\$(53)="BUU5BR5D5GL3BR7":C\$(54)="BU6D2BFDBFDRUBEUBEU2BD6BR3":C\$(55)="NU6E2RF2NU6BR3":C\$(56)="UE4RUBL5DRF4DBR3"

54 C\$(57)="BU&DF2ND3RND3E2UBD&BR
3":C\$(58)="BU&R5D&5R5BR3":M\$(Ø)=
"T4L803GP8L32GP32GP32O4L4CT2":M\$
(1)="T3L401BB-AA-L2GT2":M\$(2)="T
1202L4AP4L4AAO3L1C02AO3L3C02AO3C
L1ECL3ECEL1G02GL303C02G03CL1ET2"
55 FORX=1T06:READI,J,K:NEXTX:FOR
I=1T08:PMODE3,1:PCLS:READA\$:DRAW
A\$:PMODE4,1:ONI GOSUB56,57,58,59
,60,61,62,63:NEXTI:RETURN
56 GET(Ø,Ø)-(15,6),A:RETURN

57 GET(Ø,Ø)-(15,6),B:RETURN 58 GET(Ø,Ø)-(15,6),C:RETURN 59 GET(Ø,Ø)-(15,6),D:RETURN 6Ø GET(Ø,Ø)-(15,6),E:RETURN 61 GET(Ø,Ø)-(15,6),F:RETURN 62 GET(Ø,Ø)-(15,6),G:RETURN 63 GET(Ø,Ø)-(15,6),H:RETURN 64 DATA1,2,3,2,3,1,3,1,2,1,3,2,2 ,1,3,3,2,1,"BM3,6;C2E3NH3L2R8L2U L4D2R4", "BM3, 6; C3E3NH3L2R8L2UL4D 2R4", "BM3, 6; C2E3NH3C4NL6C2R6L2UL 4D2R4", "BM3, 6; C3E3NH3C4NL6C3R6L2 UL4D2R4", "BM1Ø,6; C2H3NE3R2L8R2UR 4D2L4", "BM1Ø, 6; C3H3NE3R2L8R2UR4D 65 DATA"BM1Ø, 6; C2H3NE3C4NR6C2L6R 2UR4D2L4", "BM10,6; C3H3NE3C4NR6C3 L6R2UR4D2L4", 16, 240, 16, 240, 16, 24 Ø, 16, 1, EARTH, 223, MARS, 1, JUPITER, 207, SATURN, 1, URANUS, 199, NEPTUNE, 1, PLUTO, 14, 0, 234, 50, 6, 100, 230, 15 0,6,200,230,250,6,300 66 PLAYM\$(2):PCLS:G=32:H=100:T\$= "HOORAY HOORAY HOORAY": GOSUB 48:H=116:G=(88-LEN(N\$(F))\*8)/2:T \$=N\$(F)+" WINS THE SPACE RACE":G OSUB48: G=24: H=148: T\$="PRESS ENTE



67 As=INKEYs: IFAs<>CHRs(13) THEN6

R TO PLAY AGAIN. ": GOSUB48

Laneco Plaza

**7ELSERUN** 

Clinton, NJ 08809 (201) 735-9560

#### LOW PRICES ON 100% Radio Shack Equipment

(with full warranty)

#### Color Computers—


 16K ...... \$ 85
 Drive O.... \$275

 16K Ext.... \$120
 Drive 1 .... \$220

 64K ..... \$180
 Prices include shipping!

20% OFF RADIO SHACK SOFTWARE!
Prices subject to change





#### DRACONIAN

You brace yourself as your ship materializes in the enemy sector. Your engine roars to life, and you consult the long-range scanner for the position of the nearest enemy base. As you head for the base, blasting asteroids and space-mines in your path, you suddenly notice a monstrous space-dragon looming before you. Reacting quickly, you dodge his deadly fire-breath and blast him out of existence.

This is it - the single most impressive, awe-inspiring arcade game you can buy for your Color Computer. High-resolution graphics, awesome sound effects, four-voice music, and quality you have to see to believe! Experience the realism of DRACONIAN today!

JOYSTICKS REQUIRED 32K MACHINE LANGUAGE TAPE \$27.95 DISK \$30.95



Hier Lofe: 1

ទ្រ សិ ឆ្នាំ ខ មិនបានសិទ្ធស

en m

Score

aosasi

460 480

man man

\*\*\*\*\*\*

6008

des

SR-71 is a fast action game in which you are the pilot on a mission to take photographs of missile sites in Russia and deliver them to our processing laboratory in Japan. So real you will feel as if you are in the cockpit on a real spy mission. Elude Russian missiles as well as their detection devices. Another Tom Mix exclusive. A must for the adven-turous. Fantastic graphics, color and sound. 32K Ext. Basic.

TAPE \$28.95 DISK \$31.95

# New From Tom Mix Vorlds of Flight Not A Game — A Very Realistic Flight Simulation

WORLDS OF FLIGHT (WOF) is a "view" oriented flight simulation for the TRS-80 Color Computer, written entirely in Machine Language. 'View" oriented means that the pilot may determine his or her position by actually viewing the surrounding landmarks as opposed to using instruments which sense navigational references. This is a major departure from "instrument only" simulations which can be achieved through BASIC programs. Most instrument maneuvers and procedures may be practiced. The craft is a light-weight, single-engine airplane with low wings. A nose wheel which is both steerable and retractable is also modeled. Some aerobatics are possible including sustained inverted flight, aileron rolls, spins and stalls.


JOYSTICKS REQUIRED 32K MACHINE LANGUAGE TAPE \$29.95 DISK \$32.95







#### WAREHOUSE MUTANTS




JOYSTICKS REQUIRED **16K MACH. LANGUAGE TAPE \$24.95 DISK \$27.95** 

#### QUIX

This one is after a popular arcade game with a similar name. Simply frustrating—you'll love it. Done in high resolution graphics with Super Sound.

JOYSTICKS REQUIRED 32K MACH, LANGUAGE **TAPE \$24.95 DISK \$27.95** 



#### MS. MAZE

MS. MAZE is remarkable in that it combines brilliant color, high resolution, detailed graphics, and music with a very playable game. Anything that could be done to make the Color Computer look and play like the arcade version has been done. MS. MAZE is without question the closest thing to the arcade Pac games that I have seen for the Coco.

JOYSTICKS REQUIRED

32K MACHINE LANGUAGE **TAPE \$24.95 DISK \$27.95** 

Pakman is steered thru a maze eating dots and powerpills. Pakman is pursued by four monsters who try to catch and kill him. If Pakman eats a powerpill he becomes power-ful and can eat monsters. Monsters try to avoid a powerful Pakman. As monsters are eaten their ghosts appear on the top of the screen. When seven ghosts have appeared one will fly across the screen or they will link together forming a centipede that will travel thru the maze. Pakman has no power against ghosts and centipedes and must avoid them or be killed. JOYSTICKS REQUIRED

32K MACHINE LANGUAGE **TAPE \$24.95 DISK \$27.95** 



TWINS BOTH MS. MAZE & PAK PANIC FOR ONLY

50.90 DISK

44.90 TAPE



TOM MIX SOFTWARE 4285 BRADFORD N.E. GRAND RAPIDS, MI 49506

 ADD \$2.50 POSTAGE & HANDLING • (CANADA ADD \$3.00) • MICHIGAN RESIDENTS ADD 4% SALES TAX

LOOKING FOR NEW SOFTWARE TOP ROAALTIES PAID

(616) 957-0444

WRITE FOR FREE CATALOGUE - MOST OF OUR INVENTORY IS NOT SHOWN HERE!

#### QUALITY EDUCATIONAL SOFTWARE VOCABULARY MANAGEMENT SYSTEM

#### 16K Extended basic/32K for printer output

The Vocabulary Management System (VMS) is a series of programs designed to aid a parent or teacher in helping children to learn and practice using vocabulary and spelling words. The 11 programs that comprise the VMS include a full feature data entry/edit program, three printer output programs and 5 vocabulary/spelling game programs. The system's many outstanding features include:

- As many as 300 vocabulary words and definitions may be in the computer's memory at one time.
- -Words and definitions may be saved on disk or tape.
- Remarks and/or comments can be saved with word files.
- —A disk loading menu allows students to load disk files without typing file names.
- -Word lists may be quickly alphabetized.
- -The three printer segments allow you to create and print individualized tests, puzzles, word-searches and worksheets.

**TAPE \$39.95 DISK \$42.95** 

- -The printer segments allow full use of your printer's special features.
- The 5 game programs are based on sound educational principles and provide practice in identifying words and matching them with their definitions in a fast-paced set of activities.

#### FRACTIONS - A Three Program Package - 32 K EXT. BASIC TAPE \$30.95 DISK \$35.95

#### MIXED & IMPROPER

- Review converting mixed numerals and improper fractions.
- Practice converting mixed numerals to improper fractions Practice converting improper fractions to mixed numerals
- 4. Practice of both types. (Mixed to improper & improper to mixed)
  5. Review converting mixed numerals to mixed numerals.
  (Used in regrouping in substraction)
  6. Practice converting mixed numerals to mixed numerals.

#### **EQUIVALENCE**

- Definitions of terms and review of finding equivalent fractions.
- Practice finding equivalent fractions
- Practice finding sets of equivalent fractions.
   Review of finding if one fraction is equal to, not equal to, less than or greater than another
- 5. Practice finding if one fraction is equal to, not equal to, less than or greater than another

#### LOWEST TERMS

- Review of placing fractions into lowest terms by finding the greatest common factor (GCF) of the numerator and denominator.
- Practice placing fractions into lowest terms by finding the GCF of the numerator and denominator.

#### TEACHER'S DATABASE

TEACHER'S DATABASE is a program designed to allow a teacher to keep a computerized file of information about his/her students. There are many features that make this program particularly attractive

- Information on as many as 100 students (or more) may be in the computer at one time.
- Each student may have as many as 20 (or more) individual items of data in his/her record. The program will run from cassette or disk.
- Cassette and disk files are completely compatible.
- The program is menu driven.
- Records may be easily changed, deleted, combined or added. Information about students may be numerical or text. Records may be quickly alphabetized.

- Records may be sorted by various criteria. Records may be reordered (ranked) based on test scores or other data.
- Data displayed during a sort may be printed on a printer or saved on
- disk or cassette as a new file.

  A full statistical analysis of data may be done and sent to the printer.

Student test scores may be weighted.
REQURES 32K EXT. BASIC
TAPE \$39.95 DISK \$42.95

#### MATH DUEL

MATH DUEL is a challenging mathematics game that pits you against the computer it a game of wits. You must use all of your knowledge of factors, multiples and prime numbers to develop a strategy that allows you to gather

more numbers and thus more points that than the computer.

The game is deceptively simple. You select the size of the playing field that is composed of from 8 to 100 numbers. You must then choose numbers that will give you the maximum number of points and the computer the least number of points. There are only 6 rules.

- Any number that you chose must have at least one factor still on the playing field.
- 2. You receive points equal to the face value of the number that you chose.
- The computer receives points equal to the face value of all of the remaining factors of the number that you chose.
- 4. All of the numbers that were awarded to you or to the computer are removed from the field.
- 5. The game continues until there are no numbers with factors remaining.
- 6. At the end the computer receives points equal to the value of all of the

remaining numbers. 32K EXT. BASIC **TAPE \$24.95** DISK \$29.95

#### **ESTIMATE**

ESTIMATE is a program designed to help children to practice estimating the answers to addition, subtraction, multiplication and division problems on the Color Computer, it has many features that make its use particularly attractive

- . Up to 5 students may use the program at the same time
- . There are 5, user modifiable, skill levels.
- · The acceptable percent error may be changed as a student's skill improves.
- · A timer measures the number of seconds used to answer each problem and the total time used for a series of problems.
- · If a problem has been answered incorrectly, the student is told the percent error and asked to try again.
- · If a problem is answered incorrectly a second time, the student is told the correct answer and the range of acceptable answers is displayed.
- . A report is given at the end of each set of problems that includes the number of problems done, the number of problems answered correctly on the first try and the average percent error.
- . The (BREAK) key has been disabled so that child will not inadvertently stop the program from running. REQUIRES 16K EXT. BASIC

**TAPE \$19.95 DISK \$22.95** 

#### PRE-ALGEBRA I INTEGERS

INTEGERS is a series of four programs designed to give students practice in working with addition, subtraction, multiplication, division and the comparison of integers. It has many features that make a very valuable tool for introducing and/or maintaining skills.

- . Up to 4 students may use the program at the same time.
- . There are 9, user modifiable, skill levels.
- · Students are given two opportunities to answer a problem.
- · A detailed report of student performance, including number correct on first try, number wrong, total time used and percentage score, is presented at the end of a series of problems.
- The programs will run on a 16K TRS-80 Color Computer with or without disk drive.

Four distinct problem formats are presented. The first presents problems in this format: -12 + -9 = ? The second program presents a problem with missing numerals in this format: -7 - ? = 18. The third program presents a problem with a missing sign: 8 - ?6 = 14. The last program asks the student to determine the relationship (=, ✓ or ►) between two statements 3 -9 (??) -4 -5.

> 32K EXT. BASIC **TAPE \$28.95 DISK \$33.95**

#### PRE-ALGEBRA II

The second PRE-ALGEBRA PACK is composed of two programs, EQUATION SOLVER AND EQUATION DUEL, that are designed to give students practice in using and solving equations. It has many features that make a very valuable tool for introducing and/or maintaining skills:

- . In both programs students may choose the range of numerical values that will be included in the equations so that the difficulty may change as their skill increases.
- . In EQUATION SOLVER the computer secretely generates a random equation, shows the numbers that it used in the equation and the answer and challenges the student to create his/her own equation that uses the same numbers and results in the same
- . In EQUATION DUEL the student and the computer race to see who will be the first to create an equation from the same set of random numbers.
- . Both programs give detailed reports of the student's and the computer's performance in creating and solving equations including time used, score and percentage correct.

32K EXT. BASIC **TAPE \$28.95 DISK \$33.95** 



TOM MIX SOFTWARE

4285 BRADFORD N.E. GRAND RAPIDS, MI 49506 ADD \$2.50 POSTAGE & HANDLING • (CANADA ADD \$3.00) •

 MICHIGAN RESIDENTS ADD 4% SALES TAX LOOKING FOR NEW SOFTWARE




TOP ROAALTIES PAID (616) 957-0444

WRITE FOR FREE CATALOGUE - MOST OF OUR INVENTORY IS NOT SHOWN HERE!


CB the RAINBOW

In keeping with the gentle traditions that put February 14 in the business of love and romance, here's a program to make your heart flutter — it turns CoCo into a . . .



# COMPUTER CUPID

By T. Gray



his game will help you sort out your love life and find the girl or boy of your dreams! The teentested program was written for a "Wake-a-thon" held at a junior high school. Popular with boys, girls and chaperones alike, Computer Cupid was played for hours that night, and has been requested many times since.

Once you are past the cover screen, you will be asked to enter some vital personal information: your name and sex. You must then rate your "ideal" match on a variety of characteristics, following the prompts from the computer (lines 925 on). This standard will be used later on in the program, so it is important you give this some thought.

The characteristics used for the ideal match are based on lists made by junior high school students. The original version of *Computer Cupid* allowed the user to enter characteristics. After consultation with the students, it was revised to make it shorter and simpler. Feel free to change the characteristics as you and your friends see fit (lines 980 through 1045).

#### On a Scale of 1 to 10

Now comes the fun part. Again following the prompts, enter the names of some potential partners. You can enter as many as you want, but more than 10 takes a lot of time. You will rate each of those potential partners, as you did for your ideal match, with a rank of one to 10 on each of the qualities specified. Should you get carried away and seriously overrate or underrate a person here, the program will let you know about it. The routine that searches for a "perfect 10" asks the user to alert one of our teachers here at Thorsby Juniour High, who always claims he won't get married until he meets "the perfect woman." I've left his

(Tom Gray has bachelor's degrees in psychology and education. He teaches science and math at Thorsby Juniour High School in Sunnybrook, Alberta.)

name in (Line 1155), but substitute The Guinness Book of World Records, or the name of your choice.

#### A Serious Side

The ratings for each person are now compared with your "ideal." Although some users of this program have made acid comments about the rating system. this section has a serious side. It is based on a method used by counselors to help people with serious life decisions. The client is asked to identify a number of important aspects of the problem, and weigh the seriousness of each aspect. Various solutions are then generated. Each solution is rated as to how well it satisfies each aspect of the "ideal" solution, and the results multiplied by the amount of each rating. The outcome is a score for each potential solution.

These scores have no particular value; they are used by the counselor as a basis for discussion to help with the decision-making process. I have personally used this method in my work and in my life, and have found it helpful.

However, Computer Cupid is simply

a parlor game, and is not meant to be anything but entertainment.

#### Back to BASIC

In Computer Cupid, the importance of a given characteristic (the rating on the "ideal") is multiplied by the rating on that characteristic for a given person. The results are added up for a total score for that person. Once all your prospects have been scored, the totals are compared, and the person with the highest score is selected as the best choice.

The name of your chosen one is teasingly and attractively displayed at the end of the program. Computer Cupid will be an enjoyable part of your Valentine's Day party, or just for fun the next time you have friends over.

#### List Of Variables

	8.	
ANS\$	_	Response in replay
		subroutine
BL	-	Bottom line
C	-	Screen color
CH\$(X)		Characteristic or quality X
CHOICE\$	-	Name of highest-rated
		person

Flag used in weighting FLAG Flag used in name flash routine

IMP(X)The importance of characteristic X Counter in centering

subroutine L.L1.L2. L3,L4 Various screen locations

Rating input NQ Number of qualities NT Number of names rated N\$ Temporary string storage for centering and nameflash

R(X,Y)Rating of name X on quality Screen location counter in teaser, counter in save

subroutine The weighted score for Score(X) person X

SBJ\$,OBJ\$, PS\$ Subject, object, and possessive form of TS\$ (e.g., he, him, his for boy)

TS Used to label titles T1\$,T2\$,T3\$ Words used in cover screen Target names TN(X)\$

UN\$ User name US\$ User sex (boy/girl) W, X, Y, ZMiscellaneous counters Title in wait subroutine W\$ INKEY\$ marker X\$

120 .....175 340 ......95 415 .....156 540 .....183 735 . . . . . . . 23 800 . . . . . . 228 985 . . . . . 197 1095 .....249 1155 .....162 END .....209 The listing: 


2 3 3 COMPUTER CUPID 4 VERSION 2.2 5 6 BY T. GRAY 7 8 \*=\*=\*=\*=\*=\*=\*=\*=\*=\*=\*= 9 3 10 15 CLEAR 3000 20 GOSUBI00 'INITIALIZE 25 GOSUB200 'COVER SCREEN 3Ø GOSUB3ØØ 'INPUT PERSONAL DATA 35 GOSUB4ØØ 'INPUT NAMES,

QUALITIES 40 GOSUB450 'INPUT QUALITIES 45 GOSUB500 'SORT, RANK, COMPARE 50 GOSUB600 'REPORT

55 GOSUB7ØØ 'DISPLAY 60 GOSUB900 'DO IT AGAIN? 65 END 70 2 100 'INITIALIZE 105 DIM TN\$(20) 'TARGET NAMES 110 DIM R(20,10) 'RATINGS 115 DIM IMP(10) 'IMPORTANCE 120 DIM CH\$(10) CHARACTERISTICS 125 NQ=10 'NUMBER OF QUALITIES 13Ø BL=453 'BOTTOM LINE 135 X=Ø:Y=Ø:F=Ø:T\$="" 14Ø L1=163:L2=178:L3=176:L4=L3+9 145 RETURN 150 ' 200 COVER SCREEN 205 C=RND(8): IF C=4 THEN 205 210 GOSUB 710 'DRAW HEART 215 T1\$="computer":T2\$="cupid":T 3\$="BY T. GRAY" 22Ø PRINT@128+32+16-(LEN(T1\$)/2) , T1\$; 225 PRINT@224+16-LEN(T2\$)/2,T2\$; 23Ø PRINT@32Ø+16-LEN(T3\$)/2,T3\$; 235 GOSUB 1055 24Ø RETURN 241 'INPUT PERSONAL DATA 300

310 PRINT:PRINT"HI, WHAT'S YOUR

3Ø5 CLS



## IT ELIMINATES ANXIETY

File your taxes in confidence. The CoCo Professional Tax Preparer is accurate, thorough, and easy to use. Just answer the questions.

The CoCo Tax Preparer interviews you the way professionals in the large walk-in tax firms do. It takes you through each tax form in an organized manner. It knows which forms you need based on how you answer the questions it asks. And you can change data and make corrections.

When you're done, the program prints your completed tax return on government-approved forms or on blank paper to use with overlays.

#### FOR THE PROFESSIONAL TAX PREPARER, IT SAVES TIME

Spend your time doing what you're supposed to do. You make the important business decisions, the CoCo Tax Preparer will do the rest. And you can simplify your filing - one diskette per client.

Excellent program for low volume users.

Produce complete tax returns on government-approved forms. The CoCo Tax Preparer lets you run multicopy forms in the order you need.

Mail to: Micro D 6 Edwar Ashland	ata Systems d Drive I, MA 01721	☐ 32K Version \$149.95 ☐ Mini Version \$49.95
☐ Mastercard	□ Visa	☐ Check or Money Order Enclosed
Name		_ Exp. Date
City		State Zip
I need the built-i	in sales tax tal	ole for(state). ed post paid. Allow two weeks for delivery. Yearly 95.

Designed by a 15-year tax consultant, the program has built-in tax tables and tax rate schedules and supports the following forms:

Schedules A, B, C, D, E, G, SE, W Forms 2106, 2119, 3903, 4797 Office-at-Home Installment Gain Dependency Support

Credits and Other Taxes

For a limited time only. A \$600 value

#### MORE FEATURES

- Over 170 full-screen menus displayed on command. Fully menu-driven screens — each appears only when required.
- Full reverse-screen scrolling and forward-screen block scroll.
- Calculator mode supports +, -, \*, /, = on numeric data.
- · Edit capability: any line at any time. Supports change, delete, hack, search, and insert commands.
- Full on-line diagnostics to check input data.
- · Runs on 32K extended Basic (one disk drive with change of diskette during program execution) or two disk drives. Comes with diskettes and operating manual that describes each screen presentation. Additional forms and overlays are available by special order.
- Full disk drive storage for all data and computations.
- · Its combination of machine language and Basic is fast and it minimizes memory use. Improvement over last years version
- Depreciation overflow to 20 items on Sch. C
- Program executes 3 times faster
- Program determines forms for printing New Mini version
- Supports only 1040, 1040A, schedules A, B and W

VISA



NAME?" 315 INPUT UN\$ 32Ø PRINT"OKAY, ";UN\$"," 325 PRINT"ENTER <G> IF YOU'RE A GIRL" 330 PRINT"ENTER <B> IF YOU'RE A BOY" 335 INPUT US\$: IF LEFT\$ (US\$, 1) <>" G" AND LEFT\$(US\$,1)<>"B"THENGOTO 325 34Ø GOSUB98Ø:GOSUB1Ø55 345 ' 35Ø CLS:PRINT:PRINT"NOW IT'S TIM E TO FIND OUT WHAT" 355 PRINT"YOU LOOK FOR IN A "TS\$ 360 PRINT"YOU WILL HAVE TO RATE EACH": PRINT"QUALITY I SHOW YOU": PRINT"ON A SCALE FROM 1 TO 10.": PRINT: PRINT"1 MEANS YOU DON'T MU CH CARE": PRINT" IF THE "TS\$" HAS THAT QUALITY OR": PRINT"NOT. A <10> MEANS IT IS REALLY IMPORTANT TO YOU THAT THE "TS\$ 365 PRINT"HAS THAT QUALITY.":GOS UB1Ø55 370 CLS:PRINT:T\$="YOUR IDEAL "+T S\$: F=1 375 GOSUB 925 ' DISPLAY QUALITIE 38Ø GOSUB1Ø8Ø: RETURN 385 IFF=1 THEN IMP(Y)=N:RETURN 39Ø IF F=2 THEN R(X,Y)=N:RETURN 395 RETURN 400 'INPUT NAMES, QUALITIES 405 CLS:PRINT 410 PRINT"NOW IT IS TIME TO ENTE R THE":PRINT"NAMES OF SOME "TS\$" S YOU ARE": PRINT" INTERESTED IN. " 415 PRINT:PRINT"RATE EACH "TS\$:P RINT" ON A SCALE OF 1 TO 10":PRI NT"FOR EACH QUALITY. ": PRINT"A <1 > MEANS THE "TS\$" IS LOW" 420 PRINT"ON THAT QUALITY, WHILE A":PRINT"<10> MEANS THE "TS\$" H AS A LOT": PRINT" OF THAT QUALITY. BE HONEST, ": PRINT"FAIR, AND OB JECTIVE." 425 GOSUB 1Ø55 43Ø CLS:PRINT"ENTER THE NAME OF EACH "TS\$:PRINT"YOU ARE INTEREST ED IN. ": PRINT "PRESS (ENTER) AFTE R EACH NAME. ": PRINT "PRESS < ENTER > AGAIN WHEN YOU AREFINISHED.":X =1 435 PRINT TS\$" NUMBER "X 44Ø INPUT TN\$(X) 445 IF TN\$(X)=""ORTN\$(X)=CHR\$(13 ) THEN NT=X-1:RETURNELSEX=X+1:GO

TO435 450 CLS:F=2:FORX = 1 TO NT:T\$=TN \$(X) 455 GOSUB 925 460 NEXT X:F=0 465 RETURN 500 'SORT, RANK, COMPARE 505 CLS:PRINT:PRINT:PRINT"I'M CH ECKING THESE "TS\$"S OUT...." 510 FOR X=1TO NT 515 FOR Y=1 TO NQ 52Ø SCORE(X)=SCORE(X)+R(X,Y)\*IMP (Y) 525 SOUNDRND(100),RND(5):SOUNDRN D(100),RND(5) 53Ø NEXTY, X 535 'RANK 540 W=1 545 FOR C= 2 TO NT 550 IF SCORE(C)>SCORE(W) THEN W= 555 NEXT C 56Ø CHOICE\$=TN\$(W) 565 GOSUB1055 57Ø RETURN 600 'REPORT CHOICE 6Ø5 S=3:GOSUB1165:PRINT" ARE Y OU READY FOR THIS?":GOSUB1055

#### RAINBOW SCREEN MACHINE

The Rolls Royce of graphics text screen enhance 5-more features than all others combined. Tape \$29.95: Disk \$32.95

#### SUPER SCREEN MACHINE

Revolutionary — Heralded as the most useful, powerful and versatile state-of-the-art utility ever developed for the Color Computer.

Tape \$44.95: Disk \$47.95

#### GRAPHICOM II

Rotate graphic image about on any **Z** axis • slide position graphic with wrap around • copy/enlarge with user-defined shapes • pan and zoom — "blow-up" or "zoom in" on image • font editor — create font styles or char sets • special effects —tunnel vision, fish eye etc • pixel blaster —widen lines color separation.

Disk \$24.95: Disk only

## GRAPHCOM/Video Digitizer only \$199.95

1. G/L	\$59.95	5. Mail Labels	\$ 49.95
2. A/P	\$59.95	<ol><li>Invoice Writer</li></ol>	\$ 49.95
3. A/R	\$59.95	<ol><li>Budget</li></ol>	\$ 49.95
4. Payroll	\$79.95	8. Master 1-7	\$299.95

We carry DFS forms to run with our software. These forms are compatible with over 385 software companies.

#### P.O. Box 573 Franklin, KY 42134

Send 3.00 for shipping and handling for free catalog and product information.

Postage paid on all orders. To receive **Free** catalogue & product information send \$3.00 to cover shipping & handling.

THE WINNE 610 GOSUB1165:PRINT" R...":GOSUB1Ø55 THE ONE W 615 GOSUB1165:PRINT" HO COMES CLOSEST TO MEETIN G YOUR ":PRINT" REQUIREMENTS ...":GOSUB1Ø55 62Ø GOSUB1165:PRINT" THE "; TS\$; OF YOUR DREAMS... ":: GOSUB 105 625 GOSUB1165:PRINT" IS....":G OSUB1Ø55 63Ø RETURN 700 RESTORE: GOSUB705: GOSUB735: RE TURN 7Ø5 X\$="":C=Ø 71Ø CLS(C) 715 READ X:READ Y: IF Y=255 THEN RETURN 72Ø C=4:FLAG=32 725 SET(X,Y,C) 73Ø GOTO 715 735 K=L1:N\$=UN\$:GOSUB1225:PRINT@ L. N\$; 74Ø PRINT@L3."+"; 745 K=L2:N\$=CHOICE\$:GOSUB1225:PR INT@L.N\$;:L2=L 750 PRINT@L4."true"; :PRINT@L4+64 ,"love";

#### STOCK & FUND INVESTING

with the

#### TRS-80\* COLOR COMPUTER


USE FUNDGRAF AND FUNDFILE

FUNDGRAF is a stock market analysis program that not only graphs and analyzes funds or stocks, but also makes decisions on when to BUY and SELL. Improve market timing using your COCO.

GRAPHS fund's progress (up to 200 weeks). SUPERIMPOSES for comparison: a line of constant percent growth or a graph of any other fund (or stock).

CALCULATES over any time span: the percent price change and the moving average (any span). INDICATES BUY and SELL signals. FUNDGRAF requires 16 K ECB min.

6 K ECB min. 16/32 K Tape .......\$49.95 16/32 K 5 in. Disk ......\$69.95 ADD \$2 handling on all orders.



FUNDFILE is a portfolio and account management program for securities. Manage single or multiple portfolios of stocks, mutual funds, bonds, money market funds, etc. FUNDFILE allows easy maintenance of all your records for accurate portfolio evaluation. NEW 32 K VERSION of FUNDFILE summarizes all transactions (dividends, interest, purchases and sales) between any two dates of your choice -weekly, yearly, etc. Categorizes interest and dividends paid as to tax liability (tax free, etc.) and capital gains as long or short term. Great for tax reports

 FUNDFILE REQUIRES 16 K ECB min. and 80-COL PRINTER.

 5-in. Diskette only for 16 K ECB
 \$27.95

 5-in. Diskette only for 32 K ECB
 \$37.95



ADD \$2 handling on all orders.

Write for free brochure for details. Dealer inquiries invited.

PARSONS SOFTWARE, DEPT. G 118 WOODSHIRE DRIVE PARKERSBURG, WV 26101 755 GOTO 8Ø5 76Ø DATA 1,9,1,10,1,11,1,12,2,7, 2,8,2,13,2,14,3,6,3,15,4,5,4,16 765 DATA 5,4,5,17,6,4,6,18,7,3,7 ,18,8,3,8,19 77Ø DATA 9,2,9,20,10,2,10,20,11, 2, 11, 21, 12, 2, 12, 21, 13, 1, 13, 22, 14 , 1, 14, 23, 15, 1, 15, 23, 16, 1, 16, 24, 1 7, 1, 17, 24, 18, 1, 18, 25 775 DATA 19,1,19,25,20,1,20,26,2 1,1,21,26,22,1,22,27,23,2,23,27, 24, 2, 24, 27, 25, 2, 25, 28, 26, 3, 26, 28 78Ø DATA 27,3,27,29,28,4,28,29,2 9,4,29,30,30,5,30,30,31,6,31,31 785 DATA 32,6,32,31,33,5,33,30,3 4, 4, 34, 30, 35, 4, 35, 29, 36, 3, 36, 29, 37, 3, 37, 28, 38, 2, 38, 28, 39, 2, 39, 27 ,40,2,40,27,41,1,41,27 79Ø DATA 42,1,42,26,43,1,43,26,4 4, 1, 44, 25, 45, 1, 45, 25, 46, 1, 46, 24, 47, 1, 47, 24, 48, 1, 48, 23, 49, 1, 49, 23 ,50,1,50,22 795 DATA 51,2,51,21,51,22,52,2,5 2,21,53,2,53,20,54,2,54,20,55,3, 55, 19, 56, 3, 56, 18, 57, 4, 57, 18, 58, 4 ,58,17,59,5,59,16,60,6,60,15,61, 7,61,8,61,13,61,14,62,9,62,10,62 ,11,62,12 800 DATA 255,255 805 X = INKEY : PRINT@L2, CHOICE :: GOSUB1195 810 X = INKEY : PRINT@L2, CHOICE :: IF X\$=""THEN 805 ELSE RETURN 815 RETURN 900 'DO IT AGAIN OR QUIT 905 CLS:PRINT:PRINT"WANT TO TRY AGAIN?" 91Ø INPUT ANS\$ 915 IF LEFT\$(ANS\$,1)="Y"THEN RUN ELSE RETURN 92Ø RETURN 925 'PRINT QUALITIES 930 CLS:PRINT"RATE "T\$:PRINT"ON EACH QUALITY: ": PRINT 935 FOR Y=1 TO NQ 94Ø PRINTTAB(Ø)CH\$(Y)TAB(27)""; 945 GOSUB960:GOSUB385 95Ø NEXT Y 955 GOSUB1Ø8Ø:RETURN 960 'INPUT RATING, O TO 10 965 INPUT N 97Ø IF N<1 OR N>1Ø OR N<>INT(N)T HEN PRINT"ENTER A NUMBER FROM 1 TO 10":GOTO 965 975 RETURN 980 'SET UP STRINGS, CHARACTERIS TICS 985 IF LEFT\$(US\$,1)="G" THENGOSU

B1Ø25: RETURN

# Elite Software


#### NOW AT:

# Radio Shaek

Available Via Express Order

## What to look for when buying application software . . .

**EASE OF USE**—At Elite Software we know you want programs that are easy to use. You want software that has a simple command structure with commands that are easy to remember. We've had *NINE* magazine reviews that acknowledge the ease-of-use of our programs. • **FEATURES**—Elite Software has powerful features. Why buy an island (one program that does only one job)? Remember, when you buy one program from our system, you also get *EXPANDABILITY*. • **PERFORMANCE SPEED**—Some application programs run disappointingly slow. At Elite Software we pay careful attention to things like Sorting, Screen Re-write, Calculation, and Output processing times. Not all software "plays" the same. Elite Software *DOES* make a difference.



★ Superior Ease of Use

★ Cross-file Compatability

★ Nationwide User-group Support

★ Printer Compatability

\* Handsome Vinyl Binder

★ Comprehensive Manual

\* Revision Upgrade Program

Radio Shack is a trademark of Tandy Corporation

Elite-Word

Elite · Spel

Elite-Calc

Elite-File

## Elite Software











### Now Available For: WORD-PAK

Now Available For: WORD-PAK

SAME POWERFUL FEATURES + 80 COLUMN DISPLAY Specify Disk or Tape \$79.95 + Shipping/Handling.

SEE NEXT PAGE FOR ORDER INFO ...

Elite Software 201 Penn Center Blvd., Suite 301, • Pittsburgh, PA 15235 • (412)795-8492

# COLOR COMPUTER WORD PROCESSOR \* With FREE Mail Merge IIte-Word Also Available On OS-9

THE SECOND GENERATION WORD PROCESSOR IS HERE! ELITE•WORD is a high performance, all machine language, Full Screen Editor which offers an ease-of-use that is simply incredible. ELITE•WORD has many powerful features not found in other word processors for the Color Computer. ELITE•WORD also offers a printed output flexibility that can handle your sophisticated home and business applications.

#### LOOK at these features:

Very easy to use • Top screen line reserved for HELP display/Command prompts • Excellent for BOTH program editing and word processing • TWO text entry modes; insert or Exchange • Auto Key-Repeat • Smooth display scroll for easier proof reading • True Upper/Lower case display with lower case descenders • Hi-Res text "View" mode displays text exactly as it will be printed; including text Justification, Auto Line Centering, dynamic Margin changes, Top and Bottom Margins, Page Numbering, and Page Breaks • Include feature (disk only) permits including several file names within one output document; total document will have sequential page numbering if desired • Fast Disk I/O; no loading of overlay files to slow down operation • Variable Text (Mail Merge) capability for Form Letter generation included FREE!

32K Extended Basic Required for ROM routine calls . Variable TAB stops . User definable Headers and Footers . Smooth cursor movement over text; in any direction (including vertical) . Page Forward or Backward through text . Jump to beginning or end of text . Automatic text centering . Automatic text Word-Wrap if desired . True Block text Move, Delete, or Copy . Delete entire screen line . Backspace and Delete Character . Delete character above cursor . Find a string of characters . Global Replace character string . Two Hi-Res screen displays; 32 x 19 for text entry/editing, 64 x 19 for formatted text viewing • Continuous Memory display • Over 22K file size in 64K machines • Easy generation of ASCII files • Save/Load text files (in ASCII if desired) . Program remembers last File Name loaded or saved, and will write to it by default if desired . All I/O errors trapped and recoverable . Disk commands for Change Drive, Directory and Free Space . Print Format features allow user to specify Left Margin, Line Length, Line Spacing, Top and Bottom Margin, Duplicate Copies, Right-Side text Justification, Page Pause, Page Numbering, and more . Dynamically change any print Format features within text . Imbed Hex codes and printer Font changes within text.

Additional OS-9 version features:

Edit two files simultaneously • Save or Print only a portion of the text buffer • Edit files larger than memory (uses disk as buffer) • Block Copy from one file to another • Execute any OS-9 command from Editor

If you want powerful features AND a program that's EASY TO USE, Elite • Word is for you . . .

Elite-Word TAPE RS#90-0183 Elite-Word DISK RS#90-0184 Elite-Word/OS-9 RS#90-0186 THE BEST FOR ONLY
Specify Tape \$ 69.95
RS Disk \$ 69.95
OS-9 Disk \$ 79.95
OS-9 & RS Disk \$ 115.95

"Elite•Word is a terrific word processor with an impressive list of features, yet it's easy to learn and use."
—Stuart Hawkinson, HOT COCO

"I was more than satisfied with Elite\*Word ... After the review, I would not hesitate to compare it with the two best selling word processors. And my comparison places it at the top of the list."

-A. Buddy Hogan, RAINBOW

# Elite · Spel™

Elite•Spel is an excellent spelling checker for your Color Computer, and its VERY FAST... that's the key. Why wait while a spelling checker does its job? Elite•Spel identifies all potentially misspelled words with a single pass through its perfectly adequate 24,000 word dictionary. Elite•Spel lets you Add or Delete Dictionary words EASILY. Elite•Spel is fully compatible with Elite•Word and will work with ASCII files from other programs.

MAJOR features include:

Easy to use, menu commands • Can learn 4,000 of your own words • List suspect words on screen or printer • Alphabetical listing of all words used with number of occurrences • Learn entire files of words • Can also "edit spelling in context" if desired • Works in single or multiple drive systems • 32K Disk required.

Radio Shack Catalog #90-0185

Speed is the key... Elite•Spel has it! Available on \$29.95

When purchased with ELITE • WORD . . . ONLY \$15.00

\* COLOR COMPUTER COMMUNICATIONS \*

# **Elite** · Comm<sup>™</sup>

Elite Comm turns your Color Computer into a powerful 300 Baud terminal. With Elite Comm you can access large main-frame computers, local computer bulletin boards, and national computer database services. Elite Comm is fully compatible with Elite Word and will work with ASCII files from other programs. If you want a terminal communications package that is smooth and easy to use, Elite Comm is for you.

CHECK these program features:

Fully interrupt driven; you can talk to the host while it's talking to you and NOT drop a character • True Upper/Lower case screen display • Selectable text Word-Wrap • Review buffered text at ANY TIME • Selectable Smooth-Scroll in Review mode • Screen page Forward or Backward through buffered text • Save/Load buffer files • Transmit files to host computer • Print buffered text or saved files • 32K Required.

Elite • Comm is SMOOTH operation that's EASY TO USE! Specify Tape or Disk

\$54.95

## Elite Software

Productive Programs for Serious Users



Add \$3.00 shipping and handling PA Residents add 6% Sales Tax OS-9 is a trademark of Microware and Motorola.



Dealer Inquiries Invited

Box 11224 • Pittsburgh, PA 15238 • (412) 795-8492

# Elite-File"

THIS IS IT! ELITE®FILE is the Data Base Manager that Color Computer users have been waiting for. ELITE®FILE is for everyone who needs to store and retrieve information. ELITE®FILE is a full-featured relational Data Base Manager with all the editing and report formatting features that are typically found on much larger computer systems. COMPARE the others for record structure flexibility, total record capacity, information processing ability, speed of program response, printed output flexibility, and you'll agree that ELITE®FILE may very well be the most powerful/useful program ever written for the Color Computer.

No other File Manager gives you these features: All machine language for speed • Flexible, user defined, data record structures • Up to 255 characters per record field • Up to 255 fleids per record • Up to 2000 characters per record • Up to 4000 records per file • Up to 16 files can be open at the same time for information processing • Edit, Scan, Sort, Select Record information; all done FAST • Output reports to Screen, Printer, or ASCII Disk file • Place output data by Field Name, with Custom Text anywhere on the printed page • Perform math operations (+, -, \*, /) between Field contents • Produce tabulated reports from multiple record contents • Generate column totals across record field contents.

Compatible with Elite Calc and Elite Word files . User friendly combination of Menu driven input, and single key commands . Supports up to 4 drives . Minimum 32K RAM, Disk required . Nested sub-field definitions . Up to 8 fields in Primary Key . Copy record definition from file to file . View/Print record definition . Input/Add records with easy to use field name format display . Edit records with full screen "type over" editor . Copy records to repeat identical data . Load Elite. Calc worksheets into random access data files . Scan mode for quick data retrieval . Locate any record by field contents . Select specific groups of records by field content with full logic combination capabilities . Sort records in ascending or descending order by any field, or group of fields . Calculate values from combinations of field contents . Output any subset of fields in any order for printed reports . User setable print formats; Page Title, Top and Bottom Margin, Line Spacing, Page Length, Page Pause, Form Feeds and more . Output format also supports TAB, VTAB, CR, PAGE, text, HEX printer controls, and more . Join up to four sub-files to extend data record for printing . Produce detailed repetitive reports, for output on preprinted forms, using output formats written on Elite•Word • Variable Text Insert feature of Elite•Word is fully supported . Refile old record data into NEW record structures . Data. Field Definitions, Indices all stored on a single file . Memory resident, no program overlays from disk . Single program performs all features . List disk Directories and "Kill" files without leaving the program . Data files also accessible from BASIC programs.

Radio Shack ® catalog # 90-0189

COMPARE features and performance speed ... you'll agree that Elite•File is the one to buy. THE BEST

\$74.50 Disk Only

Elite Software

Available via Express Order

Radio Shack is a trademark of Tandy Corporation



ELITE•CALC was the first Color Computer spreadsheet program offering "major league" features. All the magazine reviewers loved it! Today, when you consider program performance speed, ease of use, price, and total features . . . ELITE•CALC is still your best choice.

#### **MAJOR** features include:

Very EASY to use • FAST Sorting • Printed Output, Screen Re-write, and Calculations all done FAST • Full cell-edit capability • Powerful cell-format options • Individual cell formulas • FREE sample worksheets • CALC-LIST availability.

Single character commands . Help displays . 255 maximum rows . 255 maximum columns . Available memory always displayed . Rapid Entry modes for text and data . Selectable, automatic, cursor movement . Insert, Delete, Move entire rows or columns . Replicate one cell to fill a row or column with selectable formula adjustment . All machine language for speed . Extended BASIC required for ROM routine calls . Automatic memory size detection for 16K, 32K, or 64K • > 20K bytes storage available in 32K systems • Math operators: +, -, x, /, ſ, (,) • Relation operators: =, >, <, <=, >=, <> • Logic Operations: AND, OR, NOT . Conditional Formula: IF, THEN, ELSE . Trig Functions: SIN, COS, TAN, ATN . Log Functions: LOG. EXP, SQR • Misc. Functions: INT, FX, ABS, SGN, RND • Range Functions: SUM, AVERAGE, COUNT, MIN, MAX, LOOKUP . Definable constant table . User definable printer set-up commands . Individual column width settings . Adjustable row height to insert blank lines without wasting memory . Hide columns or rows . Alternate print font selectable on a cell by cell basis . Display/Print formats set by cell, row, or column . Dollar format, comma grouping, prefix or postfix sign . Scientific notation, fixed point and interger formats . Left and Right cell contents justification . Full page formatting . All formats stored with worksheet on disk (tape) . Save/ Load Disk (tape) files in compact memory form . Scan disk directories . Output ASCII file for word processor input capability . Memory resident code ... no repeated disk calls.

CALC-LIST is a separate, machine language, utility that works independently of Elite\*Calc. It can read either tape or disk worksheet files, and will give you additional information that was previously "hidden" within your worksheet. With CALC-LIST, you can list on the screen (or print) the actual contents of your worksheet cells, including FORMULAS. You get all the valuable worksheet format data including assigned Column Widths, all cell Format specifications (\$, C, I, F#, G, etc.), Constant table assignments, and Printer Format information (Set-up, Page Length, Line Width, etc.). Use your CALC-LIST printout as a hardcopy backup of your worksheet for review or archival purposes. You can even let your friends use the listing so they can type your worksheets.

Elite-Calc TAPE RS catalog #90-0187 Elite-Calc DISK RS catalog #90-0188

Specify Tape or Disk	
Elite•Calc	\$69.95
Calc-List	\$24.95
Elite Calc and Calc-List	\$79.95

"Elite•Calc is a great spreadsheet program! This professional quality program has the performance required for serious home applications as well as small businesses."

—Stuart Hawkinson, RAINBOW

"Truly one of the best programs I have seen."

-John Steiner, MICRO

"Elite•Calc is an extremely powerful worksheet . . ."
—Jack Lane, COLOR MICRO JOURNAL

"Bruce Cook's Elite•Calc is a very fine program indeed; potentially one of the great Color Computer Programs." "... a very impressive product."

-Scott L. Norman, HOT COCO

99Ø SBJ\$="SHE":OBJ\$="HER":PS\$="H ER": TS\$="GIRL" 995 CH\$(1)="PRETTY FACE":CH\$(2)= "WELL-BUILT": CH\$(3)="INTELLIGENT ":CH\$(4)="SEXY/PASSIONATE" 1000 CH\$(5)="THOUGHTFUL AND CONS IDERATE": CH\$(6)="WARM AND LOVING 1005 CH\$(6)="SENSE OF HUMOUR":CH \$(7)="DELICATE AND FEMININE":CH\$ (8)="THE RIGHT HEIGHT" 1Ø1Ø CH\$(9)="RICH":CH\$(1Ø)="ATHL ETIC/LIKES SPORTS" 1Ø15 RETURN 1020 ' 1Ø25 SBJ\$="HE":OBJ\$="HIM":PS\$="H IS": TS\$="GUY" 1030 CH\$(1)="HANDSOME":CH\$(2)="M USCULAR": CH\$ (3) = "INTELLIGENT" 1035 CH\$(4)="SEXY AND PASSIONATE ":CH\$(5)="THOUGHTFUL AND CONSIDE RATE": CH\$ (6) = "HAS A CAR" 1040 CH\$(7)="TOUGH AND MACHO":CH \$(8)="THE RIGHT HEIGHT" 1Ø45 CH\$(9)="SENSE OF HUMOUR":CH \$ (10) = "WELL-GROOMED" 1050 RETURN 1055 'WAIT FOR USER

#### Co Co - Cooler Brings operating temperature to ambient, regardless of accessory load Reduces temperature of ENTIRE computer . . . not just the SAM chip Easy 1-minute installation • \$39.95 Companion Keyboard Cover \$7.95 Co Co Software **NOW SHIPPING** Co Co - Cooler Too (Same Price, Same Fit, For Color Computer II) For Fastest Service Send Money Order Or Certified Check Add \$2.00 Shipping For Continental U.S. Add \$4.00 Shipping For Alaska, Hawaii, Canada, & APO's Add \$15.00 Shipping For Overseas Add \$3.00 For 220-250 Volt Model Calif. Residents Add 6½% Sales Tax Will Ship C.O.D. On U.S.A. Shipments Only All Merchandise Shipped From Stock Industries, Inc. 9420 "B" Lurline Ave., Chatsworth, CA 91311 (818) 341-3719

1060 W\$="PRESS ANY KEY TO GO ON" 1065 PRINT@BL, W\$; 1070 EXEC44539 1075 RETURN 1080 CHECK FOR TOO MANY TENS 1Ø85 SUM=Ø 1090 FOR P=1 TO NO 1095 IFF=1THENSUM=SUM+IMP(P)ELSE IFF=2THENSUM=SUM+R(X,P) 1100 NEXT P 1105 IF SUM>(NQ-1)\*10 THEN GOSUB 111@ELSE IF SUM <15 THEN GOSUB 1 RETURN: RETURN 130 ELSE 1110 CLS:SOUND10,5:SOUND1,10:PRI NT:PRINT"COME OFF IT!" 1115 PRINT:PRINT"NO "TS\$" IS THA T PERFECT!" 1120 PRINT:PRINT"BE A LITTLE MOR E realistic THE NEXT TIME Y OU PLAY!": GOSUB1Ø55: IF SUM=1ØØAN D TS\$="GIRL"THENGOSUB1150:GOSUB1 Ø55 1125 RUN 1130 CLS:SOUND 100,5:SOUND 200,5 1135 PRINT:PRINT"YOU'RE SURE NOT FUSSY!":PRINT:PRINT"JUST SO THE "TS\$" IS ALIVE": PRINT"AND MOVIN G, RIGHT?" 1140 GOSUB 1055:RUN 1145 'SUBROUTINE FOR PERFECT 10 115Ø FORC=ØTO8:CLS(C):FORW=1TO5Ø : NEXTW, C 1155 CLS:PRINT@32\*3,"IF THE WOMA N really IS ":PRINT@32\*5, ":PRIN \*\*\* A perfect 10 \*\*\*\* T:PRINT:PRINT" THEN CALL MR. P ROST!" 1160 'SCREEN ADVANCE FOR TEASER 1165 CLS 117Ø FOR X=1 TO S 1175 : PRINT 118Ø NEXT 1185 S=S+1 119Ø RETURN 1195 'FLASH NAME 1200 FOR X=1 TO LEN(CHOICE\$) 12Ø5 : MID\$(CHOICE\$, X, 1) = CHR\$(A SC(MID\$(CHOICE\$,X,1))+FLAG) 121Ø NEXT 1215 FLAG=-(FLAG) 122Ø RETURN 1225 'CENTRE NAMES 123Ø L=INT(K+(12-LEN(N\$))/2) 1235 RETURN 124Ø FOR S = 1 TO 2 1245 MOTORON 125Ø FORX=1T08ØØØ:NEXT 1255 CSAVE "CUPID" 126Ø NEXT S

0

# Use Imagination And Creativity With Role Playing Games

#### By George Firedrake and Karl Albrecht

#### Farewell Art, Hello Karl

Our pages in THE RAINBOW are too few for all we want to do, so we reluctantly drop the development of *Taipan:* A Game in Context. Art Canfil has finished writing the CoCo version of the book and is now working on Apple and Commodore paraphrases. We'll let you know when the CoCo book is published.

As you may know, George Firedrake is also known as Bob Albrecht. He and Karl Albrecht have played together for all of Karl's life. When Karl was three, they decided

"A character is any imaginary person or other creature created according to the rules of a game system . . . We encourage you to design your own team and send them into the labyrinth."

Bob would do the easy stuff and Karl would handle more difficult things. This relationship has worked especially well in the world of computers and fantasy role playing games. Karl is now 16 years old — Bob is somewhat older. No one knows how old George is.

We just received a letter from Rick Loomis, the originator of play-by-mail games. He tells us many of you have sent for *Heroic Fantasy* rules. The more players, the more fun we will have sharing our experiences on these pages!

#### Into the Labyrinth

We have signed up for *Heroic Fantasy* and sent our first team of Adventurers into the labyrinth. Here they are:

Name	Sex	Code	Kindred	Class*	Potion**	Str	Con	Cost
Ai Khong	М	Н	Hobbit	F	Н	5	15	5
Frona	F	H	Hobbit	F	H	5	15	5
Mariko	F	H	Hobbit	M	H	4	15	7
Steffi	F	H	Hobbit	M	H	4	15	7
Sheri	F	P	Human	F	H	15	30	9
Zamora	M	P	Human	M	H	10	30	11
Tindil	M	E	Elf	F	H	25	25	15
Leiko	F	E	Elf	M	H	20	25	18
Jonjari	M	D	Dwarf	F	Н	30	40	23
TOTALS						118	210	100

\*CLASS: F = Fighter, M = Magic-User

\*\*Each character can carry one magic potion into the labyrinth:

H = Healing, S = Strength. We decided to send a healing potion with every character — we want to keep them alive as long as possible!

We'll play two turns a month. We hope to have at least one turn to report to you next time.

#### Design Your Own Team

We encourage you to design your own team and send them into the labyrinth. Begin by getting the rules for *Heroic Fantasy*. Send \$1 to Flying Buffalo, Inc., Dept. GMA, P.O. Box 1467, Scottsdale, AZ 85252-1467. Be sure to tell them you want the rules for *Heroic Fantasy* — they have several other play-by-mail games.

Last time, we set up a database containing the character type information and showed you two programs to use the information: Scan Character Types and Compute Cost Ratios. This time, we begin developing a simple worksheet program, and challenge *you* to complete it. We'll show you our program (or programs) next time.

Our first worksheet program is simple. With this program, you can design a team having up to 13 characters.

All information is on the screen all the time. When you type *RUN*, this is what you first see:

C# CODE CLASS	STR	CON	COST	
I	0	0	0	
2	0	0	0	
3	0	0	0	
4	0	0	0	
5	0	0	0	
6	0	0	0	
7	0	0	0	
8	0	0	0	
9	0	0	0	
10	0	0	0	
11	0	0	0	
12	0	0	0	
13	0	0	0	
TOTALS:	0	0	0	
CHARACTER #? ■				


Yes, we are feeling the pinch of a 16-line screen! Since we want to keep all information about our characters on the screen, we limit the number of characters to 13. We'll use the bottom line of the screen to get information and rewrite the screen anytime incoming information might cause scrolling.

Well, let's start with character #1. We type the number '1' and press ENTER. The screen remains the same except the bottom line which now asks:

The CoCo will accept any valid KINDRED code with a single keypress (use *INKEY*\$ to get it). Valid codes are:

CODE	KINDRED
	Б.
F	Fairy
G	Gremlin
L	Leprechaun
H	Hobbit
K	Goblin
P	Human
E	Elf
D	Dwarf
O	Ogre
T	Troll
X	Giant

Ever-patient CoCo will wait until you press a valid code key. Let's type 'P' for human. The screen now looks like this.



On the bottom line, the CoCo is now asking for the class of the character.

Valid answers are 'F' for fighter or 'M' for magic-user. Let's make our human a magic-user. We press the 'M' key and see:

-							
				,			)
1	C#	CODE	CLASS	STR	CON	COST	Our first
1	1	P	M	10	30	11 -	character!
	2			0	0	0	
	3			0	0	0	
	4			0	0	0	
	5			0	0	0	
1	6			0	0	0	
1	7			0	0	0	
1	8			0	0	0	
1	9			0	0	0	
1	10			0	0	0	
1	11			0	0	0	
1	12			0	0	0	
1	13			0	0	0	
1		TALS:		10	30	11	
	CH	ARACT.	ER #?				
							1

Our team now has one member, a human magic-user. We have spent a total of 11 points. Let's add character #2, who is an elf fighter.

Type '2' and press ENTER.

Press the 'E' key.

Press the 'F' key.

Now the screen looks like this.

C#	CODE	CLASS	STR	CON	COST	
1	P	M	10	30	11	
2	E	F	25	25	15	
3			0	0	0	
4			0	0	0	
5			0	0	0	
6			0	0	0	
7			0	0	0	
8			0	0	0	
9			0	0	0	
10			0	0	0	
11			0	0	0	
12			0	0	0	
13			0	0	0	
TO	TALS:		35	55	26	
CH	ARACT	ER #? 📮				

And so on until we have the team we want with a total cost not to exceed 100.

- 1) How can you change a character? For example, can you now change character #1 to a human fighter or a hobbit magic-user?
- 2) How can you remove a character? Look again at the database from last time. What do you see in Line 32180?
- 3) How do you get the numbers on the screen to line up as shown above?

In the next time or two or three, we will show more than one way to write this program. Our first program will use the following subroutine to set up a string array to hold character type information.

15000	REM**CH	AR	TYPE	Al	RRA	Y SU	BR
15005	REM**CO	DES	CLAS	S\$S	TRO	CONC	TZC
15010	CT\$(1)	=	"FF	1	1	1"	
15020	CT\$(2)	=	"FM	1	1	2"	
15030	CT\$(3)	=	"GF	3	4	3"	
15040	CT\$(4)	=	"LM	3	4	4"	
15050	CT\$(5)	=	"HF	5	15	5"	
15060	CT\$(6)	=	"HM	4	15	7"	
15070	CT\$(7)	=	"KF	7	20	6"	
15080		=	"PF	15	30	9"	
15090	CT\$(9)	=	"PM	10	30	11"	
15100	CT\$(10)	=	"EF	25	25	15"	
15110	CT\$(11)	=	"EM	20	25	18"	
15120	CT\$(12)	=	"DF	30	40	23"	
15130	CT\$(13)	=	"DM	30	40	36"	
15140	CT\$(14)	=	"OF	35	40	29"	
15150	CT\$(15)	=	"OM	35	40	46"	
15160	CT\$(16)	=	"TF	50	50	57"	
15170	CT\$(17)	=	"XF	60	60	72"	
15180	CT\$(18)	=	"ZZ	0	0	0"	
15190	RETURN						

The array CT\$ contains the information for the 17 character types plus CT\$(18), which marks the end of the array. For example, CT\$(11) is the information for an elf magic-user.

Each string in the array is 11 characters long and contains five items of information, positioned within the string as follows.

Position(s)	Item
1	Kindred Code
2	Class
4&5	STR
7&8	CON
10&11	COST

Positions 3, 6 and 9 are spaces included to make the string more readable by humans. We could have omitted these and packed the information as follows.

#### "EM202518"

Plunge right in and write the program. Later, think about other ways to set up the CT\$ array. How can you define the CT\$ array using the database from last time (*DATA* statements in lines 32010 through 32180)? For example, the information for CT\$(11) is in Line 32110.

Hint: Use the STR\$ function.

#### Who is a Character?

A character is any imaginary person or other creature created according to the rules of a game system. The characters in *Heroic Fantasy* are quite simple. The characters in *Dungeons & Dragons* or *RuneQuest* are much more detailed and complex. Characters in *Adventurer's Handbook* are simplified versions of characters found in the very elegant *RuneQuest* system.

In past issues, you met Aloysious and Rokana. Here they are again, accompanied by two friends, Dernfara and Joleen. We show partial character records for all four characters.

	Aloysious	Rokana	Dernfara	Joleen
Characteristics				
STR	10	9	13	13
CON	11	9	13	11
SIZ	10	9	8	7
INT	12	17	13	13
POW	10	18	4	8
DEX	12	9	17	17
CHA	9	10	6	13
Skills				
Climb	55	65	70	70
First Aid	50	60	50	45
Hide	55	60	75	80
Jump	45	55	60	60
Listen	50	60	50	45
Move Quietly	25	30	45	50
Spot Hidden	30	40	30	25
Swim	20	30	35	35
Throw	45	55	60	60

In many activities, a character has less than a 100 percent chance of success, sometimes *much* less. The numbers across from Skills such as Climb, First Aid and Hide are success percentages. Let's take Jump as an example.

Yes, we know almost anyone can jump. In this case, Aloysious has a 45 percent chance to jump:

- 1) Across a ditch about four meters wide, or
- 2) up, up, and over something one meter high, or
- down from a place four meters high without falling and possibly getting hurt.

If he fails, he falls into the ditch (we hope it is shallow), trips over the something and falls on his face, or lands in a heap while jumping down. He might get hurt doing this and take a few hit points.

In typical game play, success or failure is determined by making a percentile roll using 10-sided dice, giving a random number from 0 to 99. OK, Aloysious, jump that ditch!

Success: Roll 45 or less.

Failure: Roll 46 or more.

A roll of zero is special. It is called a fumble. The GM will prescribe a suitable disaster.

Aloysious is meandering down a path through the forest. He comes to a somewhat deep and fast-moving stream about eight meters wide. There is a large rock showing in the middle of the stream. Aloysious doesn't feel like trying to swim across, so he tries to jump to the rock. He figures he can cross the stream in two jumps.

Roll the dice: zero. Oops! That's a fumble. Aloysious' foot hits the rock and slips off. He bangs his knee, scrapes

his arm, bounces his chin off the rock, and plunges into the cold, rushing water.

The GameMaster solemnly intones "1D6 hit points." We roll 1D6 and get three. His clothing absorbs one point, so we mark off two hit points on his character sheet.

You will find information about GameMaster's Dice in the April, June and August 1983, "GameMaster's Apprentice" articles, including programs to simulate dice rolls on the CoCo.

Rokana, Dernfara and Joleen have higher Jump percentages than does Aloysious. Let's see what happens when the four of them go to the spring festival in Triford.

Early on a spring day, the festival begins — food, drink, music, dancing, contests of skill and luck abound. Our characters arrived at dawn and have already spent two wondrous hours savoring the festival's delights. Now, with some misgivings, they approach the Mud Ditch.

The Mud Ditch is four meters wide and one meter deep. It is filled with gooey mud. In the town of Triford and surrounding villages, it is a matter of honor for youngsters to try the Mud Ditch at festival time.

Joleen, always the most daring, goes first. She tenses, runs toward the ditch, springs, soars, and . . . we make a percentile roll: 57. Joleen's success percentage is 60. She made it!

Reluctantly, Aloysious lines up, urged on by his friends. "Come on, Aloysious, you can do it!" Aloysious sprints toward the ditch and, with a mighty grunt, heaves himself into the air. We roll 38. Alas, Aloysious takes a mud bath.

#### **Submitting Material** To The Rainbow

Contributions to THE RAINBOW are welcome from everyone. We like to run a variety of programs which will be useful/helpful/fun for other CoCo owners.

Program submissions must be on tape or disk and it is best to make several saves, at least one of them in ASCII format. We're sorry, but we do not have time to key in programs. All programs should be supported by some editorial commentary, explaining how the program works. We're much more interested in how your submission works and runs than how you developed it. Programs should be learning experiences.

We do pay for submissions, based on a number of criteria. Those wishing remuneration should so state when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send a SASE to: Submissions Editor, THE RAINBOW, P.O. Box 385, Prospect, KY 40059. We will send you some more comprehensive guidelines.

Please do not submit programs or articles currently submitted to another publication.

Now it's your turn. Do Rokana and Dernfara lean successfully across the mud ditch, or does one or the other suffer the fate of Aloysious? You roll the dice or use the CoCo to find out.

	Success	Failure
Rokana	55 or less	56 or more
Dernfara	60 or less	61 or more

#### Want to Play Our Game?

Do any of you want us to run a small play-by-mail game? In this game, you would run one character like Aloysious or Rokana. You take your character to a festival. Today they are called "Renaissance Faires," but in the world of Aloysious and Rokana they were contemporary fairs.

No previous experience is needed to play our play-bymail game. Your only costs will be a copy of Adventurer's Handbook and some self-addressed, stamped envelopes. If you want to play, send a SASE to DragonFun, P.O. Box 310, Menlo Park, CA 94026. (Our games are rated G, intended as an enjoyable family experience. We encourage non-violence and cooperation.)

#### ROLE PLAYING GAMES

Millions of people play fantasy role playing games. A role playing game is a game in which one or more players create and play characters (adventurers) who live their imaginary lives in a specially made game world. The game world is created, managed, and operated by a GameMaster (GM), referee, or dungeon master (DM).

Most people who play role playing games use a formal rule system. Some of the best known are shown below.

Champions. Hero Games, 92A 21st Avenue, San Mateo, CA 94402.

Dungeons & Dragons (D&D). TSR, P.O. Box 756, Lake Geneva, WI 53147.

RuneQuest (RQ). Avalon Hill, 4517 Harford Road, Baltimore, MD 21214.

Star Trek. FASA, P.O. Box 6930, Chicago, 1L 60680.

Tunnels & Trolls (T&T). Blade, P.O. Box 1467, Scottsdale, AZ 85252.

Beginners beware! The rule books are formidable. If you are a beginner, we suggest you start with one of the following books, both from Reston Publishing Company, 1480 Sunset Hills Road, Reston, VA 22090.

Adventurer's Handbook: A Guide to Role Playing Games by Bob Albrecht & Greg Stafford.

Through Dungeons Deep by Robert Plamondon.

In "Game Master's Apprentice," we include how-to-play information for all beginners. Copyright® 1984 by DragonQuest, P.O. Box 310, Menlo Park, CA 94026.





# Compare it with the rest. Then, buy the best.

If you've been thinking about spending good money on a new keyboard for your Color Computer, why not get a good keyboard for your money?

Designed from scratch, the HJL-57 Professional Keyboard is built to unlock ALL the potential performance of your Color Computer. Now, you can do real word processing and sail through lengthy listings...with maximum speed; minimum errors.

At \$79.95, the HJL-57 is reasonably priced, but you can find other CoCo keyboards for a few dollars less. So, before you buy, we suggest that you compare.

#### Compare Design.

The ergonomically-superior HJL-57 has sculptured, low profile keycaps; and the three-color layout is identical to the original CoCo keyboard.

#### Compare Construction.

The HJL-57 has a rigidized aluminum baseplate for solid, no-flex mounting. Switch contacts are rated for 100 million cycles minimum, and covered by a spill-proof membrane.

#### Compare Performance.

Offering more than full-travel, bounce-proof keyswitches, the HJL-57 has RFI/EMI shielding that eliminates irritating noise on displays; and four user-definable function keys (one latchable), specially-positioned to avoid inadvertent actuation.

#### Free Function Key Program

Your HJL-57 kit includes usage instructions and decimal codes produced by the function keys, plus a free sample program that defines the function keys as follows: F1 = Screen dump to printer. F2 = Repeat key (latching). F3 = Lower case upper case flip (if you have lower case capability). F4 = Control key; subtracts 64 from the ASCII value of any key pressed. Runs on disc or tape; extended or standard Basic.

#### Compare Installation.

Carefully engineered for easy installation, the HJL-57 requires no soldering, drilling or gluing. Simply plug it in and drop it right on the original CoCo mounting posts. Kit includes a

new bezel for a totally finished conversion.

#### Compare Warranties.

The HJL-57 is built so well, it carries a full, one-year warranty. And, it is sold with an exclusive 15-day money-back guarantee.

#### Compare Value.

You know that a bargain is a bargain only so long as it lasts. If you shop carefully, we think you will agree...The HJL-57 is the last keyboard your CoCo will ever need. And that's real value.

#### Order Today.

Only \$79.95, the HJL-57 is available for immediate shipment for either the original Color Computer (sold prior to October, 1982) or the F-version and TDP-100 (introduced in October, 1982), and the new 64K CoCo. Now also available for CoCo 2.

1-800-828-6968


In New York 1-800-462-4891



Div. of Touchstone Technology Inc. 955 Buffalo Road • P.O. Box 24954 Rochester, New York 14624

Telephone: (716) 235-8358

Ordering Information: Specify model (Original, F-version, or CoCo 2): Payment by C.O.D., check, MasterCard or Visa. Credit card customers include complete card number and expiration date. Add \$2.00 for shipping (\$3.50 for Canada). New York state residents add 7% sales tax. Dealer Inquiries Invited.



# Enhance Your Keyboard Input With Buffer Stuffer

By Richard W. Rutter

his program consists of a position independent machine language routine designed to greatly enhance your Color Computer's keyboard input capability. Its features include:

 The ability to mask (disable) up to 10 keys.

2) The ability to unmask any key that had been previously masked.

- The ability to increase or decrease the size of the input text buffer.
- 4) A resetable right tab key.
- 5) A resetable left tab key.
- A repeat key to allow rapid duplication of any printable keypress, and the ability to either increase or decrease the speed of this repeat function.
- An exchange function that lets you change characters anywhere within the input buffer instead of having to retype the line.

 The ability to edit BASIC text strings using any or all of the above options.

- The ability to apply any or all of the above options to Extended Color BASIC's line statement EDIT function.
- The ability to enable or disable the entire program, as needed, by entering the command EXEC.

In essence, Buffer Stuffer provides the capability to both input and edit command lines and program statements and text strings according to user modifiable specifications.

(Richard Rutter works for a design and development company which specializes in computer-controlled flexible manufacturing systems.)

The program will require 1,536 bytes of storage. It may be offset loaded into either an unused graphics page or behind the string pool. There are two ways to create the program: First, process the Assembly Language Source Code with a dependable assembler, or second, use the Object Code Generator to poke the instructions into RAM and have a complete block of memory saved on either cassette or disk.

If you have a 16K computer, you may need to PCLEAR 3 to provide room for the Object Code Generator. Also, you should exclude the comments in the Source Code to assure that it will fit within a 16K computer. A detailed description of how these programs function will be provided later.

Remember that the assembler generated version will always need a loading offset value, but the OCG version may not necessarily require one. Here are two loading examples: CLOADM "BUF-BIN",1536 for Extended Color BASIC or LOADM "BUF.BIN",3541 for Disk Extended Color BASIC.

After you have loaded it into your computer, enter the command EXEC. The program is now "patched" into your computer's line input routine. To verify this, press the down-arrow key. This key is the control key. When you press it, the cursor will flash yellow, reminding you you're in the control mode. Whenever in this mode, you will have nine keyboard command options available. You may abort the control mode by again pressing the control key. Let's look at each of the nine control mode options.


If not already in the control mode, press the control key to activate it. Now press

# DISK DRIVES

STARTING AT


\$129,00

WITH CASE & POWER SUPPLY \$169.95



TANDON MPI TEAC

Speed 6 ms tk to tk and up Capacity 250k unformatted Tracks 40 Warranty **now 1 YEAR**  New Low Price!



1/2 Hght. Teac/Panasonic



We carry only the finest quality disk drives no seconds no surplus

#### ALL DRIVES FULLY TESTED&WARRANTEED SATISFACTION GUARANTEED!! Complete Disk Drive with Power Supply& Case ....... \$169.95 Two Drives in Dual Case & Power Supply ......\$279.95 1/2 ht double sided double density Disk Drives (Panasonic/Teac) \$159.00 1/2 ht double sided double density Disk Drive with ps&case..... \$199.95 How to use your new drive system on audio cassette Single ps&case \$44.95 Dual 1/2 ht ps&case ....\$54.95 Dual ps&case .... Color Computer Controller (J&M) \$129.95 DRIVE Ø FOR RADIO SHACK COLOR COMPUTER TANDON, MPI OR TEAC DRIVE (SINGLE SIDED 40 TRACKS SPEED 5 MS TRK TO TRK & UP) PANASONIC 1/2 HEIGHT DOUBLE SIDED DOUBLE DENGTH TO THE POWER TO THE PO PANASONIC 1/2 HEIGHT DOUBLE SIDED DOUBLE DENSITY DRIVE 500K unformatted POWER SUPPLY and CASE, 2 DRIVE CABLE WITH ALL GOLD CONNECTORS \$399.95 J&M CONTROLLER, MANUAL and DOCUMENTATION ..... TAKE ADDED SAVINGS ON TWO DRIVE SYSTEMS 10 Diskettes GD CONTROLDATA \$17.95 DISKETTES with free library case ..... Unadvertised Specials .....

TECHNICAL STAFF ON DUTY, PLEASE CALL FOR ASSISTANCE.



CALL US TODAY!!
ORDER TOLL FREE

(617)234-7O47 1-800-635-0300

\* DEALER INQUIRIES INVITED.

(617) 234-7047



#### TRUE DATA PRODUCTS

195 Linwood Street, P.O. Box 546 Linwood, Massachusetts 01525 (617) 234-7047

Drives cleaned, aligned & tested.

HOURS MON-SAT 9-6 (EST)

We welcome

- Visa/Master Charge
- · Checks (allow 2 weeks for clearing)
- · C.O.D. Add \$2.00

right-arrow key. You have just sent a right tab. The value of the right tab has been initially set to five blank spaces.

To reset the right tab, press the control key and then press 'R'. You will see the prompt RTAB:. Enter the desired numerical value. Note that only three-digit key presses will be accepted; anything beyond that will be ignored. Non-digit key presses will not be displayed.

If you key in the wrong value or change your mind for whatever reason, press BREAK and the routine will abort without affecting any current values. Take note that there is no backspace function. Use the BREAK option to start over if you should make a mistake. Press ENTER to return the current value. Note that an entry less than one will cause an automatic abort, and all values will remain unchanged. An entry in excess of 250 will be adjusted equal to 250. To verify all of this, experiment with both setting and sending the right tab.

The left tab is the opposite of the right tab. To send one, press control, and then press the left-arrow. The left tab erases a predetermined number of

characters. To reset the left tab value. press control and then press 'L'. You will see the prompt LTAB:. Enter the desired value in precisely the same manner as you would set the right tab.

You may change the buffer size by pressing control and then pressing 'B'. The prompt BUF: will appear. Enter the desired buffer size, one to 250. The buffer size determines how many characters may be entered into the current line. It is difficult to overstate the usefulness of this option.

Now let's try masking a key. Press control, then press 'M'. You see the prompt MASK:. Press whatever key you wish to mask. To verify that the key is masked, try pressing it; any key that is masked will be completely ignored. The main purpose of the mask option is to prevent the loss of data from an accidental key press. You will almost certainly want to mask the BREAK and CLEAR keys. Also, the "line erase" SHIFT-left arrow and ENTER keys are prime candidates for masking.

It is fitting that an unmask option be available. Press the control key, and then press 'U' and you will see the prompt UNMASK:. Press whatever key you wish to unmask. To verify that it is unmasked, press it. You normally would not press keys such as BREAK, ENTER, and CLEAR to test for mask status, for obvious reasons. Also, note that two keys are not completely maskable. If you mask the control key, it will still allow access to one control option, the unmask function. If you mask the 'U' key, it will still respond to an unmask request.

Another feature is the repeat key option. To try it out, press any printable key and press SHIFT-@. The current character will begin to duplicate itself and will continue to do so until you press a key to stop it, or either the beginning or end of the buffer is reached. You may also use the repeat key to repeat delete (left-arrow, SHIFT

It is a good idea to use the repeat key to stop and start the repeat process so you will be able to interact with it more swiftly. Practice using the repeat key to familiarize yourself with it.

The speed of the repeat process may be increased or decreased. Press control, then press 'S'. You see the prompt SPEED:. Enter the desired value from one to 250. A setting of one will give you the fastest speed, while a setting



PRINTER CABLES AND INTERFACES AVAILABLE Call for current pricing

Super Script-Subscript

Backspacing Doublestrike 5, 6, 8 1/2, 10, 12 and 17 Pitch

Programmable Line Spacing


SIX (6) MONTH WARRANTY

Underlining

#### NTERS

- 100 120 160 CPS Bidirectional Logic Seeking
- Friction and Tractor
- 9X9 Dot Matrix
- True Decenders
- High Res-Bit Image Block Graphics

SCALL GEMINI 10X (9 Inch Carriage, 120cps) Friction and Tractor \$CALL GEMINI 15 (15 Inch Carriage, 100cps) Friction and Tractor \$CALL GEMINI 15X (15 Inch Carriage, 120cps) Friction and Tractor DELTA 10 (10 Inch Carriage, 160cps) Friction and Tractor .....



#### SP-3 INTERFACE for Color Computer

- 300-19,200 BAUD rates
- External to printer No AC Plugs
- Built in modem/printer switch—no need for Y-cables or plugging/unplugging cables

Only:



COMPLETE SYSTEM

Nothing more to buy!

Dealer inquiries invited



TRUE DATA PRODUCTS

195 Linwood Street, P.O. Box 546 Linwood, Massachusetts 01525



CALL US TODAY!! ORDER TOLL FREE

(617)234-7047 1-800-635-0300

of 250 will yield the slowest.

Perhaps the most useful feature is the EXCHANGE command. If at least one character is currently in the buffer, you may activate this mode by pressing control and then pressing 'X'. The cursor is now riding over the last character in the buffer. The cursor is flashing orange, and you will notice the character beneath it can still be seen.

When in the exchange mode, you have six commands available. They are: move left, move right, character delete, character insert, repeat function, and exit using ENTER. To move the cursor to the left, press the left-arrow. To move the cursor to the right, press the right-arrow. To delete the character directly under the cursor, press CLEAR. To insert a printable character, press the desired key, and it will be inserted at the current cursor position. To leave the exchange mode, press ENTER.

The only key checked for mask status in the exchange mode is the repeat key. If you want the repeat option to function, you should unmask it before entering this mode since no control options are available from within exchange. The repeat key is quite useful to quickly position the cursor anywhere within the buffer. Remember that you may enter and exit the exchange mode as needed so as to access the control options. Try experimenting with the exchange mode.

Yet another option is the ability to edit string variables. To use the option you will need Extended Color BASIC and a BASIC program subroutine similar to the sample edit driver program I have provided.

Run this program to test the string entry/edit capabilities. All of the commands discussed apply to the entry and edit of text strings. You may append characters to the end of the string or activate the exchange mode (control X) to make changes anywhere within the string. Press ENTER or BREAK to end the edit session. When you do, you see the prompt A/C/G:.

If you press 'A', the edit session will start again using the same string you originally sought to edit. If you press 'G', the current string will be sent directly into the BASIC variable, and control will return to the calling program. Pressing 'C', or any other key, will continue the edit session using the current string.

The final option available is the ability to edit program statements. If you have Extended Color BASIC, you

should first use the *EDIT* command (i.e., *EDIT 30*) to access the desired line statement. All of BASIC's line *EDIT* commands are preserved (unless you choose to mask them). *Buffer Stuffer's* commands will also function (unless you choose to mask them). The ability to activate the exchange mode (control X) effectively provides an "editor within an editor." You may prefer the exchange mode when editing your BASIC programs.

There are a few changes to the performance of BASIC's EDIT function you should be aware of. The first is the possible effects when using the repeat option to repeat change characters. Since the repeat mode does not know how many changes to make, the key value causing the character change will be sent to BASIC immediately after the specified number of changes have been made, unless you have pressed a key to stop it. You will find it nearly impossible to react that quickly. A problem will occur if the keys 'A', 'E', 'Q', or 'X' are being repeat changed. They are also EDIT command keys, and if sent to BASIC could cause needless inconvenience.

If you have any problems with the repeat key when in line *EDIT*, you might consider masking the repeat key or activating the exchange mode. Realistically, this should rarely be a problem since you are unlikely to need a repeat change when editing a program statement.

Notice that if the current buffer limit is less than the length of the program statement being edited, you will need to use the control B option to expand the buffer size. Failure to do so will restrict your ability to edit the line. In fact, the cursor may even be "frozen" at the current position. No need to worry, however, because the control options are available to get you out of such a jam.

When you are in the character insert mode, you will be allowed to insert one character more than the current buffer limit. However, you will not be able to exit the insert mode (using SHIFT^ or ENTER) until you have backspaced at least one position to ensure your line is of legal length. This feature ensures your program lines cannot exceed the buffer size you have preset.

There is a modification to the keyboard that I have not yet mentioned. The right-arrow key now performs as an extra space bar. This simplifies the insertion and deletion of spaces. The right-arrow key does not function as a space bar when you are in the exchange mode; only when appending characters or when in normal line statement *EDIT* is it redefined.

#### The Assembly Language Source Code

All numerical values to the right of the line numbers are in base 10. Lines 90 to 220 equate ROM referenced memory locations which allow the program to communicate with BASIC on an interactive basis. We will demonstrate the functions of these equated locations as we encounter them throughout the source code.

Lines 260 to 450 define the prompt display strings; the end of each prompt is indicated by a *CHR\$(255)*. Each of the control mode prompts starts with a *CHR\$(128)*. This ensures that the prompts will not be confused with any other characters currently on the screen. All of these prompts will be erased automatically to prevent the display from becoming a jumbled mess.

Lines 490 to 910 contain the "variable" locations manipulated exclusively by the program. MAXBUF will reside in Location 51, PCR. Its value must never exceed 250, but it may be smaller. It determines just how large the buffer limit may become when using the set buffer control option.

BUFLIM will reside in Location 52,PCR. Its value determines the number of characters that may be entered into the current buffer. The buffer set routine is used to change it to any value between one and MAXBUF. It must never exceed 250.

CONKEY will reside in Location 53,PCR. It is used to define the control key. You may change it to any key you so desire. I chose the down-arrow key because it is unprintable, preventing the loss of any important characters.

REPKEY will reside in Location 54,PCR. It is used to define the repeat key. You may change it, but I chose the SHIFT @ key because it is unprintable.

CONCUR will reside in Location 55,PCR. It determines the cursor character when the control mode has been activated. It may be changed to any printable character.

EXCCUR will reside in Location 56,PCR. It determines the cursor character when the exchange mode has been activated or when the repeat mode is duplicating characters.

LTBSIZ will reside in Location 57,PCR. It determines how many

backspace characters will be sent when a left tab is requested.

RTBSIZ will reside in Location 58.PCR. It determines how many blank characters will be sent when a right tab is requested.

RSPEED will reside in Location 59, PCR. Its value determines how quickly or slowly the repeat function will duplicate characters. It may contain any value from one to 255. The smaller its value, the faster the repeat speed.

MINVAL will reside in Location 60,PCR. It determines the minimum value accepted when using any of the control key value set commands. You may reset it to any value between one

Lines 590 to 800 are to be manipulated exclusively by the program. You should not attempt to change them.

Lines 810 to 900 make up the keyboard mask table. If a key is masked, its value will reside in one of these 10 locations (83, PCR to 92, PCR). The mask and unmask control functions manipulate these bytes. You may also manipulate this table as long as you do not change location 93,PCR since it flags the table's end.

Lines 950 to 1040 effectively patch

the program into BASIC's keyboard input routine. A check is made to see if the patch is already in effect. Locations 1533,PCR and 1534,PCR must both contain CHR\$(255), or the routine will be deactivated rather than activated. The activation sequence requires that the two-byte memory value at Location 363 be replaced with the program's starting address. The value is first placed in Location RETBAS, PCR so that it may be restored at the next EXEC command.

Lines 1080 to 1140 effectively deactivate the program by pulling the return address out of RETBAS, PCR and placing it back into Location 363. Two CHR\$(255)s are put back into RET BAS,PCR to allow reactivation at the next EXEC command.

Lines 1180 to 1730 comprise the routine to access BASIC string variables. The length and location of the variable must be sent to this routine from BASIC. Register Y points to the location of the variable. Register X points to the start of BASIC's input buffer. If the length of the variable is greater than zero, each character of the string will be placed into the BASIC buffer and displayed on the screen. The length of the string is

temporarily increased by one to satisfy a ROM input requirement. The ROM subroutine is called, and the BASIC string is treated as keyboard input.

When either the BREAK key or the ENTER key is pressed, the BASIC ROM will return control to this calling location. This allows the options of either continuing, sending the results to BASIC, or reediting the original string. Continuing the edit is accomplished by erasing the prompt and positioning the cursor at the end of the current string.

We must take into account any screen scroll caused by the prompt display and compensate for it if needed. To restart the edit using the original string we must erase the prompt, erase the current string, and pull the original out of the BASIC string by starting anew. To send the current string, we simply erase the prompt, send the string length, and copy the characters into the BASIC string, if any.

Lines 1770 to 1910 contain the primary keyboard scan routines. If not in the exchange mode and not in the repeat mode, the cursor is flashed in the same way that normal BASIC would do it. The ROM POLCAT key scan routine is used to seek a key press. If

## You're in good company. These are some of our other valued customers

ADM Technology, Inc.

AT&T Technologies

Bethel College

E.I. DuPont

Florida International University

Georgia-Pacific Corporation

GM Technical Center

Hoffmann-La Roche, Inc.

Indiana University Northwest

International Minerals & Chem., Corp. Salescaster Displays Corporation

Marquette University

Mercy Hospital

Motorola Inc.

Motorola Comm. & Electronics, Inc. The John Hopkins University

National Video Services, Inc.

Niagara College

Oregon State University

RCA Corporation

Robertshaw Controls Company

Rutgers-The State University

Seiscor Technologies, Inc.

Sonoma State University

Southwire Company

The Singer Company

University of Wisconsin-Madison

Union Carbide

University of Southern California

US Environmental Protection Agency

Verbatim Corporation

WCVB-TV

Yeshiva University



"Innovative Products for the CoCo User"

Call or write today for our FREE Catalog P.O. Box 813 • North Bergen, N.J. 07047 • 201-330-1898 a key is pressed, we erase the cursor.

Lines 1950 to 1990 provide the ability to send special cursor characters when in the exchange or repeat key modes. VIDPOS contains the current video screen print location.

Lines 2030 to 2270 contain the repeat key activation routine. A check is made to see if the repeat key had been pressed and if the current key value is a valid one. If so, a timing loop is started to search for a request to stop the repeat through any other key press. If the timer expires without any key press, the current key is fetched from CURKEY and returned as the key press. If a key is pressed, a check is made to see if it is the repeat key. If it isn't, that key will be returned as the current value. If it is the repeat key, it is checked for masked status. If masked, it is rejected.

Otherwise, the entire process is repeated until either the timer expires and CURKEY is returned as the key press, or a key other than REPKEY is pressed, thereby deactivating the repeat function and returning a new value in CURKEY.

I prefer this repeat method over the kind which requires you hold down a particular key. There are three reasons for this preference: First, having to hold down any key is annoying; second, the problem that can be caused if keys such as BREAK and ENTER are held down too long; and third, the instantaneous response available through a defined repeat key as opposed to the annoying delay by the other method. There is merit in either method, and you may wish to create a repeat routine different from the one provided.

Lines 2320 to 2530 perform a multitude of functions. BASIC's input routine jumps to CHECK whenever BASIC requires keyboard input. The device number must be zero, or the entire operation is aborted, returning directly to BASIC. A check is made to see if the buffer pointer (register X) is either at the beginning or the end of the buffer. Such would be the case if 'X' is pointing to the same previous location, and the repeat function must then be deactivated by setting CURKEY to zero. The input/output buffer is cleared to satisfy a BASIC requirement. The exchange mode indication flag is also cleared.

The current video screen location is saved for later use. The number of characters currently in the buffer is saved in BUFCNT. Tests are also made to see if either the right or left tab counts need to be satisfied, in which case the

appropriate tab routine will be executed. A key scan is started and will continue until either a key is pressed or the repeat mode causes CURKEY to be fetched as the current value. The cursor is erased. The key is checked for masked status. If not masked, it is processed normally. If masked, a check is made to see if it is the control key. If it is the control key, we allow it to be processed. Any other masked key press will be hidden from BASIC.

Lines 2570 to 2660 comprise the check for mask routine. Each byte in the mask table is examined until either we find a match or reach the table's end. Register B will contain the search result. If the zero flag is set, the key is not currently in the mask table.

Lines 2700 to 2840 effectively process the current key press. If it is the control key, then we activate the control mode. If the right-arrow key has been pressed, we convert it to a blank. We fetch the number of characters currently in the buffer and see if the buffer limit has been reached. If there is still room, we send the key to BASIC. If not, we check to see if Extended BASIC's Line Edit is in operation by testing for a character count versus a buffer count mismatch. If the counts are equal, we are not in a Line Edit. Otherwise, we will only accept a backspace to bring the edit count within range. If we are not in Line Edit and the buffer limit has been reached, we will only accept a key press which will not add to the buffer. Any unusable key press will be rejected by hiding the current key press from BASIC and assuring that that character cannot be repeat processed.

Lines 2880 to 3110 process a control key request. The control cursor is flashed according to the special cursor flash timing function. The key scan/flash sequence will continue until a key is pressed. After getting a key press, we will attempt to convert it to uppercase. If the 'U' key has been pressed, the unmask routine is called. Any other keypress is checked for masked status. If masked, we hide it. Next, we check the control key itself for masked status. If it is masked, we abort the control session.

Lines 3150 to 3490 look for a valid control mode request. Any key that does not correspond to one of the control mode options is hidden from BASIC.

Lines 3530 to 3620 either hide or send the key press, as appropriate. If the key press is not repeatable, then no option to repeat it will be allowed. We fetch the current buffer count and save the current buffer pointer. We return to BASIC in a manner that will prevent a redundant key scan.

Lines 3660 to 3790 effectively unmask the desired key press. A prompt is displayed and a key press is looked for. The key press is searched for in the mask table, and if found, will be removed from the table. After successful unmask or reaching the table end, the prompt is erased, and the key press is hidden from BASIC.

Lines 3830 to 4000 effectively mask the desired key press. A prompt is displayed and a key press is looked for. The mask table is searched to find the first free byte. If one is found, the key press is stored in that byte, and the unmask routine is entered to assure that no mask duplications are present. If the end of the table is reached before a free byte is found, the key press will not be masked.

Lines 4040 to 4090 attempt to set a new buffer limit by calling the *Get Number* routine. If the value returned is equal to the maximum, no adjustment is needed, otherwise we must increase it by one to compensate for BASIC's input requirements. The new value of BUFLIM is saved, and the key press is hidden from BASIC.

Lines 4130 to 4150 attempt to set a new left tab value. Lines 4190 to 4210 attempt to set a new right tab value. Lines 4250 to 4270 try to set a new repeat speed.

Lines 4310 to 4350 effectively set to zero those values used by the get number routine.

Lines 4390 to 4460 are used to send prompts to the screen. A count of the number of characters sent is kept in BKUCNT so the prompt may later be erased.

Lines 4500 to 4540 erase the number of characters specified in BKUCNT. This routine is normally used to erase prompts.

Lines 4580 to 4910 get and process numerical value set requests. The appropriate prompt is displayed. Numerical values are set to zero. The key press count is set to three, assuring that no more than three digits may be entered. A key scan is started, and continues until a usable key is pressed. If a digit is pressed, it is sent to the screen, the get number routine is called, and the digit count is updated.

If BREAK has been pressed, the routine is aborted by erasing the prompt, pulling the return location off of the stack and hiding the key press

## HARDWARE & PROGRAMS

#### MONITORS

DMC	ALC UND	TRIBA T	100	~~*	-
BMC	MED	LUME-E	LES	COL	OK.

13" BMC w/ sound	\$303.95
14" USI w/ sound	. 324.95
12" Taxon Composite & RGR	335 05

#### COMREX HI-RES MONOCHROME

12" Amber or Green	140.95
9" Amber or Green	125.95
Sorry, no COD on more	

#### COMPOSITE MONITOR INTERFACES

Double Driver	24.95
Video Plus	24.95
Both work great with color	
or monochrome on CoCo I.	

Coco Double D	river
Video Plus II N	1 26.95
Video Plus II C	39.95
For C	oCo II Only

#### JARB DISK DOUBLER

Why spend twice as much as you need to for double sided diskettes? With our doubler, you can make your own and pay for it with the first box you double. A must for disk drive users.

P 1 / 11					240
374	size on	IV	 	 	2.95

#### **BASF DATA CASSETTES**

	C-05	C-10
1-10	.60 ca.	.65 ea.
11-20	.55 ca.	.60 ca.
Soft Poly C	ases	Ea. \$.20
Hard Shelle	ed Cases	Ea. 5.22
Cassette La	bels (12)	Sh. 5.36
Cassette La	bels Tractor (1000	)\$21.95

### MEMORY UPGRADE


16	KI	RA	M	C	H	P	S		 	. 1	.50 ea.	
SV	. C	06	Co	H	16	K	٠.	 	 		1.95 ca	

#### 64K RAM CHIPS

Eight 200 NS Factory Prime 64K RAM Chips. Allows you to upgrade 'all' board easily. No soldering needed. . . . . . \$52.50

#### '16K/32K

Eight 200 NS Factory Prime Chips with Piggy Backed Sockets, Sam Socket, Bus Wire. Comprehensive Instructions. Recommended for "D" or earlier, but may be used on "E". Only 9 simple solder connections to kit. None to computer. \$25.95 NOT FOR CoCo 2



#### THE GUNFIGHTER

BY Terry A. Steen

An excellent hi-res, areade quality game program for two players. Joysticks and 32K are required in this all machine language program.

Cassette . \$19.95 Disk/Amdisk . \$24.95

#### JUNGLE TREK

I ost in a jungle with wild animals lurking; your only survival is to find a safe compound before you are lunch for lions; high resolution; multi-color.

16K EXT......\$14.95

#### BIORHYTHM/PSYCHIC APT.

- 1) Prints biorhythm charts of nearly unlimited length; attractively formatted for use on most printers.
- 2) Your psychic ability is determined through questions evaluating your psychic experiences

16K Ext ..... Both for \$15.95

#### PROGRAMS FOR THE SPECTRUM PROJECTS VOICE-PAK OR SPEECH SYSTEMS VOICE

#### TALKING FINAL COUNTDOWN

(by Bill Cook)

For 32K EXT		 \$19.95
Standard casso	ette	
FINAL COUN	NTDOWN	 \$14.95

#### TALKING SPELL-A-TRON

The program allows the user to build a dictionary of words. During testing, the words are spoken. If an incorrect response is given, the word is spoken again and spelled. Tape (32K EXT) \$22.95

#### TALKING SCORE E-Z

A yahtzee type program. Up to six players can compete. All scoring and record keeping is done by the computer. Tape (32K 

#### TALKING COLOR MATH

The perfect educational game to aid the student in learning addition, subtraction, multiplication and division. Allows one to specify difficulty level. Tape (32K EXT) ..... \$22.95

#### TALKING SHIP HUNT

by Cobra Software

Play Battleship against your computer. 32K w/ joystick needed. Graphics and sound. Can be played without voice. Cassette ......\$10.95

SCHEMATIC DRAFTING PROCESSOR (disk) can draw large scale schematics in hi-res (has six overlapping screens) and then print them out to any of several popular printers, fast!! A must for serious hardware computerist. Now only.....\$49.95

#### CoCo Chips

Sam, Pia, CPU, Ext, Basic

We carry products from many manufacturers. If you don't see it, ask.

SOFTWARE HARDWARE

1636 D Avenue, Suite C National City, CA 92050 COD orders accepted, no charge cards please. Shipping and handling \$3.00 California residents please add 6% sales tax

Order Line (619) 474-8982

After Hours BBS (619) 474-8981

from BASIC. If ENTER has been pressed, the prompt is erased, the number in CURVAL is tested for validity and is adjusted if too large, or the routine is aborted if the value is too small. Any usable numerical value (MINVAL to MAXBUF) will be returned to the calling routine.

Lines 4950 to 5230 figure an ongoing numerical quantity for the set value routine. The current digit is changed to a number and saved in register B. The decimal places will be moved from right to left, and a new value will be computed. Checks are made to see that no attempt will be made to compute a value greater than 255. If the value could exceed 255, it will be set equal to MAXBUF. Upon return from this routine, the current value (CURVAL) will be in register B.

Lines 5270 to 5640 attempt to activate and control the buffer exchange routine. The flag EXCHAN is incremented to indicate exchange mode activation. The current number of characters in the buffer are fetched. The current line end is flagged with a zero. The beginning of the buffer is tested to see if any characters are present; if none are, we abort the exchange request. If at least

one character is present, we activate the exchange mode.

Upon activation, we save the current character count in BUFCNT and the current buffer end in EOBUF. Register Y is saved on the hardware stack. The buffer and video pointers are decremented to point to the last character in the buffer. A keyboard scan is then started which will continue until a key is pressed. The cursor is flashed at a rate determined by the *Timer* subroutine. Instead of erasing the cursor, this time we replace it with the current character pointed to by register X.

Whenever a key is pressed, we replace the cursor with the current buffer character and save the buffer pointer in TMPX. We then determine if the key is a usable one; if usable, we process it accordingly. If unusable, we assure that repeat is deactivated and restart the key scan.

Lines 5680 to 5740 respond to a request to move the cursor one place to the left. If at the buffer start, the request will be ignored. Otherwise, both the video pointer and the buffer pointer will be decremented by one.

Lines 5780 to 5840 attempt to move the cursor one place to the right. If the pointers are not current at the line end, they will be incremented by one to accomplish this.

Lines 5880 to 6260 attempt to insert a character at the current cursor position. The buffer count is fetched and checked to see if it is less than the buffer limit. If the count is equal, there is no room, and the request will be ignored.

Having determined that there is room, we set 'Y' to point to the current buffer end. We then move adjacent characters one place to the right until all characters from the current buffer position to the buffer end have been moved. We then insert the new character into the current buffer position. The buffer end is incremented and its value is cleared to indicate a new end of line. The characters on the screen are moved in a similar manner.

We must check to see if the screen will scroll by comparing the video position to the value of SCREND. If a scroll will occur, we must decrement the appropriate pointers by one full line. The new buffer contents from the buffer position rightward are displayed on the screen.

After the screen characters have been

# For Your TRS-80 Color Computer 320 Full-time Audio Talk/Tutor Programs!







#### We're Your Educational Software Source

Course No. of Programs Language Arts (Spelling) 16 Programs Reading 64 Programs Comprehension 32 Programs **Phonics** 32 Programs English as a Second Language 32 Programs Mathematics 64 Programs Basic Algebra 16 Programs **Physics** 16 Programs Effective Writing 16 Programs History 32 Programs

#### In Color, with Pictures and Text!

All of our TRS-80 Color programs have easy to understand professional announcer narration, not synthesized, robotic voices. All text is displayed in easy to read upper- and lower-case characters. Video clearly illustrates key concepts in each frame of the program.

Only \$4.40 per program (\$8.80 for 2, one on each side of a half-hour cassette). \$59.90 for 16 programs (8 cassettes) in an album. Send for catalog of over 1000 programs for Atari, TRS-80, Apple, etc.

Dealer inquiries welcome For more information, or to order call:

TOLL FREE 1-800-654-3871

IN OKLAHOMA CALL (405) 288-2301



DORSETT Educational Systems, Inc. Box 1226, Norman, OK 73070



moved, the current video position is replaced by the desired position. We also compensate for the additional character by incrementing the old video value, thereby providing the proper return screen location when the exchange mode is exited.

Finally, we increment the buffer pointer and buffer count, and return to the key scan routine.

Lines 6300 to 6600 will attempt to delete the character at the current cursor position. Two or more characters must be present for any to be deleted.

Deleting the character is accomplished by starting at the current buffer position and copying the character which is one position to the right of it into the buffer position. This continues until the end of the line is found, in which case a zero will be placed in the last character of the line.

We then test to see if the character just deleted was the last character of the line. If it was, we decrement the buffer and video pointers. In a manner similar to the one used by the insert function, the old screen characters are replaced by new ones. The last screen character is replaced with a blank.

Lastly, the video and buffer pointers are updated. The video position is reset to its proper place on the screen. The old video position is decremented so the proper return screen location is available when the exchange mode is exited. The end of buffer pointer is decremented to show the new end of buffer.

Lines 6640 to 6740 process the exit from the exchange mode. The video position is reset to one position beyond the last character on the screen. The original value of register Y is restored. The current buffer end is given to register X.

The exchange flag, EXCHAN, is decremented and tested for zero status. If equal to zero, Extended BASIC's Line Edit is not in effect, so the buffer counters must not be adjusted. If Line Edit is in effect, we must fetch and adjust the character count, give it to the edit count, and set the buffer operation count to zero. When in Line Edit, BUFCNT contains the operation count (i.e. the number of moves or changes requested). It should be set to zero upon exit of the exchange mode to assure the operation count will also be set to zero. The key press must also be hidden from BASIC.

Lines 6780 to 6810 pull a character from the current buffer position and send it to the current screen position.

Lines 6850 to 6930 effectively adjust register B for proper screen display.

Lines 6970 to 7000 are used to convert a key press command from lowercase to uppercase. This makes it simpler to check for keypress command matches.

Lines 7040 to 7170 are needed to determine the proper character count depending on which ROM has called *Buffer Stuffer*. We see if Line Edit is in effect by getting the calling address from the hardware stack. If the address is higher than the Line Edit Vector, we know we are not in Extended BASIC, and we simply return the normal buffer count.

If we are in Line Edit, the edit count is used as the character count. We next test the exchange flag to see if the exchange mode has been requested. If

so, we call the ROM routine Getend to position the cursor at the end of the line. We then fetch the edit count, adjust it for the exchange mode and return it as the character count.

Lines 7210 to 7250 contain the timing routine used to determine when either the control cursor or the exchange mode cursor should be flashed.

Lines 7300 to 7320 contain the return location for normal keyboard input when the program is patched into BASIC or the proper flag to indicate that patching is needed if an *EXEC* command has been entered.

Line 7330 provides a convenient reference point for computing the actual length of the program. *Bottom* is also used as a counter in numerous locations throughout the program.

#### The Object Code Generator

The OCG is designed expressly for those who do not have an assembler. It contains the same instructions the assembler version would generate. Although essentially self-explanatory, some comments should be helpful.

If you have a disk system, do a *FILES* 2,256 to assure that the data values will be poked into usable RAM. The OCG assumes you want a disk save for a disk system and a cassette save for a cassette system. To avoid this, change Line 190 to *DEV\$="CASSETTE":GOTO 220*.

Note that if you have a 16K computer, you will need to *PCLEAR* three or fewer graphics pages to assure that the OCG will fit into your computer. Also, if you do not have Extended BASIC, you will need to reserve space behind the string pool and change the values of

# Now . . . from the makers of THE RAINBOW comes the new, expanded

Just because we at PCM call ourselves The Magazine for Professional Computing Management, you shouldn't get the idea that we're no fun.

We cover five of the most exciting computers on the market, as well as the most productive — the highly popular Model 100; a brand new portable, the Tandy 200; and Tandy's new MS-DOS computers, the Tandy 2000, Tandy 1200 and Tandy 1000.

We learned from THE RAINBOW that readers want programs to type in, so, each month we bring you an assortment of them, including

assortment of them, including games, utilities, business applications and graphics.

Also, PCM is the only computer publication anywhere in the world (that we know of) that brings you programs in bar code, ready to scan into memory with the sweep of a wand!

Add to this our regular tutorials on MS-DOS and dBASE, and monthly columns on telecommunicating, hardware and machine language, as well as BASIC programming tips and product reviews, and we think you'll find

we're one of the most informative and fun magazines on the market today.

So, why not join us . . . just for the fun of it? You'll receive 12 issues for \$28. Send your check or money order to: PCM

P.O. Box 385 Prospect, KY 40059

Please include your Visa, MasterCard or American Express number and expiration date if you wish to charge it. Sorry, we do not bill.

\*Canadian subscribers add U.S. \$7. Surface rate elsewhere U.S. \$64. Air mail U.S. \$85. Allow 5-6 weeks for first copy. KY residents add 5% sales tax. FI,LA and EX so they will reference that reserved memory. Here is one way to do it: Change Line 40 to CLEAR 500,31100 and add the line 75 FI = 31100:LA=FI+1535: EX=FI+94

#### The String Edit Driver Program

For those of you who have Extended Color BASIC, this program allows you to edit string variables. It is fairly simple, but a few comments should be helpful.

Line 50 contains the execution offset. Some execution offset will always be required. Just what it should be depends on where in memory the 6809 routine currently resides. OF must be equal to whatever loading offset you used. For an OCG version, OF must be equal to FI plus any loading offset. Figuring the proper offset should be quite simple.

Line 10000 contains the essential ingredients of the parameter passing

subroutine. EL is the memory location that contains BASIC's machine language execution address. We save this two-byte value by copying it into EA and EB. VP will contain the variable pointer of the parameter string PA\$. VL will contain the address inside Buffer Stuffer where the location of the BASIC string will be stored.

We extract the true length of PA\$. Next we pad PA\$ with trailing blanks. VP is assigned the variable pointer of PA\$. We poke the true length of PA\$ into VL. We poke the starting address of PA\$ into VL+1. Now Buffer Stuffer knows how long the string is and where to look for it. We evoke the string editor. Upon return, VL contains the new length. We poke the new length into the variable pointer of PA\$. We restore the routine's activation/deactivation execution address. Finally, we return the new value of PA\$ to the

program's calling routine.

If you decide to use this string edit option, it is imperative the commands in Line 10000 be preserved.

#### **Concluding Remarks**

It is not by chance the program is exactly one graphics page in length. My goal was to pack all those keyboard options into precisely 1,536 bytes of memory. Many more options could be added, but it would be very difficult to do so without requiring more memory. One way to do so would be to use a completely stack oriented approach. I chose not to use that approach because, although it would save memory, the program would become much more difficult to follow, let alone to understand.

In any event, by using *Buffer Stuffer*, you'll no longer need to be a huffer or a puffer!

Listin	ıg 1:		001B 001C	80 52 54 41	00370 RTBPRO FCB 128 00380 FCC "RTAB:"
				42	
		00010 *ASSEMBLY LANGUAGE SOURCE CODE		3A	
		00020 *BUFFER STUFFER (C) 1984	0021	FF	00390 FCB 255
		00030 *by Richard W. Rutter	0022	80	00400 RSPPRO FCB 128
		00040 *	0023	53	00410 FCC "SPEED:"
0000		00050 ORG 0 ;SIMPLIFY OFFSET LOADING		50	
		00060 *		45	
		00070 *MISC EQUATES		45	
		00080 *		44	
	006F	00090 DEVNUM EQU 111 ; DEVICE NUMBER		3A	
	0070	00100 IOBUFF EQU 112 ; I/O BUFFER	0029	FF	00420 FCB 255
	0088	00110 VIDPOS EQU 136 ; VIDEO POSITION	002A	80	00430 UNMPRO FCB 128
	00D7	00120 EDTCNT EQU 215 ;LINE EDIT COUNT	002B	55	00440 FCC "UNMASK:"
	016A	00130 INPVEC EQU 362 ; ROM INPUT VECT		4E	
	02DD	00140 BSTART EQU 733 ; BUFFER START		4 D	
	05E0	00150 SCROPO EQU 1504 ;SCROLL POS		41	
	OSFF	00160 SCREND EQU 1535 ;SCREEN END		53	
	85B4	00170 GETEND EQU 34228 ;GET LINE END		4B	
	9FFF	00180 LEDVEC EQU 40959 ;LINE EDIT VEC		3A	
	A000	00190 POLCAT EQU 40960 ;SCAN KEYBOARD	0032	FF	00450 FCB 255
	A002	00200 CHROUT EQU 40962 ; PRINT CHARS			00460 *
	A199	00210 FLASH EQU 41369 ;FLASH CURSOR			00470 *RESERVED SYMBOLIC LOCATIONS
	A39A	00220 INPUT EQU 41882 ;BAS ROM INPUT			00480 *
		00230 *	0033	FA	00490 MAXBUF FCB 250 ; MAX BUFFER SIZ
		00240 *MISC PROMPT STRINGS	0034	FA	00500 BUFLIM FCB 250 ; BUFFER LIMIT
		00250 *	0035	OA	00510 CONKEY FCB 10 ; CONTROL KEY
0000	41	00260 ASKU FCC "A/C/G:"	0036	13	00520 REPKEY FCB 19 REPEAT KEY
	2F		0037	9F	00530 CONCUR FCB 159 ; CONTROL CURSOR
	43		0038	FF	00540 EXCCUR FCB 255 ; EXCHANGE CURSO
	2F		0039	05	00550 LTBSIZ FCB 5 ; LEFT TAB SIZE
	47		003A	05	00560 RTBSIZ FCB 5 ;RIGHT TAB SIZE
	3A		003B	28	00570 RSPEED FCB 40 :REPEAT SPEED
0006	FF	00270 FCB 255	003C	01	00580 MINVAL FCB 1 ;MINIMUM VALUE
0007	80	00280 BUFPRO FCB 128	003D	01	00590 CURVAL FCB 1 ; CURRENT VALUE
8000	42	00290 FCC "BUF:"	003E	00	00600 OLDVID FCB 0 ;OLD VIDEO POS
	55		003F	00	00610 FCB 0
	46		0040	00	00620 EOBUF FCB 0 ; TEMP END OF BUFFE
	3A		0041	00	00630 FCB 0
000C	FF	00300 FCB 255	0042	00	00640 TMPX FCB 0 ; FOR REGISTER X
000D	80	00310 LTBPRO FCB 128	0043	00	00650 FCB 0
000E	4C	00320 FCC "LTAB:"	0044	00	00660 CURPOS FCB 0 ; CURSOR POSITION
	54		0045	00	00670 FCB 0
	41		0046	00	00680 EXCHAN FCB 0 ; EXCHANGE FLAG
	42		0047	00	00690 UNITS FCB 0 ;DIGIT 0-9
0012	3A	00220 man 25t	0048	00	00700 TENS FCB 0 ;DIGIT 0-9
0013	FF	00330 FCB 255	0049	00	00710 HUNS FCB 0 ;DIGIT 0-9
0014	80	00340 MASPRO FCB 128	004A	00	00720 CURKEY FCB 0 ; CURRENT KEYVALUE
0015	4D	00350 FCC "MASK:"	004B	00	00730 REPEAT FCB 0 ; REPEAT INDICATOR
	41		004C	00	00740 RTBCNT FCB 0 ;RIGHT TAB COUNT
	53		004D	00	00750 LTBCNT FCB 0 ; LEFT TAB COUNT
	4B		004E	00	00760 VARLEN FCB 0 ;STRING VAR LENGT
0014	3A	00260 POP 255	004F	A0	00770 VLOC FCB 160 ;LOCATION OF BASI
001A	FF	00360 FCB 255	0050	00	00780 FCB 0 ;STRING VARIABLE

0051 0052	00	00790 BUFCNT FCB 0 ;BUFFER CHAR COUNT 00800 BKUCNT FCB 0 ;PROMPT BACKUP CNT 00810 MASK FCB 0 ;MASK VALUE TABLE OF 00820 FCB 0 ;UP TO 10 KEYS	0114 E1 8D FF36 0118 25 F5	01700 CMPB VARLEN,PCR ;ALL SENT? 01710 BLO GIV1 ;CONTINUE
0053 0054 0055	00 00 00	00810 MASK FCB 0 ;MASK VALUE TABLE OF 00820 FCB 0 ;UP TO 10 KEYS 00830 FCB 0	011E 39	01720 NTG DEC VARLEN,PCR ;TRUE SIZE 01730 RTS ;RETURN TO BASIC PROGRAM 01740 *
0056 0057	00	00840 FCB 0 00850 FCB 0		01750 *KEYSCAN ROUTINES 01760 *
0058 0059	00 00 00	00860 FCB 0 00870 FCB 0	011F 6D 8D FF23 0123 26 14 0125 6D 8D FF22	01770 GKEY TST EXCHAN, PCR ; EXCHANGE? 01780 BNE GKEY2 ;NO ERASE, NO FLASH
005A 005B 005C	00	00880 FCB 0 00890 FCB 0 00900 FCB 0	0129 26 07 012B 34 10	01790 TST REPEAT, PCR ; IN REPEAT? 01800 BNE GKEY1 ; ALLOW ERASE 01810 PSHS X ; SAVE X
005D	FF	00910 FCB 255 ;SHOW MASK TABLE END 00920 *	012D BD A199 0130 35 10	01820 JSR FLASH ;FLASH CURSOR 01830 PULS X ;GET X
		00930 *ENABLE THE ROUTINE 00940 *	0132 8D 05 0134 27 02	01840 GKEY1 BSR GKEY2 ;SEEK KEY 01850 BEQ KEPCUR ;IF=0,KEEP CURSOR
005E AE 0062 8C	8D 059B FFFF	00940 * 00950 HOOK LDX 1+RETBAS,PCR ;IS THE 00960 CMPX #65535 ;HOOK IN EFFECT? 00970 BNE UNHOOK ;YES,UNHOOK IT 00980 LDA INPVEC ;GET JMP COMMAND 00990 STA RETBAS,PCR ;COPY IT 01000 LDX INPVEC+1 ;GET MEMORY LOC	0136 8D 13 0138 39	01860 BSR ERCUR ; ERASE CURSOR 01870 KEPCUR RTS ; RETURN KEYPRESS
0065 26 0067 B6	16 016A	00970 BNE UNHOOK ;YES,UNHOOK IT 00980 LDA INPVEC ;GET JHP COMMAND	0139 34 20 013B AD 9F A000	01880 GKEY2 PSHS Y ;SAVE Y 01890 JSR >[POLCAT] ;SEEK KEYPRESS
006A A7 006E BE 0071 AF	016B 8D 0588	00990 STA RETBAS,PCR ;COPY IT 01000 LDX INPVEC+1 ;GET MEMORY LOC	013F 35 20 0141 39	01900 PULS Y ; RESTORE Y 01910 RTS ; RETURN KEYSCAN CONDITION 01920 *
0075 30 0079 BF	8D 0116 016B	01010 STX 1+RETBAS,PCR; COPY IT 01020 LEAX CHECK,PCR; GET PROG START 01030 STX INPVEC+1; PLUG INTO BASIC		01930 *SPECIAL CURSOR SEND/ERASE 01940 *
007C 39	0100	01040 RTS ;HOOK COMPLETED 01050 *	0142 E6 8D FEF2 0146 E7 9F 0088	01950 SENCUR LDB EXCCUR, PCR; GET CURS 01960 SENCC STB [VIDPOS]; ON SCREEN
		01060 *DISABLE THE ROUTINE 01070 *	014A 39 014B C6 60	01970 RTS ;RETURN 01980 ERCUR LDB #96 ;GET SCREEN BLANK
007D AE 0081 BF	8D 057C 016B	01090 STX INPVEC+1 ; SET NORMAL BASIC	014D 20 F7	01990 BRA SENCC ;ERASE CURSOR 02000 *
0084 30 0088 86	FF	01100 LEAX 1+RETBAS, PCR ; GET RET LOC 01110 LDA #255 ; RESET HOOK INDICATOR	014F A6 8D FEF8	02010 *AUTO KEY REPEAT ROUTINE 02020 *
008A A7 008C A7 008E 39	84 01	01120 STA ,X ;STORE ONE 01130 STA 1,X ;AND THE OTHER 01140 RTS ;UNHOOK COMPLETED	0153 A1 8D FEDF	02030 TRYREP LDA REPEAT,PCR ;CHECK IT 02040 CMPA REPKEY,PCR ;REPEAT ON? 02050 BNE TR3 ;NO MATCH=NO REPEAT
0001 37		01150 * 01160 *ROUTINE TO EDIT BASIC STRINGS	0159 A6 8D FEED 015D 27 13	02060 LDA CURKEY,PCR ;FETCH KEYVALUE 02070 BEQ TR3 ;IF NULL,REJECT IT
008F 10AE	8C BC	01170 * 01180 GETVAR LDY VLOC,PCR ;BAS VARPTR	015F 8D E1 0161 5F	02080 BSR SENCUR ;SEND CURSOR 02090 CLRB ;SET REPEAT TIMER
0093 8E 0096 5F	02DD	01190 LDX #BSTART ;GET BUFFER START 01200 CLRB ;SET COUNTER	0162 8D BB 0164 26 OC	02100 TR2 BSR GKEY ; SEEK KEYPRESS 02110 BNE TR3 ; IF PRESSED, REPEAT OFF
0097 6D 009A 27	8C B4 0E	01210 TST VARLEN,PCR; NULL STRING? 01220 BEQ NTS; YES,NOTHING TO SEND	0166 5C 0167 E1 8D FED0	02120 INCB ;UPDATE TIMER 02130 CMPB RSPEED,PCR ;TIME ELAPSED?
009C A6 009E A7	A0 80	01230 GET1 LDA ,Y+ ;GET VARIABLE 01240 STA ,X+ ;PUT INTO BUFFER	016B 25 F5 016D A6 8D FED9	02140 BLO TR2; LOOP RSPEED TIMES 02150 LDA CURREY, PCR; GET KEYVALUE
00A0 AD 00A4 5C	9F A002	01250 JSR >[CHROUT] ;SEND TO SCREEN 01260 INCB ;UPDATE COUNTER	0171 39 0172 6F 8D FED5 0176 8D A7	02160 RTS ;SEND KEYVALUE 02170 TR3 CLR REPEAT,PCR ;STOP REPEAT 02180 BSR GKEY ;SEEK NEW KEYPRESS
00A5 E1 00A8 25 00AA 5C	F2	01280 BLO GETI ;CONTINUE 01290 NTS INCR -BUFFER SIZE FOR ROM	0178 27 OA 017A A1 8D FEB8	02190 BEQ TR4 ; IF NO KEY, RETURN
OOAB E7 OOAE OF	8C A3	01300 STB BUFCNT, PCR ;SAVE IT 01310 GET2 CLR DEVNUM ;KEYBOARD INPUT	017E 27 05 0180 A7 8D FEC6	02210 BEQ TR5 ;YES,TRY IT 02220 STA CURKEY,PCR ;NEW KEYVALUE
00B0 OF 00B2 BD	70 A39A	01140 KIS ; ONHOOK COMPLETED 01150 * 01160 *ROUTINE TO EDIT BASIC STRINGS 01170 * 01180 GETVAR LDY VLOC, PCR ; BAS VARPTR 01190 LDX #BSTART ; GET BUFFER START 01200 CLRB ; SET COUNTER 01210 TST VARLEN, PCR ; NULL STRING? 01220 BEQ NTS ; YES, NOTHING TO SEND 01230 GETI LDA ,Y+ ; GET VARIABLE 01240 STA ,X+ ; PUT INTO BUFFER 01250 JSR >[CHROUT] ; SEND TO SCREEN 01260 INCB ; UPDATE COUNTER 01270 CMPB VARLEN, PCR ; ALL SENT? 01280 BLO GETI ; CONTINUE 01290 NTS INCB ; BUFFER SIZE FOR ROM 01300 STB BUFCNT, PCR ; SAVE IT 01310 GET2 CLR DEVNUM ; KEYBOARD INPUT 01320 CLR IOBUFF ; CLEAR I/O BUFFER 01330 JSR INPUT ; EVOKE ROM INPUT 01340 LEAU ASKU, PCR ; GET PROMPT 01350 LBSR SENPRO ; SEND IT	0184 39 0185 8D 4B	02230 TR4 RTS ;SEND KEYPRESS VALUE 02240 TR5 BSR CHKMAS ;REPEAT MASKED?
00B5 33 00B9 17	8D FF47 0298	01340 LEAU ASKU,PCR;GET PROMPT 01350 LBSR SENPRO;SEND IT 01360 GET3 BSR GKEY;SEEK KEYPRESS 01370 BEQ GET3;CONT TILL PRESSED	0187 26 E9 0189 A7 8D FEBE	02250 BNE TR3 ; IF SO, SEEK ANOTHER 02260 STA REPEAT, PCR ; REPEAT ON
00BC 8D 00BE 27	FC	01360 GET3 BSR GKEY ; SEEK KEYPRESS 01370 BEQ GET3 ; CONT TILL PRESSED	018D 20 CO	02270 BRA TRYREP ; REACTIVATE LOOP 02280 * 02290 *IF IN STANDARD KEYBOARD INPUT
00C0 17 00C3 34 00C5 17	02	01390 PSHS A ;SAVE THE KEYPRESS		02300 *MODE, PROCESS INPUT VALUES 02310 *
00C8 35 00CA E6	02 8C 84	01410 PULS A ;GET THE KEYPRESS 01420 LDB BUFCNT,PCR ;GET #CHARS	018F 0D 6F 0191 1026 0467	02320 CHECK TST DEVNUM ;DEVICE=0? 02330 LBNE RETBAS ;IF NOT,ABORT
00CD 81 00CF 27	47 2A	01430 CMPA #'G ;IS STRING GOOD? 01440 BEQ GIVVAR ;YES,SEND TO BASIC	0195 OF 70 0197 6F 8D FEAB	02340 CLR IOBUFF ; CLR I/O BUFF 02350 CLR EXCHAN, PCR ; NO EXCHANGE
00D1 AE 00D5 EE	8D FF65	01450 LDX TMPX,PCR ;GET X REGISTER 01460 LDU OLDVID,PCR ;GET OLD VIDEO	019B DE 88 019D EF 8D FE9D 01A1 E7 8D FEAC	02360 LDU VIDPOS ;GET VIDEO POSITION 02370 STU OLDVID,PCR ;SAVE FOR LATER 02380 STB BUFCNT,PCR ;SAVE CHR COUNT
00D9 1183 00DD 25 00DF 33	03 C8 F0	01470 CAPU #SCROPO ;SCREEN SCROLLI 01480 BLO GET4 ;NO, IT DID NOT 01490 LEAU - 32 H - BACK HP 1 J.INE	01A5 6D 8D FEA4 01A9 1026 00F3	02390 TST LTBCNT, PCR ;LEFT TAB? 02400 LBNE SALTAB ;YES, SATISFY IT
00E2 DF 00E4 81	88 41	01500 GET4 STU VIDPOS ;SET CUR VIDEO 01510 CMPA #'A ;EDIT ORIGINAL AGAIN?	01AD 6D 8D FE9B 01B1 1026 00F3	02410 TST RTBCNT, PCR ; RIGHT TAB? 02420 LBNE SARTAB ; YES, SATISFY IT
00E6 27 00E8 20	02 C4	01520 BEQ GETORG ;YES,GET ORIGINAL 01530 BRA GET2 ;EDIT CURRENT STRING	01B5 AC 8D FE89 01B9 26 04	02430 CMPX TMPX,PCR ; CURSOR FROZEN? 02440 BNE CHECK1 ;NO,ALLOW REPEAT
00EA E6 00EE 5A	8D FF63	01540 GETORG LDB BUFCNT, PCR ;GET BUFF 01550 DECB ;ADJUST TO TRUE LENGTH	01BB 6F 8D FE8B 01BF 8D 8E	02450 CLR CURKEY,PCR ;REPEAT OFF 02460 CHECK1 BSR TRYREP ;KEYSCAN 02470 BEQ CHECK1 ;CONT TILL KEYPRESS
00EF 5D 00F0 27 00F2 E7	9D 8D FF5C	01570 BEQ GETVAR ;YES,CAN'T ERASE 01580 STB BKUCHT PCR :SET COUNTER	01C3 8D 86 01C5 8D 0B	02480 BSR ERCUR ;ERASE CURSOR 02490 BSR CHKMAS ;IS KEY MASKED?
00F6 17 00F9 20	0270 94	01590 LBSR BKUP ; ERASE THE STRING 01600 BRA GETVAR ;GET THE ORIGINAL	01C7 27 1C 01C9 A1 8D FE68	02500 BEQ CHFCON ; IF=0, NOT MASKED 02510 CMPA CONKEY, PCR ; CNTRL MASKED?
00FB 8E 00FE 10AE	02DD 8D FF4C	01610 GIVVAR LDX #BSTART ;BUFF START 01620 LDY VLOC,PCR ;BASIC VARPTR	01CD 27 16 01CF 16 00E6	02520 BEQ CHFCON ;ALLOW UNMASK 02530 LBRA HIDKEY ;HIDE MASKED KEY
0103 E7 0107 C6 0109 E1	8D FF47	01360 GET3 BSR GKEY; SEEK KEYPRESS 01370 BEQ GET3; CONT TILL PRESSED 01380 LBSR MAKCAP; CONVERT TO CAPS 01390 PSHS A; SAVE THE KEYPRESS 01400 LBSR BKUP; ERASE PROMPT 01410 PULS A; GET THE KEYPRESS 01420 LDB BUFCNT, PCR; GET #CHARS 01430 CHPA #'G; IS STRING GOOD? 01440 BEQ GIVVAR; YES, SEND TO BASIC 01450 LDX THPX, PCR; GET X REGISTER 01460 LDU OLDVID, PCR; GET OLD VIDEO 01470 CMPU #SCROPO; SCREEN SCROLL? 01480 BLO GET4; NO, IT DID NOT 01490 LEAU -32, U; BACK UP 1 LINE 01500 GET4 STU VIDPOS; SET CUR VIDEO 01510 CMPA #'A; EDIT ORIGINAL AGAIN? 01520 BEQ GETORG; YES, GET ORIGINAL 01530 BRA GET2; EDIT CURRENT STRING 01540 GETORG LDB BUFCNT, PCR; GET BUFF 01550 DECB; ADJUST TO TRUE LENGTH 01560 TSTB; LENCTH=0? 01570 BEQ GETVAR; YES, CAN'T ERASE 01580 STB BKUCNT, PCR; SET COUNTER 01590 LBSR BKUP; ERASE THE ORIGINAL 01610 GIVVAR LDX #BSTART; BUFF START 01620 LDY VLOC, PCR; BASIC VARPTR 01630 STB VARLEN, PCR; SET LENGTH 01640 LDB #1; SET COUNTER 01650 CMPB VARLEN, PCR; ANY CHARS? 01660 BEQ NTG; IF NOT, NONE TO GIVE		02540 * 02550 *SEE IF KEYPRESS IS MASKED 02560 *
010D 27 010F A6	0B 80	01640 LDB #1 ;SET COUNTER 01650 CMPB VARLEN,PCR ;ANY CHARS? 01660 BEQ NTG ;IF NOT,NONE TO GIVE 01670 GIV1 LDA ,X+ ;GET CHAR 01680 STA ,Y+ ;PUT INTO VARIABLE 01690 INCB ;UPDATE COUNTER	01D6 E6 C4	02570 CHKMAS LEAU MASK,PCR ;GET TABLE 02580 CHKMA1 LDB ,U ;GET MASK VALUE
0111 A7 0113 5C	A0	01680 STA ,Y+ ;PUT INTO VARIABLE 01690 INCB ;UPDATE COUNTER	01D8 C1 FF 01DA 27 06	02590 CMPB #255 ;AT END OF LIST? 02600 BEQ NOMSK ;NO MASK FOUND

OIDC	Al	C0	02610 CMPA ,U+ ;CHECK FOR MATCH	
OIDE	27	03	02620 BEQ MASCHK ; THE KEY IS MASKED	02620
01E0	20	F4	02630 BRA CHKMA1 ; CHECK EACH LOC	02630
01E2	5F		02640 NOMSK CLRB ;SET NO MASK COND	02640
01E3			02650 MASCHK TSTB ;SET CC	02650
01E4	39		02660 RTS ; RETURN RESULTS	02660
	-		02670 *	02670
			02680 *PROCESS THE KEYPRESS	02680
			02690 *	02690
01E5	A1	8D FE4C	02700 CHFCON CMPA CONKEY, PCR ; CNTRL?	02700
01E9	2.7	26	02710 BEQ PCKEY ; PROCESS CONTROL KEY	02710
OLEB	81	09	02720 CMPA #9 ; RIGHT ARROW?	02720
O1ED	26	02	02730 BNE CHF1 ; IF NOT, DON'T CONVERT	02730
01EF	86	20	02740 LDA #32 ; CONVERT TO BLANK	02740
01F1	17	03DA	02750 CHF1 LBSR GNCHRS ;GET #OF CHARS	02750
01F4	E1	8D FE3C	02760 CMPB BUFLIM, PCR ; AT LIMIT?	
01F8	1025	OOBD	02770 LBLO SENKEY ; WE HAVE ROOM	
01FC	El	8D FE51	02780 CMPB BUFCNT, PCR ; IN LINE EDIT?	02780
0200	27	06	02790 BEQ CHF2 ; IF COUNTS MATCH, NO	
0202	81	08	02800 CMPA #8 ; IS IT BACKSPACE?	02800
0204	1026	00B0	02810 LBNE HIDKEY ; MUST BE BACKSPACE	
0208	81	20	02820 CHF2 CMPA #32 ;ADD TO BUFFER?	02820
020A	1025	OOAB	02830 LBLO SENKEY ; IF NOT, SEND IT	02830
020E	16	00A7	02840 LBRA HIDKEY ; NO ROOM, HIDE IT	02840
			02850 *	
			02860 *PROCESS CONTROL KEY REQUEST	02860
			02870 *	
0211	6F	8D 03EA	02880 PCKEY CLR BOTTOM, PCR ; SET COUNT	
0215		8D FELE	02890 LDB CONCUR, PCR ; CONTROL CURSOR	
0219		FF2A	02900 LBSR SENCC ; SEND IT	
021C		03D1	02910 GNK1 LBSR TIMER ;UPDATE TIMER	
021F		06	02920 BEQ ECURS ;TIME TO ERASE	
0221		FF	02930 CMPB #255 ;TIME FOR CHANGE?	
0223		EC	02940 BEQ PCKEY ; YES, START OVER	
0225	1,000	03	02950 BRA GNK2 ; SEEK KEYPRESS	
0227		FF21	02960 ECURS LBSR ERCUR ; ERASE CURSOR	
022A		FF05	02970 GNK2 LBSR GKEY1 ;SEEK KEY	
022D		ED	02980 BEQ GNK1 ; CONT TILL KEYPRESS	
022F		8D FE17	02990 CLR CURKEY, PCR ; REPEAT OFF	
0233		0391	03000 LBSR MAKCAP ; CONVERT TO CAPS	
0236		55	03010 CMPA #'U ;UNMASK?	
		0094	03020 LBEQ UNSMSK ; IF SO, ALLOW IT	
023C		94	03030 BSR CHKMAS ; CHECK FOR MASK	
023E	27	02	03040 BEQ GCVAL ;IF=0,NOT MASKED	03040

#### ENHANCED, EPROM-ABLE DISK BASIC

Now, you can supercharge Basic with an impressive array of extra features WiTHOUT sacrificing compatibility! ADOS is compatible with virtually 100% of commercial software. Customizing utilities are provided to allow user-defined command abbreviations, baud rate, step rate, tracks per disk (35 or 40), support of obuble-sided drives, and more. After customizing ADOS, you can have it burned into an EPROM that plugs into the Disk Basic ROM socket, or just use it in RAM as a 64K disk utility. IEPROM + burning will cost about \$20-we provide information concerning how you can have this done.) Features include: \*repeat and edit of the last direct-mode command \* 26 definable control-key abbreviations \* automatic line-number prompts \* DOS command \* lowercase command entry (a fine complement to a Lowerkit or PBJ WordPak) \* COPY (filename) to (drive number) \* AE error override option \* RAM command (64K) \* RUMM command \* lext echoing to printer \* ML monitor \* text file scan \* enhanced directory \* error trapping \* hi-res text utility monitor • text file scan • enhanced directory • error trapping • hi-res text utility included (42, 51, or 64 characters per line)

"I could not find any software that would not run under ADOS."

The Rainbow, December 1984
"ADOS scores 98 + . For a product as complex as a DOS, that's pretty close to the theoretical limit...Having been burned on software which didn't mesh with Disk Basic 1.1, I was wary at first. Now, I use ADOS with complete confidence."

Color Micro Journal, February 1985

#### THE PEEPER ML PROGRAM TRACER

Monitor machine-language programs AS THEY ARE RUNNING! Peeper actually timeshares with the target program, giving FULL CONTROL as ML programs run. Switch instantly between watching regular program output and Peeper's trace of registers and stack on screen or printer. Inspect memory in any of 26 display modes. Execution speed can be varied from full speed to the barest crawl, or halted entirely, as programs run. Single-steepping, breakpoints, memory or register examine/change. Relicocatable, supports 64K use. (16K required)
Disk. . \$23.95 Tape . . \$21.95 Assembler source listing . . Add 3.00

#### FASTAPE THE NEXT BEST THING TO A DISK DRIVE

Fastape allows cassette I/O at 3000 baud-TWICE NORMAL SPEED. It uses the high-Fastape allows cassette I/O at 3000 baud-TWICE NORMAL SPEED. It uses the high-speed (POKE 65495,0) mode, and makes it convenient to stay in this mode throughout. Features automatic adjustment of cassette and printer parameters when speed mode is changed. Control-key functions for many Basic commands and for changing speed modes. Compatible with all file types, and can be used with Telewriter-84 and many other tape utilities. Tape. . .\$21.95 (16K required)

11111 N. Kendall Drive, Suite A108 Miami, Florida 33176 (305) 274-3899 CompuServe 72355,407 SPECTROSYSTEMS Please add \$2.00 shipping

0240	20	76	03050	BRA HIDKEY ;HIDE MASKED KEY
0242		02		GCVAL PSHS A ;SAVE THE KEYPRESS
0244		8D FDED	03070	
0248		88	03080	
024A		02	03090	도면 사람들이 하면 가는 사람이 되면 바로 바로 보고 있다. 그리고 있는 것은 그는 것은 것이 없었다. 그리고 있는 것은
024C	27	02	03100	BEQ FULOPT ; ALLOW FULL OPTIONS
024E	20	68	03110	BRA HIDKEY ; CONTROL WAS MASKED
			03120	*
				*PROCESS CONTROL KEY OPTIONS
			03140	
0250	0.1	t n		
0250		4D		FULOPT CMPA #'M ;MASK A KEY?
	1027		03160	LBEQ SETMAS ; SET MASK VALUE
0256	81	58	03170	CMPA #'X ; EXCHANGE REQUEST?
0258	1027	01C4	03180	LBEQ EXCHAR ; TRY EXCHANGE CHAR
025C	33	8D FDA7	03190	LEAU BUFPRO, PCR ; GET PROMPT
0260		42	03200	
	1027		03210	LBEQ SETBUF ;YES
		8D FDA3	03210	
0266				
026A		4C	03230	
	1027		03240	
0270		8D FDA7	03250	
0274		52	03260	CMPA #'R ;SET RIGHT TAB?
0276	1027	00B7	03270	
027A	33	8D FDA4	03280	LEAU RSPPRO, PCR ; GET PROMPT
027E	81	53	03290	
0280	1027	00B6	03300	LBEQ SETREP ; YES
0284		08	03310	
0286		0A	03320	BNE CFRTAB ; NO, CHECK FOR RIGHT
0288			03330	
		8D FDAD		LDB LTBSIZ, PCR ;GET LEFT TAB
028C		8D FDBD	03340	STB LTBCNT, PCR ; SET COUNT
0290		0E	03350	BRA SALTAB ;SEND LEFT TAB
0292		09		CFRTAB CMPA #9 ;SEND RIGHT TAB?
0294	26	22	03370	BNE HIDKEY ; HIDE UNUSABLE KEY
0296	E6	8D FDA0	03380	LDB RTBSIZ, PCR ; GET RIGHT TAB
029A	E7	8D FDAE	03390	
029E		08	03400	
02A0		08		SALTAB LDA #8 ;GET BACKSPACE
02A2			03420	
		8D FDA7		
02A6		11	03430	BRA SENKEY ; SEND THE BACKSPACE
02A8		20		SARTAB LDA #32 ;GET BLANK
02AA		8D FD9E	03450	
02AE	17	031D	03460	LBSR GNCHRS ;GET #OF CHARS
02B1	5C		03470	
02B2	E1	8D FD7E	03480	CMPB BUFLIM, PCR ; AT LIMIT?
02B6	23	01	03490	BLS SENKEY ; SEND THE BLANK
			03500	
				*SEND VALUES TO THE ROM ROUTINE
			03520	
02B8	46			HIDKEY CLRA ; HIDE THE KEY
0289		8D FD94		
				SENKEY LDB BUFCNT, PCR ; GET CNT
02BD		1 F	03550	CMPA #31 ;REPEATABLE KEY?
02BF		08	03560	
02C1		08	03570	
02C3		04	03580	
02C5	6F	8D FD81	03590	CLR CURKEY, PCR ; NO REPEAT
02C9	AF	8D FD75	03600	SENK1 STX TMPX, PCR ; COPY X
02CD	32	64	03610	LEAS 4,S ;CLEAR 2 RTS'S
02CF	39		03620	RTS ; MAKE BASIC PROCESS KEY
			03630	
				*UNMASK A KEYBOARD CHAR
			03650	
0250	22	an page		
02D0		8D FD56		UNSMSK LEAU UNMPRO, PCR ; PROMPT
02D4		7E	03670	
02D6		FE46		UNM1 LBSR GKEY ;GET KEY
02D9		FB	03690	BEQ UNM1 ; MUST HAVE KEY
02DB	33	8D FD74	03700	LEAU MASK, PCR ; GET TABLE START
02DF	E6	C4		FINMAS LDB .U :GET MASK VALUE
02E1		FF	03720	CMPB #255 ;AT LIST END?
02E3		2D		BEQ MASDON ;UNMASK COMPLETE
02E5		C4		CMPA ,U ;MASK MATCH?
02E3		04	03740	BEQ FOUMSK ; IF SO, UNMASK IT
		41	03730	TEAH 1 H ANDYM MACK DOCUMENT
02E9		41		LEAU 1,U ; NEXT MASK POSITION
				BRA FINMAS ; CHECK ALL LOCS
02EB	20	F2		BOUDIOU OF B INDICATE
02ED	20 6F	F2 C4	03780	FOUMSK CLR ,U ;UNMASK THE KEY
	20 6F	F2	03780 03790	BRA MASDON ; UNMASK IS DONE
02ED	20 6F	F2 C4	03780 03790 03800	BRA MASDON ;UNMASK IS DONE
02ED	20 6F	F2 C4	03780 03790 03800 03810	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM
02ED 02EF	20 6F 20	F2 C4 21	03780 03790 03800 03810 03820	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM *
02ED 02EF 02F1	20 6F 20	F2 C4	03780 03790 03800 03810 03820	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM
02ED 02EF	20 6F 20	F2 C4 21	03780 03790 03800 03810 03820 03830	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM *
02ED 02EF 02F1	20 6F 20 33 8D	F2 C4 21 8D FD1F	03780 03790 03800 03810 03820 03830 03840	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM  * SETMAS LEAU MASPRO,PCR ;PROMPT
02ED 02EF 02F1 02F5 02F7	20 6F 20 33 8D 17	F2 C4 21 8D FD1F 5D	03780 03790 03800 03810 03820 03830 03840	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM  * SETHAS LEAU MASPRO,PCR ;PROMPT BSR SENPRO ;SEND PROMPT SET1 LBSR GKEY ;SEEK MASK VALUE
02ED 02EF 02F1 02F5 02F7 02FA	20 6F 20 33 8D 17 27	F2 C4 21 8D FD1F 5D FE25 FB	03780 03790 03800 03810 03820 03830 03840 03850 03860	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM  * SETHAS LEAU MASPRO,PCR ;PROMPT BSR SENPRO ;SEND PROMPT SET1 LBSR GKEY ;SEEK MASK VALUE BEQ SET1 ;MUST HAVE KEY
02ED 02EF 02F1 02F5 02F7 02FA 02FC	20 6F 20 33 8D 17 27 33	F2 C4 21 8D FD1F 5D FE25 FB 8D FD53	03780 03790 03800 03810 03820 03830 03840 03850 03860 03870	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM  * SETHAS LEAU MASPRO,PCR ;PROMPT BSR SENPRO ;SEND PROMPT SET1 LBSR GKEY ;SEEK MASK VALUE BEQ SET1 ;MUST HAVE KEY LEAU MASK,PCR ;GET TABLE START
02ED 02EF 02F1 02F5 02F7 02FA 02FC 0300	20 6F 20 33 8D 17 27 33 E6	F2 C4 21 8D FD1F 5D FE25 FB 8D FD53 C4	03780 03790 03800 03810 03820 03830 03840 03850 03860 03870 03880	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM  * SETHAS LEAU MASPRO,PCR ;PROMPT BSR SENPRO ;SEND PROMPT SETI LBSR GKEY ;SEEK MASK VALUE BEQ SETI ;MUST HAVE KEY LEAU MASK,PCR ;GET TABLE START FINFRE LDB ,U ;SEEK FREE BYTE
02ED 02EF 02F1 02F5 02F7 02FA 02FC 0300 0302	20 6F 20 33 8D 17 27 33 E6 C1	F2 C4 21 8D FD1F 5D FE25 FB 8D FD53 C4 FF	03780 03790 03800 03810 03820 03830 03840 03850 03860 03870 03880 03890	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM  * SETHAS LEAU MASPRO,PCR ;PROMPT BSR SENPRO ;SEND PROMPT SETI LBSR GKEY ;SEEK MASK VALUE BEQ SETI ;MUST HAVE KEY LEAU MASK,PCR ;GET TABLE START FINFRE LDB ,U ;SEEK FREE BYTE CMPB #255 ;AT LIST END?
02ED 02EF 02F1 02F5 02F7 02FA 02FC 0300 0302 0304	20 6F 20 33 8D 17 27 33 E6 C1 27	F2 C4 21 8D FD1F 5D FE25 FB 8D FD53 C4 FF OC	03780 03790 03800 03810 03820 03830 03840 03850 03860 03870 03880 03890	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM  * SETHAS LEAU MASPRO,PCR ;PROMPT BSR SENPRO ;SEND PROMPT SETI LBSR GKEY ;SEEK MASK VALUE BEQ SETI ;MUST HAVE KEY LEAU MASK,PCR ;GET TABLE START FINFRE LDB ,U ;SEEK FREE BYTE CMPB #255 ;AT LIST END? BEQ MASDON ;NO MORE ROOM
02ED 02EF 02F1 02F5 02F7 02FA 02FC 0300 0302 0304 0306	20 6F 20 33 8D 17 27 33 E6 C1 27 A1	F2 C4 21 8D FD1F 5D FE25 FB 8D FD53 C4 FF OC C4	03780 03790 03800 03810 03820 03830 03840 03850 03860 03860 03870 03880 03890 03910	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM  * SETHAS LEAU MASPRO,PCR ;PROMPT BSR SENPRO ;SEND PROHPT SET1 LBSR GKEY ;SEEK MASK VALUE BEQ SET1 ;MUST HAVE KEY LEAU MASK,PCR ;GET TABLE START FINRE LDB ,U ;SEEK FREE BYTE CMPB #255 ;AT LIST END? BEQ MASDON ;NO MORE ROOM CMPA ,U ;ALREADY MASKED?
02ED 02EF 02F1 02F5 02F7 02FA 02FC 0300 0302 0304 0306 0308	20 6F 20 33 8D 17 27 33 E6 C1 27 A1 27	F2 C4 21 8D FD1F 5D FE25 FB 8D FD53 C4 FF OC C4 08	03780 03790 03800 03810 03820 03830 03840 03850 03860 03870 03880 03890 03900 03910	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM  * SETHAS LEAU MASPRO,PCR ;PROMPT BSR SENPRO ;SEND PROMPT SET1 LBSR GKEY ;SEEK MASK VALUE BEQ SET1 ;MUST HAVE KEY LEAU MASK,PCR ;GET TABLE START FINFRE LDB ,U ;SEEK FREE BYTE CMPB #255 ;AT LIST END? BEQ MASDON ;NO MORE ROOM CMPA ,U ;ALREADY MASKED? BEQ MASDON ;IF YES,WE'RE DONE
02ED 02EF 02F1 02F5 02F7 02FA 03CP 0300 0302 0304 0308 0308	20 6F 20 33 8D 17 27 33 E6 C1 27 A1 27 6D	F2 C4 21 8D FD1F 5D FE25 FB 8D FD53 C4 FF OC C4 08 C4	03780 03790 03800 03810 03820 03830 03840 03850 03860 03870 03880 03900 03910 03920 03930	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM  * SETHAS LEAU MASPRO,PCR ;PROMPT BSR SENPRO ;SEND PROMPT SETI LBSR GKEY ;SEEK MASK VALUE BEQ SETI ;MUST HAVE KEY LEAU MASK,PCR ;GET TABLE START FINFRE LDB ,U ;SEEK FREE BYTE CMPB #255 ;AT LIST END? BEQ MASDON ;NO MORE ROOM CMPA ,U ;ALREADY MASKED? BEQ MASDON ;IF YES,WE'RE DONE TST ,U ;FREE BYTE?
02ED 02EF 02F1 02F5 02F7 02FA 0300 0302 0304 0308 0308 0308 0300	20 6F 20 33 8D 17 27 33 E6 C1 27 A1 27 6D 27	F2 C4 21 8D FD1F 5D FE25 FB 8D FD53 C4 FF OC C4 08 C4 08	03780 03790 03800 03810 03820 03830 03840 03850 03860 03870 03880 03990 03910 03920 03930 03940	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM  * SETHAS LEAU MASPRO,PCR ;PROMPT BSR SENPRO ;SEND PROMPT SET1 LBSR GKEY ;SEEK MASK VALUE BEQ SET1 ;MUST HAVE KEY LEAU MASK,PCR ;GET TABLE START FINFRE LDB, U ;SEEK FREE BYTE CMPB #255 ;AT LIST END? BEQ MASDON ;NO MORE ROOM CMPA ,U ;ALREADY MASKED? BEQ MASDON ;IF YES,WE'RE DONE TST ,U ;FREE BYTE? BEQ GOTFRE ;IF SO,USE IT
02ED 02EF 02F1 02F5 02F7 02FA 03CP 0300 0302 0304 0308 0308	20 6F 20 33 8D 17 27 33 E6 C1 27 A1 27 6D 27	F2 C4 21 8D FD1F 5D FE25 FB 8D FD53 C4 FF OC C4 08 C4	03780 03790 03800 03810 03820 03830 03840 03850 03860 03870 03880 03990 03910 03920 03930 03940	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM  * SETHAS LEAU MASPRO,PCR ;PROMPT BSR SENPRO ;SEND PROMPT SETI LBSR GKEY ;SEEK MASK VALUE BEQ SETI ;MUST HAVE KEY LEAU MASK,PCR ;GET TABLE START FINFRE LDB ,U ;SEEK FREE BYTE CMPB #255 ;AT LIST END? BEQ MASDON ;NO MORE ROOM CMPA ,U ;ALREADY MASKED? BEQ MASDON ;IF YES,WE'RE DONE TST ,U ;FREE BYTE?
02ED 02EF 02F1 02F5 02F7 02FA 0300 0302 0304 0308 0308 0308 0300	20 6F 20 33 8D 17 27 33 E6 C1 27 A1 27 6D 27	F2 C4 21 8D FD1F 5D FE25 FB 8D FD53 C4 FF OC C4 08 C4 08	03780 03790 03800 03810 03820 03830 03840 03850 03860 03870 03880 03990 03910 03920 03930 03940	BRA MASDON ;UNMASK IS DONE  * *MASK A KEYBOARD CHAR, IF ROOM  * SETHAS LEAU MASPRO,PCR ;PROMPT BSR SENPRO ;SEND PROMPT SET1 LBSR GKEY ;SEEK MASK VALUE BEQ SET1 ;MUST HAVE KEY LEAU MASK,PCR ;GET TABLE START FINFRE LDB, U ;SEEK FREE BYTE CMPB #255 ;AT LIST END? BEQ MASDON ;NO MORE ROOM CMPA ,U ;ALREADY MASKED? BEQ MASDON ;IF YES,WE'RE DONE TST ,U ;FREE BYTE? BEQ GOTFRE ;IF SO,USE IT

0310 20	EE	03960 BRA FINFRE ; CONTINUE ATTEMPT	03C2 39	OARRO ATMIAT DEC -DETURN HALLES TO D
0312 8D	55	03970 MASDON BSR BKUP ; REMOVE PROMPT	03C3 8D A4	04880 ATMVAL RTS ;RETURN VALUE IN B 04890 GN3 BSR BKUP ;ERASE PROMPT
0314 20	A2	03980 BRA HIDKEY ;HIDE CURRENT KEY	03C5 32 62	04900 GN4 LEAS 2,S ;REMOVE 1 RTS
0316 A7	CO	03990 GOTFRE STA ,U+ ;SET THE MASK	03C7 16 FEEE	04910 LBRA HIDKEY ;HIDE THE KEYPRESS
0318 20	C5	04000 BRA FINMAS ;NO DUPLICATIONS 04010 *		04920 *
		04010 * 04020 *SET NEW BUFFER LIMIT		04930 *COMPUTE VALUE FOR SET REQUEST
		0/020 +		04940 *
031A 8D	5A	04030 * 04040 SETBUF BSR GNO ;GET BUFFER LIM 04050 CMPB MAXBUF,PCR ;AT MAX? 04060 BEQ SETB1 ;YES,CAN'T ADJUST 04070 INCB ;EXPAND TO TRUE VALUE 04080 SETB1 STB BUFLIM,PCR ;SAVE IT 04090 BRA HIDKEY ;HIDE THE KEYPRESS	03CA 80 30	04950 GVAL SUBA #48 ;MAKE INTO NUMBER
031C E1	8D FD13	04050 CMPB MAXBUF, PCR ; AT MAX?	03CC 1F 89	04960 TFR A,B ;SAVE A REGISTER
0320 27	01	04060 BEQ SETB1 ; YES, CAN'T ADJUST	O3CE 6F 8D FC6B	04970 CLR CURVAL, PCR ; VALUE=0
0322 5C		04070 INCB ; EXPAND TO TRUE VALUE	03D2 A6 8D FC72	04980 LDA TENS, PCR ;GET TENS
0323 E7	8D FDOD	04080 SETB1 STB BUFLIM, PCR ; SAVE IT	03D6 A7 8D FC6F	
0327 20	8F	04090 BRA HIDKEY ;HIDE THE KEYPRESS	03DA A6 8D FC69 03DE A7 8D FC66	
		04100 *	03E2 E7 8D FC61	05020 STB UNITS, PCR ; SET NEW UNITS
		04110 *SET NEW LEFT TAB	03E6 E7 8D FC53	05030 STB CURVAL, PCR ; SAVE UNITS
0329 8D	4B	04130 SETUTE BSR CNO -CET LEFT TAB	O3EA A6 8D FC5A	05040 LDA TENS, PCR ; GET # OF TENS
032B E7	8D FDOA	04140 STB LTBSIZ.PCR :SAVE IT	O3EE C6 OA	05050 LDB #10 ;TEN MULTIPLIER
0225 20	87	04100 * 04110 *SET NEW LEFT TAB 04120 * 04130 SETLTB BSR GNO ;GET LEFT TAB 04140 STB LTBSIZ,PCR ;SAVE IT 04150 BRA HIDKEY ;HIDE THE KEYPRESS 04160 *	03F0 3D	05060 MUL ; COMPUTE TENS
		04160 *	03F1 EB 8D FC48	05070 ADDB CURVAL, PCR ; ADD TO UNITS
		04170 *SET NEW RIGHT TAB	03F3 E7 8D FC44	05080 STB CURVAL,PCR ;UPDATE VALUE 05090 LDA HUNS,PCR ;GET HUNDREDS
0001.05		04180 *	03FD 81 02	05100 CMPA #2 ;HOW MANY?
0331 8D	43	04190 SETRIB BSR GNO ;GET RIGHT TAB	03FF 22 12	05110 BHI SATMAX ;MAX OF 2 HUNDREDS
0333 E7 0337 16	FF7F	04210 IRRA HIDKEY .HIDE THE KEYPRESS	03FF 22 12 0401 25 04 0403 C1 37 0405 22 0C	05120 BLO GHUNS ; IF < 2, IT'S OK
0557 10	1112	04220 *	0403 C1 37	05130 CMPB #55 ; VALUE BE > 255?
		04230 *SET NEW REPEAT SPEED	0405 22 OC	05140 BHI SATMAX ; DON'T ALLOW IT
		04240 *	0407 C6 64	05150 GHUNS LDB #100 ;HUNDRED MUL
033A 8D	3A	04250 SETREP BSR GNO ;GET NEW SPEED	0409 3D	05160 MUL ; COMPUTE HUNDREDS
033C E7	8D FCFB	04260 STB RSPEED, PCR ; SAVE IT	040A EB 8D FC2F 040E E7 8D FC2B	
0340 16	FF75	04270 LBRA HIDKEY ; HIDE THE KEYPKESS	0412 39	05190 RTS ;RETURN WITH VALUE
		04290 *POUTTNE TO CLEAR OLD VALUES	0413 E6 8D FC1C	05200 SATMAX LDB MAXBUF, PCR ;GET MAX
		04150 BRA HIDREY; HIDE THE KETFRESS 04160 * 04170 *SET NEW RIGHT TAB 04180 * 04190 SETRTB BSR GNO; GET RIGHT TAB 04200 STB RTBSIZ, PCR; SAVE IT 04210 LBRA HIDKEY; HIDE THE KEYPRESS 04220 * 04230 *SET NEW REPEAT SPEED 04240 * 04250 SETREP BSR GNO; GET NEW SPEED 04260 STB RSPEED, PCR; SAVE IT 04270 LBRA HIDKEY; HIDE THE KEYPRESS 04280 * 04290 *ROUTINE TO CLEAR OLD VALUES 04300 CLR TENS, PCR; NO TENS 04330 CLR TENS, PCR; NO TENS 04330 CLR HUNS, PCR; NO HUNDREDS	0417 E7 8D FC22	05210 STB CURVAL, PCR ; VALUE=MAXIMUM
0343 6F	8D FD00	04310 CLRVAL CLR UNITS, PCR ; NO UNITS	041B E6 8D FC1E	05220 MXSVAL LDB CURVAL, PCR ; B=VALUE
0347 6F	8D FCFD	04320 CLR TENS, PCR ; NO TENS	041F 39	05230 RTS ; RETURN THE NUMBER
034B 6F	8D FCFA	04330 CLR HUNS, PCR ; NO HUNDREDS		05240 *
034F 6F	8D FCEA	04340 CLR CURVAL, PCR ; VALUE=0		05250 *BUFFER CHAR EXCHANGE ROUTINE
0353 39		04350 RTS ;RETURN ZERO VALUES	0420 6C 8D FC22	05260 *
		04360 *	0/0/ 17 01/7	05270 EXCHAR INC EXCHAN, PCR; FLAG IT 05280 LBSR GNCHRS; GET #CHARS
		04370 *ROUTINE TO SEND PROMPTS	0427 6F 84	05290 CLR ,X ;CLEAR END OF LINE AND
0354 6F	8D FCFA	04370 *ROUTINE TO SEND PROMPTS 04380 * 04390 SENPRO CLR BKUCNT,PCR; SET TO 0 04400 SEN1 LDA,U+; GET CHAR 04410 CMPA #255; END OF PROMPT? 04420 BEQ SEN2; IF YES,NO MORE CHARS 04430 JSR >[CHROUT]; SEND TO SCREEN 04440 INC BKUCNT,PCR; UPDATE COUNTER 04450 BRA SEN1; SEND ALL CHARS 04460 SEN2 RTS; RETURN 04470 * 04480 *ROUTINE TO ERASE PROMPTS 04490 * 04500 BKUP LDA #8; GET ERASE CHAR 04510 BKI JSR >[CHROUT]; ERASE A CHAR 04520 DEC BKUCNT,PCR; DECREASE COUNT	0429 6F 01	05300 CLR 1,X ;END OF LINE + 1
0358 A6	CO	04400 SEN1 LDA .U+ :GET CHAR	042B 7D 02DD	05310 TST BSTART ; ANYTHING TO EDIT?
035A 81	FF	04410 CMPA #255 :END OF PROMPT?	042E 1027 FE86	05320 LBEQ HIDKEY ; NO, BUFFER EMPTY
035C 27	OA	04420 BEQ SEN2 ; IF YES, NO MORE CHARS	0432 E7 8D FC1B	05330 STB BUFCNT, PCR ; SAVE COUNTER
035E AD	9F A002	04430 JSR >[CHROUT] ;SEND TO SCREEN	0436 AF 8D FC06	05340 STX EOBUF, PCR ; SET END OF BUF
0362 6C	8D FCEC	04440 INC BKUCNT, PCR ; UPDATE COUNTER	043A 34 20	05350 PSHS Y ;SAVE Y
0366 20	F0	04450 BRA SEN1 ; SEND ALL CHARS	043C 30 1F	05360 LEAX -1,X ; POINT TO LAST CHAR
0368 39		04460 SEN2 RTS ; RETURN	043E 109E 88	05370 LDY VIDPOS ;GET VIDEO POS 05380 STY OLDVID,PCR ;SAVE IT
		044/0 *	0446 31 3F	05390 LEAY -1,Y ; POINT TO LAST CHAR
		04400 *KOUTINE TO ERASE PROFITS	0448 109F 88	05400 STY VIDPOS ;SET TEMP VIDEO POS
0369 86	08	04500 BKUP LDA #8 :GET ERASE CHAR	044B 6F 8D FBFB	05400 STY VIDPOS ;SET TEMP VIDEO POS 05410 EXO CLR CURKEY,PCR ;STOP REPEAT
036B AD	9F A002	04510 BK1 JSR >[CHROUT] :ERASE A CHAR	044F 6F 8D 01AC	05420 EXI CLR BOTTOM, PCR ; SET COUNT
036F 6A	8D FCDF	04520 DEC BKUCNT, PCR ; DECREASE COUNT	0453 17 FCEC	
0373 26	F6	04530 BNE BK1 ; CONTINUE TILL 0	0436 17 0197	05440 EX2 LBSR TIMER ;UPDATE TIMER
0375 39		04540 RTS ;RETURN	0459 27 06	05450 BEQ EX3 ; SEND CURRENT CHAR
		04550 *	045B C1 FF 045D 27 F0	05460 CMPB #255 ;TIME FOR CHANGE? 05470 BEQ EX1 ;RESET COUNTER
		04560 *PROCESS SET VALUE REQUESTS 04570 *	045F 20 03	05480 BRA ED4 ;SEEK KEYPRESS
0376 8D	DC	04580 GNO BSR SENPRO ;SEND PROMPT	0461 17 014B	05490 EX3 LBSR PUTSCR ; CHAR ON SCREEN
0378 8D	C9	04590 BSR CLRVAL ; RESET VALUES	0464 17 FCE8	05500 ED4 LBSR TRYREP ;ALLOW REPEAT
037A C6	03	04600 LDB #3 ;GET MAX KEYPRESS COUNT	0467 27 ED	05510 BEQ EX2 ; MUST HAVE KEYPRESS
037C E7	8D 027F	04610 STB BOTTOM, PCR ; SET IT	0469 17 0143	05520 LBSR PUTSCR ; CHAR ON SCREEN
0380 17	FD9C	04620 GN1 LBSR GKEY ; SEEK KEYPRESS	046C AF 8D FBD2	05530 STX TMPX,PCR ;SAVE X REGISTER
0383 27	FB	04630 BEQ GN1 ;UNTIL PRESSED	0470 81 08	05540 CMPA #8 ;BACK UP?
0385 81	39	04640 CMPA #'9 ; A DIGIT?	0472 27 16 0474 81 09	05550 BEQ BKUP1 ;YES,BACK UP 1 05560 CMPA #9 ;MOVE FORWARD?
0387 22	1A	04650 BHI GN2 ;TOO BIG	0476 27 23	05570 BEQ FOI ;YES, MOVE FORWARD 1
0389 81	30	04660 CMPA #'0 ;A DIGIT?	0478 81 OC	05580 CMPA #12 ; DELETE A CHAR?
038B 25 038D 6D	16 8D 026E	04670 BLO GN2 ;TOO SMALL 04680 TST BOTTOM, PCR ;AT DIGIT LIM?	047A 1027 00AE	05590 LBEQ TRYDEL ;TRY TO DELETE
0391 27	10	04690 BEQ GN2;3 DIGITS ENTERED	047E 81 OD	05600 CMPA #13 ; DONE?
0393 6A	8D 0268	04700 DEC BOTTOM, PCR ; NEW DIGIT CNT	0480 1027 0106	05610 LBEQ EXDONE ; YES, EXCHANGE DONE
0397 AD	9F A002	04710 JSR >[CHROUT] ;SEND THE DIGIT	0484 81 20	05620 CMPA #32 ;PRINTABLE?
039B 6C	8D FCB3	04720 INC BKUCNT, PCR ; UPDATE COUNTER	0486 24 26	05630 BHS TRYINS ;YES,TRY TO INSERT
039F 8D	29	04730 BSR GVAL ; UPDATE VALUE	0488 20 C1	05640 BRA EXO ; INVALID COMMAND
03A1 20	DD	04740 BRA GN1 ;SEEK ANOTHER DIGIT		05650 * 05660 *MOVE CURSOR TO LEFT
03A3 81	03	04750 GN2 CMPA #3 ;ABORT WITH BREAK?		05670 *
03A5 27 03A7 81	1 C OD	04760 BEQ GN3 ;YES,RETAIN PREV VALS 04770 CMPA #13 ;RETURN REQUEST?	048A 8C 02DD	05680 BKUP1 CMPX #BSTART ;BUFF START?
03A7 81 03A9 26	D5	04770 CMPA #15 ;REIURN REQUEST? 04780 BNE GN1 ;IF NOT, CONTINUE	048D 27 BC	05690 BEQ EXO ; IF YES, LEFT JUSTIFIED
03AB 8D	BC	04790 BSR BKUP ;ERASE PROMPT	048F 30 1F	05700 LEAX -1,X ;BACK UP X
03AD E6	8D FC8C	04800 LDB CURVAL, PCR ; CURRENT VALUE	0491 109E 88	05710 LDY VIDPOS ;GET VIDEO POSITION
03B1 E1	8D FC87	04810 CMPB MINVAL, PCR ; IS IT>=MIN?	0494 31 3F	05720 LEAY -1,Y ;BACK IT UP
03B5 24	02	04820 BHS GODVAL ; GOOD VALUE	0496 109F 88 0499 20 B4	05730 STY VIDPOS ;UPDATE IT 05740 BRA EX1 ;CONTINUE
03B7 20	0C	04830 BRA GN4 ; RETAIN PREVIOUS VALS	0433 20 B4	05750 *
03B9 E1	8D FC76	04840 GODVAL CMPB MAXBUF, PCR ;<=MAX?		05760 *MOVE CURSOR TO RIGHT
03BD 23 03BF 5A	03	04850 BLS ATMVAL ;YES,VALUE IS OK 04860 DECB ;ADJUST TO WITHIN RANGE		05770 *
03C0 20	F7	04870 BRA GODVAL ; CONTINUE TILL GOOD	049B 109E 88	05780 FO1 LDY VIDPOS ;GET VIDEO POS
The second second second		AND THE REPORT OF THE PROPERTY OF THE PARTY		

04DB 31 21 06020 LEAY 1,Y; UDATE IT 04DD 10AF 8D FB62 06030 STY CURPOS,PCR; SAVE IT 04E2 1F 12 06040 TFR X,Y; GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA, Y+; GET A CHAR 04E6 27 23 06060 BEQ ALLMOV; IF=0, ALL MOVED 04E8 9E 88 06070 LDX VIDPOS; GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND; AT SCREEN END 04ED 25 16 06090 BLO WNSCR; CHROUT WON'T SCROLI 04EF AE 8D FB4B 06100 LDX OLDVID,PCR; GET OLD VIDEO 04F3 30 88 EO 06110 LEAX -32,X; BACK UP 1 LINE 04F6 AF 8D FB46 06130 LDX CURPOS,PCR; GET CUR POS 04FE 30 88 EO 06140 LEAX -32,X; BACK UP 1 LINE 04FA AE 8D FB46 06130 LDX CURPOS,PCR; GET CUR POS 04FE 30 88 EO 06140 LEAX -32,X; BACK UP 1 LINE 0501 AF 8D FB3F 06150 STX CURPOS,PCR; GET CUR POS 0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL 0505B 10AE 8D FB34 06180 ALLMOV LDY CURPOS,PCR; CURS POS 0510 109F 88 06190 STY VIDPOS; SET VIDEO POSITION 0513 10AE 8D FB36 06200 LDY OLDVID,PCR; GET OLD VIDEO						
04A5 27 A4 05810 BEQ EXO ;YES,REJECT 04A7 109F 88 05820 STY VIDPOS ;NEW VIDEO POS 04AA 30 01 05830 LEAX 1,X ;NEW BUFFER POINTER 05840 BEA EX1 ;CONTINUE 05850 * 05860 *INSERT A CHAR 05870 * 04AE E6 8D FB9F 05880 TRYINS LDB BUFCNT,PCR ;GET CHRS 04B2 E1 8D FB7E 05890 CMPB BUFLIM,PCR ;ANY ROOM? 04B6 24 93 05900 BHS EXO ;NO,REJECT 04B8 10AE 8D FB83 05910 LDY EOBUF,PCR ;GET END OF BUF 04B1 E6 A2 05920 MOVINB LDB ,-Y ;GET LEFT CHAR 04BF E7 21 05930 STB 1,Y ;PUT IN CURR BUF POS 04C1 10AC 8D FB7C 05940 CMPY TMPX,PCR ;Y=X? 04C6 22 F5 05950 BHI MOVINB ;REPEAT TILL Y=X 04C8 A7 84 05960 STA ,X ;INSERT THE CHAR 04CA 10AE 8D FB71 05970 LDY EOBUF,PCR ;GET END OF BUF 04CF 31 21 05980 LEAY 1,Y ;UPDATE IT 04D1 10AF 8D FB6A 05990 STY EOBUF,PCR ;SAVE IT 04D8 109E 88 06010 LDY VIDPOS ;GET VIDEO POSITION 04DB 31 21 06020 LEAY 1,Y ;UPDATE IT 04DD 10AF 8D FB62 06030 STY CURPOS,PCR ;SAVE IT 04DE A6 A0 06050 MOVONS LDA ,Y+ ;GET A CHAR 04C8 27 23 06060 BEQ ALLMOV ;IF=0,ALL MOVED 04E8 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E6 27 23 06060 BEQ ALLMOV ;IF=0,ALL MOVED 04E8 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E6 AC 05FF 06080 CMPX #SCREND ;AT SCREEN END 04EA 8C 05FF 06080 CMPX #SCREND ;AT SCREEN END 04EA AE 8D FB4B 06100 LDX OLDVID,PCR ;GET OLD VIDEO 04FA AE 8D FB4F 06130 LDX CURPOS,PCR ;GET CUR POS 04FF AB BFB4F 06100 LDX CURPOS,PCR ;GET CUR POS 04FF AB BFB4F 06100 LDX CURPOS,PCR ;GET CUR POS 04FF AB BFB4F 06100 LDX CURPOS,PCR ;GET CUR POS 04FF AB BFB4F 06100 LDX CURPOS,PCR ;GET CUR POS 04FF AB BFB4F 06100 LDX CURPOS,PCR ;GET CUR POS 04FF AB BFB4F 06100 LDX CURPOS,PCR ;GET CUR POS 04FF AB BFB4F 06100 LDX CURPOS,PCR ;GET CUR POS 04FF AB BFB4F 06100 LDX CURPOS,PCR ;GET CUR POS 04FF AB BFB4F 06100 MNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 0505 AD FB A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0510 109F 88 06190 CUPY UDPOS ;GET OLD VIDEO 0501 10AE 8D FB3F 06150 STX CURPOS,PCR ;GET OLD VIDEO	049E	31	21		05790	LEAY 1,Y ; POINT TO NEXT POS
04A7 109F 88 05820 STY VIDPOS ;NEW VIDEO POS 04AA 30 01 05830 LEAX 1,X ;NEW BUFFER POINTER 05850 * 05850 * 05850 * 05850 * 05850 * 05860 *INSERT A CHAR 05870 * 05880 TRYINS LDB BUFCNT,PCR ;GET CHRS 04B2 E1 8D FB7E 05890 CMPB BUFLIM,PCR ;ANY ROOM? 04B6 24 93 05900 BHS EXO ;NO,REJECT 04BB 10AE 8D FB83 05910 LDY EOBUF,PCR ;GET END OF BUF 04BB EF 7 21 05930 STB 1,Y ;PUT IN CURR BUF POS 04C1 10AC 8D FB7C 05940 CMPY TMPX,PCR ;Y=X? 04C6 22 F5 05950 BHI MOVINB ;REPEAT TILL Y=X 04C8 A7 84 05960 STA ,X ;INSERT THE CHAR 04CA 10AE 8D FB71 05970 LDY EOBUF,PCR ;GET END OF BUF 04C6 7 12 1 05980 LEAY 1,Y ;UPDATE IT 05980 LEAY 1,Y ;UPDATE IT 05980 LEAY 1,Y ;UPDATE IT 04D1 10AF 8D FB6A 05990 STY CURPOS ;GET VIDEO POSITION 04C6 7 2 2 3 06060 LEAY 1,Y ;UPDATE IT 04C2 IF 12 06020 LEAY 1,Y ;UPDATE IT 04C2 IF 12 06040 TFR X,Y ;GIVE X TO Y 04C4 A6 A0 06050 MOVONS LDA ,Y+ ;GET A CHAR 04EA 8C 05FF 06080 CMPX #SCREND ;AT SCREEN END 04EA 8C 05FF 06080 CMPX #SCREND ;AT SCREEN END 04FA AE 8D FB4B 06100 LDX OLDVID,PCR ;GET OLD VIDEO 04FA AE 8D FB4B 06100 LDX OLDVID,PCR ;GET CUR POS 04FE AE 8D FB4B 06100 LDX OLDVID,PCR ;GET CUR POS 04FF AB FB4F 06120 STX CURPOS,PCR ;GET CUR POS 04FF AB FB4F 06120 STX CURPOS,PCR ;GET CUR POS 04FF AB FB4F 06120 STX CURPOS,PCR ;GET CUR POS 0501 AP 8D FB3F 06150 STX CURPOS,PCR ;GET CUR POS 0510 NOX STY VIDPOS ;GET OLD VIDPO 0511 NOX STY VIDPOS ;GET CUR POS 0510 NOX STY VIDPOS ;GET OLD VIDPO 0511 NOX STY VIDPOS ;GET OLD VIDPO 051 NOX STY VIDPOS ;GET OLD VIDPO	04A0	10AC	8D	FB99	05800	CMPY OLDVID, PCR ; AT END?
04AA 30 01 05830 LEAX 1,X; NEW BUFFER POINTER 05840 BRA EX1; CONTINUE 05850 * 05860 *INSERT A CHAR 05870 * 05860 *INSERT A CHAR 05870 * 04AE E6 8D FB9F 05880 TRYINS LDB BUFCNT, PCR; GET CHRS 04B2 E1 8D FB7E 05890 CMPB BUFLIM, PCR; ANY ROOM? 04B6 24 93 05900 BHS EX0; NO, REJECT 04B8 10AE 8D FB83 05910 LDY EOBUF, PCR; GET END OF BUF 04BB 10AE 8D FB83 05910 LDY EOBUF, PCR; GET END OF BUF 04CB 10AC 8D FB7C 05930 STB 1,Y; PUT IN CURR BUF POS 04C1 10AC 8D FB7C 05940 CMPY TMPX, PCR; Y=X? 04C8 A7 84 05960 STA, X; INSERT THE CHAR 04CA 10AE 8D FB71 05970 LDY EOBUF, PCR; GET END OF BUF 04CF 31 21 05980 LEAY 1,Y; UPDATE IT 04D1 10AF 8D FB6A 05990 STY EOBUF, PCR; SAVE IT 04D6 6F A4 06000 CLR, Y; SHOW END OF LINE 04D8 109E 88 06010 LDY VIDPOS; GET VIDEO POSITION 04D8 31 21 06020 LEAY 1,Y; UPDATE IT 04DD 10AF 8D FB62 06030 STY CURPOS, PCR; SAVE IT 04E2 1F 12 06040 TFR X,Y; GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA, Y+; GET A CHAR 04E4 BC 05FF 06080 CMPX #SCREND; AT SCREEN END 04EB 9E 88 06070 LDX VIDPOS; GET VIDEO POSITION 04EB 8E 06070 LDX VIDPOS; GET VIDEO POSITION 04EB 8E 06070 LDX VIDPOS; GET VIDEO POSITION 04EB AB DFB46 06100 LDX OLDVID, PCR; GET OLD VIDEO 04F6 AF 8D FB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; SAVE IT 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 0510 109F 88 06190 STX CURPOS, PCR; GET OLD VIDEO 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT]; TO SCREEN 0505 B 10AE 8D FB34 06190 STY VIDPOS; GET VIDEO POSITION	04A5	27	A4		05810	BEQ EXO ; YES , REJECT
04AC 20 A1 05840 BRA EXÎ ;CONTINUE 05850 * 05860 *INSERT A CHAR 05870 * 04AE E6 8D FB9F 05880 TRYINS LDB BUFCNT, PCR ;GET CHRS 04BE E1 8D FB7E 05890 CMPB BUFLIM, PCR ;ANY ROOM? 04BE 24 93 05900 BHS EXO ;NO, REJECT 04BE E6 A2 05920 MOVINB LDB ,-Y ;GET LEFT CHAR 04BT E7 21 05930 STB 1,Y ;PUT IN CURR BUF POS 04C6 22 F5 05950 BHI MOVINB ;REPEAT TILL Y=X 04C8 A7 84 05960 STA ,X ;INSERT THE CHAR 04CA 10AE 8D FB71 05970 LDY E0BUF, PCR ;GET END OF BUF 04DE 67 A4 05990 STY E0BUF, PCR ;GET END OF BUF 04DB 10AF 8D FB6A 05990 STY E0BUF, PCR ;SAVE IT 04DB 109E 88 06010 LDY VIDPOS ;GET VIDEO POSITION 04DB 31 21 06020 LEAY 1,Y ;UPDATE IT 04DD 10AF 8D FB62 06030 STY CURPOS, PCR ;SAVE IT 04E2 1F 12 06040 TFR X,Y ;GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA ,Y+ ;GET A CHAR 04E8 BE 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E8 BE 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E8 BE 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E8 BE 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E8 BE 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E6 AF BD FB46 06100 LDX VIDPOS ;GET VIDEO POSITION 04E7 AE 8D FB46 06100 LDX VIDPOS ;GET VIDEO POSITION 04E8 BE 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E8 BE 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E8 AC 05FF 06080 CMPX #SCREND ;AT SCREEN END 04E9 BE 88 06100 LDX CURPOS, PCR ;GET CLD VIDEO 04F6 AF 8D FB46 06130 LDX CURPOS, PCR ;GET CUR POS 04F6 AF 8D FB46 06130 LDX CURPOS, PCR ;GET CUR POS 04F6 AF 8D FB3F 06150 STX CURPOS, PCR ;SAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB36 06200 LDV OLDVID, PCR ;CRT CURS POS 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION	04A7	109F	88		05820	STY VIDPOS ; NEW VIDEO POS
05850 * 105860 * 105860 * 105860 * 105860 * 105860 * 105860 * 105860 * 105870 * 105860 * 105870 * 105860 * 105870 * 105860 * 105870 * 105860 * 105870 * 1058600 * 1058600 * 1058600 * 1058600 * 1058600 * 1058600 * 1058600 * 1058600 * 1058600 * 1058600 * 105	04AA	30	01		05830	LEAX 1,X ; NEW BUFFER POINTER
05860 *INSERT A CHAR 05870 *  04AE E6 8D FB9F 05880 TRYINS LDB BUFCNT, FCR ;GET CHRS 04B2 E1 8D FB7E 05890 CMPB BUFLIM, FCR ;ANY ROOM?  04B6 24 93 05900 BHS EXO ;NO, REJECT 04BB 10AE 8D FB83 05910 LDY EOBUF, PCR ;GET END OF BUF 04BD E6 A2 05920 MOVINB LDB ,-Y ;GET LEFT CHAR 04BF E7 21 05930 STB 1,Y ;PUT IN CURR BUF POS 04C1 10AC 8D FB7C 05940 CMPY TMPX, PCR ;Y=X? 04C6 22 F5 05950 BHI MOVINB ;REPEAT TILL Y=X 04C8 A7 84 05960 STA ,X ;INSERT THE CHAR 04CA 10AE 8D FB71 05970 LDY EOBUF, PCR ;GET END OF BUF 04CF 31 21 05980 LEAY 1,Y ;UPDATE IT 04D1 10AF 8D FB6A 05990 STY EOBUF, PCR ;SAVE IT 04D8 109E 88 06010 LDY VIDPOS ;GET VIDEO POSITION 04D8 109E 88 06010 LDY VIDPOS ;GET VIDEO POSITION 04E4 A6 A0 06050 MOVONS LDA ,Y+ ;GET A CHAR 04E6 27 23 06060 BEQ ALLMOV ;IF=0, ALL MOVED 04E8 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E8 8C 05FF 06080 CMPX #SCREND ;AT SCREEN END 04EB 25 16 06090 BLO WNSCR ;CIROUT WON'T SCROLL 04FF AB BD FB4B 06100 LDX OLDVID, PCR ;SAVE IT 04FF AB BD FB4B 06100 LDX OLDVID, PCR ;SAVE IT 04FF AB BD FB4B 06100 LDX OLDVID, PCR ;SAVE IT 04FF AB BD FB4B 06100 LDX OLDVID, PCR ;SAVE IT 04FF AB BD FB4B 06100 LDX OLDVID, PCR ;GET OLD VIDEO 04FF AB BD FB4B 06100 LDX OLDVID, PCR ;SAVE IT 04FF AB BD FB4B 06100 LDX OLDVID, PCR ;SAVE IT 04FF AB BD FB4B 06100 LDX OLDVID, PCR ;SAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0505 AD	04AC	20	Al		05840	BRA EX1 ; CONTINUE
05870 * 04AE E6 8D FB9F 05880 TRYINS LDB BUFCNT, PCR ;GET CHRS 04B2 E1 8D FB7E 05890 CMPB BUFLIM, PCR ;ANY ROOM? 04B6 24 93 05900 BHS EXO ;NO, REJECT 04BB 10AE 8D FB83 05910 LDY EOBUF, PCR ;GET END OF BUF 04BB E6 A2 05920 MOVINB LDB ,-Y ;GET LEFT CHAR 04BF E7 21 05930 STB 1,Y ;PUT IN CURR BUF POS 04C1 10AC 8D FB7C 05940 CMPY TMPX, PCR ;Y=X? 04C6 22 F5 05950 BHI MOVINB ;REPEAT TILL Y=X 04C8 A7 84 05960 STA ,X ;INSERT THE CHAR 04CA 10AE 8D FB71 05970 LDY EOBUF, PCR ;GET END OF BUF 04CF 31 21 05980 LEAY 1,Y ;UPDATE IT 04D1 10AF 8D FB6A 05990 STY EOBUF, PCR ;SAVE IT 04D2 10AF 8D FB6A 05990 STY EOBUF, PCR ;SAVE IT 04D3 10AF 8D FB62 06030 STY CURPOS, PCR ;SAVE IT 04D4 10AF 8D FB62 06030 STY CURPOS, PCR ;SAVE IT 04E2 IF 12 06040 TFR X,Y ;GIVE X TO Y 04CF A6 A0 06050 MOVONS LDA ,Y+ ;GET A CHAR 04EA 8C 05FF 06080 CMPX #SCREND ;AT SCREEN END 04EB 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04EB AC 05FF 06080 CMPX #SCREND ;AT SCREEN END 04EB AC 05FF 06080 CMPX #SCREND ;AT SCREEN END 04F6 AF 8D FB46 06100 LDX OLDVID, PCR ;GET OLD VIDEO 04F6 AF 8D FB46 06130 LDX CURPOS, PCR ;SAVE IT 04FA AE 8D FB46 06130 LDX CURPOS, PCR ;SAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 0505 10A 8B E0 06190 STY VIDPOS ;GET VIDEO POSITION 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 0505 10A 8B FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0505 10A 8B FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0505 10A 8B FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0505 10A 8B FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0505 10A 8B FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0505 10A 8B FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0505 10A 8B FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0505 10A 8B FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0505 10A 8B FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0505 10A 8B FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0505 10A 8B FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0505 10A 8B FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0505 10A 8B FB34 0619					05850	*
04AE E6 8D FB9F 05880 TRYINS LDB BUFCNT,PCR ;GET CHRS 04B2 E1 8D FB7E 05890 CMPB BUFLIM,PCR ;ANY ROOM? 04B6 24 93 05900 BHS EXO ;NO,REJECT 04BB 10AE 8D FB83 05910 LDY EOBUF,PCR ;GET END OF BUF 04BD E6 A2 05920 MOVINB LDB ,-Y ;GET LEFT CHAR 04BF E7 21 05930 STB 1,Y ;PUT IN CURR BUF POS 04C6 22 F5 05950 BHI MOVINB ;REPEAT TILL Y=X 04C8 A7 84 05960 STA ,X ;INSERT THE CHAR 04CA 10AE 8D FB71 05970 LDY EOBUF,PCR ;GET END OF BUF 04C6 31 21 05980 LEAY 1,Y ;UPDATE IT 04D1 10AF 8D FB6A 05990 STY EOBUF,PCR ;SAVE IT 04D8 109E 88 06010 LDY VIDPOS ;GET VIDEO POSITION 04D8 31 21 06020 LEAY 1,Y ;UPDATE IT 04D1 10AF 8D FB62 06030 STY CURPOS,PCR ;SAVE IT 04E2 IF 12 06040 TFR X,Y ;GIVE X TO Y 04E6 A6 A0 06050 MOVONS LDA ,Y+ ;GET A CHAR 04E6 27 23 06606 BEQ ALLMOV ;IF=0,ALL MOVED 04E8 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E8 A8C 05FF 06080 CMPX #SCREND ;AT SCREEN END 04FB A8 B FB46 06100 LDX VIDPOS ;GET VIDEO POSITION 04E6 AE 8D FB4B 06100 LDX VIDPOS ;GET VIDEO POSITION 04E6 AE 8D FB4B 06100 LDX VIDPOS ;GET OLD VIDEO 04FF AB 8D FB4B 06100 LDX CURPOS,PCR ;SAVE IT 04GF AE 8D FB4B 06100 LDX CURPOS,PCR ;GET OLD VIDEO 04FF AB 8D FB46 06130 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06110 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06110 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06110 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06110 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06110 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06110 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06110 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06100 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06100 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06100 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06100 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06100 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06100 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06100 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06100 LDX CURPOS,PCR ;GET CUR POS 04FF 30 88 E0 06100 LDX CURPOS,PCR ;GET CUR POS 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB36 06190 STY VIDPOS ;SET VIDEO POSITION 0513					05860	*INSERT A CHAR
04B2 E1 8D FB7E 05890 CMPB BUFLIM,PCR; ANY ROOM? 04B6 24 93 05900 BHS EXO; NO, REJECT 04B8 10AE 8D FB83 05910 LDY EOBUF,PCR; GET END OF BUF 04BB E6 A2 05920 MOVINB LDB ,-Y; GET LEFT CHAR 04BF E7 21 05930 STB 1,Y; PUT IN CURR BUF POS 04C1 10AC 8D FB7C 05940 CMPY TMPX,PCR; Y=X? 04C6 22 F5 05950 BHI MOVINB; REPEAT TILL Y=X 04C8 A7 84 05960 STA ,X; INSERT THE CHAR 04CA 10AE 8D FB71 05970 LDY EOBUF,PCR; GET END OF BUF 04CF 31 21 05980 LEAY 1,Y; UPDATE IT 04D1 10AF 8D FB6A 05990 STY EOBUF,PCR; SAVE IT 04D8 109E 88 06010 LDY VIDPOS; GET VIDEO POSITION 04D8 31 21 06020 LEAY 1,Y; UPDATE IT 04DD 10AF 8D FB62 06030 STY CURPOS,PCR; SAVE IT 04D4 10AF 8D FB62 06030 STY CURPOS,PCR; SAVE IT 04E4 A6 A0 06050 MOVONS LDA ,Y+; GET A CHAR 04E6 27 23 06060 BEQ ALLMOV; IF=0, ALL MOVED 04E8 9E 88 06070 LDX VIDPOS; GET VIDEO POSITION 04EB AE 8D FB4B 06100 LDX VIDPOS; GET VIDEO POSITION 04EA AC 05FF 06080 CMPX #SCREND; AT SCREEN END 04EA AC 05FF 06080 CMPX #SCREND; AT SCREEN END 04EA AC 05FF 06080 CMPX #SCREND; AT SCREEN END 04EA AC 8D FB4B 06100 LDX OLDVID,PCR; GET OLD VIDEO 04FA AE 8D FB4B 06100 LDX CURPOS,PCR; GET CUR POS 04FA AE 8D FB4B 06100 LDX CURPOS,PCR; GET CUR POS 04FA AE 8D FB4B 06100 LDX CURPOS,PCR; GET CUR POS 04FA AE 8D FB4B 06100 LDX CURPOS,PCR; GET CUR POS 04FA AE 8D FB4B 06100 LDX CURPOS,PCR; GET CUR POS 04FA AE 8D FB3F 06150 STX CURPOS,PCR; GET CUR POS 04FA AE 8D FB3F 06150 STX CURPOS,PCR; GET CUR POS 04FA AE 8D FB3F 06150 STX CURPOS,PCR; GET CUR POS 0501 AF 8D FB3F 06150 STX CURPOS,PCR; GET CUR POS 0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL 0505 B 10AE 8D FB34 06100 LDY OLDVID,PCR; GET OLD VIDEO 0501 10AF 8D FB3F 06150 STX VIDPOS; GET TIDE OPOSITION 0505 10AE 8D FB34 06100 LDY OLDVID,PCR; GET OLD VIDEO					05870	*
04B6 24 93 05900 BHS EXO ;NO,REJECT 04B8 10AE 8D FB83 05910 LDY EOBUF,PCR ;GET END OF BUF 04BD E6 A2 05920 MOVINB LDB, -Y ;GET LEFT CHAR 04BF E7 21 05930 STB 1,Y ;PUT IN CURR BUF POS 04C1 10AC 8D FB7C 05940 CMPY TMPX,PCR ;Y=X? 04C6 22 F5 05950 BHI MOVINB ;REPEAT TILL Y=X 04C8 A7 84 05960 STA ,X ;INSERT THE CHAR 04CA 10AE 8D FB71 05970 LDY EOBUF,PCR ;GET END OF BUF 04CF 31 21 05980 LEAY 1,Y ;UPDATE IT 04D1 10AF 8D FB6A 05990 STY EOBUF,PCR ;SAVE IT 04D8 109E 88 06010 LDY VIDPOS ;GET VIDEO POSITION 04D8 31 21 06020 LEAY 1,Y ;UPDATE IT 04DD 10AF 8D FB62 06030 STY CURPOS,PCR ;SAVE IT 04E2 IF 12 06040 TFR X,Y ;GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA ,Y+ ;GET A CHAR 04E6 27 23 06060 BEQ ALLMOV ;IF=0,ALL MOVED 04E8 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E8 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E8 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E9 25 16 06080 CMPX #SCREND ;AT SCREEN END 04E0 25 16 06090 BLO WNSCR ;CIROUT WON'T SCROLL 04E7 AE 8D FB4B 06100 LDX OLDVID,PCR ;GET OLD VIDEO 04F6 AF 8D FB4B 06100 LDX OLDVID,PCR ;GET OLD VIDEO 04F6 AF 8D FB4B 06100 LDX OLDVID,PCR ;SAVE IT 04FA AE 8D FB46 06130 LDX CURPOS,PCR ;SAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO	04AE	E6	8D	FB9F	05880	TRYINS LDB BUFCNT, PCR ; GET CHRS
04B8 10AE 8D FB83 05910 LDY EOBUF, PCR; GET END OF BUF OABD E6 A2 05920 MOVINB LDB, -Y; GET LEFT CHAR O4BF E7 21 05930 STB 1,Y; PUT IN CURR BUF POS O4C1 10AC 8D FB7C 05940 CMPY TMPX, PCR; Y=X? O4C6 22 F5 05950 BHI MOVINB; REPEAT TILL Y=X 04C8 A7 84 05960 STA, X; INSERT THE CHAR O4CA 10AE 8D FB71 05970 LDY EOBUF, PCR; GET END OF BUF O4CF 31 21 05980 LEAY 1,Y; UPDATE IT 04D1 10AF 8D FB6A 05990 STY EOBUF, PCR; GET END OF BUF O4D1 10AF 8D FB6A 05990 STY EOBUF, PCR; SAVE IT 04D8 31 21 06000 CLR, Y; SHOW END OF LINE 04DB 31 21 06000 LEAY 1,Y; UPDATE IT 04DB 31 21 06000 STY CURPOS, PCR; SAVE IT 04DB 31 21 06000 STY CURPOS, PCR; SAVE IT 04E2 IF 12 06040 TFR X,Y; GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA, Y+; GET A CHAR 04E6 27 23 06060 BEQ ALLMOV; IF=0, ALL MOVED 04E8 8E 88 06070 LDX VIDPOS; GET VIDEO POSITION 04E8 BE 88 06070 LDX VIDPOS; GET VIDEO POSITION 04E8 AC 05FF 06080 CMPX #SCREND; AT SCREEN END 04EA AC 05FF 06080 CMPX #SCREND; AT SCREEN END 04EA AC 8D FB46 06100 LDX OLDVID, PCR; GET OLD VIDEO 04FF AB BD FB46 06130 LDX CURPOS, PCR; SAVE IT 04FA AE 8D FB46 06130 LDX CURPOS, PCR; GET CUR POS 05FF 04080 STX CURPOS, PCR; GET CUR POS 05FF 0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL 0505 AD 9F A002 06160 WNSCR JSR > [CHROUT]; TO SCREEN 0501 10AF 8D FB34 06180 ALLMOV LDY CURPOS, PCR; CURS POS 0510 109F 88 06190 STY VIDPOS; GET VIDEO POSITION 055 AD 0510 109F 88 06190 STY VIDPOS; GET OLD VIDEO 05511 10AF 8D FB34 06180 ALLMOV LDY CURPOS, PCR; CURS POS 0510 109F 88 06190 STY VIDPOS; GET VIDEO POSITION 0551 10AF 8D FB34 06190 STY VIDPOS; GET OLD VIDEO 05511 10AF 8D FB34 06190 STY VIDPOS; GET OLD VIDEO 05511 10AF 8D FB34 06190 STY VIDPOS; GET OLD VIDEO 05511 10AF 8D FB34 06190 STY VIDPOS; GET OLD VIDEO 05511 10AF 8D FB34 06190 STY VIDPOS; GET OLD VIDEO 05511 10AF 8D FB34 06180 ALLMOV LDY CURPOS, PCR; CURS POS 0510 10AF 8D FB34 06190 STY VIDPOS; GET OLD VIDEO 05511 10AF 8D FB34 06190 STY VIDPOS; GET OLD VIDEO 05511 10AF 8D FB34 06190 STY VIDPOS; GET OLD VIDEO 05511 10AF 8D FB34 06190 STY VIDPOS; GET OLD VIDEO 05511 10AF 8D FB3	04B2	E1	80	FB7E	05890	CMPB BUFLIM, PCR ; ANY ROOM?
04BD E6 A2 05920 MOVINB LDB ,-Y ;GET LEFT CHAR 04BF E7 21 05930 STB 1,Y ;PUT IN CURR BUF POS 04C6 22 F5 05950 BHI MOVINB ;REPEAT TILL Y=X 04C8 A7 84 05960 STA ,X ;INSERT THE CHAR 04CA 10AE 8D FB71 05970 LDY E0BUF,PCR ;GET END OF BUF 04DF 10AF 8D FB6A 05990 STY EOBUF,PCR ;GET END OF BUF 04DB 10AF 8D FB6A 05990 STY EOBUF,PCR ;SAVE IT 04DB 10AF 8D FB6A 05990 STY EOBUF,PCR ;SAVE IT 04DB 10AF 8D FB62 06030 STY CURPOS,PCR ;SAVE IT 04DB 10AF 8D FB62 06030 STY CURPOS,PCR ;SAVE IT 04E2 IF 12 06040 TFR X,Y ;GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA ,Y+ ;GET A CHAR 04E8 PE 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E8 BE 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04E8 BE 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND ;AT SCREEN END 04EA BC 05FF 06080 CMPX #SCREND ;AT SCREEN END 04F6 AF 8D FB4B 06100 LDX OLDVID,PCR ;GET OLD VIDEO 04F6 AE 8D FB4B 06100 LDX OLDVID,PCR ;SAVE IT 04FA AE 8D FB4B 06100 LDX CURPOS,PCR ;GET CUR POS 04F6 AF 8D FB3F 06150 STX CURPOS,PCR ;GET CUR POS 04F6 AB BFB3F 06150 LDX CURPOS,PCR ;GET CUR POS 04F6 AB BFB3F 06150 STX CURPOS,PCR ;GET CUR POS 04F6 AB BFB3F 06150 STX CURPOS,PCR ;GET CUR POS 04F6 AB BFB3F 06150 STX CURPOS,PCR ;GET CUR POS 04F6 AB BFB3F 06150 STX CURPOS,PCR ;GET CUR POS 04F6 AB BFB3F 06150 STX CURPOS,PCR ;GET CUR POS 04F6 AB BFB3F 06150 STX CURPOS,PCR ;GET CUR POS 04F6 AB BFB3F 06150 STX CURPOS,PCR ;GET CUR POS 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB34 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB34 06190 STY VIDPOS ;SET OLD VIDEO 0513 10AE 8D FB34 06190 STY VIDPOS ;SET OLD VIDEO 0513 10AE 8D FB34 06190 STY VIDPOS ;SET OLD VIDEO 0513 10AE 8D FB34 06190 STY VIDPOS ;SET OLD VIDEO 0513 10AE 8D FB34 06190 STY VIDPOS ;SET OLD VIDEO 0513 10AE 8D FB34 06190 STY VIDPOS ;SET OLD VIDEO 0513 10AE 8D FB34 06190 STY VIDPOS ;SET OLD VIDEO 0513 10AE 8D FB34 06190 STY VIDPOS ;SET OLD VIDEO 0513 10AE 8D FB34 06200 LD VIDPOLD PCR ;GET OLD VIDEO 0513 10AE 8D FB34 06200 LD VIDPOLD PCR ;GET OLD VIDEO	04B6	24	93		05900	BHS EXO ; NO, REJECT
04BF E7 21 05930 STB 1,Y; PUT IN CURR BUF POS 04C1 10AC 8D FB7C 05940 CMPY TMPR, PCR; Y=X? 04C6 22 F5 05950 BHI MOVINB; REPEAT TILL Y=X 04C8 A7 84 05960 STA ,X; INSERT THE CHAR 04CA 10AE 8D FB71 05970 LDY EOBUF, PCR; GET END OF BUF 04CF 31 21 05980 LEAY 1,Y; UPDATE IT 04D1 10AF 8D FB6A 05990 STY EOBUF, PCR; SAVE IT 04D8 109E 88 06010 LDY VIDPOS; GET VIDEO POSITION 04D8 31 21 06020 LEAY 1,Y; UPDATE IT 04DD 10AF 8D FB62 06030 STY CURPOS, PCR; SAVE IT 04DD 10AF 8D FB62 06030 STY CURPOS, PCR; SAVE IT 04D2 10AF 8D FB65 06030 STY CURPOS, PCR; SAVE IT 04E6 A6 A0 06050 MOVONS LDA ,Y+; GET A CHAR 04E6 27 23 06060 BEQ ALLMOV; IF=0, ALL MOVED 04E8 9E 88 06070 LDX VIDPOS; GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND; AT SCREEN END 04EA 8C 05FF 06080 CMPX #SCREND; AT SCREEN END 04F6 AF 8D FB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO 04F6 AF 8D FB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO 04F6 AB 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4F 06120 STX OLDVID, PCR; GET CUR POS 04F6 AF 8D FB3F 06150 STX CURPOS, PCR; GET CUR POS 04F6 AB 8D FB3F 06150 STX CURPOS, PCR; GET CUR POS 05170 BRA MOVONS; MOVE THEM ALL 0505 AD 9F A002 06160 WNSCR JSR > [CHROUT]; TO SCREEN 0510 109F 88 06190 STY VIDPOS; GET VIDEO POSITION 0513 10AE 8D FB3F 06150 STY VIDPOS; GET OLD VIDEO 0513 10AE 8D FB3F 06150 STY VIDPOS; PCR; GET OLD VIDEO 0513 10AE 8D FB3F 06190 STY VIDPOS; PCR; GURS POS 0510 109F 88 06190 STY VIDPOS; PCR; GURS POS 0510 109F 88 06190 STY VIDPOS; PCR; GET OLD VIDEO 0513 10AE 8D FB3F 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB3F 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB3F 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB3F 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB3F 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB3F 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB3F 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB3F 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB3F 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB3F 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB3F	04B8	10AE	8D	FB83	05910	LDY EOBUF, PCR ; GET END OF BUF
04C1 10AC 8D FB7C 05940 CMPY TMPX, PCR; Y=X?  04C6 22 F5 05950 BHI MOVINB; REPEAT TILL Y=X  04C8 A7 84 05960 STA, X; INSERT THE CHAR  04CA 10AE 8D FB71 05970 LDY EOBUF, PCR; GET END OF BUF  04CF 31 21 05980 LEAY 1, Y; UPDATE IT  04D1 10AF 8D FB6A 05990 STY EOBUF, PCR; SAVE IT  04D8 109E 88 06010 LDY VIDPOS; GET VIDEO POSITION  04D8 31 21 06020 LEAY 1, Y; UPDATE IT  04DD 10AF 8D FB62 06030 STY CURPOS, PCR; SAVE IT  04DD 10AF 8D FB62 06030 STY CURPOS, PCR; SAVE IT  04E2 IF 12 06040 TFR X, Y; GIVE X TO Y  04E4 A6 A0 06050 MOVONS LDA, Y+; GET A CHAR  04E6 27 23 06060 BEQ ALLMOV; IF=0, ALL MOVED  04E8 9E 88 06070 LDX VIDPOS; GET VIDEO POSITION  04EA 8C 05FF 06080 CMPX #SCREND; AT SCREEN END  04EA 8C 05FF 06080 CMPX #SCREND; AT SCREEN END  04EA 8B FB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO  04FA AB BFB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO  04FA AB BFB4B 06100 LDX CURPOS, PCR; SAVE IT  04FA AB BFB4B 06130 LDX CURPOS, PCR; GET CUR POS  04FB 30 88 E0 06110 LEAX -32, X; BACK UP 1 LINE  04FA AB BFB4B 06150 STX CURPOS, PCR; GET CUR POS  04FB 30 88 E0 06140 LEAX -32, X; BACK UP 1 LINE  0505 AD 9F A002 06160 WNSCR JSR > [CHROUT]; TO SCREEN  0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL  0505 AD 9F A002 06160 WNSCR JSR > [CHROUT]; TO SCREEN  0510 109F 88 06190 STY VIDPOS; SET VIDEO POSITION  0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO	04BD	E6	A2		05920	MOVINB LDB ,-Y ;GET LEFT CHAR
04C6 22 F5 05950 BHI MOVINB ; REPEAT TILL Y=X 04C8 A7 84 05960 STA ,X ; INSERT THE CHAR 04CA 10AE 8D FB71 05970 LDY EOBUF, PCR ; GET END OF BUF 04CF 31 21 05980 LEAY 1,Y ; UPDATE IT 04D1 10AF 8D FB6A 05990 STY EOBUF, PCR ; SAVE IT 04D8 109E 88 06010 LDY VIDPOS ; GET VIDEO POSITION 04D8 31 21 06020 LEAY 1,Y ; UPDATE IT 04D8 10AF 8D FB62 06030 STY CURPOS, PCR ; SAVE IT 04E2 IF 12 06040 TFR X,Y ; GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA ,Y+ ; GET A CHAR 04E6 27 23 06060 BEQ ALLMOV ; IF=0, ALL MOVED 04E8 9E 88 06070 LDX VIDPOS ; GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND ; AT SCREEN END 04EA 8C 05FF 06080 CMPX #SCREND ; AT SCREEN END 04EA 8C 05FF 06080 CMPX #SCREND; AT SCREEN END 04EA 8B FB46 06100 LDX OLDVID, PCR ; GET OLD VIDEO 04FA AE 8D FB46 06100 LDX OLDVID, PCR ; SAVE IT 04FA AE 8D FB46 06130 LDX CURPOS, PCR ; GET CUR POS 04FA 30 88 E0 06140 LEAX -32, X ; BACK UP 1 LINE 0505 AD 9F A002 06160 WNSCR JSR > [CHROUT] ; TO SCREEN 0509 20 D9 06170 BRA MOVONS ; MOVE THEM ALL 0513 10AE 8D FB34 06190 STY VIDPOS ; SET VIDEO POSITION 0513 10AE 8D FB34 06190 STY VIDPOS ; SET VIDEO POSITION 0513 10AE 8D FB34 06190 STY VIDPOS ; SET VIDEO POSITION 0513 10AE 8D FB35 06200 LDV OLDVID, PCR ; GET OLD VIDEO 0513 10AE 8D FB35 06200 LDV OLDVID, PCR ; GET OLD VIDEO 0513 10AE 8D FB35 06190 STY VIDPOS ; SET VIDEO POSITION 0513 10AE 8D FB35 06190 STY VIDPOS ; SET VIDEO POSITION 0513 10AE 8D FB35 06200 LDV OLDVID, PCR ; GET OLD VIDEO 0513 10AE 8D FB35 06200 LDV OLDVID, PCR ; GET OLD VIDEO 0513 10AE 8D FB35 06190 STY VIDPOS ; SET VIDEO POSITION 0513 10AE 8D FB36 06200 LDV OLDVID, PCR ; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDV OLDVID, PCR ; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDV OLDVID, PCR ; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDV OLDVID, PCR ; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDV OLDVID, PCR ; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDV OLDVID, PCR ; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDV OLDVID, PCR ; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDV OLDVID, PCR ; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDV OLDVID, PCR ; GET O	04BF	E7	21		05930	STB 1,Y ; PUT IN CURR BUF POS
04C8 A7 84 05960 STA ,X ; INSÉRT THE CHAR 04CA 10AE 8D FB71 05970 LDY EOBUF,PCR ; GET END OF BUF 04CF 31 21 05980 LEAY 1,Y ; UPDATE IT 04D1 10AF 8D FB6A 05990 STY EOBUF,PCR ; SAVE IT 04D6 6F A4 06000 CLR ,Y ; SHOW END OF LINE 04D8 31 21 06020 LEAY 1,Y ; UPDATE IT 04D1 10AF 8D FB62 06030 STY CURPOS,PCR ; SAVE IT 04E2 1F 12 06040 TFR X,Y ; GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA ,Y+ ; GET A CHAR 04E6 27 23 06060 BEQ ALLMOV ; IF=0, ALL MOVED 04E8 9E 88 06070 LDX VIDPOS ; GET VIDEO POSITION 04E8 8C 05FF 06080 CMPX #SCREND ; AT SCREEN END 04EA 8C 05FF 06080 CMPX #SCREND ; AT SCREEN END 04EA 8C 05FF 06080 CMPX #SCREND ; AT SCREEN END 04EF AE 8D FB4B 06100 LDX OLDVID,PCR ; GET OLD VIDEO 04F6 AF 8D FB4B 06100 LDX OLDVID,PCR ; SAVE IT 04FA AE 8D FB46 06130 LDX CURPOS,PCR ; SAVE IT 04FA AE 8D FB46 06130 LDX CURPOS,PCR ; GET CUR POS 04FE 30 88 E0 06140 LEAX -32,X ; BACK UP 1 LINE 0505 AD 9F A002 06160 WNSCR JSR > [CHROUT] ; TO SCREEN 0509 20 D9 06170 BRA MOVONS ; MOVE THEM ALL 05050 10AE 8D FB34 06190 STY VIDPOS ; SET VIDEO POSITION 0513 10AE 8D FB35 06200 LDV OLDVID,PCR ; CRE CURS POS 0510 109F 88 06190 STY VIDPOS ; SET VIDEO POSITION	04C1	10AC	8D	FB7C	05940	CMPY TMPX, PCR ; Y=X?
04CA 10AE 8D FB71 05970 LDY EOBUF, PCR; GET END OF BUF O4CF 31 21 05980 LEAY 1,Y; UPDATE IT 04D1 10AF 8D FB6A 05990 STY EOBUF, PCR; SAVE IT 04D8 109E 88 06000 CLR, Y; SHOW END OF LINE 04DB 31 21 06020 LEAY 1,Y; UPDATE IT 04DD 10AF 8D FB62 06030 STY CURPOS, PCR; SAVE IT 04DD 10AF 8D FB62 06030 STY CURPOS, PCR; SAVE IT 04DD 10AF 8D FB62 06030 STY CURPOS, PCR; SAVE IT 04D2 10AF 8D FB64 06070 LDX VIDPOS; GET VIDEO POSITION 04E6 27 23 06060 BEQ ALLMOV; IF=0, ALL MOVED 04E8 9E 88 06070 LDX VIDPOS; GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND; AT SCREEN END 04ED 25 16 06090 BLO WNSCR; CHROUT WON'T SCROLI 04EF AE 8D FB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO 04F6 AF 8D FB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB4B 06100 LDX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB3F 06150 STX CURPOS, PCR; GET CUR POS 04F6 AF 8D FB3F 06150 STX CURPOS, PCR; SAVE IT 0505 AD 9F A002 06160 WNSCR JSR > [CHROUT]; TO SCREEN 0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL 0510 ALLMOV LDY CURPOS, PCR; CURS POS 0510 109F 88 06190 STY VIDPOS; SET VIDEO POSITION 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID, PCR; GET OLD VIDEO 0513 10AE 8D	04C6	22	F5		05950	BHI MOVINB ; REPEAT TILL Y=X
04CF 31 21 05980 LEAY 1,Y ;UPDATE IT 04D1 10AF 8D FB6A 05990 STY EOBUF,PCR ;SAVE IT 04D6 6F A4 06000 CLR, Y; SHOW END OF LINE 04D8 109E 88 06010 LDY VIDPOS ;GET VIDEO POSITION 04DB 31 21 06020 LEAY 1,Y ;UPDATE IT 04DD 10AF 8D FB62 06030 STY CURPOS,PCR ;SAVE IT 04E2 1F 12 06040 TFR X,Y ;GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA, Y+ ;GET A CHAR 04E6 27 23 06060 BEQ ALLMOV ;IF=0,ALL MOVED 04E8 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND ;AT SCREEN END 04ED 25 16 06090 BLO WNSCR ;CIROUT WON'T SCROLI 04EF AE 8D FB4B 06100 LDX OLDVID,PCR ;GET OLD VIDEO 04F3 30 88 E0 06110 LEAX -32,X ;BACK UP 1 LINE 04F6 AF 8D FB46 06130 LDX CURPOS,PCR ;GET CUR POS 04FE 30 88 E0 06140 LEAX -32,X ;BACK UP 1 LINE 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 05050 10AF 8D FB34 06180 ALLMOV LDY CURPOS,PCR ;CURS POS 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO	04C8	A7	84		05960	STA ,X ; INSERT THE CHAR
04D1 10AF 8D FB6A 05990 STY EOBUF, PCR; SAVE IT 04D6 6F A4 06000 CLR, Y; SHOW END OF LINE 04D8 109E 88 06010 LDY VIDPOS; GET VIDEO POSITION 04D8 31 21 06020 LEAY 1, Y; UPDATE IT 04DD 10AF 8D FB62 06030 STY CURPOS, PCR; SAVE IT 04E2 1F 12 06040 TFR X, Y; GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA, Y+; GET A CHAR 04E6 27 23 06060 BEQ ALLMOV; IF=0, ALL MOVED 04E8 9E 88 06070 LDX VIDPOS; GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND; AT SCREEN END 04ED 25 16 06090 BLO WNSCR; CIROUT WON'T SCROLI 04EF AE 8D FB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO 04F3 30 88 E0 06110 LEAX -32, X; BACK UP 1 LINE 04F6 AF 8D FB44 06120 STX OLDVID, PCR; SAVE IT 04FA AE 8D FB46 06130 LDX CURPOS, PCR; GET CUR POS 04FE 30 88 E0 06140 LEAX -32, X; BACK UP 1 LINE 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT]; TO SCREEN 0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL 05050 10AE 8D FB34 06190 STY VIDPOS; SET VIDEO POSITION 0513 10AE 8D FB35 06200 LDY OLDVID, PCR; GET OLD VIDEO	04CA	10AE	8D	FB71	05970	LDY EOBUF, PCR ; GET END OF BUF
04D6 6F A4 06000 CLR ,Y ; SHOW END OF LINE 04D8 109E 88 06010 LDY VIDPOS ;GET VIDEO POSITION 04DB 31 21 06020 LEAY 1,Y ;UPDATE IT 04D1 10AF 8D FB62 06030 STY CURPOS,PCR ;SAVE IT 04E2 1F 12 06040 TFR X,Y ;GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA ,Y+ ;GET A CHAR 04E6 27 23 06060 BEQ ALLMOV ;IF=0,ALL MOVED 04E8 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND ;AT SCREEN END 04ED 25 16 06090 BLO WNSCR ;CIROUT WON'T SCROLL 04EF AE 8D FB4B 06100 LDX OLDVID,PCR ;GET OLD VIDEO 04F6 AF 8D FB4B 06100 LDX OLDVID,PCR ;GET OLD VIDEO 04F6 AF 8D FB4B 06100 LDX CURPOS,PCR ;SAVE IT 04FA AE 8D FB4B 06130 LDX CURPOS,PCR ;GET CUR POS 04FE 30 88 E0 06140 LEAX -32,X ;BACK UP 1 LINE 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 0513 10AE 8D FB34 06180 ALLMOV LDY CURPOS,PCR ;CURS POS 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB35 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB35 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB34 06180 ALLMOV LDY CURPOS,PCR ;CURS POS 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D FB36	04CF	31	21		05980	LEAY 1,Y ;UPDATE IT
04D8 109E 88 06010 LDY VIDPOS ;GET VIDEO POSITION 04DB 31 21 06020 LEAY 1,Y ;UPDATE IT 04DD 10AF 8D FB62 06030 STY CURPOS,PCR ;SAVE IT 04E2 1F 12 06040 TFR X,Y ;GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA ,Y+ ;GET A CHAR 04E6 27 23 06060 BEQ ALLMOV ;IF=0,ALL MOVED 04E8 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND ;AT SCREEN END 04ED 25 16 06090 BLO WNSCR ;CHROUT WON'T SCROLI 04EF AE 8D FB4B 06100 LDX OLDVID,PCR ;GET OLD VIDEO 04F3 30 88 E0 06110 LEAX -32,X ;BACK UP 1 LINE 04FA AE 8D FB46 06130 LDX CURPOS,PCR ;GET CUR POS 04FE 30 88 E0 06140 LEAX -32,X ;BACK UP 1 LINE 04FA AE 8D FB3F 06150 STX CURPOS,PCR ;GAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 0510 109F 88 06190 STY VIDPOS ;ET VIDEO POSITION 0511 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0511 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO 0513 10AE 8D	04D1	10AF	8D	FB6A	05990	STY EOBUF, PCR ; SAVE IT
04DB 31 21 06020 LEAY 1,Y; UPDATE IT 04DD 10AF 8D FB62 06030 STY CURPOS,PCR; SAVE IT 04E2 1F 12 06040 TFR X,Y; GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA, Y+; GET A CHAR 04E6 27 23 06060 BEQ ALLMOV; IF=0, ALL MOVED 04E8 9E 88 06070 LDX VIDPOS; GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND; AT SCREEN END 04ED 25 16 06090 BLO WNSCR; CHROUT WON'T SCROLI 04EF AE 8D FB4B 06100 LDX OLDVID,PCR; GET OLD VIDEO 04F3 30 88 E0 06110 LEAX -32,X; BACK UP 1 LINE 04F6 AF 8D FB46 06130 LDX CURPOS,PCR; GET CUR POS 04FE 30 88 E0 06140 LEAX -32,X; BACK UP 1 LINE 04FA AE 8D FB46 06130 LDX CURPOS,PCR; GET CUR POS 04FE 30 88 E0 06140 LEAX -32,X; BACK UP 1 LINE 0501 AF 8D FB3F 06150 STX CURPOS,PCR; GET CUR POS 0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL 0505B 10AE 8D FB34 06180 ALLMOV LDY CURPOS,PCR; CURS POS 0510 109F 88 06190 STY VIDPOS; SET VIDEO POSITION 0513 10AE 8D FB36 06200 LDY OLDVID,PCR; GET OLD VIDEO	04D6	6F	A4		06000	CLR ,Y ;SHOW END OF LINE
04DD 10AF 8D FB62 06030 STY CURPOS, PCR; SAVE IT 04E2 IF 12 06040 TFR X,Y; GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA, Y+; GET A CHAR 04E6 27 23 06060 BEQ ALLMOV; IF=0, ALL MOVED 04E8 9E 88 06070 LDX VIDPOS; GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND; AT SCREEN END 04ED 25 16 06090 BLO WNSCR; CIROUT WON'T SCROLI 04EF AE 8D FB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO 04F6 AF 8D FB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO 04F6 AF 8D FB4B 06100 STX OLDVID, PCR; SAVE IT 04FA AE 8D FB4B 06130 LDX CURPOS, PCR; GET CUR POS 04FE 30 88 E0 06140 LEAX -32, X; BACK UP 1 LINE 04F6 AF 8D FB4B 06130 LDX CURPOS, PCR; GET CUR POS 04FE 30 88 E0 06140 LEAX -32, X; BACK UP 1 LINE 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT]; TO SCREEN 0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL 0505 10AE 8D FB34 06180 ALLMOV LDY CURPOS, PCR; CURS POS 0510 109F 88 06190 STY VIDPOS; SET VIDEO POSITION 0513 10AE 8D FB35 06200 LDY OLDVID, PCR; GET OLD VIDEO	04D8	109E	88		06010	LDY VIDPOS ;GET VIDEO POSITION
04E2 1F 12 06040 TFR X,Y; GIVE X TO Y 04E4 A6 A0 06050 MOVONS LDA, Y+; GET A CHAR 04E6 27 23 06060 BEQ ALLMOV; IF=0, ALL MOVED 04E8 9E 88 06070 LDX VIDPOS; GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND; AT SCREEN END 04ED 25 16 06090 BLO WNSCR; CIROUT WON'T SCROLL 04EF AE 8D FB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO 04F6 AF 8D FB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO 04F6 AF 8D FB4B 06100 STX OLDVID, PCR; SAVE IT 04FA AE 8D FB4B 06130 LDX CURPOS, PCR; GET CUR POS 04FE 30 88 E0 06140 LEAX -32, X; BACK UP 1 LINE 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT]; TO SCREEN 0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL 0505B 10AE 8D FB3B 06190 STY VIDPOS; SET VIDEO POSITION 0513 10AE 8D FB3E 06200 LDY OLDVID, PCR; GET OLD VIDEO	04DB	31	21		06020	LEAY 1,Y ;UPDATE IT
04E4 A6 A0 06050 MOVONS LDA ,Y+ ;GET A CHAR 04E6 27 23 06060 BEQ ALLMOV ;IF=0,ALL MOVED 04E8 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND ;AT SCREEN END 04ED 25 16 06090 BLO WNSCR ;CHROUT WON'T SCROLI 04EF AE 8D FB4B 06100 LDX OLDVID,PCR ;GET OLD VIDEO 04F3 30 88 E0 06110 LEAX -32,X ;BACK UP 1 LINE 04FA AE 8D FB44 06120 STX OLDVID,PCR ;GAVE IT 04FA AE 8D FB46 06130 LDX CURPOS,PCR ;GET CUR POS 04FE 30 88 E0 06140 LEAX -32,X ;BACK UP 1 LINE 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 050B 10AE 8D FB34 06180 ALLMOV LDY CURPOS,PCR ;CURS POS 0510 109F 88 06190 STY VIDPOS ;ET VIDEO POSITION 0513 10AE 8D FB26 06200 LDY OLDVID,PCR ;GET OLD VIDEO	04DD	10AF	8D	FB62	06030	STY CURPOS, PCR ; SAVE IT
04E6 27 23 06060 BEQ ALLMOV ;IF=0,ALL MOVED 04E8 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND ;AT SCREEN END 04ED 25 16 06090 BLO WNSCR ;CHROUT WON'T SCROLI 04EF AE 8D FB4B 06100 LDX OLDVID,PCR ;GET OLD VIDEO 04F3 30 88 E0 06110 LEAX -32,X ;BACK UP 1 LINE 04F6 AF 8D FB46 06130 LDX CURPOS,PCR ;GET CUR POS 04FE 30 88 E0 06140 LEAX -32,X ;BACK UP 1 LINE 04FA AE 8D FB46 06130 LDX CURPOS,PCR ;GET CUR POS 04FE 30 88 E0 06140 LEAX -32,X ;BACK UP 1 LINE 0501 AF 8D FB3F 06150 STX CURPOS,PCR ;SAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 0501 AF 8D FB34 06180 ALLMOV LDY CURPOS,PCR ;CURS POS 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO	04E2	1F	12		06040	TFR X,Y ;GIVE X TO Y
04E8 9E 88 06070 LDX VIDPOS ;GET VIDEO POSITION 04EA 8C 05FF 06080 CMPX #SCREND ;AT SCREEN END 04ED 25 16 06090 BLO WNSCR ;CHROUT WON'T SCROLI 04EF AE 8D FB4B 06100 LDX OLDVID,PCR ;GET OLD VIDEO 04F3 30 88 E0 06110 LEAX -32,X ;BACK UP 1 LINE 04F6 AF 8D FB46 06130 LDX CURPOS,PCR ;GET CUR POS 04FE 30 88 E0 06140 LEAX -32,X ;BACK UP 1 LINE 0501 AF 8D FB46 06130 LDX CURPOS,PCR ;GET CUR POS 0501 AF 8D FB3F 06150 STX CURPOS,PCR ;SAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 0505 10AE 8D FB34 06180 ALLMOV LDY CURPOS,PCR ;CURS POS 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB36 06200 LDY OLDVID,PCR ;GET OLD VIDEO	04E4	A6	A0		06050	MOVONS LDA ,Y+ ;GET A CHAR
04EA 8C 05FF 06080 CMPX #SCREND; AT SCREEN END 04ED 25 16 06090 BLO WNSCR; CIROUT WON'T SCROLI 04EF AE 8D FB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO 04F3 30 88 EO 06110 LEAX -32, X; BACK UP 1 LINE 04F6 AF 8D FB46 06130 LDX CURPOS, PCR; GET CUR POS 04F6 AB 8D FB46 06130 LDX CURPOS, PCR; GET CUR POS 04F6 AB 8D FB46 06130 LDX CURPOS, PCR; GET CUR POS 04F6 AB 9F B46 06130 LEAX -32, X; BACK UP 1 LINE 0501 AF 8D FB3F 06150 STX CURPOS, PCR; GAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT]; TO SCREEN 0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL 050B 10AE 8D FB34 06180 ALLMOV LDY CURPOS, PCR; CURS POS 0510 109F 88 06190 STY VIDPOS; SET VIDEO POSITION 0513 10AE 8D FB26 06200 LDY OLDVID, PCR; GET OLD VIDEO	04E6	27	23		06060	BEQ ALLMOV ; IF=0, ALL MOVED
04ED 25 16 06090 BLO WNSCR ; CHROUT WON'T SCROLI O4EF AE 8D FB4B 06100 LDX OLDVID, PCR ; GET OLD VIDEO 04F3 30 88 E0 06110 LEAX -32,X ; BACK UP 1 LINE 04FA AE 8D FB44 06120 STX OLDVID, PCR ; GET CUR POS 04FE 30 88 E0 06140 LEAX -32,X ; BACK UP 1 LINE 0501 AF 8D FB3F 06150 STX CURPOS, PCR ; GET CUR POS 0501 AF 8D FB3F 06150 STX CURPOS, PCR ; SAVE IT 0505 AD 9F A002 06160 WNSCR JSR > [CHROUT] ; TO SCREEN 0509 20 D9 06170 BRA MOVONS ; MOVE THEM ALL 0508 10AE 8D FB34 06180 ALLMOV LDY CURPOS, PCR ; CURS POS 0510 109F 88 06190 STY VIDPOS ; SET VIDEO POSITION 0513 10AE 8D FB26 06200 LDY OLDVID, PCR ; GET OLD VIDEO	04E8	9E	88		06070	LDX VIDPOS ;GET VIDEO POSITION
04EF AE 8D FB4B 06100 LDX OLDVID, PCR; GET OLD VIDEO 04F3 30 88 E0 06110 LEAX -32,X; BACK UP 1 LINE 04F6 AF 8D FB44 06120 STX OLDVID, PCR; SAVE IT 04FA AE 8D FB46 06130 LDX CURPOS, PCR; GET CUR POS 04FE 30 88 E0 06140 LEAX -32,X; BACK UP 1 LINE 0501 AF 8D FB3F 06150 STX CURPOS, PCR; SAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT]; TO SCREEN 0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL 050B 10AE 8D FB34 06180 ALLMOV LDY CURPOS, PCR; CURS POS 0510 109F 88 06190 STY VIDPOS; SET VIDEO POSITION 0513 10AE 8D FB26 06200 LDY OLDVID, PCR; GET OLD VIDEO	04EA	8C	051	FF	06080	CMPX #SCREND ; AT SCREEN END
04F3 30 88 E0 06110 LEAX -32,X ;BACK UP 1 LINE 04F6 AF 8D FB44 06120 STX OLDVID,PCR ;SAVE IT 04FA AE 8D FB46 06130 LDX CURPOS,PCR ;GET CUR POS 04FE 30 88 E0 06140 LEAX -32,X ;BACK UP 1 LINE 0501 AF 8D FB3F 06150 STX CURPOS,PCR ;SAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 050B 10AE 8D FB34 06180 ALLMOV LDY CURPOS,PCR ;CURS POS 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB26 06200 LDY OLDVID,PCR ;GET OLD VIDEO	04ED	25	16		06090	BLO WNSCR ; CHROUT WON'T SCROLL
04F6 AF 8D FB44 06120 STX OLDVÍD,PCR; SAVE IT 04FA AE 8D FB46 06130 LDX CURPOS,PCR; GET CUR POS 04FE 30 88 EO 06140 LEAX -32,X; BACK UP 1 LINE 0501 AF 8D FB3F 06150 STX CURPOS,PCR; SAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT]; TO SCREEN 0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL 050B 10AE 8D FB34 06180 ALLMOV LDY CURPOS,PCR; CURS POS 0510 109F 88 06190 STY VIDPOS; SET VIDEO POSITION 0513 10AE 8D FB26 06200 LDY OLDVID,PCR; GET OLD VIDEO			8D	FB4B	06100	
04FA AE 8D FB46 06130 LDX CURPOS, PCR; GET CUR POS 04FE 30 88 EO 06140 LEAX -32,X; BACK UP 1 LINE 0501 AF 8D FB3F 06150 STX CURPOS, PCR; SAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT]; TO SCREEN 0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL 050B 10AE 8D FB34 06180 ALLMOV LDY CURPOS, PCR; CURS POS 0510 109F 88 06190 STY VIDPOS; SET VIDEO POSITION 0513 10AE 8D FB26 06200 LDY OLDVID, PCR; GET OLD VIDEO					06110	
04FE 30 88 E0 06140 LEAX -32,X;BACK UP 1 LINE 0501 AF 8D FB3F 06150 STX CURPOS,PCR;SAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT];TO SCREEN 0509 20 D9 06170 BRA MOVONS;MOVE THEM ALL 050B 10AE 8D FB34 06180 ALLMOV LDY CURPOS,PCR;CURS POS 0510 109F 88 06190 STY VIDPOS;SET VIDEO POSITION 0513 10AE 8D FB26 06200 LDY OLDVID,PCR;GET OLD VIDEO						
0501 AF 8D FB3F 06150 STX CURPOS,PCR; SAVE IT 0505 AD 9F A002 06160 WNSCR JSR >[CHROUT]; TO SCREEN 0509 20 D9 06170 BRA MOVONS; MOVE THEM ALL 050B 10AE 8D FB34 06180 ALLMOV LDY CURPOS,PCR; CURS POS 0510 109F 88 06190 STY VIDPOS; SET VIDEO POSITION 0513 10AE 8D FB26 06200 LDY OLDVID,PCR; GET OLD VIDEO			8D	FB46		
0505 AD 9F A002 06160 WNSCR JSR >[CHROUT] ;TO SCREEN 0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 050B 10AE 8D FB34 06180 ALLMOV LDY CURPOS,PCR ;CURS POS 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB26 06200 LDY OLDVID,PCR ;GET OLD VIDEO	04FE	30		-	06140	
0509 20 D9 06170 BRA MOVONS ;MOVE THEM ALL 050B 10AE 8D FB34 06180 ALLMOV LDY CURPOS,PCR ;CURS POS 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB26 06200 LDY OLDVID,PCR ;GET OLD VIDEO						
050B 10AE 8D FB34 06180 ALLMOV LDY CURPOS,PCR ;CURS POS 0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB26 06200 LDY OLDVID,PCR ;GET OLD VIDEO			9F	A002	06160	
0510 109F 88 06190 STY VIDPOS ;SET VIDEO POSITION 0513 10AE 8D FB26 06200 LDY OLDVID, PCR ;GET OLD VIDEO						
0513 10AE 8D FB26 06200 LDY OLDVID, PCR ;GET OLD VIDEO				FB34		
0518 31 21 06210 TEAV 1 V - HDDATE IT				FB26		
,			21		06210	LEAY 1,Y ;UPDATE IT
051A 10AF 8D FB1F 06220 STY OLDVID, PCR ; SAVE IT	051A	10AF	8D	FBIF	06220	STY OLDVID, PCR ; SAVE IT

#### **RAM 16**

#### PLUG IN MEMORY FOR YOUR COCO

Plug 16K memory into your CoCo cartridge slot. Absolutely no internal modifications are required. RAM-16 has low power drain because like your CoCo, RAM-16 contains reliable dynamic RAM memory.

RAM-16 is not just another memory add-on, it has many uses including:

Save your ROMPAK programs on tape and run them in the RAM-16. Reduce wear and tear on your CoCo connector and ROMPAKs. This also lets you modify your ROM based programs.

Using software provided with the RAM-16 you can run BASIC programs in the RAM-16 and use Color Computer memory for machine language or graphics memory. (16K CoCos with RAM-16 can run programs that require 16K mem for BASIC 12K for GRAPHICS pages (PCLEAR8) and still have 2.5K left for machine language subroutines.) Or load up to 16K of machine language programs in the RAM-16 and reserve all of main memory for basic or those large graphics programs.

Develop and test programs in a RAM environment before committing them to ROM or EPROM. WRITE PROTECT logic in the RAM-16 simulates true ROM operation.

RAM-16 uses a high quality glass/epoxy PC Board with GOLD contacts for RELIABLE operation and is packaged in a well made plastic case that is styled to match your Color Computer.

RAM-16 is designed specifically for the original Color Computer in the 4K, 16K or 32K memory size. (Gray Case Model). RAM-16 will operate with Color Basic or Extended Color Basic.

RAM-16 comes with a cassette tape containing a test program that tests all RAM-16 functions and a utility program that lets you use it with your basic programs.

RAM-16 comes with a complete Users Manual containing a circuit diagram and applications information.

Price \$129.95 (U.S.) plus \$5.00 (U.S.) Shipping and handling. (Ontario residents must include 7% prov sales tax.)
Send your check or money order to:

MICRO ACCESSORIES P.O. Box 11067 Stn H NEPEAN Ont. Canada. K2H 7T8

Color Computer is a trade mark of the Tandy Corporation

			-			
	051F	AE	80	FB1F	06230	LDX TMPX,PCR ;GET REG X
	0523		01	LUII	06240	
	0525			FB28	06250	
	0529		FF	23	06260	LBRA EX1 ; CONTINUE
					06270	*
						*DELETE A CHAR
		_			06290	
	052C		021			TRYDEL TST 1+BSTART ;#CHARS?
		1027		.8	06310	LBEQ EXO ; MUST BE > 1 CHAR
	0536	109E	01		06320	LDY VIDPOS ;GET VIDEO POS
	0538		80		06340	DELINB LDB 1,X ;GET NEXT CHAR STB ,X+ ;PUT IN CURRENT LOC
	053A		00		06350	
	053B		F9		06360	
	053D			FB01	06370	
	0541	6D	84		06380	TST ,X ;AT LINE END?
	0543		04		06390	BNE KEEPOS ; IF NOT, KEEP POS
	0545		1F		06400	
	0547		3F		06410	
		109F 10AF		DARS	06420	KEEPOS STY VIDPOS ;UPDATE IT STY CURPOS,PCR ;SAVE IT
		1F	12	FAFS	06440	TFR X,Y ;GIVE TO Y REG
	0553		A0			DELONS LDA ,Y+ ;GET A CHAR
	0555		06		06460	BEQ DOS ; IF=0, SCREEN FIXED
	0557		9F	A002	06470	JSR >[CHROUT] ; SEND TO SCREEN
	055B		F6		06480	BRA DELONS ; MOVE ALL CHARS
	055D		20			DOS LDA #32 ;GET BLANK
	055F			A002	06500	JSR >[CHROUT] ; ERASE LAST CHAR
		10AE 109F		FADC	06510 06520	
		10AE		FACE	06530	
	0570		3F	11101	06540	
		10AF		FAC7	06550	
		10AE	8D	FAC4	06560	
	057C	-	3F		06570	
		10AF			06580	the state of the s
	0583			FACA	06590	DEC BUFCNT, PCR ; UPDATE COUNTER
	0587	16	FEC	:5	06600	LBRA EX1 ; CONTINUE
					06610	
					06630	*EXIT EXCHANGE ROUTINE
	058A	10AE	8D	FAAF		EXDONE LDY OLDVID, PCR ;OLD VID
		109F		Linear	06650	
	0592		20		06660	
	0594	AE	8D	FAA8	06670	
	0598			FAAA	06680	DEC EXCHAN, PCR ; ADJUST FLAG
		1027			06690	
	05A0			FAAD	06700	The state of the s
	05A4 05A6		02		06710	
	05A8		D7	FAA5	06720 06730	STB EDTCNT ; UPDATE EDIT COUNT CLR BUFCNT, PCR ; SET TO ZERO
	05AC		FDC		06740	LBRA HIDKEY ;HIDE THE KEY
					06750	
					06760	*SHOW CHARACTER DURING EXCHANGE
	Show of the		400		06770	
	05AF	-	84			PUTSCR LDB ,X ;GET CHAR
	05B1		05			BSR FIXIT ; CONVERT FOR SCREEN
	05B3		9F	8800		STB [VIDPOS] ; PUT ON SCREEN
	05B7	39			06810 06820	
						*CONVERT FOR SCREEN
					06840	
	05B8	C1	40		06850	FIXIT CMPB #64 ;SCREEN ADJUST
	05BA		05		06860	BLO INC64 ; TOO SMALL
	05BC		61		06870	
	05BE		04			BHS DEC96 ;TOO BIG
	05C0		40			RTS ;JUST RIGHT INC64 ADDB #64
	05C1 05C3		40		06910	
	05C4		60			DEC96 SUBB #96
	0504		00		06930	
					06940	
					06950	*CONVERT LOWER TO UPPER CASE
					06960	
		81	61			MAKCAP CMPA #97 ; LOWER CASE?
	05C9		02			BLO ISUPP ;NO,IT'S UPPER SUBA #32 ;CONVERT TO UPPER
	05CB 05CD		20		06990	ISUPP RTS ; RETURN USABLE KEY
	UJCD	39			07010	
						*SEE IF LINE EDIT IS IN CONTROL
					07030	*
	05CE			FA7F		GNCHRS LDB BUFCNT, PCR ;GET CNT
	05D2		66		07050	LDU 6,S ;GET STACK LOCATION
		1183		F		CMPU #LEDVEC ; IN LINE EDIT?
	05D8	D6	09 D7			BHI NLEDIT ; NOT IN LINE EDIT LDB EDTCNT ; GET EDIT COUNT
	05DC		וע			INCB ; LINE EDIT ADJUST
	05DD		8D	FA65		TST EXCHAN, PCR ; DESIRE EXCHAN?
	05E1		01			BNE DOEXCH ;YES, DO EXCHANGE
	05E3	39			07120	NLEDIT RTS ; RETURN CHAR COUNT
	05E4	6C	8D	FA5E		DOEXCH INC EXCHAN, PCR ; ADJUST
_			_			

05E8 B	BD	85B4	07140	JSR GETEND ;GET LINE END
05EB D	06	D7	07150	LDB EDTCNT ;GET EDIT COUNT
OSED C	CB	02	07160	ADDB #2 ; ADJUST FOR EXCHANGE
05EF 3	19		07170	RTS ; RETURN COUNT IN B
			07180	
			07190	*SPECIAL CURSOR FLASH TIMER
			07200	
05F0 E	6	8D 000B		TIMER LDB BOTTOM, PCR ;GET COUNT
05F4 5		OD 000D		INCB ;UPDATE IT
		8n 0006		STB BOTTOM, PCR ; SAVE IT
05F9 C				CMPB #127 ; CHECK CONDITON
05FB 3				
UJFB J	9			RTS ; RETURN CONDITION
			07260	
				*IF BUFFER STUFFER CANNOT BE
			07280	
			07290	
05FC		FF	07300	RETBAS FCB 255 ;ALLOW
05FD		FF	07310	FCB 255 ; ROUTINE
05FE		FF	07320	FCB 255 ; DEACTIVATION
05FF		FF	07330	BOTTOM FCB 255 ;OBJECT CODE END
			07340	*"BOTTOM" IS ALSO USED AS A
			07350	*COUNTER FOR SEVERAL ROUTINES
				END HOOK
00000	TOTA	L ERRORS		

,		
V	150 235	740127
T	30088	85061
	400 148	960 198
	5200	END97
	620121	
-		The second secon

#### Listing 2:

10 'OBJECT CODE GENERATOR

20 'BUFFER STUFFER () 1984

30 'BY Richard W. Rutter

4Ø CLEAR5ØØ

50 SP=49446:EP=49449'SET ROM ADD RESSES

60 DE\$="":FORA=SP TOEP:DEV\$=DEV\$ +CHR\$(PEEK(A)):NEXTA:IFDEV\$<>"DI SK"ANDSP<49465THENSP=49465:EP=49 468:GOTO60°(LOOK FOR DISK 1.0 OR

1.1) 7Ø IFDEV\$="DISK"THENFI=3541:L=5Ø

76:EX=3634ELSEFI=1536:LA=3Ø71:EX =1629:DEV\$="CASSETTE"'SET FIRST AND LAST ADDRESSES FOR EITHER A DISK O A NON DIS

SYSTM

80 CLS:PRINT"CREATING OBJECT COD E.":PRINT"PLEASE WAIT."

90 FORA=FI TOLA'USE FREE LOCAT

ONS A DETERMINED IN LINE 7Ø 1ØØ READB'GET THE DATA VALUE

110 CC-CC DIUDDATE CUCCKCUM

110 CS=CS+B'UPDATE CHECKSUM

120 POKEA, B'STRE EACH VALUE

13Ø NEXTA

14Ø PRIT


150 IFCS=180207THENPRINT"CHECKSU M IS GOOD."ELSEPRINT"SORRY, CHEC KSUM IS BAD!":PRINT"EXAMINE YOU

## RESET-POWER-SWITCHES A REAL IMPROVEMENT

Move the power switch and reset switch where they belong. An LED power on light too! High quality parts. D, E boards and CoCo 2 totally solderless kit. F board requires soldering.

Reset 1 CoCo 1 \$24.95 Reset 2 CoCo 2 \$27.95

Either kit add \$2.00 shipping and handling



#### SAM DIAMOND, P.I.

The first of our new Sam Diamond graphic adventures. More than 30 detailed high resolution graphic scenes. A killer is loose in the city. Can you bring him to justice before he gets you? Excellent graphics and a tough mystery to solve.

32K EXB Disk Only \$29.95 plus \$2.00 shipping and handling



## THE COCO-SWITCHER A QUALITY PIECE OF HARDWARE

The CoCo Switcher allows you to hook up three peripherals to your RS-232 jack. Connect your modem, printer and any other RS-232 compatible peripheral to the CoCo Switcher. An LED on the CoCo Switcher shows if your computer is on or off at a glance. The LED flickers when transmitting or receiving data.

Dimensions: 2½" (64 mm) x 4" (102 mm) x 5 7/8" (150 mm) \$39.95 plus \$2.00 shipping and handling



#### MORETON BAY SOFTWARE

A Division of Moreton Bay Laboratory





316 CASTILLO STREET SANTA BARBARA, CALIFORNIA 93101 (805) 962-3127

DATA STATE ENTS. ": GOTO25Ø 16Ø PRINT"IS "DEV\$" READY (Y/N)? :";:LININPUTQ\$:Q\$=LET\$(Q\$,1):IFQ \$<>"Y"THEN14Ø 17Ø PRINT 18Ø PRINT"SAVING FILE 'BUFBIN'." :PRINT"PLESE WAIT." 19Ø IFDEV\$<>"DIK"THEN22Ø 200 SAVEM"BUBIN.BIN",FI,L,X 21Ø GOTO23Ø 220 CSAVEM"BFBIN", FI, LA, EX 230 PRINT:PRINT"FILE 'BUFBIN' NO W ON "DEV\$"." 240 'THE FOLLOWIN 1536 DATA VALU ES ARE UED TO CREATE HE OBJECT C ODE FR BUFFER STUFFER. BE CERTA IN THAT YOUR DATA IS THE SAME AS THIS DATA. 25Ø END 26Ø DAT 65,47,67,47,71,58,255,12 8, 66, 85, 70, 58, 255, 128, 76, 84, 65, 6 6,58,255 27Ø DATA 128,77,65,83,75,58,255, 128,82,84,65,66,58,255,128,83,80 , 69, 69, 68 28Ø DATA 58,255,128,85,78,77,65, 83,75,58,255,250,250,10,19,159,2 55,5,5,40 290 DAA 1,1,0,0,0,0,0,0,0,0,0,0,0, 0,0,0,0,0,0,0,160,0,0,0,0,0,0,0,0,0, 300 DATA 0,0,255,174,141,5,155,1 40, 255, 255, 38, 22, 182, 1, 106, 167, 1 41,5,142 310 DATA 190,1,107,175,141,5,136 ,48,141,1,22,191,1,107,57,174,14 1,5,124,191 320 DATA 1,107,48,141,5,117,134, 255, 167, 132, 167, 1, 57, 16, 174, 140, 188,142,2 330 DATA 221,95,109,140,180,39,1 4, 166, 160, 167, 128, 173, 159, 160, 2, 92,225,140 34Ø DATA 166,37,242,92,231,14Ø,1 63, 15, 111, 15, 112, 189, 163, 154, 51, 141,255,71 35Ø DATA 23,2,152,141,97,39,252, 23, 5, 4, 52, 2, 23, 2, 161, 53, 2, 230, 14  $\emptyset, 132, 129$ 36Ø DATA 71,39,42,174,141,255,1Ø 9,238,141,255,101,17,131,5,224,3 7,3,51,200 37Ø DATA 224,223,136,129,65,39,2 ,32,196,230,141,255,99,90,93,39, 157,231,141 38Ø DATA 255,92,23,2,112,32,148, 142, 2, 221, 16, 174, 141, 255, 76, 231, 141,255,71

39Ø DATA 198,1,225,141,255,65,39 ,11,166,128,167,16Ø,92,225,141,2 55,54,37 400 DATA 245,106,141,255,48,57,1 09,141,255,35,38,20,109,141,255, 34,38,7,52 41Ø DATA 16,189,161,153,53,16,14 1,5,39,2,141,19,57,52,32,173,159 ,160,0,53 420 DATA 32,57,230,141,254,242,2 31, 159, Ø, 136, 57, 198, 96, 32, 247, 16 6,141,254 43Ø DATA 248,161,141,254,223,38, 25, 166, 141, 254, 237, 39, 19, 141, 225 ,95,141,187 44Ø DATA 38,12,92,225,141,254,2Ø 8, 37, 245, 166, 141, 254, 217, 57, 111, 141,254,213 45Ø ATA 141,167,39,10,161,141,25 4, 184, 39, 5, 167, 141, 254, 198, 57, 14 1,75,38 460 DATA 233,167,141,254,190,32, 192, 13, 111, 16, 38, 4, 103, 15, 112, 11 1,141,254 47Ø DATA 171,222,136,239,141,254 ,157,231,141,254,172,109,141,254 ,164,16,38 480 DATA 0,243,109,141,254,155,1 6,38,Ø,243,172,141,254,137,38,4, 111,141,254 490 DATA 139,141,142,39,252,141, 134, 141, 11, 39, 28, 161, 141, 254, 104 ,39,22,22 500 DATA 0,230,51,141,254,125,23 Ø, 196, 193, 255, 39, 6, 161, 192, 39, 3, 32,244,95 51Ø DATA 93,57,161,141,254,76,39 ,38,129,9,38,2,134,32,23,3,218,2 25,141,254 520 DATA 60,16,37,0,189,225,141, 254,81,39,6,129,8,16,38,Ø,176,12 9,32,16,37 53Ø DATA Ø,171,22,0,167,111,141, 3,234,230,141,254,30,23,255,42,2 3,3,209,39 54Ø DATA 6,193,255,39,236,32,3,2 3,255,33,23,255,5,39,237,111,141 , 254, 23, 23 550 ATA 3,145,129,85,16,39,0,148 ,141,148,39,2,32,118,52,2,166,14 1,253,237 560 DATA 141,136,53,2,39,2,32,10 4,129,77,16,39,0,155,129,88,16,3 9,1,196,51 57Ø DATA 141,253,167,129,66,16,3 9,0,180,51,141,253,163,129,76,16 ,39,Ø,185 58Ø DATA 51,141,253,167,129,82,1 6,39,Ø,183,51,141,253,164,129,83

#### Announcement from Moreton Bay Software and Double Density Software:

To continue to provide you with fast service, technical support and to develop new and better products, Moreton Bay and Double Density Software are combining their marketing efforts. Now you can order any product from Moreton Bay or Double Density with one simple call. The fine programmers at Double Density will be able to devote full time to what they like best, developing new software and hardware for our customers.

#### UTILITIES FOR HOME AND OFFICE

#### COLOR TERM + PLUS +

The leader in communications software. Now version 5.0 is available! Just about every feature you could imagine for a terminal program. Communication BAUD rate: 110-4800. Printer BAUD rate 600-9600. Menu Driven. High resolution screen of 42, 51, 64 or 85 characters per line by 24 lines. Scroll protect up to 9 lines for important information. A 64K machine can have 53,000 characters in the storage buffer. Print any page in the buffer. Select half, full duplex or Echo. Select Odd, Even, Mark, Space or No Parity. Multiple screen formats in regular or reverse video. Compatible with *all* Radio Shack Color Computers.

Tape or Disk \$49.95

#### DOUBLE SPOOLER

Great utility! Let your CoCo do two things at once. List a program while you edit. Print data while doing calculations or data input. Keep two BASIC programs in memory at the same time. Requires 32K minimum.

Tape or Disk \$21.95

#### MORE BUSINESS

Ver 3.12 The *preferred* business package. Completely interactive. General Ledger. Accounts Receivable. Accounts Payable. Customer Statements. Mailing Labels, Profit/Loss. Balance Sheet Statements. Our most powerful business package. Buy the best!

32K Disk R/S DOS \$99.95

#### DOUBLE DRIVER

The BEST monitor driver available. Color composite, monochrome and audio output. For original CoCo D, E and F boards. \$24.95.

Mono II for Color Computer 2. An excellent monochrome monitor driver that has audio output also. 124.95.



Specify model needed.

#### 64K UPGRADES



Pretested. Guaranteed. Instantly access 64K via M/L totally solderless kit to upgrade E Boards. Kit includes eight 4164 prime chips and chips U29 and U11 already soldered. E Board Kit \$69.95 F Board and Color Computer 2. \$57.00

#### THE VERY BEST IN GRAPHICS

#### **BIORK BLOCKS**

An incredible graphic utility. Fun. Easy. Create graphic screens as good as any you have seen. All you need is a joystick or mouse. "The most user friendly program I have ever seen for the CoCo. For those of you with graphic interests, I guarantee that you will not be disappointed." Review in *Rainbow*, Oct. 1984.

Requires 32K EXB (64K for animation) Tape or Disk \$34.95 BUILDING BLOCKS 1 (Picture Disk) \$15.95 SPECIAL: BJORK BLOCKS and GRAPHICOM \$55.00



Created with Bjork Blocks

#### **GRAPHICOM**

Buy Graphicom from us and get one of our unique picture disks free! Get our improved Picture Disk One also. The first in the new generation of graphic utilities. An excellent utility. Requires: 64K EXB, Disk Drive and Joy Sticks. Three disks and the best bound documentation for only \$29.95.

Caligraphy STAMP DISK: Useful letters and designs for making your own signs and menu screens.

Adventure Disk I: Indoor scenes and objects. Helps you draw pictures and learn more about Graphicom.


Adventure Disk II: Outdoor scenes and objects. A Graphicom tutorial as well as a useful library of images you can use.

☐ ABCDEFGHI
JKLMNOPQR
STUVWXYZ
123456789
abcdefafrift

Caligraphy Disk



Adventure Disk II



1 Picture Disk \$15.95

2 Picture Disks \$24.95

3 Picture Disks \$29.95

#### MORETON BAY SOFTWARE

A Division of Moreton Bay Laboratory



316 CASTILLO STREET SANTA BARBARA, CALIFORNIA 93101 (805) 962-3127



Ordering information



Add \$2.00 shipping and handling per order. We ship within 24 hours on receipt of order. Blue Label Service available. California residents add  $6\,\%$  sales tax.

,16,39,Ø 59Ø DATA 182,129,8,38,10,230,141 , 253, 173, 231, 141, 253, 189, 32, 14, 1 29, 9, 38, 34 600 DATA 230,141,253,160,231,141 , 253, 174, 32, 8, 134, 8, 106, 141, 253, 167, 32, 17 61Ø DAA 134,32,1Ø6,141,253,158,2 3, 3, 29, 92, 225, 141, 253, 126, 35, 1, 7 9,230,141 62Ø DATA 253,148,129,31,34,8,129 ,8,39,4,111,141,253,129,175,141, 253,117,50 63Ø DATA 1ØØ,57,51,141,253,86,14 1,126,23,254,70,39,251,51,141,25 3,116,230 64Ø DATA 196,193,255,39,45,161,1 96, 39, 4, 51, 65, 32, 242, 111, 196, 32, 33,51,141 65Ø DATA 253,31,141,93,23,254,37 ,39,251,51,141,253,83,230,196,19 3,255,39 660 DATA 12,161,196,39,8,109,196 ,39,8,51,65,32,238,141,85,32,162 ,167,192 67Ø DATA 32,197,141,9Ø,225,141,2 53, 19, 39, 1, 92, 231, 141, 253, 13, 32, 143, 141, 75 68Ø DATA 231,141,253,10,32,135,1 41, 67, 231, 141, 253, 3, 22, 255, 126, 1 41,58,231 69Ø DATA 141,252,251,22,255,117, 111, 141, 253, Ø, 111, 141, 252, 253, 11 1,141,252 700 DATA 250,111,141,252,234,57, 111, 141, 252, 250, 166, 192, 129, 255, 39, 10, 173 71Ø DATA 159,16Ø,2,1Ø8,141,252,2 36, 32, 240, 57, 134, 8, 173, 159, 160, 2 , 106, 141 72Ø DATA 252,223,38,246,57,141,2 20,141,201,198,3,231,141,2,127,2 3, 253, 156 73Ø DAA 39,251,129,57,34,26,129, 48, 37, 22, 109, 141, 2, 110, 39, 16, 106 , 141, 2, 104 74Ø DATA 173,159,16Ø,2,1Ø8,141,2 52, 179, 141, 41, 32, 221, 129, 3, 39, 28 , 129, 13, 38 750 DATA 213,141,188,230,141,252 ,140,225,141,252,135,36,2,32,12, 225,141,252 76Ø DATA 118,35,3,9Ø,32,247,57,1 41, 164, 50, 98, 22, 254, 238, 128, 48, 3 1,137,111 770 DATA 141,252,107,166,141,252 ,114,167,141,252,111,166,141,252 , 105, 167 78Ø DATA 141,252,102,231,141,252

,97,231,141,252,83,166,141,252,9 Ø, 198, 1Ø 79Ø DTA 61,235,141,252,72,231,14 1, 252, 68, 166, 141, 252, 76, 129, 2, 34 , 18, 37, 4 800 DATA 193,55,34,12,198,100,61 , 235, 141, 252, 47, 231, 141, 252, 43, 5 7,230,141 810 DATA 252,28,231,141,252,34,2 30,141,252,30,57,108,141,252,34, 820 DATA 111,132,111,1,125,2,221 , 16, 39, 254, 134, 231, 141, 252, 27, 17 5,141,252 83Ø ATA 6,52,32,48,31,16,158,136 , 16, 175, 141, 251, 248, 49, 63, 16, 159 , 136, 111 84Ø DATA 141,251,251,111,141,1,1 72, 23, 252, 236, 23, 1, 151, 39, 6, 193, 255,39,240 85Ø DATA 32,3,23,1,75,23,252,232 ,39,237,23,1,67,175,141,251,210, 129,8,39 860 DATA 22,129,9,39,35,129,12,1 6,39,0,174,129,13,16,39,1,6,129, 32,36,38 87Ø DATA 32,193,140,2,221,39,188 , 48, 31, 16, 158, 136, 49, 63, 16, 159, 1 36,32,18Ø 880 DTA 16,158,136,49,33,16,172, 141, 251, 153, 39, 164, 16, 159, 136, 48 , 1, 32, 161 89Ø DATA 23Ø,141,251,159,225,141 , 251, 126, 36, 147, 16, 174, 141, 251, 1 31,230,162 900 DATA 231,33,16,172,141,251,1 24, 34, 245, 167, 132, 16, 174, 141, 251 ,113,49,33 910 DATA 16,175,141,251,106,111, 164, 16, 158, 136, 49, 33, 16, 175, 141, 251,98,31 920 DATA 18,166,160,39,35,158,13 6, 140, 5, 255, 37, 22, 174, 141, 251, 75 ,48,136,224 930 DATA 175,141,251,68,174,141, 251, 70, 48, 136, 224, 175, 141, 251, 63 ,173,159 940 DATA 160,2,32,217,16,174,141 , 251, 52, 16, 159, 136, 16, 174, 141, 25 1,38,49,33 950 DATA 16,175,141,251,31,174,1 41,251,31,48,1,108,141,251,40,22 , 255, 35, 125 960 DATA 2,222,16,39,255,24,16,1 58, 136, 230, 1, 231, 128, 93, 38, 249, 1 74,141,251 970 DATA 1,109,132,38,4,48,31,49 ,63,16,159,136,16,175,141,250,24 3,31,18,166

980 DATA 160,39,6,173,159,160,2, 32, 246, 134, 32, 173, 159, 160, 2, 16, 1 74,141,250 990 DATA 220,16,159,136,16,174,1 41,250,206,49,63,16,175,141,250. 199, 16, 174 1000 DATA 141,250,196,49,63,16,1 75,141,250,189,106,141,250,202,2 2,254,197 1010 DATA 16,174,141,250,175,16, 159, 136, 53, 32, 174, 141, 250, 168, 10 6,141,250 1020 DATA 170,16,39,253,24,230,1 41, 250, 173, 192, 2, 215, 215, 111, 141 ,250,165,22 1030 DAA 253,9,230,132,141,5,231 , 159, Ø, 136, 57, 193, 64, 37, 5, 193, 97 ,36,4,57 1040 DATA 203,64,57,192,96,57,12 9,97,37,2,128,32,57,230,141,250, 127,238,102 1050 DATA 17,131,159,255,34,9,21 4,215,92,109,141,250,101,38,1,57 ,108,141,250 1060 DATA 94,189,133,180,214,215 , 203, 2, 57, 230, 141, 0, 11, 92, 231, 14 1,0,6,193 1070 DATA 127,57,255,255,255,255

Listing 3:

10 'STRING EDIT DRIVER PROGRAM 20 'BUFFER STUFFER, (C) 1984, 30 'by Richard W. Rutter 40 CLEAR1000 50 OF=3541 MANDATORY EXECUTION O FFSET FOR DISK. FOR CASSETTE SY STEMS, USE "OF=1536" **60 LINEINPUT"QUIT OR STRING ENTR** Y?: ": ST\$ 7Ø Q\$=LEFT\$(ST\$,3):IFQ\$="QUI"THE NEND 8Ø PA\$=ST\$ 90 PRINT:PRINT"[IN STRING EDIT M DE3":GOSUB1ØØØØ 100 ST\$=PA\$ 110 PRINT"STRING EDIT RESULTS: ": PRINT"["ST\$"]" 12Ø G006Ø 10000 EL=157:EA=PEEK(EL):EB=PEEK (EL+1): VP=Ø: VL=78+OF: LE=LEN (PA\$) :PA\$=PA\$+STRING\$ (255-LE, 32):VP=V ARPTR(PA\$):POKEVL,LE:POKEVL+1,PE EK(VP+2):POKEVL+2,PEEK(VP+3):EXE C143+OF: POKEVP, PEEK (VL): POKEEL, E A: POKEL+1, EB: RETURN

#### ARE YOUR WALKING FINGERS GETTING FOOTSORE?

Tired of typing in those long, but wonderful, programs from issues of **THE RAINBOW**? Now, you can get **RAINBOW ON TAPE** and give those tired fingers a rest. With **RAINBOW ON TAPE**, you'll be able to spend your time enjoying programs instead of just typing . . . typing them! All you need to do ever again is pop a **RAINBOW ON TAPE** cassette into your recorder, *CLOAD* and *RUN* any one you want.

Think of it! Not 10 or a dozen — but between 20 and 30 — programs every month from **RAINBOW ON TAPE**. All the really good programs from **THE RAINBOW!** All the long ones . . . so you don't have to type them in. Just *CLOAD* and *RUN*!



## Now . . . The Best Color Computer Magazine Offers The Best Tape Service

RAINBOW ON TAPE single issue rate is: within the US \$10, Canadian rate \$12, all other countries \$12. RAINBOW ON TAPE subscription rate is: within the US \$80, Canadian rate \$90, all other countries \$105.

U.S. FUNDS ONLY, PLEASE.
KENTUCKY RESIDENTS ADD 5% SALES TAX.
WE DO NOT BILL IN ORDER TO HOLD DOWN COSTS.

VISA, MasterCARD and American Express accepted. All subscriptions begin with the current issue and back issues are available beginning with April 1982. Tapes are sent first class mail to arrive approximately the same time as your current issue of THE RAINBOW.

#### ORDER RAINBOW ON TAPE TODAY!

# Staging The Final Scene Of The 51-Column Screen

By R. Bartly Betts Rainbow Contributing Editor With Programs By Chris Bone

The last of the 51-column text generator is included in this column. From now on you will not be limited to a 32-column Color Computer screen. In fact, to celebrate the conclusion of a new screen text routine, this month's column is dedicated to printing, on and off the screen.

First, just to make changing to the new format easier, the demonstrations in this month's column are for a machine language program that finds BASIC *PRINT* and TAB command

(Bartly Betts is a former reporter, magazine editor and store owner now residing in Fort Worth, Texas. He has owned and operated a Color Computer for over three years and is presently taking an electronics and computer course by correspondence. Chris Bone is a college computer science major and has been programming for more than three years. He averages between six and nine hours a day on the CoCo.)

parameters to aid you in converting them to the new screen format.

As usual, the listing for the complete 51-column display is at the end of the article. The complete listing is included for any of you who have just joined us, so you do not need to do any appending to the previous listings to get the complete program.

We have received a number of good solutions to the previous challenge to fill a display screen with alpha characters and convert all 'A' characters to asterisks. I will publish some of the best solutions and the authors' names next month. I am sure it seems like a long time between the challenge and the recognition, but the columns have to be written a couple of months before they are published and quite a time delay is involved.

Those who submitted programs have heard from me by now, the rest of you will have to wait another month.

#### The Groundwork

Now, about a BASIC TAB and PRINT@ finder. In order to create a

program to make changes in a BASIC program, there are a few things we must first know:

- 1) Where does the BASIC program begin in memory?
- 2) Where does the BASIC program end in memory?
- 3) What are the codes that pinpoint the data to be translated?

Luckily, these questions can be easily answered. First, memory locations 25 and 26 contain the pointer to the beginning of a BASIC program. To find where any BASIC program begins, multiply the value in Location 25 by 256 and add the value of Location 26.

Memory locations 27 and 28 contain the pointers for the end of a BASIC program, in the same manner. If you have not already tried something similar, enter the following BASIC program to have a look through any program in memory.

First, load a BASIC program, then using line numbers that do not conflict with your program, type and run the following listing:

Ø A=PEEK(25)

1Ø B=PEEK(26)

2Ø L=A\*256+B

3Ø A=PEEK(27)

4Ø B=PEEK(28)

5Ø E=A\*256+B

6Ø FOR X=L TO L+32

7Ø LN\$=LN\$+CHR\$(PEEK(X))

8Ø NEXT X

9Ø PRINT LN\$;

1ØØ LN\$=""

11Ø L=X

12Ø IF L>E THEN END ELSE 6Ø

The program is rather simple, but it prints out a BASIC program, from beginning to end, in the form in which it resides in memory. The tokens for the BASIC key words are not translated and do appear as graphics characters. Running it gives you an idea of what the FIND program deals with.

#### The Requirements

Your translator program also needs a routine that looks through the BASIC program. As well, it needs the capability to know when it finds a *PRINT* or a TAB command and to print out the parameters it finds. The internal BASIC code for *PRINT* is 135 decimal or 87 Hex, and the ASC code for the '@' symbol is 64 decimal or 40 Hex. The internal BASIC code for TAB is 164 decimal or A4 Hex.

You need to know that the lines of the new 51-column screen contain 1.6 times as many characters as the old 32column screen (51 divided by 32).

The following listing is the source code for a program that will search through a BASIC program's memory and locate *PRINT*@ or TAB commands. Once you have entered and assembled it, you can use it on any BASIC program. It resides in a memory graphics page and so does not interfere with any BASIC program, regardless of length.

#### The Rest Is Up To You

You will notice the program is just a bare minimum. We have done this because the purpose of the column is to teach assembly language programming. The program provides a base upon which you can build. Some of the things you may wish to add are:

- 1) A conversion to do the new TAB or *PRINT*@ calculations.
- 2) An option to send the printout to either the screen or a printer.
- 3) A routine that recognizes when

#### **Metric Industries**

#### MODEL 101 INTERFACE 54.95

The Model 101 is a serial to parallel interface intended for use with a COCO and any Centronics compatible parallel input printer. The 101 has 6 switch selectable baud rates (300-9600). It comes with a "UL" listed power supply that can be unplugged from the interface if your printer supplies power (Most do). The 101 is only 4" x 2" x 1" and comes with all cables and connectors for your computer and printer.

#### MODEL 102 SWITCHER 35.95

The Model 102 has 3 switch positions that allow you to switch your computer's serial output between 3 different devices (modem, printers or another computer). The 102 has color coded lights that indicate the switch position. These lights also act as power indicators to let you know your computer is on. Supplied with the 102 are color coded labels that can be applied to your accessories. The 102 has a heavy guage anodized aluminum cabinet with non-slip rubber feet.

#### MODEL 103 COMBO 85.95

With the turn of a knob the model 103 switches your computer's RS232C serial port to any one of 3 outputs — 2 serial and 1 parallel. The serial ports may be used for modems, serial printers or even another computer. The parallel port can be used with any Centronics compatible printer. The 103 has the best features from the 101 and 102: color coded position indicator lights, 6 switch selectable baud rates, heavy anodized aluminum cabinet, "UL" listed power supply and many more.







The Model 101, 102 and 103 will work with any level COCO basic, any memory size 4K-64K and are covered by a 180 day warranty.

The Model 101 and 103 work with any standard parallel input printer including Gemini, Epson, Radio Shack, Gorillia, C.Itoth, Okidata and many others. They support basic print commands, word processors and graphic commands.

#### CASSETTE LABEL PROGRAM 6.95

This fancy printing utility prints 5 lines of information on pinfeed cassette labels. "Cassette Label" is menu driven and is very easy to use. It uses the special features of your printer for standard, extended or condensed characters. Each line of text is automatically centered. Before the label

is printed, it is shown on your CRT — enabling you to make changes if you like — then print 1, 2 or 100 labels. The program comes on tape and it is supplied with 24 labels to get you started. 16K ECB required

#### OTHER ITEMS

High quality 5-screw shell C-10 cassette tapes \$7.50/dozen Hard plastic storage boxes for cassette tapes \$2.50/dozen Pin feed cassette labels \$3.00/100





To order call our 24 hour order line 513-677-0796 and use your VISA or MASTERCARD or request C.O.D.

Or send check or money order to:

METRIC INDUSTRIES P.O. BOX 42396 CINCINNATI, OH 45242 Free shipping on orders over 50.00. Ohio residents add  $5.5\,\%$  sales tax.

We manufacture these products. Dealer inquiries are invited.

the new number has more digits than the old number, open up the BASIC program for insertion and put in the new number.

Try adding to the program according to your skills. Again, Chris and I would be glad to see your results. To aid your endeavors, you might find it helpful to know that replacing a value of 254 in memory location 111 (decimal) or 6F (Hex) causes characters to be sent to the printer rather than the screen. The normal value of Location 111 is zero.

To run the program as it is, type in the following listing and save it under the name FIND/SOR, then assemble it under the name FIND/BIN. Load in the BASIC program you wish to change, type LOADM "FIND/BIN and ENTER. Then type EXEC & HE00 ENTER. All of the BASIC line numbers containing the two target commands are be printed to the screen along with the values of the parameters.

#### The Print Routine

This program introduces an assembly concept I am sure you will find very useful. Lines 00260, 00290, 00330, 00400 and 00450 make use of built-in ROM routines to print characters to the video display. Calling subroutine \$A002 prints whatever character is currently in register A to the video screen. Calling subroutine \$BDCC prints the two characters contained in register D to the screen. Remember that register D is a 16-bit register composed to registers A and B.

The use of these ROM routines is

very simple. Load the appropriate register and jump to the subroutine. When the character or characters are printed, your program continues execution where it left off. The 51-column program in this article makes use of a number of these subroutines and many will be introduced in later articles.

The second part of the print function that needs explaining is found in the last five lines of Listing 2. FCC and FCB are used to set up a table of characters to be printed.

FCC (Form Constant Character) allows you to use any character as a delimiter to establish the beginning and end of the table. In this case, the slash (/) is used as the delimiter. All characters between the slashes, including the spaces, are printed. The delimiter characters must, of course, not be included in the text.

FCB (Form Constant Byte) is used to establish a character that ends the print routine (lines 00430 to 00460). Notice that Line 440 does a comparison to see if the print character is a zero. If it is, then the routine branches back to the calling routine.

#### This Is It!

Now, type in and assemble your 51-column program and enjoy a new dimension in the use of your Color Computer. If you feel too finger-weary to type in the complete listing and do not subscribe to RAINBOW ON TAPE, send us \$10 and we will copy and supply the utility on either disk or tape. Be sure to specify which. (In case you haven't noticed, it is cheaper to order

this month's RAINBOW ON TAPE. We are not trying to compete with this excellent service.)

All functions of BASIC are preserved in the text generator, including *CLS*.

There is one promise that we have not yet fulfilled. We have had it working in this program, but decided to leave it out for now. As yet, the text generator does not have a clear to the end of line and clear to the end of the screen function. Try incorporating these functions on your own. Look at how Chris accomplished the *CLS* routine to get ideas. If you have trouble, we will provide the solution in the future.

If you come up with other enhancements, send them along. We won't provide any fortunes, but we can promise fame if you have a good routine.

Next month, we will discuss the use of ROM routines some more and continue with information on assembler commands.

If you need to contact Chris or me, please write to:

R. Bartly Betts/Chris Bone 2251 Lipscomb Fort Worth, TX 76110 Phone (817) 924-3725 (no collect calls, please!)

51-Column Text Generator Assemble as "TEX51". To execute, type:

CLEARI,&H7CCI:CLEAR 300 LOADM (OR CLOADM) "TEXT51" ENTER EXEC &H7CC2


O0020 * ORG \$3CC2 *USE THIS LINE FOR 16K			EEN 51)				Control Control	ACCUMANTAL MANAGEMENT CONTRACTOR AND ACCUMANTAL ACCUMAN
7CC2 8E 7D58 00030 START LDX #GO *CHARACTER PRINT ROUTINE  7CC5 FC 0168 00040 LDD \$168 *OLD RAM HOOK  7CC8 BF 0168 00050 STX \$168 *SAVE NEW HOOK  7CCB FD 7DB7 00060 STD RETURN+1 *SET UP RETURN FROM PRINT  7CCE 8E 7CE1 00070 LDX #PARSE *PARSE ROUTINE INTERCEPT  7CD1 DC A9 00080 LDD \$A9 *OLD PARSE ROUTINE  7CD3 9F A9 00090 STX \$A9 *SAVE NEW HOOK  7CD5 FD 7CF8 00100 STD PRET+1 *SET UP RETURN  7CD8 9E BA 00110 LDX \$BA *TOP OF VIDEO PAGE  7CDA BF 7FFC 00120 STX POS *CURSOR POSITION  7CDD 7F 7FFA 00130 CLR BIT *LEFT COLUMN  7CE0 39 00140 RTS  00150 **********************************	7CC2			00010		ORG	1	*USE THIS LINE FOR 32K
7CC5 FC 0168 00040 LDD \$168 *OLD RAM HOOK  7CC8 BF 0168 00050 STX \$168 *SAVE NEW HOOK  7CCB FD 7DB7 00060 STD RETURN+1 *SET UP RETURN FROM PRINT  7CCE 8E 7CE1 00070 LDX #PARSE *PARSE ROUTINE INTERCEPT  7CD1 DC A9 00080 LDD \$A9 *OLD PARSE ROUTINE  7CD3 9F A9 00090 STX \$A9 *SAVE NEW HOOK  7CD5 FD 7CF8 00100 STD PRET+1 *SET UP RETURN  7CD8 9E BA 00110 LDX \$BA *TOP OF VIDEO PAGE  7CDA BF 7FFC 00120 STX POS *CURSOR POSITION  7CDD 7F 7FFA 00130 CLR BIT *LEFT COLUMN  7CEO 39 00140 RTS  00150 **********************************				00020	*	ORG	\$3CC2	*USE THIS LINE FOR 16K
7CC8 BF 0168 00050 STX \$168 *SAVE NEW HOOK  7CCB FD 7DB7 00060 STD RETURN+1 *SET UP RETURN FROM PRINT  7CCE 8E 7CE1 00070 LDX #PARSE *PARSE ROUTINE INTERCEPT  7CD1 DC A9 00080 LDD \$A9 *OLD PARSE ROUTINE  7CD3 9F A9 00090 STX \$A9 *SAVE NEW HOOK  7CD5 FD 7CF8 00100 STD PRET+1 *SET UP RETURN  7CD8 9E BA 00110 LDX \$BA *TOP OF VIDEO PAGE  7CDA BF 7FFC 00120 STX POS *CURSOR POSITION  7CDD 7F 7FFA 00130 CLR BIT *LEFT COLUMN  7CEO 39 00140 RTS  00150 **********************************	7CC2	8E	7D58	00030	START	LDX	#GO	*CHARACTER PRINT ROUTINE
7CCB FD         7DB7         00060         STD         RETURN+1         *SET UP RETURN FROM PRINT           7CCE 8E         7CE1         00070         LDX         #PARSE         *PARSE ROUTINE INTERCEPT           7CD1 DC         A9         00080         LDD         \$A9         *OLD PARSE ROUTINE           7CD3 9F         A9         00090         STX         \$A9         *SAVE NEW HOOK           7CD5 FD         7CF8         00100         STD         PRET+1         *SET UP RETURN           7CD8 9E         BA         00110         LDX         \$BA         *TOP OF VIDEO PAGE           7CDA BF         7FFC         00120         STX         POS         *CURSOR POSITION           7CED 7F         7FFA         00130         CLR         BIT         *LEFT COLUMN           7CEO 39         00140         RTS         ************************************	7CC5	FC	0168	00040		LDD	\$168	*OLD RAM HOOK
7CCE 8E 7CE1 00070 LDX #PARSE *PARSE ROUTINE INTERCEPT  7CD1 DC A9 00080 LDD \$A9 *OLD PARSE ROUTINE  7CD3 9F A9 00090 STX \$A9 *SAVE NEW HOOK  7CD5 FD 7CF8 00100 STD PRET+1 *SET UP RETURN  7CD8 9E BA 00110 LDX \$BA *TOP OF VIDEO PAGE  7CDA BF 7FFC 00120 STX POS *CURSOR POSITION  7CDD 7F 7FFA 00130 CLR BIT *LEFT COLUMN  7CEO 39 00140 RTS  00150 **********************************	7CC8	BF	0168	00050		STX	\$168	*SAVE NEW HOOK
7CD1 DC A9 00080 LDD \$A9 *OLD PARSE ROUTINE  7CD3 9F A9 00090 STX \$A9 *SAVE NEW HOOK  7CD5 FD 7CF8 00100 STD PRET+1 *SET UP RETURN  7CD8 9E BA 00110 LDX \$BA *TOP OF VIDEO PAGE  7CDA BF 7FFC 00120 STX POS *CURSOR POSITION  7CDD 7F 7FFA 00130 CLR BIT *LEFT COLUMN  7CEO 39 00140 RTS  00150 **********************************	7CCB	FD	7DB7	00060		STD	RETURN+1	*SET UP RETURN FROM PRINT
7CD3 9F A9 00090 STX \$A9 *SAVE NEW HOOK 7CD5 FD 7CF8 00100 STD PRET+1 *SET UP RETURN 7CD8 9E BA 00110 LDX \$BA *TOP OF VIDEO PAGE 7CDA BF 7FFC 00120 STX POS *CURSOR POSITION 7CDD 7F 7FFA 00130 CLR BIT *LEFT COLUMN 7CEO 39 00140 RTS 00150 **********************************	7CCE	8E	7CE1	00070		LDX	#PARSE	*PARSE ROUTINE INTERCEPT
7CD5 FD 7CF8 00100 STD PRET+1 *SET UP RETURN  7CD8 9E BA 00110 LDX \$BA *TOP OF VIDEO PAGE  7CDA BF 7FFC 00120 STX POS *CURSOR POSITION  7CDD 7F 7FFA 00130 CLR BIT *LEFT COLUMN  7CE0 39 00140 RTS 00150 **********************************	7CD1	DC	A9	00080		LDD	\$A9	*OLD PARSE ROUTINE
7CD5 FD 7CF8 00100 STD PRET+1 *SET UP RETURN  7CD8 9E BA 00110 LDX \$BA *TOP OF VIDEO PAGE  7CDA BF 7FFC 00120 STX POS *CURSOR POSITION  7CDD 7F 7FFA 00130 CLR BIT *LEFT COLUMN  7CE0 39 00140 RTS 00150 **********************************	7CD3	9F	A9	00090		STX	\$A9	*SAVE NEW HOOK
7CDA BF 7FFC 00120 STX POS *CURSOR POSITION 7CDD 7F 7FFA 00130 CLR BIT *LEFT COLUMN 7CE0 39 00140 RTS 00150 **********************************	7CD5	FD	7CF8	00100				*SET UP RETURN
7CDD 7F 7FFA 00130 CLR BIT *LEFT COLUMN 7CE0 39 00140 RTS 00150 **************** 00160 *A=CURRENT BYTE FROM 00170 *BASIC PROGRAM 7CE1 81 9E 00180 PARSE CMPA #\$9E *TOKEN FOR CLS? 7CE3 26 15 00190 BNE NOCLS *NOT CLS	7CD8	9E	BA	00110		LDX	\$BA	*TOP OF VIDEO PAGE
7CDD 7F 7FFA 00130 CLR BIT *LEFT COLUMN 7CE0 39 00140 RTS 00150 **************** 00160 *A=CURRENT BYTE FROM 00170 *BASIC PROGRAM 7CE1 81 9E 00180 PARSE CMPA #\$9E *TOKEN FOR CLS? 7CE3 26 15 00190 BNE NOCLS *NOT CLS	7CDA	BF	7FFC	00120		STX	POS	*CURSOR POSITION
00150 **********************************	7CDD	7 F	7FFA	00130		CLR	BIT	*LEFT COLUMN
00160 *A=CURRENT BYTE FROM 00170 *BASIC PROGRAM  7CE1 81 9E 00180 PARSE CMPA #\$9E *TOKEN FOR CLS? 7CE3 26 15 00190 BNE NOCLS *NOT CLS	7CEO	39		00140		RTS		
00170 *BASIC PROGRAM  7CE1 81 9E 00180 PARSE CMPA #\$9E *TOKEN FOR CLS?  7CE3 26 15 00190 BNE NOCLS *NOT CLS				00150	*****	******	****	**
7CE1 81 9E 00180 PARSE CMPA #\$9E *TOKEN FOR CLS? 7CE3 26 15 00190 BNE NOCLS *NOT CLS				00160	*A=CURR	ENT BYTE	FROM	
7CE1 81 9E 00180 PARSE CMPA #\$9E *TOKEN FOR CLS? 7CE3 26 15 00190 BNE NOCLS *NOT CLS				00170	*BASIC	PROGRAM		
7CE3 26 15 00190 BNE NOCLS *NOT CLS	7CE1	81	9E				#\$9E	*TOKEN FOR CLS?
7 CES 54 TO 00200 FOID D.A "SAVE A MIN D	7CE5		16	00200				*SAVE X AND D
7CE7 9E BA 00210 LDX \$BA *TOP OF SCREEN							,	

7CEC	CC	FFFF	00230		LDD	#\$FFFF	*WHITE
7CEF		81	00240 PC				*WHITE OUT
7CF1		B7	00250				*SCREEN TO BOTTOM
7CF3		FA	00260			PCL\$1	SCREEN TO BOTTON
7CF5		16	00270				*DECTORE V AND D
7CF7		1000	00270 00280 PR				*RESTORE X AND D
7CFA		87					*RETURN TO PARSE
			00290 NO				*PRINT?
7CFC		05	00300				*NOT A PRINT
7CFE		7FFF	00310				*SET PRINT@ FLAG
7D01		F4	00320				*RETURN
7D03		40	00330 PR				*IS IT AN @ SYMBOL
7D05		09	00340				*IF IT IS GOTO PRINT AT ROUTINE
7D07		20	00350			#32	*SPACE (SKIP SPACE BETWEEN PRINT AND AT)
7D09	27	EC	00360		BEQ	PRET	*RETURN IF SPACE
7D0B	7 F	7FFF	00370		CLR	PATFL	*NOT SPACE SO RESET PRINT FLAG
7D0E	20	E7	00380		BRA	PRET	*RETURN
7D10	7 D	7FFF	00390 PR	TAME	TST	PATFL	*WE GOT AN AT SO ARE WE PRINTING?
7D13	27	E2	00400				*IF NOT RETURN
7D15	7 F	7FFF	00410				*RESET FLAG
7D18	34	16	00420				*SAVE D AND X
7D1A		20	00430				*SPACE
7D1C	17	009A	00440				*BLANK OUT CURSOR
7D1F		B3E4	00450			and the same of	*CALCULATE PRINT AT POSITION
	1083		00460				*PAST END OF SCREEN
	1024		00470				*FC ERROR IF SO
	1083		00480 CC				*CALCULATE
7D2E		08	00490				*CURSOR POSITION
7D30		0033	00500				And the second control
7D33		7FFF	00510				*DOWN 256 BYTES FOR EACH 51 IN THE
7D35		F2	00520				*PRINT AT LOCATION
7D38		05	00520 00530 CC			CCAL1 #5	TAND E DIEG DOD BAGH ONE I DEE OVED
7D36		03					*AND 5 BITS FOR EACH ONE LEFT OVER
7D3B		04	00540		MUL		*CALCULATE # OF BITS
7D3D		07	00550 00560				*SAVE # OF BITS *SAVE LSN
7D3F			00570				*SAVE AS BIT COUNT
7D3F		7FFF	00580				*GET # LINES DOWN
		04					
7D45		04	00590				*GET # BYTES ACROSS * 8
7D47			00600		LSRB		*DIVIDE
7D48			00610		LSRB		D1
7D49			00620		LSRB	<b>.</b>	* 8
7D4A		BA	00630				*ADD SCREEN OFFSET
7D4C		7FFC	00640				*SAVE CURSOR POSITION
7D4F		7FFF	00650				*RESET FLAG
7D52		16	00660				*GET BACK D AND X
7D54		20	00670				*SPACE TO FOOL BASIC INTO THINKING
7D56		9F	00680				*THERE WAS TO @ SYMBOL
7D58	OD	6F	00690 GO	)	TST	\$6F	*FROM LAST MONTH
7D5A	1026	0058	00700			ŖETURN	
7D5E	34	16	00710			A,B,X	
7D60	81	08	00720		CMPA	#8	
7D62	26	13	00730		BNE	NOTBS	
7D64		00FD	00740		LBSR	BACK	
7D67		20	00750		LDA	#32	
7D69		4E	00760		BSR	LETTER	
7D6B		20	00770				*EXTRA SPACE TO ERASE CURSOR
7D6D		4A	00780			LETTER	
7D6F		00F2	00790			BACK	*EXTRA BACKUP TO FIX EXTRA SPACE
7D72		OOEF	00800		LBSR	BACK	
7D75		36	00810			RET	1
7D77		0C	00820 NO			#12	
7D79		13	00830			NOTCL	İ
7D7B	9E	BA	00840		LDX	\$BA	
7D7D		7FFC	00850		STX	POS	
7D80		7FFA	00860		CLR	BIT	
7D83		FFFF	00870 CI			#\$FFFF	
7D86		81	00880 CI		STD	,X++	I
7D88		В7	00890		CMPX	\$B7	l
7D8A		FA	00900		BNE	CLLOO	
7D8C	20	1 F	00910		BRA	RET	

		00000 110000		r remarks					
7D8E 8D	29	00920 NOTCL	BSR	LETTER					
7D90 BE	7FFC	00930	LDX	POS					
7D93 9C	В7	00940	CMPX	\$B7					
7D95 25	16	00950	BLO	RET					
7D97 30	89 FF00	00960	LEAX	-256,X					
7D9B BF	7FFC	00970	STX	POS					
7D9E 9E	BA	00980	LDX	\$BA					
7DAO EC	89 0100	00990 SCLOOP	LDD	256,X					
7DA4 ED	81	01000	STD	,X++					
7DA6 BC	7FFC	01010	CMPX	POS					
7DA9 26	F5	01020	BNE	SCLOOP					
7DAB 20	D6	01030	BRA	CLS					
7DAD 86	5F	01040 RET	LDA			MBOL (UNDE	RLINE)		
7DAF 8D	08	01050	BSR		*PRINT CUR				
7DB1 17	00B0	01060	LBSR	BACK	*BACK UP T	O CORRECT	PRINT POS		
1									
7DB4 35	96	01070	PULS	A,B,X,PC	7E1F 76	7FF9	01570	ROR	MASK+1
7DB6 7E	1000	01080 RETURN	JMP	\$1000	7E22 20	ED	01580	BRA	BITTST
7DB9 81	OD	01090 LETTER	CMPA	#\$0D	7E24 34		01590 SAVE	PSHS	D
7DBB 26	11	01100	BNE	LETT2	7E26 FC		01600	LDD	MASK
7DBD 86	20	01110	LDA	#\$20	7E29 AA	84	01610	ORA	<b>,</b> X
7DBF 8D	F8	01120	BSR	LETTER	7E2B EA		01620	ORB	í,x
7DC1 17	00A0	01130	LBSR	BACK	7E2D A7		01630	STA	,X
7DC4 7F	7FFD	01140	CLR	POS+1	7E2F E7		01640	STB	í,x
7DC7 7C	7FFC	01150	INC	POS	7E31 35		01650	PULS	D
7DCA 7F	7FFA	01160	CLR	BIT	7E33 A4		01660	ANDA	<b>,</b> X
7DCD 39		01170	RTS		7E35 E4	01	01670	ANDB	1,X
7DCE C6	04	01180 LETT2	LDB	#4	7E37 ED	84	01680	STD	,X
7DD0 F7	7FFE	01190	STB	BYTE	7E39 30	88 20	01690	LEAX	32,X
7DD3 80	20	01200	SUBA	#\$20	7E3C 39		01700	RTS	
7DD5 3D		01210	MUL		7E3D F6	7FFA	01710 FORW	LDB	BIT
7DD6 C3	7E8C	01220	ADDD	#TABLE	7E40 CB	05	01720	ADDB	<b>#</b> 5
7DD9 1F	02	01230	TFR	D,Y	7E42 C1	07	01730	CMPB	<i>#</i> 7
7DDB BE	7FFC	01240	LDX	POS	7E44 23	04	01740	BLS	BITSV
7DDE A6	A0	01250 LOOP	LDA	,Y+	7E46 30	01	01750	LEAX	1,X
7DE0 34	02	01260	PSHS	Á	7E48 C0	08	01760	SUBB	#8
7DE2 8A	OF	01270	ORA	#\$0F	7E4A C1	07	01770 BITSV	CMPB	#7
7DE4 8D	16	01280	BSR	SLICE	7E4C 26	OF	01780	BNE	BITDN1
7DE6 35	02	01290	PULS	Α	7E4E 1E		01790	EXG	X,D
7DE8 48		01300	ASLA		7E50 C1	1 F	01800	CMPB	#\$1F
7DE9 48		01310	ASLA		7E52 26		01810	BNE	BITDN
7DEA 48		01320	ASLA		7E54 4C		01820	INCA	
7DEB 48		01330	ASLA		7E55 5F	·	01830	CLRB	
7DEC 8A	OF	01340	ORA	#\$0F	7E56 1E		01840	EXG	D,X
7DEE 8D	0C	01350	BSR	SLICE	7E58 5F		01850	CLRB	
7DF0 7A	7FFE	01360	DEC	BYTE	7E59 20		01860	BRA	BITDN1
7DF3 26	E9	01370	BNE	LOOP	7E5B 1E		01870 BITDN	EXG	D,X
7DF5 30	89 FF00	01380	LEAX	-256,X	7E5D F7		01880 BITDN1	STB	BÍT
7DF9 8D	42	01390	BSR	FORW	7E60 BF		01890	STX	POS
7DFB 39		01400	RTS	LOIM	7E63 39		01900	RTS	
7DFC F6	7FFA	01410 SLICE	LDB	BIT	7E64 34	04	01910 BACK	PSHS	В
7DFF 5C		01420	INCB	DII	7E66 F6		01920	LDB	BIT
7E00 F7	7FFB	01430	STB	BIT+1	7E69 BE		01930	LDX	POS
7E03 34	02	01440	PSHS	A A	7E6C C0		01940	SUBB	<b>#</b> 5
7E05 CC	F800	01450	LDD	#\$F800	7E6E 2A		01950	BPL	BACKSP
7E08 8A	08	01460	ORA	#\$1800 #\$8	7E70 CB		01960	ADDB	#8
7EOA FD	7FF8	01470	STD	MASK	7E72 30		01970	LEAX	-1,X
7E0D 35	02	01470	PULS	A	7E74 1E		01980	EXG	X,D
7E0F C6	FF	01490	LDB	#\$FF	7E76 C1		01990	CMPB	#\$FF
7E11 7A	7FFB	01500 BITTST	DEC	BIT+1	7E78 26		02000	BNE	BACKS1
7E14 27	0E	01510	BEQ	SAVE	7E7A C6		02010	LDB	#\$1F
7E16 1A	01	01520	ORCC	#\$1	7E7C 1E		02020	EXG	X,D
7E18 46		01530	RORA	" Y 1	7E7E C6		02030	LDB	#2
7E19 56		01540	RORB		7E80 20		02040	BRA	BACKSP
7E1A 1C	FE	01550	ANDCC	#\$FE	7E82 1E		02050 BACKS1	EXG	X,D
7E1C 76	7FF8	01560	ROR	MASK	7E84 BF		02060 BACKSP	STX	POS
					7E87 F7		02070	STB	BIT

7E8A 35	84	02080	PULS	B,PC
7E8C	FFFF	02090 TABLE	FDB	\$FFFF
7E8E	FFFF	02100	FDB	\$FFFF
7E90	DDDD	02110	FDB	\$DDDD
7E92	DFDF	02120	FDB	\$DFDF
7E94	55FF	02130	FDB	\$55FF
7E96	FFFF	02140	FDB	\$FFFF
7E98	9909	02150	FDB	\$9909
7E9A	099F	02160	FDB	\$099F
7E9C 7E9E	B17B D1BF	02170 02180	FDB FDB	\$B17B
7EA0	F32D	02190	FDB	\$D1BF \$F32D
7EA2	B4CF	02200	FDB	\$B4CF
7EA4	B55B	02210	FDB	\$B55B
7EA6	25AF	02220	FDB	\$25AF
7EA8	DBFF	02230	FDB	\$DBFF
7EAA	FFFF	02240	FDB	\$FFFF
7EAC	DB77	02250	FDB	\$DB77
7EAE	7BDF	02260	FDB	\$7BDF
7EB0	BDEE	02270	FDB	\$BDEE
7EB2	EDBF	02280	FDB	\$EDBF
7EB4	F690	02290	FDB	\$F690
7EB6 7EB8	96FF	02300	FDB	\$96FF
7EBA	FBB1 BBFF	02310 02320	FDB FDB	\$FBB1 \$BBFF
7EBC	FFFF	02320	FDB	\$FFFF
7EBE	9DBF	02340	FDB	\$9DBF
7ECO	FFF0	02350	FDB	\$FFF0
7EC2	FFFF	02360	FDB	\$FFFF
7EC4	FFFF	02370	FDB	\$FFFF
7EC6	FDDF	02380	FDB	\$FDDF
7EC8	FDDB	02390	FDB	\$FDDB
7ECA	B77F	02400	FDB	\$B77F
7ECC	9640	02410	FDB	\$9640
7ECE	269F	02420	FDB	\$269F
7EDO	D9DD	02430	FDB	\$D9DD
7ED2	DD8F	02440	FDB	\$DD8F
7ED4	96ED	02450	FDB	\$96ED
7ED6 7ED8	B70F 96E9	02460 02470	FDB FDB	\$B70F \$96E9
7EDA	E69F	02470	FDB	\$E69F
7EDC	D950	02490	FDB	\$D950
7EDE	DDDF	02500	FDB	\$DDDF
7EEO	071E	02510	FDB	\$071E
7EE2	E69F	02520	FDB	\$E69F
7EE4	DB71	02530	FDB	\$DB71
7EE6	669F	02540	FDB	\$669F
7EE8	0EED	02550	FDB	\$0EED
7EEA	B77F	02560	FDB	\$B77F
7EEC	9669	02570	FDB	\$9669
7EEE	669F	02580	FDB	\$669F
7EF0	9668	02590	FDB	\$9668
7EF2	EDBF	02600	FDB	\$EDBF
7EF4 7EF6	FDDF	02610	FDB	\$FDDF
7EF8	DDFF FDDF	02620 02630	FDB FDB	\$DDFF \$FDDF
7EFA	DDBF	02640	FDB	\$DDBF
7EFC	EDB7	02650	FDB	\$EDB7
7EFE	BDEF	02660	FDB	\$BDEF
7F00	FF0F	02670	FDB	\$FF0F
7F02	OFFF	02680	FDB	\$0FFF
7F04	7BDE	02690	FDB	\$7BDE
7F06	DB7F	02700	FDB	\$DB7F
7F08	96ED	02710	FDB	\$96ED
7F0A	BFBF	02720	FDB	\$BFBF
7F0C	9642	02730	FDB	\$9642
7F0E	478F	02740	FDB	\$478F
7F10	9660	02750	FDB FDB	\$9660 \$666F
7F12	666F	02760	L DD	JUUUF

	7F14	3551	02770	FDB	\$3551
	7F16	661F	02780	FDB	\$661F
	7F18	9677	02790	FDB	\$9677
	7F1A	769F	02800	FDB	\$769F
	7F1C	1AAA	02810	FDB	\$1AAA
	7F1E	AA1F	02820	FDB	\$AA1F
	7F20	0771	02830	FDB	\$0771
	7F22	770F	02840	FDB	\$770F
	7F24	0771	02850	FDB	\$0771
	7F26	777F	02860	FDB	\$777F
	7F28	9674	02870	FDB	\$9674
	7F2A	669F	02880	FDB	\$669F
	7F2C	6660	02890	FDB	\$6660
	7F2E	666F	02900	FDB	\$666F
	7F30	8DDD	02910	FDB	\$8DDD
	7F32	DD8F	02920	FDB	\$DD8F
	7F34	CEEE	02930	FDB	\$CEEE
	7F36	E69F	02940	FDB	\$E69F
	7F38	6533	02950	FDB	\$6533
	7F3A	356F	02960	FDB	\$356F
	7F3C	7777	02970	FDB	\$7777
	7F3E	770F	02980	FDB	\$770F
	7F40	6006	02990	FDB	\$6006
	7F42	666F	03000	FDB	\$666F
	7F44	6224	03010	FDB	\$6224
	7F46	446F	03020	FDB	\$446F
	7F48	9666	03030	FDB	\$9666
	7F4A	669F	03040	FDB	\$669F
	7F4C	1661	03050	FDB	\$1661
	7F4E	777F	03060	FDB	\$777F
	7F50	9666	03070	FDB	\$9666
	7F52	25AF	03080	FDB	\$25AF
	7F54	1661	03090	FDB	\$1661
_					
	18.12	HER-US	The second second		(A)
١		ide	050		
- 1		5 5	dio		



7F56	356F	03100	FDB	\$356F	7FAE	666F	03540	FDB	\$666F
7F58	9679	03110	FDB	\$9679	7FB0	DF9D	03550	FDB	\$DF9D
7F5A	E69F	03120	FDB	\$E69F	7FB2	DD8F	03560	FDB	\$DD8F
7F5C	ODDD	03130	FDB	\$0DDD	7FB4	EFEE	03570	FDB	\$EFEE
7F5E	DDDF	03140	FDB	\$DDDF	7FB6	E69F	03580	FDB	\$E69F
7F60	6666	03150	FDB	\$6666	7FB8	F764	03590	FDB	\$F764
7F62	669F	03160	FDB	\$669F	7FBA	166F	03600	FDB	\$166F
7F64	6666	03170	FDB	\$6666	7FBC	ЗВВВ	03610	FDB	\$3BBB
7F66	699F	03180	FDB	\$699F	7FBE	BB1F	03620	FDB	\$BB1F
7F68	6666	03190	FDB	\$6666	7FC0	FF60	03630	FDB	\$FF60
7F6A	006F	03200	FDB	\$006F	7FC2	666F	03640	FDB	\$666F
7F6C	6699	03210	FDB	\$6699	7FC4	FF16	03650	FDB	\$FF16
7F6E	966F	03220	FDB	\$966F	7FC6	666F	03660	FDB	\$666F
7F70	6660	03230	FDB	\$6660	7FC8	FF96	03670	FDB	\$FF96
7F72	DDDF	03240	FDB	\$DDDF	7FCA	669F	03680	FDB	\$669F
7F74	0EC9	03250	FDB	\$0EC9	7FCC	F166	03690	FDB	\$F166
7F76	370F	03260	FDB	\$370F	7FCE	177F	03700	FDB	\$177F
7F78	8BBB	03270	FDB	\$8BBB	7FD0	F866	03710	FDB	\$F866
7F7A	BB8F	03280	FDB	\$вв8Г	7FD2	8EEF	03720	FDB	\$8EEF
7F7C	F77B	03290	FDB	\$F77B	7FD4	FF16	03730	FDB	\$FF16
7F7E	BDDF	03300	FDB	\$BDDF	7FD6	777F	03740	FDB	\$777F
7F80	1 DDD	03310	FDB	\$1DDD	7FD8	FF07	03750	FDB	\$FF07
7F82	DD1F	03320	FDB	\$DD1F	7FDA	OEOF	03760	FDB	\$0E0F
7F84	B55F	03330	FDB	\$B55F	7FDC	BB1B	03770	FDB	\$BB1B
7F86	FFFF	03340	FDB	\$FFFF	7FDE	BBBF	03780	FDB	\$BBBF
7F88	FFFF	03350	FDB	\$FFFF	7FE0	FF66	03790	FDB	\$FF66
7F8A	FFOF	03360	FDB	\$FF0F	7FE2	669F	03800	FDB	\$669F
7F8C	BDFF	03370	FDB	\$BDFF	7FE4	FF66	03810	FDB	\$FF66
7F8E	FFFF	03380	FDB	\$FFFF	7FE6	699F	03820	FDB	\$699F
7F90	FF1E	03390	FDB	\$FF1E	7FE8	FF66	03830	FDB	\$FF66
7F92	868F	03400	FDB	\$868F	7FEA	606F	03840	FDB	\$606F
7F94	7771	03410	FDB	\$7771	7FEC	FF69	03850	FDB	\$FF69
7F96	661F	03420	FDB	\$661F	7FEE	966F	03860	FDB	\$966F
7F98	FF87	03430	FDB	\$FF87	7FF0	F666	03870	FDB	\$F666
7F9A	778F	03440	FDB	\$778F	7FF2	8E9F	03880	FDB	\$8E9F
7F9C	EEE8	03450	FDB	\$EEE8	7FF4	FFOE	03890	FDB	\$FF0E
7F9E	668F	03460	FDB	\$668F	7FF6	DBOF	03900	FDB	\$DBOF
7FA0	FF96	03470	FDB	\$FF96	7FF8		03910 MASK		2
7FA2	079F	03480	FDB	\$079F	7FFA		03920 ВІТ	RMB	2
7FA4	DAB1	03490	FDB	\$DAB1	7FFC		03930 POS	RMB	2
7FA6	BBBF	03500	FDB	\$BBBF	7FFE		03940 BYTE		1
7FA8	F966	03510	FDB	\$F966	7FFF		03950 PATE		1
7FAA	8E8F	03520	FDB	\$8E8F		0000	03960	END	
7FAC	7716	03530	FDB	\$7716	00000	TOTAL ERRORS			

Listing 2: (FIND)					
0E00		00010	ORG	\$E00	
0E00 9E	19	00020 START	LDX	25	*GET BEGINNING OF BASIC PROGRAM
0E02 1F	12	00030 LOOP1	TFR	Χ,Υ	*TRANSFERE TO REGISTER Y
0E04 A6	80	00040 LOOP	LDA	<b>,</b> X+	*GET FIRST CHARACTER IN PROGRAM
0E06 81	87	00050	CMPA	#135	*IS IT A PRINT CODE?
OE08 27	OD	00060		GOTONE	*YES, GO CHECK FOR @
0E0A 81	A4	00070	CMPA	#164	*IS IT TAB CODE?
0E0C 27	31	00080		TAB	*YES, GO TO PRINT ROUTINE
OEOE AC	A4	00090 LOOP2	CMPX	<b>,</b> Y	*ARE WE AT THE END OF CURRENT LINE?
0E10 25	F2	00100		LOOP	*NO, CHECK NEXT CHARACTER
0E12 AE	A4	00110	LDX	, Y	*YES, GET NEXT LINE
0E14 26	EC	00120	BNE	LOOP1	*START LOOKING IN NEXT LINE
0E16 39		00130	RTS		
0E17 A6	80	00140 GOTONE	LDA	,X+	*GET FIRST CHARACTER AFTER PRINT CODE
0E19 81	40	00150	CMPA	#64	*IS IT @?
0E1B 26	F1	00160	BNE	LOOP2	*NO, GO BACK AND LOOK SOME MORE
OE1D EC	22	00170		2,Y	*YES, GET LINE NUMBER
0E1F 34	30	00180		Х, Ү	*SAVE X AND Y TO STACK
OE21 BD	BDCC	00190		\$BDCC	*PRINT LINE NUMBER TO SCREEN
0E24 8E	0E65	00200	LDX	#PR	*GET LOCATION OF CHARACTERS TO PRINT

٠,
$\alpha$
-
DRIVE REPAIRS
0
ш.
ш
~
144
111
ш
>
-
m
~
ш
I
ഗ
111
-
Ω
1
-
$\alpha$
75
GRADES
P.
-
_
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
COMPUTER REPAIR -
1
COMPUTER REPAIR -

S

0E27		31	00210		BSR	TEXTOU	*GO TO PRINT ROUTINE	- 1
0E29		30	00220		PULS	X,Y	*RETURN X AND Y FROM STACK	- 1
0E2B		80	00230	READ	LDA	,X+	*LOAD A WITH NUMBER TO PRINT	- 1
0E2D	81	2C	00240		CMPA	#*,	*IS IT A COMMA	- 1
0E2F	27	06	00250		BEQ	TRAN	*YES, END OF NUMBER	- (
0E31	AD	9F A002	00260		JSR	[\$A002]	*PRINT CHARACTER IN A	
0E35	20	F4	00270		BRA	READ	*GO GET NEXT CHARACTER	
0E37	86	OD	00280	TRAN	LDA	#13	*LOAD A WITH A SPACE CHARACTER	
0E39	AD	9F A002	00290		JSR	[\$A002]	*GO PRINT A SPACE	
0E3D	20	C5	00300		BRA	LOOP	*GO CHECK REST OF CURRENT LINE	
0E3F	EC	22	00310	TAB	LDD	2,Y	*GET LINE NUMBER	
0E41	34	30	00320		PSHS	X,Y	*SAVE X AND Y TO STACK	
0E43	BD	BDCC	00330		JSR	\$BDCC	*PRINT LINE NUMBER	
0E46	8E	0E6D	00340		LDX	#TA	*GET LOCATION OF TAB TEXT	
0E49	8D	OF	00350		BSR	TEXTOU	*GO PRINT TAB	
0E4B	35	30	00360		PULS	X,Y	*GET X AND Y FROM STACK	
0E4D	A6	80	00370	READ2	LDA	.X+	*GET NEXT CHARACTER	
0E4F	81	29	00380		CMPA	#')	*IS IT A RIGHT PAREN?	
0E51	27	E4	00390		BEQ	TRAN	*YES, END OF NUMBER	- 1
0E53	AD	9F A002	00400		JSR	[\$A002]		- 1
0E57	20	F4	00410		BRA	READ2	*GET NEXT CHARACTER	- 1
0E59	39		00420	END	RTS			1
0E5A	A6	80		TEXTOU	LDA	,X+	*LOAD CHARACTER TO PRINT	- 1
0E5C	27	06	00440		BEQ	TEXT1		- 1
0E5E	AD	9F A002	00450		JSR	[\$A002]	*PRINT THE CHARACTER	- 1
0E62	20	F6	00460		BRA		*GET NEXT CHARACTER	
0E64	39		00470	TEXT1	RTS			- 1
0E65		20	00480	PR	FCC	/ PRINT	/	
0E6C		00	00490		FCB	\$0		1
0E6D		20	00500	TA	FCC	/ TAB	/	- 1
0E74		00	00510		FCB	\$0		- 1
		0000	00520		END	1.0		
00000	TOTA	AL ERRORS						

I - DRIVE REPAIRS - MONITOR - PRINTERS - COMPUTER REPAIR - UP GRADES - DRIVE REPAIRS -

## ☆☆ DISC DRIVE SALE ☆☆

BARE DRIVES FROM TEAC

1/2 HEIGHT SINGLE SIDED - DOUBLE DENSITY 40 TRACK 6ms STEP RATE

1/2 HEIGHT DOUBLE SIDED - DOUBLE DENSITY 40 TRACK 6ms STEP RATE

1/2 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/2 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/3 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/4 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

1/5 HEIGHT DOUBLE SIDED - QUAD DENSITY 80 TRACK 6ms STEP RATE

TWO DRIVE (#0,#1) SYSTEM WITH CASE, POWER SUPPLY
WITH DISK CONTROLLER PACK AND CABLE 375.00

MONITOR/PRINTER DRIVER

LEAVES SERIAL PORT OPEN \* CLEAN AUDIO CENTRONICS COMPAT. \* 110 - 9600 BAUD COLOR OR MONOCHROME \* NO SOLDERING FITS INSIDE COMPUTER \* HI TECH DESIGN ??? WHY BUY TWO DIFFERENT DRIVERS ??? GET \* BOTH \* IN ONE PACKAGE FOR ONLY \*\*\* \$69.95 \*\*\*

#### OS - 9 BBS

REQUIRES: 64K COCO \* 2 35 TRACK DRIVES
OS - 9 DOS \* BASIC O9 \* SMART MODEN
INSTALL DISK \* MENU DRIVEN \* 8 SUB BOARDS
255 SECURITY LEVELS \* PRIVATE MESSAGES
SYSOP UTILITIES \* UP - DOWN LOAD FUNCTION
EXPANDABLE TO LARGER MULTI - DISK SYSTEM
40 o/o DISCOUNT COUPON FOR SDISK INCLUDED
\*\*\* \$149.95 \*\*\*

### NEW DISC DRIVE UTILITY

WILL ADDRESS ANY COMBINATION OF 35, 36, 40, OR 80 TRACK SINGLE OR DOUBLE SIDED DRIVES -- UP TO THREE 80TRK DSQD COMPATIBLE WITH RS 1.0 OR 1.1 DISK BASIC AND MOST PGMS. DIFFERENT STEP RATES ON EACH DRIVE \* WILL FORMAT TRACKS 35-39 ON PRESENT 35 TRACK DISK \* MANY NEW COMMANDS AND FUNCTIONS (LOCK-UNLOCK-BAUD-ECHO-DOS-KLICK-AUTO-) ETC. REQUIRES 64K OR 16,32,64K WITH EPROM VERSION \* HAVE THE DOS THAT SHOULD HAVE COME WITH THE COCO FOR ONLY \$29.95

Bee Color Computer
PO Box 5609
Aloha, Oregon 97006
503-649-4497 Voice
503-629-8343 BBS
Check Visa or COD
Mail for Catalog
Dealer Inquires Invtd

1 - DRIVE REPAIRS - MONITOR - PRINTERS - COMPUTER REPAIR - UP GRADES - DRIVE REPAIRS

PRINTERS

1

COMPUTER REP

D

큚

ᄕ

GR

ADES

1

COMPUTER

REPA



With or without a sound pack, this program can be a useful learning tool.

## Let CoCo Talk You Into A Better Education

By Fred B. Scerbo Rainbow Contributing Editor

(Editor's Note: If you have an idea for the "Wishing Well," submit it to Fred c/o THE RAINBOW. Remember, keep your ideas specific, but don't forget that this is BASIC. All programs resulting from your wishes are for your use, but remain the property of the author.)

fter several months of fun and graphics, I thought it might be a good idea to get back into some practical programs for your Color Computer. I have been receiving some very practical suggestions lately which will take a little time to develop.

Recently, some readers have suggested I develop something to go along with the speech synthesizer program packs which are now available from a number of distributors, including Radio Shack. So, this month's "Wishing Well" offers an educational program which will put these voice programs to full use, while at the same time fulfilling a wish I received almost two years ago.

The result, *Talking Micro Math Lab*, with or without speech will prove to

(Fred Scerbo is a special needs instructor for the North Adams Public Schools. He holds a master's in education and published some of the first software available for the Color Computer through his software firm, Illustrated Memory Banks.)

be a valuable tool to anyone who is interested in teaching youngsters fundamental addition and subtraction skills. Notice I said with or without speech. There are a number of reasons why I designed this program to be used without a sound pack, as well as with.

First, even though the voice packs which are now available are all of excellent quality, only a small percentage of the many CoCo users have actually purchased one. Therefore, I did not want to list a program which could only be used by a small percentage of people.

Secondly, until recently, I have not been an advocate of using "talking computers." I have always thought of them as something of a gimmick. Besides, as a teacher, I had visions of a classroom teacher competing with the voice of a computer for the attention of the students. Little did I dream how useful they can be for educational purposes, especially when they are used with a set of headphones. (No competition, either.)

Therefore, Talking Micro Math Lab is designed with three options: 1) a non-talking version, 2) using the new Radio Shack Speech-Sound Pak, and 3) using Spectrum Voice Pak, available from Spectrum Projects. (It might also work with some other brand voice packs, but at the time of this writing, I did not have access to those other brands. If

their distributors can loan me their models, I may be able to make future talking programs in the "Wishing Well" compatible with most other versions, too!) Also, I will include instructions on how to adapt the non-talking version to the MC-10 with the memory expansion pack.

The following listing is designed to work in its non-talking version in 16K Color BASIC, in its Radio Shack Speech-Sound Pak version in 16K, or in its Spectrum version in 32K from tape or disk. I have tried to shrink the Spectrum version down to work in 16K, but it looks like the program is just a little too big to work with the machine language driver it requires. Hopefully, those of you with the Spectrum Voice Pak will have at least 32K.

Now, let's spend a little time looking into the background which led to this month's article.

#### The Wish

The wish which led to this program actually predates my interest in computer speech. In fact, granting the wish actually came more along the lines of performing a minor miracle. You see, the original *Micro Math Lab* was developed with a specific student of mine in mind. This student's name is Mark, and his story is very interesting, indeed.

Mark and his twin brother, Bobby, came to me as students over two years ago at the age of 17. They had been born with a serious birth defect which left them with somewhat limited abilities. In spite of these serious limitations, both have been an absolute joy to work with. They are the kind of students one gets a really good feeling about being able to help.

I knew what I was getting before Mark and Bobby arrived rather belatedly at the high school level. I had known both from the time they were born and knew how great a task their parents must have had in trying to work with teachers to educate both in the simplest of life skills. Just before receiving both boys, the family helped fill our high school staff in on what limited skills both had. I was told Bobby was actually quite good in math, while Mark could not even comprehend adding two plus two.

What I later found was that what one was strong in, the other was usually weak in. For example, Bobby could handle rather complicated multiplication and division, but was extremely sloppy in his writing or in something as simple as coloring a picture. Mark, on the other hand, could not add, but was extremely neat and precise at a task such as coloring or handwriting.

Fortunately, what the family did not tell me was their teachers of the last eight years had assured them Mark would *never* learn to add! In fact, they told them to give up!

After working with Mark for just a few days, it became painfully obvious how limited his math skills were. He had developed the habit of using a scrap paper to draw lines or checkmarks to count in adding a single digit addition problem. This made his work slow, with little recall when not using the lines. Ask him what '7' and '9' are, and he would not know!

Therefore, I started working on a colorful math program for the CoCo that would catch Mark's attention as well as slowly draw him away from using lines. If I could have the computer screen display colored blocks corresponding to the digits in a given problem, I could get him to count the blocks on the screen, and then relate the total to the visual image of the math problem.

The result of this effort was the original version of *Micro Math Lab*, which I put Mark to work on for two class periods a day. On the average,

Mark could complete nearly one hundred problems in a 45-minute period. I'll get into how to use the program a little later.

#### What Were The Results?

Recently, I spoke with Mark's parents. I asked them if they had checked how well Mark was doing in his addition. Since we had just come back from summer vacation, I was not at all surprised they had not given him any busy work over the summer. I promised to send home some math sheets so they could watch Mark doing his math.

The problems I sent home were four-digit, two-number addition problems. To their astonishment, Mark was able to complete the sheet in just minutes with no errors and with no number lines! They called to ask how I did it. It was at this time they told me about the prediction from his previous teachers that Mark would never learn to add.

Since that time we have also worked on subtraction and money handling. Mark's parents are also ready to buy the boys their own CoCo to use at home, and as you can guess, some "Wishing Well" software will probably go along with it.


The program more than proved its worth. However, I have two dozen more students who are in the same condition as Mark was. (Remember, these are handicapped, special needs students.) They have started this comprehensive program using the *Micro Math Lab* to strengthen their addition and subtraction skills.

Since our department just purchased the Radio Shack Speech-Sound Pak, I decided to adapt the program to use the speech it could generate. As you can imagine, some of the students do get a little bored during a long stretch with the computer. The speech would help liven things up.

#### The Program

The final result is the program you see listed here. As I mentioned, I have made it usable with both Radio Shack's Speech-Sound Pak and the Spectrum Voice Pak. Let me take a moment to mention the difference between the two.

The voice produced by the Radio Shack Pak is a very clear, precise voice without any real inflection, which is not bad for the type of students I am working with. I find the voice quite pleasant, in fact. The Pak does not require a machine language program.



Back copies of many issues of **THE RAINBOW** are still available.

All back issues sell for the single issue cover price. In addition, there is a \$3.50 charge for the first issue, plus 50 cents for each additional issue, for postage and handling if sent by United Parcel Service. A \$4 charge plus \$1 each additional copy for orders sent U.S. Mail. UPS will not deliver to a post office box or to another country.

Issues July 1981 through June 1982 are available on white paper in a reprint form. All others are in regular magazine form. VISA, MasterCard and American Express accepted. Kentucky residents please add 5 percent state sales tax. We do not bill and no C.O.D. orders accepted.

Due to heavy demand, we suggest you order back issues you want now while supplies last.

To order, just fill out the form on the next page and mail it with your payment to:

#### THE RAINBOW

9529 U.S. Highway 42 P.O. Box 385 Prospect, KY 40059

#### **BACK ISSUE ORDER FORM**

(See overleaf for instructions.)

☐ Please send me the following back issues:

(Payment must accompany back issue orders. We do not bill.)

		o not bill.)	ack 133	uc
0.0		VOLUME 1		
	MONTH			
NO	YEAR		PRIC	E
1	JULY '81	PREMIER ISSUE	\$2.00	
2	AUG. '81		\$2.00	
3	SEPT. '81	EDUCATION	\$2.00	
5	NOV '81	PHINTER	\$2.00	П
6	DEC. '81	HOLIDAY	\$2.00	П
7	JAN. '82		\$2.00	
8	FEB. '82		\$2.00	
9	MAR. '82		\$2.50	
10	APH. 82		\$2.50	
12	JUINE 02	PREMIER ISSUE EDUCATION PRINTER HOLIDAY	\$2.50	
8	FEB. '83	BUSINESS	\$2.95	
9	MAR. '83	NUCLEAR	\$2.95	
10	APR. '83	SIMULATIONS	\$2.95	
11	JUNE '83	PRINTERS	\$2.95	
12	JULY '83	ANNIVERSARY	\$2.95	
4	ALIG '83	CAMES	\$2.05	
2	SEPT '83	EDUCATION	\$2.95	П
3	OCT. '83	GRAPHICS	\$3.95	
4	NOV. '83	DATA COMM.	\$3.95	
5	DEC. '83	HOLIDAY	\$3.95	
6	JAN. '84	BEGINNERS	\$3.95	
7	FEB. '84	ADVENTURE	\$3.95	
9	MAH. 84	GAMING	\$3.95	Н
10	MAY '84	PRINTER	\$3.95	П
11	JUNE '84	MUSIC	\$3.95	
12	JULY '84	ANNIVERSARY	\$3.95	
	****	VOLUME 2 BUSINESS NUCLEAR SIMULATIONS PRINTERS ANNIVERSARY VOLUME 3 GAMES EDUCATION GRAPHICS DATA COMM. HOLIDAY BEGINNERS ADVENTURE BUSINESS GAMING PRINTER MUSIC ANNIVERSARY VOLUME 4 GAMES		-
1	AUG. '84	GAMES	\$3.95	
2	SEP1. 84	GRADUCS	\$3.95	H
4	NOV '84	DATA COMM	\$3.95	H
5	DEC. '84	HOLIDAY	\$3.95	
6	JAN. '85	BEGINNERS	\$3.95	
7	FEB. '85	UTILITIES	\$3.95	
		ANNIVERSARY VOLUME 4 GAMES EDUCATION GRAPHICS DATA COMM. HOLIDAY BEGINNERS UTILITIES RAINBOW INDEX	\$2.50	
		TOTAL		_
	SHIPPING	3 & HANDLING		
		J.P.S. CHARGE		_
	KV RE	MAIL CHARGE SIDENTS ONLY	_	_
	IXI IIE	ADD 5%		_
	TO	OTAL AMOUNT		
		ENCLOSED		_
			*	
				- 1
	1 1	1		
		1		
		•		
		Ħ		
		13		
		1		#
		1	1	ш

It requires a few *PEEK*s and *POKE*s, which only make up a few lines in your program.

The Radio Shack program does have two drawbacks. First, it does not read numbers correctly. The number 1,278 would be pronounced "one two seven eight" rather than one-thousand two-hundred seventy-eight. This means strings must be saved to pronounce these numbers, which can be an obstruction in any talking math program. This program takes this into consideration and compensates for it.

Secondly, there is a heftier price of about \$100, almost \$30 to \$40 more than others. If you don't like to have to load in machine language drivers, the extra price may be worth it.

I have found one other drawback, but this may be a quirk in my program pack or in my older CoCos. Every so often, the computer will only produce static instead of speech. This can be resolved by pressing the Reset button. As I said, this may only be something with my own copy, and it is not a serious problem.

Spectrum's version does require a machine language driver, but this driver lets you do much more than the Radio Shack version, such as save a glossary of frequently used words. It also pronounces long numbers in their correct verbal form. Add to this the lower price tag and you have speech at a reasonable price. The voice is a little more "stuffed nosed" than Radio Shack's, but some of my students like it better because it gives the computer a little personality.

Maybe this will help some of you who haven't gotten a voice pack decide which one to get. I like having both. With a little luck, I may get to report to you on the other brands later.

In writing the programs, I wrote strings identified as A\$ to generate the speech. You will notice I used phonetic spellings of the words I want spoken to get exactly the type of speech I wanted.

This was especially necessary with numbers such as 10 through 19, which the Radio Shack version could not pronounce in their numeric form. These strings will work equally well with the Spectrum version, even though they are not necessary.

If you use the non-talking version, you will not have to worry about the program being totally silent. I have included SOUND commands that are

ignored in the talking mode. I have found that SOUND commands disconnect the Radio Shack's Speech Pak for some reason. Therefore, a number of *IF/THEN* statements will prevent this from happening.

I have not included the machine language driver for the Spectrum version since I would assume if you have one, you must have the program. You can also load from either tape or disk, if you have a Multi-Pak Interface or Y-cable. Those who have the Spectrum Pak will be familiar with the loading techniques. Once the driver is loaded, it does not have to be reloaded for additional runs.

#### **Using The Program**

The first screen that appears will give you the three choices: A) non-talking, B) Radio Shack and C) Spectrum. Choose 'A,' and the program will proceed without sound. Press 'B,' and the proper values for the *POKE* will be used. Press 'C,' and the program will prompt you for tape or disk. Load the driver and the title card will appear.

If you use the non-talking mode, then the title TALKING will not appear. When in the talking mode, the title will be spoken. Press any key to go to your selections. You may next press 'S' for single digits or 'D' for double digits. Next, press 'A' for addition or 'S' for subtraction.

When your problems appear, you will notice the colored blocks to the right or left of each digit correspond by color and number to the digits in the problems. Therefore, the student can count the blocks to get an answer.

An arrow will point to the column being used. If an answer is 12, then the 2 must be entered first, and then the arrow will move to the next column. If any carrying is required, it will appear as a small carry number at the top of the next column. A green block will also be added for carrying purposes. If an error is made, then the program will make you continue until you get it right.


In the speaking versions, all responses and questions are actually spoken such as "How much is . . . ." or "No! The answer is not . . ." When you wish to see the number of correct answers and number of misses, press the '@' key, and this information will appear. Pressing ENTER will reRUN the entire program.

State

CARD #

□ VISA

**EXPIRATION DATE** 



Color Micro Journal '68' Micro Journal Data-Comp S.E. Media

The CoCo Now Offering: \*FLEX™ (2 Versions) AND \*STAR-DOS PLUS + "

534.50

STAR-DOS PLUS +

- Functions Same as FLEX
- Reads writes FLEX Disks
- Run FLEX Programs
- Just type: Run "STAR-DOS"
- Over 300 utilities & programs to choose from.

## FLEX.CoCo Jr. without TSC

\$119.95

\$ 99.95

#### PLUS

#### ALL VERSIONS OF FLEX & STAR-DOS. INCLUDE

+ Read-Write-Dir RS Disk

Reg.

FLEX.CoCo Sr.

with TSC Assembler

Complete with Manuals

Only \$79.95

+ Free Color Micro Journal 1 yr. sub. + Run RS Basic from Both + External Terminal Program

NEW LOWER PRICES ON PAK #5, AND PRINTERS

- + More Free Utlities
- + Super 800 Support

MISC

- + Memory Examine Program
- + Many Many More!!!
- + Test Disk Program
- + Disk Examine & Repair Program

#### DISK SYSTEMS FOR THE COLOR COMPUTER 64K UPGRADE W/MOD. INSTRUCTIONS, \$ 44.95 C,D,E,F, AND COCO 2 THESE PACKAGES INCLUDE DRIVE, \*CONTROLLER, POWER SUPPLY & CABINET, CABLE, AND MANUAL. \$ 69.95 H.H. KEYBOARDS MICRO TECH LOWER CASE ROM ADAPTER \$ 74.95 \* SPECIFY WHAT CONTROLLER YOU WANT JAM, OR RADIO SHACK. RADIO SHACK BASIC 1.2 \$ 29.95 RADIO SHACK DISK BASIC 1.1 \$ 29.95 PAK #1 - 1 SINGLE SIDED, DOUBLE DENSITY SYS. PAK #2 - 2 SINGLE SIDED, DOUBLE DENSITY SYS. \$389.95 RADIO SHACK EXT. BASIC \$ 39.95 \$639.95 SCREEN CLEAN CLEARS UP VIDEO DISTORTION \$ 39.95 PAK #3 - 1 DOUBLE SIDED, DOUBLE DENSITY SYS. \$439.95 DISK DRIVE CABINET & POWER SUPPLY \$ 49.95 PAK 44 - 2 DOUBLE SIDED, DOUBLE DENSITY SYS. PAK 45 - 2 DOUBLE SIDED, DOUBLE DENSITY SYS. SINGLE SIDED, DOUBLE DENSITY 5" DISK DRIVE \$699.95 \$199.95 DOUBLE SIDED, DOUBLE DENSITY 5" DISK DRIVE \$249.95 THINLINE DRIVES, HALF SIZE \$499.95 PRINTERS CONTROLLERS EPSON RX-80 \$269.00 \$369.00 J&M DISK CONTROLLER W/ JDOS OR RADIO SHACK EPSON RX-80FT DISK BASIC, SPECIFY WHAT DISK BASIC. \$139.95 \$499.00 EPSON MX-100 EPSON FX-100 \$799.00 RADIO SHACK DISK CONTROLLER 1.1 \$134.95 EPSON FX-80 \$549.00 EPSON MX-70 \$200.00 DISK DRIVE CABLES SERIAL BOARDS FOR PRINTERS

MX-SERIES

FX-SERIES

\$ 19.95

\$ 24.95

#### USA ADD 2% SHIPPING FOREIGN ADD 5% SHIPPING

CABLE FOR ONE DRIVE

CABLE FOR TWO DRIVES

\*FLEX is a Trademark of Technical System Consultants \*STAR-DOS+ is a Trademark of STAR-Kits & Data-Comp 5900 Cassandra Smith Rd. Hixson, TN 37343

#### MC-10 Version

Unfortunately, there is no way to get a talking version for the MC-10 that I know of. Still, you may be able to get a very nice non-talking version. To correct all the screen poke locations, I have included the variable MC which equals zero in the CoCo version. Adding this line:

#### 15 MC=15360

will correct the values. You may also wish to delete the following groups of

50 through 150

190 through 210

230

400

500

580

2000 through 5010


You may also wish to neglect any strings known as A\$ when they appear in a line, but it might be safer just to follow the directions above rather than tampering with the contents of the lines.

#### Conclusion

Here you have it: a talking educational

program I dare say is equal to if not superior to some you may pay for. For my own purposes, I have finally broken into the world of synthetic speech. I have come up with a few more gems which I may share with you if enough of you are interested, such as a talking multiple choice quiz similar to the screen quiz programs from quite a few months ago.

Best of all, I have been able to achieve something with Mark that others were convinced was impossible. To me, that is the best little miracle of all.



1	" #	<del>***</del>	***	***	****	****	****
---	-----	----------------	-----	-----	------	------	------

TALKING MICRO MATH LAB 2

2 \* BY FRED B. SCERBO 3

4 COPYRIGHT (C) 1984

\* 149 BARBOUR ST.N.ADAMS.MA \*

\***\*** 

10 CLEAR880

20 T=80:K=1:WJ\$="PLUSS"

3Ø DIM Z\$(19)

4Ø CLS

50 PRINT@132,"A) NON-TALKING VER SION"

60 PRINT@196, "B) SPEECH-SOUND PA K"

7Ø PRINT@26Ø,"C) SPECTRUM VOICE PAK"

8Ø X\$=INKEY\$:IFX\$=""THEN8Ø

9Ø IF X\$="A"THEN VP=Ø:GOTO22Ø

100 IF X\$="B"THEN VP=1:GOT0130

110 IF X\$="C"THEN VP=2:GOTO3000

12Ø GOT08Ø

130 XX=&HFFØØ:YY=&HFF7E

14Ø POKEXX+1,52:POKEXX+3,63

15Ø POKEXX+35,6Ø

16Ø GOTO22Ø

170 REM CREATE VOICE

18Ø IF VP=Ø THEN RETURN

19Ø IF VP=1 THEN 2000

200 IF VP=2 THEN 4000

210 RETURN

220 REM START

23Ø Z\$(1Ø)="TEN":Z\$(11)="ELEVVAN

": Z\$(12)="TWELV": Z\$(13)="THIRTEE

N": Z\$(14)="4 TEEN": Z\$(15)="FIFTE

EN": Z\$(16)="6 TEEN": Z\$(17)="7 TE EN": Z\$(18)="8 TEEN": Z\$(19)="9 TE EN"

24Ø R\$=CHR\$(128):Z\$=CHR\$(2Ø7):V\$ =CHR\$(2Ø4)

25Ø T\$=CHR\$(197):U\$=R\$+R\$+R\$+R\$+ R\$:UL\$=R\$+R\$+R\$:UV\$=CHR\$(199):UF \$=CHR\$(175):UG\$=CHR\$(255)+CHR\$(2 55)

26Ø YU\$=CHR\$(172):GOTO42Ø

270 CLSØ:PRINT@0.CHR\$(255);:FORI =1TO30:PRINT@I,CHR\$(252);:NEXTI: PRINTUG\$; PRINT@63, UG\$;

280 PRINT@70,T\$CHR\$(203)R\$UV\$CHR \$ (202) CHR\$ (196) Z\$CHR\$ (200) R\$Z\$V\$ V\$R\$Z\$V\$CHR\$(2Ø3)R\$Z\$V\$Z\$U\$UG\$UL \$R\$R\$;

29Ø PRINTT\$CHR\$(202)Z\$T\$CHR\$(202 )R\$Z\$R\$R\$Z\$R\$R\$R\$R\$Z\$V\$CHR\$(203)R\$ Z\$R\$Z\$U\$UG\$UL\$R\$R\$CHR\$(196);

300 PRINTCHR\$(200)R\$CHR\$(196)CHR \$ (2ØØ) CHR\$ (196) V\$CHR\$ (2ØØ) R\$V\$V\$ V\$R\$V\$R\$V\$R\$V\$V\$V\$U\$UG\$;

31Ø PRINT@167, CHR\$(165) CHR\$(171) R\$CHR\$(167)CHR\$(170)R\$CHR\$(167)Y U\$CHR\$(171)R\$YU\$UF\$YU\$R\$UF\$R\$UF\$

32Ø PRINT@191,UG\$;

33Ø PRINT@199, CHR\$ (165) CHR\$ (170) UF\$CHR\$(165)CHR\$(17Ø)R\$UF\$YU\$UF\$ R\$R\$UF\$R\$R\$UF\$YU\$UF\$;:PRINT@223. UG\$;

34Ø PRINT@231, CHR\$ (164) CHR\$ (168) R\$CHR\$ (164) CHR\$ (168) R\$YU\$R\$YU\$R\$ R\$YU\$R\$R\$YU\$R\$YU\$;:PRINT@255,UG\$

35Ø PRINT@266, CHR\$ (191) R\$R\$R\$CHR \$ (183) CHR\$ (188) CHR\$ (187) R\$CHR\$ (1 91) CHR\$ (188) CHR\$ (187); : PRINT@287 , UG\$;

36Ø PRINT@298,CHR\$(191)R\$R\$R\$CHR \$(191)CHR\$(188)CHR\$(191)R\$CHR\$(1

91) CHR\$ (188) CHR\$ (187); PRINT@319 , UG\$; 37Ø PRINT@33Ø, CHR\$(188) CHR\$(188) CHR\$ (188) R\$CHR\$ (188) R\$CHR\$ (188) R \$CHR\$(188)CHR\$(188)CHR\$(184); 38Ø PRINT@351,UG\$;:FORI=1TO3Ø:PR INTCHR\$ (243); : NEXT; PRINTCHR\$ (255) 39Ø IF VP=Ø THEN RETURN 400 PRINT@66, CHR\$ (245) CHR\$ (252) C HR\$(25Ø);:WW\$="TALKING":FORWW=1T 07:EW=ASC(MID\$(WW\$,WW,1)):PRINT@ WW\*32+66, CHR\$ (245) CHR\$ (EW+32) CHR \$(250);: NEXTWW:PRINT@WW\*32+66,C HR\$ (245) CHR\$ (243) CHR\$ (250); : RETU 410 A\$="MY CRO.MATH.LAB":GOSUB17 Ø: RETURN 42Ø GOSUB27Ø:GOSUB41Ø:FORA=ØTO9: READ E, F, G: A\*(A) = CHR\*(E) + CHR\*(F)+CHR\$(G):D\$(A)=CHR\$(E-T)+CHR\$(F-T) + CHR + (G-T)430 READ E,F,G:B\$(A)=CHR\$(E)+CHR \$(F)+CHR\$(G):E\$(A)=CHR\$(E-T)+CHR \$(F-T)+CHR\$(G-T) 440 READ E,F,G:C\$(A)=CHR\$(E)+CHR \$(F)+CHR\$(G):F\$(A)=CHR\$(E-T)+CHR \$(F-T)+CHR\$(G-T):NEXTA 450 PRINT@417, "by"+R\$+"fred"+R\$+ "scerbo"+R\$+R\$+"copyright";:POKE 1467+MC,49:POKE1468+MC,57:POKE14 69+MC, 56: POKE147Ø+MC, 52 46Ø IFINKEY\$=""THEN46Ø 47Ø GOSUB27Ø 48Ø PRINT@42Ø, "s"+R\$+"ingle"+R\$+ "or"+R\$+R\$+"d"+R\$+"ouble"+R\$+"di gits"; 49Ø POKE1443+MC,40:POKE1445+MC,4 1: POKE1451+MC, 32: POKE1454+MC, 32: POKE1455+MC,40:POKE1457+MC,41:PO KE1463+MC.32 500 A\$="PRESS S FOR SINGUL DIJJI TS OR D FOR DUBBUL DIJJITS":GOSU B17Ø 51Ø X\$=INKEY\$:IFX\$=""THEN51Ø 52Ø IFX\$="S"THEN56Ø 53Ø IFX\$="D"THEN55Ø 54Ø GOTO51Ø 55Ø D=2 560 PRINT@452, "a"+R\$+"ddition"+R \$+"or"+R\$+R\$+"s"+R\$+"ubtraction" 57Ø POKE1475+MC,40:POKE1477+MC,4 1:POKE1485+MC.32:POKE1488+MC.32: POKE1489+MC, 40: POKE1491+MC, 41 58Ø A\$="PRESS A FOR ADDITION OR S FOR SUBTRACTION": GOSUB17Ø

59Ø X\$=INKEY\$:IFX\$=""THEN59Ø

6ØØ IFX\$="A"THEN82Ø

610 IFX = "S"THEN 630 62Ø GOTO59Ø 63Ø K=-1:WJ\$="MY NUS":GOTO82Ø 640 PRINT@P,A\$(R);:PRINT@P+32,B\$ (R);:PRINT@P+64,C\$(R);:RETURN 650 PRINT@P.D\$(R); PRINT@P+32,E\$ (R);:PRINT@P+64,F\$(R);:RETURN 660 PRINT@AP, CHR\$ (209) CHR\$ (219); :PRINT@AP+31, CHR\$ (209) CHR\$ (216) C HR\$(218)CHR\$(217); 67Ø PRINT@AP+65,CHR\$(218);:RETUR N 680 PRINT@AP,R\$R\$R\$;:PRINT@AP+31 R\$R\$R\$R\$;:PRINT@AP+64,R\$R\$R\$;:R ETURN 690 FL=FL+1:A\$="NO.THEE ANSWER I S NOT "+X\$:GOSUB170:FORHH=1TO600 : NEXTHH 700 IF VP=0 THEN SOUND40,2 71Ø RETURN 720 X\$=INKEY\$:IFX\$=""THEN720 73Ø IFX\$="@"THEN125Ø 74Ø X=ASC(X\$)-48:IFX<ØTHEN72Ø 75Ø IFX>9THEN72Ø 76Ø RETURN 77Ø IF TB+(BB\*K)>9 THEN X\$=Z\$(TB +BB\*K) +"CAIRY ONE" 78Ø IF X=TA+(BA\*K)-(K\*1Ø) THEN X \$=Z\$(X+1Ø) 79Ø A\$="CORRECT.THEE ANSWER IS " +X\$:GOSUB17Ø 800 IF VP=0 THEN SOUND200,1:SOUN D2ØØ, 1 810 RETURN 820 CLSØ:FORHH=1TO1600:NEXTHH:TA =0: AT=AT+1 83Ø IFD=ØTHEN85Ø 840 TA=RND(9):BA=RND(9):IFBA=>TA THEN84Ø 85Ø TB=RND(1Ø)-1:BB=RND(1Ø)-1:IF

#### One-Liner Contest Winner . . .

This is one of the neatest pure graphics demo programs we've seen for the CoCo. It draws alternating lines all over the screen.

Alan Farmer Charlottesville, VA

#### The listing:

Ø PMODE4,1:PCLS:SCREEN1,1:Z=RND(
-TIMER):X=RND(251)+2:Y=RND(187)+
2:A=2:B=2:C=1:FORR=ØTO1STEPØ:LIN
E(X,Y)-(255-X,191-Y),PSET,B:X=X+
A:Y=Y+B:XG=(X<20RX>253):YG=(Y<20
RY>189):A=A\*SGN(XG\*2+1):B=B\*SGN(YG\*2+1):IFXG ORYG THENC=1-C:COLO
RC:NEXTELSENEXT

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape.*)

Sugar<u>——</u> Software

## The CoCo Calligrapher

The CoCo Calligrapher works on these printers:

**Epson:** MX80, FX80, 100 (8 1/2 x 11 size only),

and all models with graphtrax

Gemini: 10, 10X, 15, 15X (81/2 x 11 size only) Radio Shack: LP7, LP8, DMP100, 110, 120, 200,

420, 510, 2100

**Okidata:** 92A - unless it is version 4. The ROM has a bug and the dealer should replace it for you.

Banana: Behaves like a Radio Shack

Prowriter: 8510

These type styles come on the CoCo Calligrapher program tape or disk:

Old English
Gay Nineties

Cartoon

Tape - \$24.95 Disk - \$29.95 Both require 32K ECB These additional type styles are also available — **\$19.95 each, or \$49.95** for all on tape or disk.

#### Tape 1

Old English-reduced Old English-reverse Old Englishreverse/reduced Cartoon-reverse Cartoonreverse/reduced Gay Nineties-reduced Gay Nineties-reverse Gay Ninetiesreverse/reduced

#### Old English Cortoon Gay Nineties

Tape 2

## Broadway

Broadway Broadway-reduced Broadway-reverse Broadwayreverse reduced

Old Style

Old Style
Old Style-reduced
Old Style-reverse
Old Stylereverse/reduced

Tape 3

### Business Business

Business Business-reduced Business-reverser Businessreverse/reduced

Tontique

## Tontique

Antique Antique-reduced Antique-reverse Antiquereverse/reduced

## and Sugar Software Introduces . . .

## Color Disk Manager

A disk utility which will handle virtually all of your disk related needs! **Color Disk Manager** will do selective initializations, verifies, backups and repairs.

- Handles multiple drives
- Make a backup of the directory
- Recover file command
- Repair or salvage crashed disks
- · Gives allocation table map
- Displays file granule map
- Loads files 2 ways
- Kill file command
- · Verifies tracks or entire disk
- · Append sector command
- Transfers programs from tape to disk
- Rapid scan feature
- Dumps memory to screen
- · Loads and executes rompacks saved on disk
- Move ROM to RAM command
- 64K compatible

Requires 32K - \$34.95

## Color Tape Manager

A utility which will handle most of your tape related needs!

- Appends ML to Basic programs
- Displays start, end, and execute addresses of ML programs
- Converts ML programs to Basic data statements
- Displays memory in hex, decimal or ASCII
- Change memory in decimal or hex
- Rapid memory-scan using arrow keys
- Allows imput in hex or decimal
- Transfers control to other programs with a "go" command
- Moves blocks of memory from start through end address to new start address

Tape requires 16K ECB - \$24.95 Disk requires 32K - \$24.95


## tware

#### PreReader

32K ECB;

**Joystick** Required

Tape - \$19.95 Disk - \$24.95




Level I - your child will work with colors, shapes, numbers, capital letters and small letters

Level II - your child will learn to associate individual letters and consonant blends with the sounds they make



Songs and happy faces for each correct answer!



Radio Sastan **Calcalations** 

Helps design or evaluate:

- Land mobile radio systems
- Satellite TV
- Satellite data acquisition systems
- Aircraft radio systems
- Microwave systems
- Microvolt/DBM conversions
- Frequency/Wave length conversions 32K ECB
- System received signal levels
- Gain of parabolic antenna

\$29.95 - Tape

Propogation Calculations

\$32.95 - Disk

#### **Rental Property**

Income and Expense Package

> Disk - \$34.95 32K Required

- Keeps track of all your rental properties
- Provides instant screen or printer summary of all your properties
- Maintains and prints a detailed, itemized listing of each of 28 expense categories
- Gives you a schedule of the Accelerated Cost Recovery System depreciation allowed for each tax year for 3, 5, 10 and 15 year property

## SEMCRAF **Graphics Editor**

- Graphics editor to create and modify your own pictures
- Pictures can be usd as a title screen for a program
- Create a series of pictures to make a slide show
- Both Extended and non-Extended Basic versions on the same tape
- High Resolution
- Semigraphic modes 8. 12. and 24 (64 x 64, 64 x 96 and 64 x 128)
  - 8 colors
- Combine text with graphics
- Auto-repeat and "magic" delete
- Requires 16K



Tape - \$19.95 Disk - \$24.95

#### . for the Programmer in the Family



**AUTO RUN 64 - \$24.95 AUTO RUN - \$19.95** Tape

- Creates a ML loader which automatically starts up your Basic or ML program
- Title screen utility
- Provide an audio introduction
- Locates your program at the desired address



#### PIRATECTOR!®

You write the Basic or ML program. Piratector®:

- Supplies protection scheme
- Includes Semigraf graphics
- Incrementing serial numbers
- Many user subroutines included
- 32K Disk Effective against popular piracy/ \$99.95 protection cracking programs

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Dis-tributors, Ltd., P.O. Box 11932, Edmonton, Alberta T5J-3L1, (403)

Disk software compatible with Radio Shack DOS only.

#### SUGAR SOFTWARE

2153 Leah Lanc Reynoldsburg, Ohio 43068 (614) 861-0565

A complete catalog of other sweet Sugar Software products is available. Add \$1.00 per tape for postage and handling. Ohioans add 5.5% sales tax. COD orders are welcome. CIS orders EMAIL to 70405, 1374. No refunds or exchanges.





121Ø IFX=1THEN123Ø BB=>TB THEN85Ø 122Ø AP=P:GOSUB69Ø:GOSUB68Ø:GOTO 860 IFD=0THEN880 1190 87Ø R=TA:P=44:GOSUB64Ø:R=BA:P=14 123Ø GOSUB77Ø Ø:GOSUB65Ø 88Ø R=TB:P=48:GOSUB64Ø:R=BB:P=14 124Ø FORI=1T02ØØØ:NEXT:GOT082Ø 125Ø CLSØ:GOSUB27Ø:PRINT@419,"co 4: GOSUB65Ø rrect "R\$; AT-1; R\$R\$"misses"R\$; FL; 89Ø PRINT@231,"";:FORI=1T016:PRI 126Ø IFINKEY\$=CHR\$(13) THEN RUN NTCHR\$ (156); : NEXTI 127Ø GOT0126Ø 900 IFK=-1THEN930 128Ø DATA 247,252,251,255,240,25 91Ø PRINT@168, CHR\$(151) CHR\$(155) 5,244,252,248 ;:PRINT@200,CHR\$(148)CHR\$(152); 1290 DATA 241,255,240,240,255,24 92Ø GOTO94Ø 93Ø PRINT@168.CHR\$(147)CHR\$(147) 0,244,252,248 1300 DATA 254,252,251,243,252,24 CHR\$ (146); 1,252,252,252 94Ø AP=4ØØ:GOSUB66Ø 95Ø IFD=ØTHEN1ØØØ 1310 DATA 252,252,251,252,252,25 96Ø IFTA=ØTHEN98Ø 5,252,252,248 97Ø FORI=1TOTA:PRINT@1+I\*32,CHR\$ 1320 DATA 255,245,250,252,253,25 (252);:NEXT 4,240,244,248 1330 DATA 255,252,252,252,252,25 98Ø IFBA=ØTHEN1ØØØ 5, 252, 252, 252 99Ø FORI=1TOBA:PRINT@3+I\*32,CHR\$ 134Ø DATA 255,252,252,255,252,25 (172);:NEXT 1000 IFTB=0THEN1020 5, 252, 252, 252 1350 DATA 254,252,255,240,247,24 1010 FORI=1TOTB:PRINT@30+I\*32,CH 8,244,248,240 R\$ (252);:NEXT 1360 DATA 255,252,255,255,252,25 1020 IFBB=0THEN1040 1030 FORI=1TOBB:PRINT@28+I\*32,CH 5,252,252,252 137Ø DATA 255,252,255,252,252,25 R\$(172);:NEXT 5, 252, 252, 252 1040 A\$="HOW MUCH IS "+STR\$(TB)+ 2000 FORI=ITOLEN(A\$) WJ\$+STR\$(BB):GOSUB170:GOSUB720 2010 IF PEEK(YY)AND 128=0 THEN20 1050 P=272:R=X:GOSUB640 1060 IFX=TB+(BB\*K)THEN1090 2020 POKEYY, ASC (MID\$ (A\$, I, 1)) 1Ø7Ø IFX=TB+(K\*BB)-(K\*1Ø)THEN1Ø9 2030 NEXTI 2040 IFPEEK (YY) AND 128 = 0THEN 2040 1080 AP=P:GOSUB690:GOSUB680:GOTO 1040 2050 POKEYY, 13 1090 GOSUB770: AP=400: GOSUB680: AP 2060 FORHH=1T0900: NEXTHH: RETURN 3000 IF PEEK(&H6000)=&H7F AND PE =396: GOSUB66Ø 1100 IF TB+(BB\*K)>9 THEN TB=0:88 EK(&H6ØØ5)=&H2Ø THEN 22Ø =Ø:POKE1Ø36+MC,49:PRINT@1+32\*TA, 3Ø1Ø GOTO5ØØØ 3020 CLEAR1000,&H5FFF CHR\$(140);:A\$="HOW MUCH IS ONE P 3030 PRINT@327,"(D) ISK OR (T) APE LUSS"+STR\$(TA)+WJ\$+STR\$(BA):GOSU B170:GOSUB720:TA=TA+1:GOTO1130 1110 IFTA=0THEN GOSUB680:GOTO124 3Ø4Ø X\$=INKEY\$:IFX\$="D"THEN3Ø5ØE LSEIFX\$="T"THEN3Ø6ØELSE3Ø4Ø 1120 A\$="HOW MUCH IS "+STR\$(TA)+ 3050 CLS:PRINT@233, "PLEASE STAND BY";:LOADM"TRNSLATE":POKE&HFF4Ø WJ\$+STR\$(BA):GOSUB170:GOSUB720 113Ø P=268:R=X:GOSUB64Ø ,Ø:GOTO3Ø7Ø 114Ø IFX=TA+(BA\*K)THEN117Ø 3060 CLS:PRINT@233, "PLEASE STAND BY";:CLOADM"TRNSLATE" 115Ø IFX=TA+(BA\*K)-(K\*1Ø)THEN118 3070 DEFUSR1=&H6000:DEFUSR2=&H60 116Ø AP=P:GOSUB69Ø:GOSUB68Ø:GOTO Ø5: DEFUSR3=&H6ØØ7 1110 3Ø8Ø T=8Ø:K=1:WJ\$="PLUSS":VP=2:D 117Ø GOSUB77Ø:FORI=1TO2ØØØ:NEXT: IM Z\$(19) G0T082Ø 3090 GOTO220 118Ø GOSUB77Ø:AP=396:GOSUB68Ø:AP 4000 X\$=USR2(A\$) =392: GOSUB66Ø 4Ø1Ø FORHH=1TO7ØØ: NEXTHH: RETURN 119Ø GOSUB72Ø 5000 PCLEAR1 1200 P=264:R=X:GOSUB640 5010 GOTO3020

## Custom Software Engineering, Inc.

807 Minutemen Causeway (D-2), Cocoa Beach, Florida 32931

(305) 783-1083

For information or technical support, please call between 5:30 and 8:30 P.M. Eastern time.

#### **GET ORGANIZED IN 1985**

DATE-O-BASE CALENDAR puts YOU in charge of your schedule!

■ Graphically displays any monthly calendar between 1700 and 2099. You put in up to twelve 28 character memos per day...calendar shows where the memos are...call up of day shows details.

13 14 15 16 17 18	9 10 11	12
6 7 9 10 11 13 14 15 16 17 18		
***	16 17 18	19
20 21 22 23 24 25		1.0
	23 24 25	26
27 28 29 30 31	30 31	1

- Use for appointments or a log of past activity.
- Search capability allows you to list or print all memos between two specified dates or only ones meeting key-word criteria.
- Date computation shows elapsed time between two dates in days, weeks, months and years.
- Requires 32K in BASIC

TAPE DATE-O-BASE CALENDAR - \$16.95 (max. 400 memos/tape file)

DISK DATE-O-BASE CALENDAR - \$19.95 (over 4000 memos/disk...max. 300 memos/month)

#### \*\*\*\*\*

#### **DISK DOUBLE ENTRY**

If you have spent hours trying to balance your Debits and Credits, DISK DOUBLE ENTRY is for you!

- Designed for small business, club and personal use.
- Enter transactions in a journal type format. Program will maintain current account balances, produce Trial Balance, Income, and Balance Sheet reports and complete Account Ledgers.
- Will handle up to 300 accounts including report headings and totals.
- Up to 1400 average transactions on a diskette.
- Summary reports and four levels of subtotals available.
- Requires 32K and an understanding of standard double entry accounting concepts.

\$44.95 in BASIC with Machine Language subroutines.

#### \*\*\*\*\*

#### STATEMENT WRITER

For use with (and requires) Disk Double Entry

- Produces statements suitable for billing from your Receivables accounts.
- Provides mailing labels to use with your statements and account summaries.
- Designed and documented to allow you to change formats to accommodate your own special needs.

\$34.95

### \*\*\*\*\*

#### That's INTEREST-ing

Let your computer do some REAL computation!

- Helps you solve problems dealing with time, money, and INTEREST!
- AMORTIZATION TABLES any way YOU want them...even lets you change any terms mid-schedule!
- Calculates Present Value, Future Value, Capital Recovery for any combination of payments you specify.
- Rate of Return computation predicts how hard your money will be working for you!
- Computes Bond yields...current and to redemption.
- All answers available on screen or printer.

\$29.95 in BASIC

## MosterCord

For VISA and Master Card orders: Include type, account number, expiration date, signature and phone number. Sorry! No COD's.



#### **GRAPHIC SCREEN PRINT PROGRAM**

Works in all PMODES and lets you shift screen image anywhere on the printed page.

- Relocatable code lets you use all of your 16K or 32K machine.
- Available in Color Basic 1.0 and 1.1/1.2. Use EXEC 41175 to see which you have and SPECIFY WITH ORDER.
- SPECIFY PRINTER TYPE...in Machine Language

\$7.95 - TRS-80° LP-VII/VIII & DMP 100/200/400/420

\$9.95 - Epson GRAFTRAX®, NEC® PC 8023 A-C, IDS 440/445, Paper Tiger® 460/560, Micro Prism® 480, Prism® 80/132 (with dot plotting), TRS-80® DMP-120, DMP-110, TDP-1, PROWRITER® Centronics 739, Microline® 82A/83A (with Okigraph 1) /84/92/93, Star Micronics, Inc. GEMINI 10/10x/15 and Gorilla Banana (Trademarks of Tandy Corp., Epson America, Inc., C-Itoh, NEC

America, Okidata Corp., Integral Data Systems, Inc.)

## \*\*\*\*\*\*\*\*\*

Works great with GRAPHIC SCREEN PRINT PROGRAM!

- Subroutine designed to let you add any keyboard character to your graphic displays.
- You define X and Y coordinates and a string variable of one or more characters...ALPHA-DRAW does the rest!
- BONUS includes instructions for a true line-numbered merge of tape files.

\*\*\*\*\*

\$8.95 in BASIC



HELP YOUR CHILDREN HELP THEMSELVES

#### **MATH TUTOR**

- 5 Programs in 1...ranges from simple addition through long division with 4 levels of difficulty.
- Requires regrouping to be shown...provides for trial quotients in long division.
- Shows how to correct errors...step by step approach stresses accuracy.

\$13.95 in BASIC

## \*\*\*\*\*\*\*\*\*\* SPELLING TEACHER

- Teaches students their own word lists...tape or disk files hold up to 200 words each.
- Suitable for any level from kindergarten to college.
- Misspelled words are retaught to reinforce correct spelling.
- Words presented in 4 lively formats study, scrambled word game, trial test, final test.

\$12.95 in BASIC

ALL PROGRAMS require Extended Color Basic and are delivered on cassette. All, except Tape Date-O-Base Calendar, are DISK System compatible.

U.S. and CANADA add \$1.00 per order for shipping. Overseas \$2.50 per order. All prices in U.S. dollars. Florida residents add 5% sales tax. Return within two weeks if not completely satisfied.



ALL LISTED PROGRAMS

## Put Your Programs On 'Automatic'

By Jeffry Dwight

If you've been programming in machine language for a while, you probably have a stockpile of simple utility programs (like printer spoolers, the *Rainbow Check PLUS* program, or keyboard simplifiers) which you're constantly *LOADing*, *EXECing* and then forgetting about.

After awhile, one starts to look longingly at those packaged software programs which auto-EXEC themselves and wonder "Could I...?" The answer is yes, you certainly can. There is a primitive means of copy "protection" which you (and some software companies) can use to make any ML program self-EXEC after loading.

It's done by means of the interrupt vectors. For those folks without an Editor-Assembler, sorry; you have to include it in the program during assembly. The following listing is called *AUTOBOOT* and relies on the fact that an ML program can have multiple origins. Simply substitute your own

program, of whatever length, for the lines between MAIN and ENDIT.

This program will function on any machine, 4K through 32K, cassette or disk. There are three crucial things to note, otherwise the program may crash.

First, your ML program cannot rely on interrupts during execution — that is, your program is being inserted between an interrupt and its handling vector, so further interrupts will not occur until your program has finished execution.

Second, lines 58-60 must be the *very last* lines in your program. These lines change BASIC's normal procedures a bit, and must occur after the rest of the program has been successfully loaded.

Third, the only crucial origin is in Line 58 — the others may be changed to whatever suits your purposes. If you want to place the BOOT routine at the top of available memory, 32K users should change nothing. 16K users should make Line 44 read *ORG* \$3 FDD and 4K users must change it to *ORG* \$0 FDD.

Now, how it works. On startup, BASIC runs through a routine which puts values in a series of vectors, one of them being the "regular interrupt vector" which occurs approximately 60 times a second. BASIC then checks for Extended BASIC, and if it's present,

transfers control. Extended BASIC changes those vectors, and passes control on to Disk BASIC, if it's there. All interrupts are masked (inoperative) during I/O — that's why Extended BASIC's timer stops — and reenabled immediately thereafter. If, during the loading process we change the vector, then the next interrupt will direct control to the new program.

Of course, the program must restore the old vector, and that's what lines 45 through 54 accomplish. These lines perform the same checks BASIC does to ascertain which vector is appropriate. This vector is then restored, but before we "clear" the interrupt and return control, we jump to the MAIN program.

The last thing the MAIN program does is reset BASIC'S EXEC default (so you get an ?FC Error) and finish the interrupt process. And that's all there is to it. This technique will work with cassette or disk, and affords some degree of copy protection, though its main function is to save you a few keystrokes.

Tack the program's few lines onto the end of yours and assemble it as usual. Then, when you *CLOADM* (or *LOADM*) your program, it will boot itself. Note: If you are using Radio Shack's *EDTASM*+, you will produce a Bad Memory Error if you assemble

(Jeffry Dwight is the author of over 200 articles, programs, short stories and novels. His company, Jade Products in Chicago, specializes in the Color Computer and the IBM PC, producing general-use utilities and Adventure games.)

the program in memory. This is because EDTASM+ will not assemble code "below" hexadecimal \$600. Don't worry, the program will transfer to tape or disk perfectly well, and if you want to debug it in memory, use A/IM/AO/

*NO* and *EDTASM*+ will allow the procedure.

Obviously, this sort of program is not reentrant, and lines 40 and 41 ensure you do not *reEXEC* it accidentally. *EXECing* your program twice would

cause the processor to reenter the interrupt handling routines when it shouldn't, and your computer would definitely "hang up" or crash. Use this technique for programs you load only once; reload to *reEXEC*.

The listing:	00010 ****	*****	******	
	00010 ****		*	
		TOBOOT LOA	ADER 1.0 *	
	00013 *	100001 101	*	
		ADDED TO	ANY M-I. *	
		ROGRAM, I		
		TOMATICALI		
		HAT PROGRA		
	00017	LOADIN		
	00019 *	LONDE	*	
		OTE: INTER	RHPT- *	
	00020 * DRI			
		BOOTED TO		
	00022 * BE	DOOLED I	113 WAI. *	
	00024 *	JEFFRY DV		
	00025 *	JADE PROI		
		9 N. SCOT		
		EATON, IL	60187 *	
	00027 **	Laton, II	*	
	00029 ****	******	*****	
	00029			
*	00030			
5500	00031	ORG	\$5500	
5500	00032 00033 MAIN	*	32300	
3300	00033 HAIN	*	CTADT VOID	CODE HERE OF AT
	00034	*		CODE HERE, OR AT RIGIN YOU WANT.
		*	WHALEVER OF	RIGIN 100 WANT.
	00036	*	DEMEMBED TO	NAME & CINCLE BATE
	00037	*	POINT AT "	O HAVE A SINGLE EXIT
	00038 00039	*	POINT AT	ENDII
5500 8E B44A			# OD A A A	SEC EDUCE ADDRESS
	00040 ENDIT		#\$B44A	<pre>?FC ERROR ADDRESS BASIC'S EXEC DEFAULT</pre>
	00041	STX	\$9D	
5505 6E 9F 010D	00042	JMP	[\$10D]	PATCH TO VECTOR
7000	00043	ODG	4 <b>7</b> EDD	COADO OR MEN MECTOR
7FDD 7F FR/0	00044	ORG	\$7FDD	START OF NEW VECTOR
7FDD 7F FF40	00045 BOOT	CLR	\$FF40	SHUT OFF DRIVES
7FEO CE D7BC	00046	LDU	#\$D7BC	PREPARE DISK VECTOR
7FE3 BE C000	00047	LDX	\$C000	EXAMINE ROMS
7FE6 8C 444B	00048	CMPX	#\$444B	DISK CONTROLLER?
7FE9 27 OE 7FEB CE 894C	00049 00050	BEQ LDU	BOOT1 #\$894C	IF YES, ALL DONE PREPARE FOR ECB
	00050		#\$894C \$8000	
		LDX	5	EXAMINE ROM
7FF1 8C 4558 7FF4 27 03	00052 00053	CMPX	#\$4558 BOOT1	EXTENDED BASIC?
7FF6 CE A9B3	00053	BEQ LDU	#\$A9B3	IF YES, ALL DONE DEFAULT IS BASIC
7FF9 FF 010D	00054 00055 BOOT1		#\$A9B3 \$10D	REPLACE ORIGINAL VECTOR
7FFC 6E 9F 009D	00056	JMP	[\$9D]	JUMP TO MAIN PROGRAM
/rru or 3r 009D	00056	JHF	[ الردة]	JUHF TO HAIN EROGRAM
010C	00057	ORG	\$10C	CHANGE WHILE LOADING
010C 7E 7FDD	00058	JMP	BOOT	VECTOR TO BOOT PROGRAM
5500	00060	END	MAIN	SET BASIC EXEC DEFAULT
2 100	00000	THI	TICYTIA	OUT DUOTO DVUO DELVOTT
00000 TOTAL ERRORS				

# The JBM Group brings you OS-9\* SOFTWARE SOLUTIONS!

NuBASE: The uncomplicated data base \$150

At last- a data base manager so versatile that you can use it to do what *you* want with your data. It's not complicated or overbearing; in fact, it's so easy to use that you'll be up and running in minutes.

Simple, user-specified masks insure data accuracy. Data integrity is assured through the use of highly crash-resistant software. *See* what you're doing through the interactive generation of screens, files and reports.

NuBASE is as affordable as it is complete. There's nothing else to buy; one price brings you the comprehensive package, including a ready-to-use mailing list application to get your NuBASE working for you on day one.

### CAL

\$69

Appointment calendar program to help keep your important dates straight.

- Simple command structure
- · Lists appointments by day, week or month
- Revises dates, times, relevant information on existing schedule entries
- · Default calendar file for each user
- Unlimited alternate calendar files
- System-wide master file for scheduling common appointments

### **GENUS**

\$49

A new stand-alone sort for OS-9 that keeps asking for more data!

- Easy-to-understand prompts ask you for all information necessary to sort your data files
- · Allows sorting in ascending or descending order
- · Allows unlimited number of sort keys of different types
- Saves both disk and memory space by summing numeric fields as it sorts

### **DISK BACKUP**

**\$99** 

Controlled hard disk-to-floppy backup with restore capability

- · Handles files larger than output media
- Single file, Wild Card search, current directory only, current-and-all-subdirectories
- Date and time for incremental backup
- Operator-friendly, handles error conditions smoothly
- · Use to create optimized disks





\*OS-9 is a registered trademark of Microware Corporation

### HELP

\$69

User-expandable generic help facility

- Includes data for online help with OS-9 utilities
- · Fast, efficient disk storage
- Three-level nesting Wild Card searching
- · Automatic display of available help
- Steps the user until he finds the answer

### THE MESSAGE

\$89

The only interoffice memo system currently available for OS-9 Level II users.

- Eliminates lost and confused interoffice memos
- Interfaces easily with your existing word processor or editor; no new commands needed
- Allows hardcopy printout, verification of received messages, immediate reply to sender
- Transmit new messages OR existing files to single user, or 'broadcast' to all users
- Preview Line indicates number, size and topic of stored messages
- Saves time, money, energy; cuts down on 'office aggravation'

For more information or to place an order, contact:

Dept. RB 17

The JBM Group, Inc.


Continental Business Center Front & Ford Streets Bridgeport, PA 19405 dro 16

TWX: 510-660-3999

215-275-1777

PA res. add 6% sales tax. US orders, add \$5.00 postage and handling.

-1..../. .--- /-.../--/--/.--/..-/.--/../--/..-/



his article materialized out of a desire to simplify the writing of a program involving displays using the *PRINT* @ function. It seemed there had to be an easier way to identify the location for printing than to count across the grid provided in the Radio Shack manuals. The answer was to use the math capability of the computer to do the calculation of the exact location. It's a lot easier to think of the screen in terms of 32 vertical lines (L) and 16 horizontal columns (C) than as 512 locations.

Therefore, this allows the use of the arithmetic capabilities of BASIC to write any location in the form 32 \* L + C. As an example the statement

100 PRINT @ 5 \* 32 + 8, A\$

will print the string A\$ at location 168. This may also be written as

100 L=5:C=8:PRINT@ L \* 32 + C, A\$

The advantages of this latter method

(John Boyle holds an electrical engineering degree from Dundee in Scotland, and is currently working in a quality assurance position. He and his wife, Sheila, have two daughters.)

(known as parameter passing) will become clearer as the more complex subroutines are developed later.

Experimenting with this revealed an apparent minor difficulty with the *PRINT* @ statement. It works as described with text strings, but with numeric constants or the contents of variables it prints one location higher—that is, a statement

#### 100 PRINT @ 0, 27

actually prints the value starting at Location 1 after putting a space at Location 0. The way around this is to write:

#### 100 PRINT @ 0, RIGHT\$ (STR\$(27),2)

The STR\$ function converts the number to a string and the RIGHT\$ (-,2) eliminates the space which BASIC prints before the numeric value.

Going beyond the earlier simple example, we can look at using some other functions which can automatically center messages in the given line. The number of characters in message A\$ can easily be calculated by the statement:

200 M = LEN(A\$)

Since we want half of these on each side of the center of the screen, we can find the starting location for the *PRINT* statement by subtracting ½ M from the middle of the required line. Thus, the statement

#### 300 PRINT @ 32 \* L + 16 - M/2, A\$

will center the message A\$ in any given line 'L'. It is, of course, possible for there to be an odd number of characters in the message, resulting in an apparently invalid print location with a .5 additional value. However, BASIC ignores this and accepts the correct intended number.

Because of the number of statements and the frequency of use of the feature, it is convenient to make it into a subroutine.

100 CLS 110 M = LEN (A\$) 120 PRINT @ 32 \* L+16-M/2, A\$ 130 RETURN

The routine has two entry points. Line 100 is used if it is desired to clear the screen prior to printing, and 110 is used if not. Two parameters must be set up prior to calling the routine. These



- memory like a fast disk drive.
- Un-DISK can store BASIC and MACHINE LANGUAGE programs.
- Un-DISK is INVISIBLE, Yup! Un-DISK does not interfere with normal Color Computer Operation.
- Un-DISK appears only when you type the magic word VDOS.
- Un-DISK comes with comprehensive instructions which you may not need because
- Un-DISK is self-prompting and easy to
- Un-DISK is provided on cassette.
- Un-DISK is faster than a slow clumsy DISK DRIVE and best of all . . .
- Un-DISK is CHEAPER than a DISK DRIVE!
- Un-DISK will work even if you already own a disk but WHY BUY A DISK AT ALL?
- Un-DISK should be in the library of every serious CoCo user even if you own a disk says Frank J. Esser, independent reviewer for RAINBOW Magazine!

But if your finances are limited, the Un-DISK can give you much of the power of the mechanical drive. Even if you already own a disk the Un-DISK can work like a super fast extra disk

#### EXTRA...EXTRA...EXTRA... Additional Power For \$14.95

Only with VDUMP for the Un-DISK!

- VDUMP lets you make a cassette backup copy of everything stored in the Un-DISK.
- VDUMP lets you save 5, 10, 15 or more programs on a single cassette tape file.
- VDUMP lets you switch Un-DISKs. With a single load operation replace a group of financial programs with a set of children's programs. (The new VDUMP tape overwrites the old.)
- VDUMP can allow you to save a whole lot of RAINBOW ON TAPE in a SINGLE file.
- VDUMP is the perfect companion to the Preble VDOS Un-DISK.

Available from Doctor Preble's Programs. naturally! Bringing you fine Color Computer Products Since 1983!

The Preble VDOS Un-DISK \$34.95
The Preble VDUMP\$14.95
Shipping & handling
U.S. and Canada \$1.50
or \$5.00 to other foreign points

VISA and MasterCard accepted



Order From: Dr. Preble's Programs 6540 Outer Loop Louisville, KY 40228 (502) 966-8281

Canadians may order from Kelly Software

are the messages which are equated to A\$ and the line number which is stored in 'L'. Listing 1 illustrates the process of using the subroutine.

Note the extension from the version in the text. The statement L=L+1 has been added at the end of the routine. There is now no need to set up the line number for messages to be printed on the line following the last one used; it is already taken care of by the last call to the subroutine.

The only constraint is that messages must be 32 characters or less. The line number can be from 0 to 15. Note that if a 32 character message is employed. BASIC will blank the next line automatically. Also, if Line 15 is used, a single line scroll is generated. One further point is that all locations to the right of the start value in a PRINT @ statement are blanked, and only those needed for the following message or number are filled in. This can cause an apparent (and annoying) loss of data in a line if it is not understood.

The way around these three conditions is to use POKE statements instead of PRINT where needed.

While this simple centering technique adds considerably to displays with little extra programming effort, significantly more impact and professional appearance can be added to such displays as title blocks by extending it slightly. Two such possibilities are 1) to have the message typed out as if by a printer, and 2) to shift the message in from the right of the screen, halting in the center. These can both be accompanied by appropriate sounds.

The printer method involves putting

up one character at a time with a short delay before the next one. The same subroutine technique is used. Looking at Listing 2, the length of the message is again calculated. It is used as before to determine the starting location for the PRINT @ statement in order to center the message. It is also used as the upper limit of 'X' in the FOR/ NEXT loop to control the number of characters printed.

Since only one character at a time needs to be printed, a means of successively picking out the one ready to be displayed is needed. This is achieved by use of the MID function. The second parameter is 'X' and chooses the start of the characters to be displayed. The third parameter is one and is the number of characters printed each time.

In the PRINT location statement, 15 is used instead of 16 as the display column value, because 'X' is added in to move the print location to the right each time and it has a starting value of one. Delay and sound are staightforward.

The shift in message function is in Listing 3. In this case, successively longer portions of the message are displayed starting with the leftmost character at the extreme right of the screen. With 'X' as the second parameter in the LEFT function picking out one additional character each time, the message moves across the screen as the PRINT @ location pointer is decremented by 'X'.

The number of shifts made is 16 (to get to the screen center), plus one-half the number of characters in the message (in order to center it). This is controlled

by the upper limit of the 'X' FOR/ NEXT loop. Sound and speed are again included.

Listings 4 and 5 are variations of Listing 2, and are included to show what can be achieved by small changes in the routines.

Listing 6 shifts messages all the way across the screen until they disappear from the right. Note the two sections of the subroutine. The first takes care of moving the message onto the display; the second makes it vanish from the left side.

Listing 7 is somewhat different from the others in that it scrolls the messages from bottom to top of the screen. It makes use of the fact that if a PRINT @ statement is executed in the bottom line of the display, a single line upward scroll is generated automatically by BASIC. The messages are centered right to left as before.

Line 160 calculates the number of single line scrolls needed to center the display from top to bottom. This is set up by including the N = number of messages statement in the last message line only. 'N' should be set to zero in the first of any series of messages to be simultaneously displayed.

Enter and run these programs as they are to understand their operation, then change the messages to suit your own needs and include them in other programs. When using them in other situations, remember to place the subroutines (suitably renumbered) at the end of the program. This avoids the possibility of running the main program into the subroutine and the consequent need to GOTO around them.

#### Listing 1:

10 A\$=CHR\$(34)+"SELF CENTERING M ESSAGES"+CHR\$(34):L=5:GOSUB100 2Ø A\$="BY":GOSUB11Ø


3Ø A\$="JOHN D.BOYLE":GOSUB110

40 A\$="DATE:OCTOBER-1983":GOSUB1

10

5Ø END





100 CLS

110 M=LEN(A\$)

12Ø PRINT@32\*L+16-M/2, A\$

130 L=L+1

14Ø FORS=1T02ØØ: NEXTS

15Ø RETURN

200 2

300 ' PROGRAM LISTING 1

#### Listing 2:

10 A\$=CHR\$(34)+"TITLE PRINTING R

OUTINE"+CHR\$(34):L=5:GOSUB1ØØ 20 A\$="BY":GOSUB110

3Ø A\$="JOHN D.BOYLE":GOSUB11Ø

4Ø A\$="DATE:OCTOBER-1983":GOSUB1

10

5Ø END

100 CLS

110 M=LEN(A\$)

12Ø FOR X=1TOM

13Ø PRINT@32\*L+15-M/2+X, MID\$(A\$,

X,1)

14Ø SOUND1ØØ.1

15Ø NEXT X

16Ø L=L+1

170 SOUND 200,1

180 FOR S=1T080: NEXTS

19Ø RETURN

200 "

300 'PROGRAM LISTING 2

#### Listing 3:

10 As=CHR\$(34)+"SHIFT IN TITLE R

OUTINE"+CHR\$(34):L=6:GOSUB1ØØ

20 A\$="BY":GDSUB110

30 As="JOHN D.BOYLE":GOSUB110

40 A\$="DATE:OCTOBER-1983":GOSUB1

10

50 END

100 CLS

110 M=LEN(A\$)/2

12Ø FOR X=1T016+M

13Ø PRINT@32\*(L+1)-X, LEFT\$(A\$, X)

14Ø FORS=1TO2Ø:NEXTS

150 SOUND100.1

16Ø NEXTX

17Ø L=L+1

180 FOR S=1T090: NEXTS

19Ø RETURN

200 '

300 'PROGRAM LISTING 3

#### Listing 4:

10 A\$=CHR\$(34)+"REVERSE PRINTING ROUTINE"+CHR\$(34):L=5:GOSUB100

Mr. Bear Count

A counting program that will tantalize

the youngest member of your family! Tape \$15.95

## Parents! Want to stimulate your child's learning? TCE'S EARLY LEARNING SERIES

ABC'S In Color

Speed your child's learning of the Alphabet!

Alpha Memory

Your child can master the lower and

upper case letters of the alphabet while

Tape \$16.95 Disk \$20.95

the value of money!

CoCo 16K ECB Tape \$19.95 Disk \$25.95

CoCo 16K Mr. Bear Math

Add & subtract with Mr. Bear. Your child will gain Mr. Bear's wink of praise & approval!

CoCo 16K Tape \$15.95 Disk \$19.95

Basic Math

having fun!

CoCo 16K

add & subtract through counting!

CoCo 16K ECB Tape \$12.95 Disk \$16.95

Mix & Match

A brilliantly colored constantly moving computer version of concentration! CoCo 16K Tape \$12.95 Disk \$16.95

Mr. Bear Flash Card

After your child has mastered Mr. Bear Math, continue his/her learning, experience with Mr. Bear's multiplication & division flash card. CoCo 16K Tape \$15.95 Disk \$19.95

Mr. Piggy

Program will aid your child in learning

See & Spell

Let your computer aid your child in learning to spell! CoCo 16K ECB Tape \$14.95 Disk \$18.95

Disk \$19.95

Teaching Clock

Learn to tell time with the aid of a special teaching clock!

CoCo 16K ECB Tape \$16.95 Disk \$19.95



ograms Have Been Child, Parent, & Educator Tested CoCo 32K ECB Tape \$19.95 Disk \$24.95

Send for FREE Catalog

GAITHERSBURG, MD 20879

(301) 963-3848



2Ø A\$="BY":GOSUB110 3Ø A\$="JOHN D.BOYLE":GOSUB11Ø 4Ø A\$="DATE:OCTOBER-1983":GOSUB1 10 5Ø END 100 CLS 110 M=LEN(A\$) 12Ø FOR X=1TOM 13Ø PRINT@32\*L+15+M/2-X, MID\$(A\$, M+1-X,X)140 SOUND100.1 150 NEXT X 160 SOUND 200,1 17Ø L=L+1 18Ø FORS=1T09Ø: NEXTS 19Ø RETURN 200 ' 300 'PROGRAM LISTING 4

#### Listing 5:

10 As=CHRs(34)+"PRINT MESSAGES B ACKWARD"+CHR\$(34):L=5:GOSUB1ØØ 2Ø A\$="BY":GOSUB110 30 A\$="JOHN D.BOYLE": GOSUB110 40 As="DATE:OCTOBER-1983":GOSUB1 10 50 END 100 CLS 110 M=LEN(A\$) 12Ø FOR X=1TOM 13Ø PRINT@32\*L+15-M/2+X, MID\$(A\$, M+1-X,1)14Ø SOUND1ØØ,1 15Ø NEXT X 160 SOUND 200,1 17Ø L=L+1 18Ø FORS=1T09Ø:NEXTS

#### Listing 6:

200 "

19Ø RETURN

300 'PROGRAM LISTING 5

190 FORS=1TO60: NEXTS

10 A\$="READ RAINBOW MAGAZINE EACH MONTH":L=6:GOSUB 100
20 A\$="THE BEST IN COCO INFORMATION":GOSUB110
30 A\$="DON'T BE WITHOUT IT":GOSUB100
50 END
100 CLS
110 M=LEN(A\$)
120 FOR X=1TO32
130 PRINT@32\*(L+1)-X,LEFT\*(A\$,X)
140 FORS=1TO60:NEXTS
160 NEXTX
170 FORX=1TOM
180 PRINT@32\*L,RIGHT\*(A\$,M-X)

200 NEXTX 210 RETURN 220 ' 300 'PROGRAM LISTING 6

#### Listing 7:

10 AS="SCROLLING CENTERING MESSA GES": N=Ø: GOSUB1ØØ 2Ø A\$="BY":GOSUB11Ø 30 A\$="JOHN D. BOYLE":GOSUB110 4Ø A\$="DATE:OCTOBER 1983":N=4:GO SUB110 5Ø GOT05Ø 100 CLS 110 M=LEN(A\$) 120 PRINT@480+16-M/2, A\$ 130 IF N>0THEN160 140 FOR S=1T0150: NEXTS 15Ø RETURN 160 N=INT((15-N)/2) 170 FOR S=1T0150: NEXTS 18Ø IFN<1THENRETURN 19Ø N=N-1 200 PRINT@480." " 21Ø GOT017Ø 220 " 300 'PROGRAM LISTING 7

### DYNAGRAPH

Copyright 1984 by Derringer Software, Inc.

#### A utility program for owners of DYNACALC®

DYNAGRAPH will transfer graphic files from DYNACALC to standard graphic files for further enhancing and labeling by graphic editing programs such as MASTER DESIGN.

DYNACALC stores its graphic displays in a way that is not accessable by the standard LOADM command. DYNAGRAPH will convert these to files that can be LOADMed by most any graphics editing program such as MASTER DESIGN. DYNAGRAPH will also convert a standard hi-res display into the format that is needed by DYNACALC. DYNAGRAPH can reduce a graph vertically and horizontally so that multiple displays can be combined into one.

DYNAGRAPH \$19.95

MASTER DESIGN \$29.95

DYNAGRAPH + MASTER DESIGN \$44.95


DYNACALC \$99.95 (DYNAGRAPH INCLUDED!)

ALL 3 Programs \$119.95

Include 3.00 for UPS Shipping — 5.00 U.S. Mail — 9.00 Air Mail

Send orders to: Derringer Software, Inc., P. O. Box 5300 Florence, S.C. 29502-2300 Visa/Master Card: (803) 665-5676 10:00 am to 5:00 pm EDT

DYNACALC is a registered trademark of Computer Systems Center MASTER DESIGN (C) 1984 by Derringer Software, Inc.



EXPANDING ACCESS. Telebase Systems, Inc., of Narverth, Penn., has announced the introduction of a new retrieval service called "EasyNet" for personal computer and terminal owners. The service opens online searching to a whole new population of information users. EasyNet is sponsored by the National Federation of Abstracting and Information Services, the national professional association of database producers.

A single phone call placed to the tollfree number, 1-800-EASYNET (1-800-327-9637), connects anyone who uses a personal computer or terminal and modem to hundreds of databases offered by more than a half dozen major vendors, such as Dialog, BRS and NewsNet. Upon dialing, the caller is asked whether the search is to be billed against his/her Visa or MasterCard, or EasyNet account, and then led through a brief series of menu screens which determine the topic of interest. Prompted by the screen, a single keystroke directs EasyNet to select the most appropriate database for searching from the hundreds available through multiple vendors. The user need not know anything about databases; it is all automatic.

The basic fee for an EasyNet search, which generally takes 10 minutes, is \$12. There are nominal additional charges for retrieving abstracts and ordering articles. For more information on sample applications and an EasyNet account number for a free search, call Gerald Francis at (215) 664-6972.

#### COMPUTER TELECONFERENCE.

A national video teleconference on "Educational Microcomputer Software: Identification, Evaluation, and Integration," will be broadcast via satellite from Oklahoma State University on April 13, 1985. The teleconference, to be coordinated by the OSU College of Education, will examine resources which are available to assist educators in identifying software for their subjects

and grade levels, and in finding objective evaluations of the quality of that software. In addition, the teleconference will focus on ways in which educational microcomputer software can be integrated into the curriculum.

The teleconference will be broadcast from 12:30-4:30 p.m. EST, and will combine presentations by a panel of experts drawn from across the United States, demonstrations, videotapes of model classroom situations which illustrate the effective use and integration of microcomputer software, and two extended question-and-answer periods, during which questions from reception sites throughout the United States can be phoned into the studio and asked live on the air.

The teleconference will be available primarily through the institutions of higher education which are members of the National University Teleconference Network (NUTN). However, by special arrangement the teleconference can also be received by non-NUTN educational organizations, school districts, state departments of education, etc.

For a list of institutions scheduled to receive the teleconference or for additional details on the program as it is finalized, contact: Connie Lawry, Teleconference Coordinator, College of Education, Oklahoma State University, 108 Gundersen, Stillwater, OK 74078, (405) 624-6254.

#### KEEP THE CURRENT FLOWING.

Electronic Specialists Inc., has developed Power Fail Interrupt computer equipment protection. This unit interrupts protected computer equipment AC power for even a momentary power line disruption. Power is restored via a front panel manual reset switch.

The Power Fail Interrupt option is available from stock and can be ordered as an adjunct to Surge Suppressors, Isolators or Kleen-Line Conditioners. Option price is \$85 installed. Contact Electronic Specialists, Inc., 171 S. Main St., P.O. Box 389, Natick, MA 01760, (800) 225-4876.

**COMPUTER GREETINGS.** Compugreet has introduced an expanded line of greeting cards with continuous tab feed and clean edge perforation. The cards are designed so that a personal message can be printed inside using your word processor.

There are eight designs available for Christmas, birthday and all-occasion cards suitable for weddings, thank you notes, birth announcements and general invitations. The price for a package of 20 cards and envelopes is \$9.95. A box of 100 cards and envelopes retails for \$45, and a box of 300 cards and envelopes retails for \$130. For more information contact Compugreet, P.O. Box 3557, Reston, VA 22090, (703) 476-0044.

CLOSING THE GAP (CTG), internationally recognized resource authority on microcomputer applications for special needs populations, announced the publication of Computer Technology for the Handicapped, which is microcomputer applications written for special education and rehabilitation professionals, as well as handicapped individuals, their families and associates. The 260-page book focuses on how computer technology can help the handicapped or disabled person today. Topics include microcomputer applications in all disability areas: the hearing and speech impaired, the blind and vision impaired, and the physically and mentally handicapped.

Computer Technology for the Handicapped has been edited into an easyto-understand format that allows everyone access to information which can enable handicapped and disabled persons to meet their everyday needs of education, communication, vocation, recreation and independent living.

The book retails for \$17.95. For more information contact: Budd Hagen, Closing the Gap, P.O. Box 68, Henderson, MN 56044, phone (612) 248-3294.





100 REWARD for all SAG winning entries in the Third Annual Rainbow Adventure Contest! The Spectrum Adventure Generator (SAG) allows you to create silent and talking adventure games that are 100% machine language and very fast in execution. Up to 99 rooms, 255 objects, 70 command words and 255 conditional flags can be used. Get a head start in this month's Rainbow Adventure Contest NOW! 32K/64K DISK \$39.95

Note - Talking version requires Spectrum Projects' Voice Pak, a Disk "Y" Cable or Multipak and 64K.

Quotes from Jorge Mir (#1 CoCo Adventure Expert) from Dec'84 Rainbow Review -

"Overall, I think this is a great system for those interested in writing adventures. It sure eliminates a lot of time involved in developing them and allows the non-programmer to develop some very interesting Adventures since no programming knowledge is required. Try SAG, you'll like it!"

#### THE RAINBOW BOOKSHELF

Only \$19.95 The Complete Rainbow Guide To OS-9

by #1 CoCo OS-9 Expert - Dale Puckett Order NOW, as we expect huge backorders to possibly develop !!!

#### The Rainbow Book of Simulations

Be an air traffic controller, Presidential candidate... 20 Super Simulations Book \$9.95 Tape \$9.95

Please NOTE - Book & Tape are sold separately. There is NO documentation with Tape.

ALL ORDERS PLUS \$3.00 S/H - NY RESIDENTS ADD SALES TAX

### SPECTRUM PROJECTS

WEST DIVISION PO BOX 9866 SAN JOSE, CA 95157-0866 WOODHAVEN, NY 11421

EAST DIVISION PO BOX 21272

ORDER HOT LINES - 408-243-4558 & 718-441-2807

## \*\*\*\*

## SPECTRU COLORFU

\$\dagger\$ \dagger\$ 
## SPREADSHEET

#### Competition DYNACALC 32X16 51X24 Screen 9 digits 16 digits Precision YES Hi-Res Graphics NO Visicalc cmd format NO DYNACALC now runs on CoCo DOS! New low price! 64K Disk \$79.95 (see Sept '84 Rainbow Review)

### **SAVE \$40!**



## DATA BASE MANAGER

PRO-COLOR FILE "Enhanced" - 60 Data Fields, 8 Report Formats, 1020 byte/record, Sort 3 Fields 4 Screen Formats, Duplicate Records and Fields, Global Search, Create Files Compatible w/DYNACALC! - Disk \$59.95 (see June '84 Rainbow Review)

## DISK DRIVES





## GAME CONTROLLERS

Graphicom Joystick - Has 2 Fire buttons (menu/pen), smooth and easy joystick control - \$24.95 Mach II Joystick - 360 Degree control with center return or analog positioning. "A firstclass performer... best feel of any CoCo joystick..." - \$39.95

## **UTILITIES (DISK)**

<u> 2</u>	쁘
1. CoCo Calligrapher\$29.95 2. FHL O-PAK\$34.95 3. Bjork Blocks\$34.95 4. Musica 2\$39.95 5. Super Screen Machine.\$49.95 6. FULL Basic Compiler!.\$69.95 7. DEFT Pascal\$79.95	
3. Bjork Blocks\$34.95 4. Musica 2\$39.95	
5. Super Screen Machine.\$49.95 6. FULL Basic Compiler!.\$69.95	
7. DEFT Pascal\$79.95 8. MicroWorks MACRO-80C.\$99.95	
<b>and the state of </b>	ī

## NEW PRODUCTS



SPECTRUM WEST PO BOX 9866 SAN JOSE, CA 95157-0866

**PROJECTS** PO BOX 21272 WOODHAVEN, NY 11421

ALL ORDERS PLUS \$3.00 SHIPPING - NY RESIDENTS ADD SALES TAX

# SPECTRUM PROJECTS SOFT AND HARD WARES FOR COLORFUL COMPUTING

## COMMUNICATION

COLORCOM/E - A complete smart terminal package! Upload, Download, Hi-Res (51X24) screen, 300/1200 Baud, Offline Printing and much more. Rompak or Disk - \$49.95 (see Feb '84 Rainbow Review)



## **WORD PROCESSING**

TELEWRITER-64 - Top CoCo Word Processor for 2 years! Three Hi-Res screens, true lowercase characters, right justification, full screen editor. Tape \$49.95 Disk \$59.95 (see June '83 Rainbow Review)

## MODEMS

MINI-MODEM - 300 Baud, Originate/Answer, Full Duplex, Direct Connect - \$79.95 J-CAT Modem - Lowest priced auto/answer modem - \$129.95 HAYES Auto Dial/Answer \$239.95 ANCHOR - 300/1200 Baud \$299.95 Prices include Modem cable.



## **PRINTERS**

GEMINI 10X - 120 cps, 9x9 dot, tractor/friction feed \$259.95 GEMINI Daisywheel - Ltr quality 18 cps, bi-dir, PS! - \$349.95 (Parallel interfaces required.)

PBH Parallel Interface - Save \$40 if ordered with above printers! - \$49.95 (Reg.\$89.95)

## **KEYBOARDS**

SUPER-PRO (Mark Data) \$59.95\*
HJL57 PROFESSIONAL - \$79.95\*\*
KEYTRONICS Keyboard - \$89.95\*\*
Specify Model/Revision Board.
\* Add \$5 for "F" board adapter
\*\* Free function key software
COCO II HJL version available!!
15 key Numeric Keypad - \$69.95



**MONITORS** 

MONOCHROME Monitors - 80x24 \_screens plus Hi-Res w/AUDIO! Green - \$99.95 Amber - \$119.95 BMC Color Monitor - \$269.95 VIDEO PLUS - Video Interface for above monitors - \$24.95 CoCo II (Monochrome) - \$29.95 CoCo II(Color) Version - \$39.95

**SAVE \$10** 

OFF COLORCOM/E WITH ANY MODEM
OFF TELEWRITER-64 WITH ANY PRINTER,
KEYBOARD OR MONITOR

**SAVE \$10** 

ORDER PHONE LINES: 718-441-2807 & 408-243-4558



Multiply, Divide, Subtract, Add — Now you've got . . .

# CoCopadd!

#### By Joel Robbins

I'm not trying to turn back the hightech clock with CoCopadd, just trying to make your computer extra useful. Since my "play area" is in the basement and the "real world" is upstairs, I am not always in the vicinity of the calculator when I need it. To use a computer as a simple calculator may seem a waste, but CoCopadd appended to a program in progress can save a lot of time typing in PRINT statements followed by a string of numbers. After all of the sections requiring mathematical calculations have been made and CoCopadd has served its purpose, it can be deleted from the program.

To use this utility, you need to make tabs for some of the keys (trimmed down mailing labels would do). 'U,' 'I,' 'O,' 'P,' 'J,' 'K,' and 'L' equal 4, 5, 6, x(times) 1, 2, 3, respectively. The minus, plus, slash and CLEAR keys stand for themselves. The space bar is used as the ENTER key, but the ENTER key can


also be used.

The printer can be used, but it is very slow and awkward.


After you CLOAD and RUN the program, simply key in the first number and hit the space bar, then hit one of the math function keys (no space bar needed here), and enter the second number and hit the space bar. The total will appear. Hit another math function key and the total becomes the top number, and you are ready to enter the second number.

The CLEAR key gets the user out of that set of calculations and readies the computer for a new one.

(Joel Robbins has been enjoying the Color Computer for about three years, and has published a number of his programs. He has a wife and two children, and teaches high school literature.)



## SPECTRUM VOICE PAK



CoCo I - \$69.95 CoCo II - \$79.95

Talking Software:

Term Talk – Tape \$39.95
Talking CoCo Bingo \$24.95
Educational Software \$24.95
Talking Final Countdown \$24.95



## 

64K Chips \$29.95

Set of 8 w/Instructions

Gemini-10X \$259.95

If ordered with above, PBH Interface \$49.95

Disk Drive Ø \$249.95 Complete System

Spectrum DOS \$25

Half-Price!

\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$

We reserve the right to limit quantities at these super prices.
ABSOLUTELY no other discounts can be applied. Expires 3/15/85

All orders plus \$3.00 S/H - NY Residents add sales tax

SPECTRUM PROJECTS

WEST DIVISION:
PO BOX 9866
SAN JOSE, CA 95157-0866

Popular

EAST DIVISION:
PO BOX 21272
WOODHAVEN, NY 11421

ORDER HOT LINES: 408-243-4558 & 718-441-2807

## **♦♦♦ COLORFUL UTILITIES ♦♦♦**

#### FAST DUPE II

The <u>fastest Disk copier ever! Will format and backup a diskette in only one pass and can make up to 4 Disk copies at once in 2 minutes! The must utility for every Disk owner. 32K/64K DISK \$19.95 (see May '84 Rainbow Review)</u>



#### COCO VIDEO TITLER

Start your <u>VCR</u> tapes with <u>dazzling</u> title frames followed by <u>professional</u> countdown to black fadeouts! 16K TAPE \$19.95



#### AUT-O-START

<u>Autostart</u> your <u>Basic/ML</u> programs with <u>impressive</u> title screens using a mixture of <u>text</u> and graphics! 16K TAPE **\$19.95** 

#### 64K DISK UTILITY PACKAGE

Take advantage of an expanded 64K machine. Make an additional 8K of RAM available. Copy ROM cartridges to disk and create a 32K SPOOL buffer for printing. DISK \$21.95 (see July '83 Rainbow Review)

#### TAPE/DISK UTILITY

A powerful package that transfers tape to disk and disk to tape automatically. Does an automatic copy of an entire disk of programs to tape. Ideal for Rainbow On Tape to disk. TAPE/DISK \$24.95 (see Sept '83 Rainbow Review)

#### **FAST TAPE**

Save and load cassette files at twice the speed! Now you can run tape and printer I/O operations in the high speed mode without a locked up system or I/O ERRORS! "If you are tired of waiting for those long tapes to load, I strongly recommend that you buy this fine utility." TAPE \$21.95 July '83 Rainbow

#### GRAPHICOM

The ultimate CoCo graphics development tool with sophisticated editing, preview animation, telecommunications and printer support. Hi-Res graphics for only \$24.95. W/Spectrum's Menu Foot Switch \$34.95. 64K DISK (see April '84 Rainbow Review)

#### **EZ BASE**

A truly <u>user friendly</u> data base program at an <u>affordable</u> price. Maintain inventories, hobby collections, recipes, greeting card lists and much, much more! Hi-Res screen, up to <u>500 records</u> with <u>15 fields</u>, record or field search, and a <u>Mailing Labels</u> option. 32K DISK **\$24.95** (see July '84 Rainbow Review)

#### BLACKJACK ROYALE

A <u>Hi-Res</u> graphics casino blackjack simulation and <u>card counting</u> <u>tutor</u>. Fully realistic play includes: double down, splits, surrender, insurance bets, 1-8 decks, burnt cards, shuffle frequency and more! "This <u>fine</u> program is a <u>must</u> for the <u>CoCo</u> <u>Blackjack</u> player." (Aug '83 Rainbow Review) 32K TAPE/DISK **\$24.95** 

SHIPPING \$3.00 - NY RESIDENTS ADD SALES TAX

#### SPECTRUM PROJECTS

WEST DIVISION PO BOX 9866 SAN JOSE, CA 95157-0866 408-243-4558

EAST DIVISION PO BOX 21272 WOODHAVEN, NY 11421 718-441-2807

DEALER/CLUB INQUIRIES INVITED
SOFTWARE SUBMISSIONS WELCOMED

## **OUTILITIES OUTILITIES OUTILITIES OUT**

#### COCO CHECKER

Something possibly wrong with your CoCo??? CoCo CHECKER is the answer!! Will test your ROMs, RAMs, Disk Drives & Controller, Printer, Keyboard, Cassette, Joysticks, Sound, PIAs, VDG, Internal Clock Speed, and more!! 16K TAPE/DISK \$19.95

#### MULTI-PAK CRAK

Save ROMPAKs to your 64K Disk system using the RS Multi-Pak Interface. Eliminate constant plugging in of ROMPAKs now by keeping all your PAK software on disk. Includes POKEs for "PROBLEM" ROMPAKS. DISK \$24.95

#### TAPE OMNI CLONE

Easily handles programs with auto loaders, no headers, no EOF markers, unusual size blocks and more! Now is the time to get your tape software collection protected ... against loss!!! TAPE \$24.95

#### DISK OMNI CLONE

Back everything up! This amazing program handles "non standard" disks with ease. We haven't found any disk yet that it can't handle. Don't ever be caught without a backup again! Lowest price too! 32K DISK \$29.95

#### **COCO SCREEN DUMP**

The best screen dump program for the Epson & Gemini printers ever! Have the option of standard or reverse images w/regular or double sized pictures. 600-9600 Baud too! A must for Graphicom and Bjork Block users. 16K TAPE/DISK \$19.95

#### DISK UTILITY 2.1

A multi-featured tool for USER FRIENDLY disk handling, Utilize a directory window to selectively sort, move, rename and kill file entries. Lightning fast Disk I/O for format, copy and backup. Examine contents of files, the Granule Table, plus the size, load addresses and entry points of all programs. Single command execution of both Basic and ML programs. 32K/64K Disk \$24.95 (see Oct '84 Rainbow Review)

#### MASTER DESIGN

A text designer/editor to generate graphics mode lettering with multiple font sizes, textures, shadowing and thicknesses, plus special patterns for creative backgrounds. Comes with a screen print routine and Letter Head Utility that interfaces with Telewriter-64 and BASIC. DISK \$29.95 (see July '84 Rainbow Review)

#### **BASIC COMPILER**

Convert BASIC pgms into machine language. Produce faster and more compact code than BASIC. Integer compiler w/16K-64K versions included. TAPE \$39.95

#### SCHEMATIC DRAFTING PROCESSOR

Save time and design pro looking diagrams using a 480X540 pixel worksheet w/6 viewing windows. Over 30 electronic symbols w/10 definable symbols. Print hard copy and save to disk. 64K DISK \$49.95 (see Jan '84 Rainbow Review)

#### COLORAMA

A first-class Bulletin Board package... especially geared towards CoCo users... has an ordering section for those who want to run a mail-order business... supports Color Graphics... one nice piece of work. 64K DISK \$99.95 July '84 Rainbow

#### COCO CHECKBOOK

Use your CoCo to keep track of your checking and savings accounts! Printout individual personal checks! 32K/64K TAPE \$29.95

#### SPECTRUM DISTRIBUTORS




MID-WEST

SOUTH

502-499-9393





#### The listing:

- 1 'COCOPAD
- 2 'JOEL ROBBINS
- 3 'R#5, BOX 45Ø
- 4 'SYRACUSE, IN 46567
- 5 CLS ':POKE 65495, Ø'TØ SPEED UP DELETE FIRST

APOSTROPHE

- 6 INPUT"DO YOU WANT A PRINT OUT (
- Y/N)";PP\$: IFPP\$="Y"THENPP=1
- 7 SC\$="12+34X67(34)999-345/12/15
- (56-34)/45X23+17+16+77+34/"
- 8 PRINT SC\$; SC\$; SC\$; SC\$; SC\$; SC\$;
- SC\$; SC\$; SC\$; SC\$;
- 9 POKE 1024+TW, 175
- 1Ø TW=TW+1
- 11 IF TW>511THEN 14
- 12 GOTO 9
- 13 PRINT@145," ";:PRINT@JJ,"
  - ";:PRINT@112,"
  - ";:PRINT@199."
  - ";:CLEAR
- 14 JJ=112
- 15 PRINT@42, " CALCULATOR ";
- 16 GOTO 18
- 17 IFN=1 THEN 4Ø
- 18 AS=INKEYS
- 19 IF A\$=""THEN18
- 2Ø IFPEEK (339)=191 THEN13
- 21 IF PEEK(345)=247 OR PEEK(338)
- =191 THEN 34
- 22 IFA\$="Ø"THEN32

See You At

RAINBOWIest

Feb. 15-17

- 23 IFA=7 ORA=8 OR A=9 THEN32
- 24 IFPEEK (339) = 191THEN13
- 25 IF A\$="U"THEN A\$ = "4"
- 26 IF A\$="I"THEN A\$ = "5"
- 27 IF A\$="0" THEN A\$ = "6"
- 28 IF A\$="L" THEN A\$ = "3"
- 29 IF A\$="K" THEN A\$ = "2"
- 30 IF A\$="J"THEN A\$ = "1"
- 31 IFA\$="1"ORA\$="2"ORA\$="3"ORA\$=
- "4"ORA\$="5"ORA\$="6"ORA\$="7"ORA\$=
- "8"ORA\$="9"ORA\$="Ø"ORA\$="."THEN3
- 2ELSE18
- 32 AA\$=AA\$+A\$:PRINT@JJ,"
  ";:PRINT@JJ,AA\$;
- 33 GOTO 18
- 34 IF N = 1 THEN 35ELSE36
- 35 C=VAL (AA\$)
- 36 IF N=1 THEN 55
- 37 A=VAL (AA\$)
- 38 IFPP=1 THEN PRINT#-2,, AA\$
- 39 PRINT@145," ";
- 4Ø B\$=INKEY\$
- 41 IFB\$=""THEN4Ø
- 42 IFN=Ø THEN45
- 43 PRINT@112," ":PRINT@112,"
  ";:PRINT@199,"
  - ":PRINT@112,SUM;
- 44 IFPEEK (339) = 191THEN13
- 45 IFB\$="P"THENB\$="X"
- 46 IFB\$=";"THENB\$="+"
- 47 PRINT@145, B\$;
- 48 PRINT@176,"
- 49 IF PP=1 THEN PRINT#-2, B\$
- 5Ø IFB\$="+"ORB\$="X"ORB\$="/"ORB\$=
- "-"THEN52ELSE39
- 51 M\$=INKEY\$:IFM\$=CHR\$(32)THEN52 ELSE51
- 52 N=1
- 53 AA\$=" ":JJ=176
- 54 GOTO 18
- 55 IF PP=1THENPRINT#-2,,AA\$
- 56 IFB\$="+" GOSUB 64
- 57 IFB\$="X" GOSUB 66
- 58 IFB\$="/"GOSUB68
- 59 IFB\$="-"GOSUB7Ø
- 60 PRINT@199, "TOTAL = " SUM;
- 61 IF PP= 1 THENPRINT#-2,"
  TOTAL", SUM
- 62 A=Ø:C=Ø:B\$=""
- 63 GOTO17
- 64 SUM=SUM+A+C
- **65 RETURN**
- 66 SUM= (SUM+A) \*C
- **67 RETURN**
- 68 SUM= (SUM+A) /C
- 69 RETURN
- 7Ø SUM=SUM+A-C
- 71 RETURN



#### A CHIP OFF THE OLD ...

6821 Standard PIA\$9.95
6822 Industrial Grade PIA\$14.95
MC1372 CoCo Video Driver Chip\$14.95
6847 Video Display Generator Chip.\$17.95
68764 (Fits Disk Basic Skt) Eprom. \$24.95
27128 16K DOS Eprom (Or 2 DOS's!).\$24.95
6883 SAM Chip w/heat sink\$29.95
6809E CPU Chip\$29.95
Ext Basic 1.1 ROM - NEW LOW PRICE.\$29.95
Basic ROM 1.2 Chip (30% FASTER)\$39.95
Disk ROM 1.1 (New DOS Command)\$39.95
CoCo First Aid Kit - includes 2 PIAs,
6809E & 6883 (Be Prepared!!!)\$69.95
Lower Kit III - Specify CoCo I/II.\$69.95
Intronics Eprom Programmer\$139.95
64K CoCo II - SALE!!!\$169.95

#### COCO LIBRARY...

CoCo I Technical Manual\$7	.95
CoCo Memory Map\$12	
Rainbow Book & Tape of Adventures. \$14	
Basic Programming Tricks Revealed.\$14	
The FACTS - Inside "guts" of CoCo.\$14	
500 Pokes, Peeks 'N Execs\$16	. 95
Basic 09 Tour Guide\$18	.95
Disk Basic (1.0/1.1) Unraveled\$19	.95
Color Basic 1.2 Unraveled\$19	.95
New! CoCo II Service Manual\$19	.95

#### MORE GOOD STUFF...

27128/68764 Adapter - Allows you to plug-in 28pin EPROMs into 24pin sockets! Fits all controllers for 16K DOSs \$19.95 CoCo Freeze Frame - Stop your CoCo dead in its tracks! Put games on "HOLD"\$19.95 Mini-Mouth - Mute monitor sound ..\$24.95 CoCo Light Pen with 6 programs ...\$24.95 CoCo Voice Chip - Votrax SCO1A ...\$27.95 PBH Parallel Interface - Beats Botek! 300-9600 baud w/ptr-modem switch .\$69.95 PBJ WORD-PAK II - Hi-Res 80x24 display with smooth scrolling! .....\$139.95

#### COCO CABLES AND...

Four Pin Male to Four Pin Female Extension- 15 feet. Move your printer or modem to another location.....\$14.95 Tired of plugging and unplugging devices from the RS232 port? Make your life easier. Try our RS232 "Y" cable ..\$19.95 Joystick/Touch Pad 10' Extender - For more convenience & flexibility ...\$19.95 Disk Interface/Rom Pak Extender - Move your disks and ROM Paks where you want them. Gold connectors.\* (3 feet) .\$29.95 Triple RS232 Switcher - Now select one of any three RS232 peripherals ...\$29.95 40 Pin Dual "Y" Cable - Hook up a Disk w/Voice or Word Pak, X-Pad, etc ..\$29.95 \* N O T for use with a Multipak

#### OTHER GOOD STUFF...

C-10 tapes in any quantity .....49 cents 5 1/4" Diskettes in any quantity ..\$1.99 Joystick, Cassette or Serial plug .\$3.99 32K, 64K or 128K RAM Button .....\$4.99 GEMINI 10X/OKIDATA Ribbon .....\$4.99 Rompak w/Blank PC Brd 27xx series .\$9.95 RS Disk Controller Case .....\$9.95 The Disk Doubler - Doubleside your 5 1/4 diskettes for 160K more storage ..\$14.95 Video Clear - This cable will reduce TV interference created by CoCo! ....\$19.95 Colorcade - Use an Atari joystick \$19.95 The Magic Box - Load Mod I/III Basic program tapes into the CoCo .....\$24.95 DOS Switcher - Select from any two DOSs (Disk 1.0 1.1, JDOS) in J&M ctlr .\$24.95 CoCo Cooler- State D.E or CoCo II.\$49.95 Stereo Pak - Hardware synthesizer used w/Musica 2...superb stereo sound! \$39.95

#### SPECTRUM PROJECTS

**EAST DIVISION:** 

PO BOX 21272 WOODHAVEN, NY 11421

WEST DIVISION :

PO BOX 9866 SAN JOSE, CA 95157-0866

ALL ORDERS PLUS \$3.00 S/H
NY RESIDENTS ADD SALES TAX

718-441-2807 / 408-243-4558



### PART VIII

By Colin J. Stearman

The last of the series where we 'burn' the EPROM and savor the delicacies we have been cooking up.

his issue sees the closing of the CoCo kitchen. We have added all the commands and features, and turned a good DOS into one which I hope you agree is even better. We have filled all the available space in the Disk BASIC ROM, and the only task left is to permanently place the modified DOS into an EPROM and install it in the controller.

#### Loading the EPROM

I covered how to transfer the modified DOS into an EPROM in Part 3 of the series in the September 1984 issue. But, here we are into 1985, so maybe we had better recap the procedure.

There are several ways to load the EPROM, so I will describe the one which is applicable to all configurations of CoCo. Before starting, you should assemble the entire patch file to a binary file in disk and call it DISKPTCH, BIN. Also, you should have a reliable blank cassette in the recorder.

The first step is to save the original Disk BASIC to a file on the tape. This is done with

CSAVEM"DBASIC",&HC000, &HDFFF,&HA027

Now transfer the patch file to cassette. We will relocate the file during this process. Enter the following direct commands.

CLEAR 200,&H3FFF LOADM"DISKPTCH",&H4000-&HC000+65536

CSAVEM"DISKPTCH",&H4000, &H5FFF,&HA027

Now disconnect the disk system and plug in the EPROM programmer. Don't forget to connect your 21-volt supply to the programmer. Rewind the tape and enter the following commands.

CLEAR 200,&H3FFF CLOADM"DBASIC",&H4000-&HC000+65536

CLOADM"DISKPTCH" EXEC & HE000

The last command will start up the EPROM driver code in the EPROM in the programmer socket. If you haven't put it in an EPROM yet, then load it from tape, but make sure it does not conflict with the revised version of Disk BASIC temporarily resident at \$4000 through \$5FFF.

(Colin J. Stearman is an electronics engineer educated in the U.K. He has worked with all kinds of computers and has been a CoCo enthusiast for over two years.)

When the EPROM programmer is started up, load a 2764 EPROM into the ZIF socket and check that it is erased. Then transfer the memory contents from \$4000 through \$5FFF into the EPROM starting at EPROM address 0. This completes the programming. You can check the EPROM by powering down and moving the EPROM to the socket at address space \$C000. When you power up, the revised Disk BASIC should start up, and CoCo will try to run AUTOEXEC. BAS from drive 0. As the disk controller is not plugged in, this will fail with a READ/ WRITE ERROR. If you get this far the likelihood is that the EPROM is all right.

#### Loading The EPROM Into The Controller

Unfortunately, the 2764 does not have the same pin assignments as the ROM inside the disk controller. It doesn't even have the same number of pins. The ROM has 24, the EPROM has 28. To overcome this we must construct a conversion interface using a 28-pin IC socket.

The diagrams in Figure 1 show the overall approach. Obtain a good quality 28-pin IC socket, the solder type, not wire-wrap. Get the type with the pins

oriented in the same plane as the IC pins, as shown in the figure. These pins have to enter to original ROM socket so they need to be this way. Some brands of socket have the pins at 90 degrees to the normal plane.

Take the EPROM and gently bend out pins 20 and 23 so they will not enter the socket, then press the EPROM home in the socket. Now run hookup wire from IC pin 20 to socket pin 22;

"There are several ways to load the EPROM... Before starting, you should assemble the entire patch file to a binary file in disk and you should have a reliable blank cassette."

IC pin 23 to socket pin 20; socket pin 23 to socket pin 2; and also interconnect socket pins 1, 26, 27 and 28. This should be clear from Figure 1. I suggest you use wire-wrap wire available from

Radio Shack, as it is thin and strong. Make neat, small solder joints on the socket pins as these still have to go into the ROM socket in the controller. Cut off socket pins 1, 2, 27 and 28 close. Check all your connections carefully.

You should now have a 28-pin IC plugged into a 28-pin socket with only 24 pins on it. These pins now correspond exactly to the pin functions of the ROM in the disk controller cartridge. To make the swap, you must open the controller cartridge. To do this peel back the metallic label, exposing a retaining screw. Remove this, then gently pry apart the two box halves. The Disk BASIC ROM is the only 24pin IC in the unit. Gently lever the ROM out of the socket and replace it with the prepared EPROM. Pin 3 of the 2764 EPROM should be lined up with pin 1 of the socket. There is a small capacitor near the end of the socket and this could interfere with the conversion socket where it overhangs; gently bend it out of the way. Press the EPROM down firmly, replace the cover and screw, and press back the label.

The above instruction is for the older disk controller designed for the CoCo. If you have the newer CoCo your controller is probably different. However, it will also have the 24-pin ROM

Figure 1

2764

B


2764

Preparing The IC

28

**Bottom View Wiring** 

2764 Socket Modification



#### Notes

A, B — Bend pins 20 and 23 so as not to enter socket.

C — Wire pin 20 to socket pin 22, pin 23 to pin 20.

D — After wiring, cut off pins 1, 2, 27 and 28 excess.

E — Wire together socket pins 1, 26, 27 and 28.

F — Wire together socket pins 2 and 23.

Make all solder joints as close to socket and small as possible. Align socket pin 3 with pin 1 of original ROM socket.

and should present no additional difficulty.

Now the acid test. Replace the controller cartridge and power up. The revised logo should appear, all drives should restore to track 0 and then drive 0 should whir, looking for AUTO-EXEC.BAS to run. If you get that far you are "home and dry."

#### **Fond Farewells**

My enhancements have deliberately stayed within the 8K of the original Disk BASIC ROM, and if you have built the parallel port there are only a few bytes unused. There are many commands you might wish to add for yourself, and there is plenty of map space from \$E000 to \$FEFF available for this.

If you're running the 64K RAM version of the patch, you can use this space right now. If you went the EPROM route, maybe you could use the new 27128 EPROM or possibly piggyback two 2764s to receive the new commands. Either way, don't suffer with the limitations, do something to get rid of them!

If you intend transferring BASIC programs between a machine running

DECB 1.0 and another runnning DECB 1.1, some of the BASIC tokens will be different. This is due to the DOS command in DECB 1.1. Therefore, save the BASIC file as an ASCII file (use the ",A" after the SAVE command) and transfer will be successful. Of course, this is only needed if your program uses any of the new commands or functions.

"There are many commands you might wish to add for yourself, and there is plenty of map space from \$E000 to \$FEFF available for this."

I have greatly enjoyed cooking up this series and having you along to sample the treats these last eight months. I hope that you find my DOS enhancements useful and instructive, and they offer ways you can further personalize your CoCo.

If you would like the entire DOS-

PATCH program source, along with binary files with and without the parallel port driver for DECB 1.0 and DECB 1.1, just send me a disk (no cassettes please) along with \$6 and a stamped, addressed disk mailer. I will load the disk and return it to you promptly.

I will program a 2764-250 EPROM with any reader-supplied code for \$25, if you furnish the EPROM, and \$35, if I do. The machine code to be programmed must be supplied in a CoCo binary file on disk. It can be put there with the SAVEM command. For example, to save the DOS use SAVEM "DOS", & HC000, & HDFFF, 0. Indicate in a cover note the address range of memory saved this way. This file will be transferred to the EPROM starting at location 0 unless otherwise specified. Both disk and EPROM will be returned promptly. No other EPROM types will be programmed. EPROM contents are guaranteed to be the same as the file and nothing more.

Address this request or any questions to: Colin Stearman, 143 Ash Street, Hopkinton, MA 01748.

## III FREE III



FREE SAMPLE ISSUE 1-800-338 6800

MON.-FRI. 9-5 E.S.T.

#### Color Micro Journal"

5900 Cassandra Smith Rd. Hixson,TN. 37343 TEL. (615) 842-4600 • TELEX 558 414 PVT BTH

#### Subscription Rates

12 Issues a Year

USA-\$12.50 per year. Canada & Mexico-\$19.50 per year

Surface Foreign-\$24.50 per year.
Airmail Foreign-\$48.50 per year

TM Color Micro Journal is a trademark of Computer Publishing Inc.

# How To Fix Your CoCo 2 Disk Controller

By Marty Goodman

Why bother to fix your own disk controller, when Tandy provides relatively inexpensive and readily available service for its products? First, if you fix a burned out part yourself, the part is back in service faster than any outside repair service... often within an hour. This can be valuable in a situation where you'd rather not be without your system for the few days to a week that it might take Tandy to make the repair. And, while Tandy's prices are reasonable, repairs made at home are even less costly.

#### Repair Procedure

(1) First make sure your Color Computer works when the disk controller is removed. Always remember to turn off the CoCo before you plug in or unplug your disk controller! Indeed, often the cause of a burned out controller is careless removal or insertion of it while the CoCo is turned on. If the CoCo works fine as an Extended BASIC CoCo with the disk controller out, but crashes on power up (shows either nothing at all or garbage on the

(Marty Goodman has, among many other things, been involved with various Color Computer software and hardware projects.)

screen) when the disk controller is plugged in, you can assume that the disk controller is damaged and must be repaired. If the system comes up with a normal-looking copyright notice for Disk Extended BASIC, but fails to read or write disks, be sure to try out the system with another disk drive unit, to determine whether the controller or the mechanical drive unit is at fault.

(2) Once you've established it's the controller that is the source of your problem, try this quick fix: with a pencil eraser, clean the contacts (called "lands") on the two edges of the disk controller until they're bright and shiny. If, after doing this, the system starts to work again, your problem was oxidation of the tin contacts. This can be permanently fixed by writing to EAP Corporation, and ordering their Gold Plug. Ask for the CoCo Disk Module. It costs \$16.95 and is a solder-on package that supplies your disk controller with gold edge connectors. I've used this on several of my computers at home and find they work very well. I also advise using the gold plug on the Multi-Pak's edge card connector. The job of installing it does involve some degree (though not a great deal) of experience with fine soldering to printed circuits. The instructions provided by EAP Corp. are very clear.

(3) If dirty contacts is not the problem, your next step is to determine if the problem is limited to the three socketed chips. You do this by replacing these chips with known good replacements (which you can get from another working CoCo 2 disk controller). While it is remotely possible that your controller has a physical short on it that will burn out new chips put in it, this situation is *very* unlikely, and has never been reported. Generally speaking, you will not be likely to burn out a good chip by placing it in a blown disk controller.

If you've got garbage on the screen when you try to use the controller, first try replacing the Disk BASIC ROM (U1, a 24-pin DIP chip) with a known good ROM. If that doesn't fix the problem, try replacing the main disk controller (FDC) chip (U4, a 40-pin DIP Fujitsu MB8877A). If your problem is related to reading and writing on the disk, and is not fixed by replacing the 40-pin FDC chip, try replacing the auxiliary disk chip (U10, an 8-pin DIP Western Digital WD9216 chip).

If some or all of these chips are found to be bad, you may have to call Tandy's National Parts service in Fort Worth to obtain replacements. The Fujitsu

## REAL TIME CLOCK

**RTC-10** 

Full featured, yet very easy to use, RTC-10 is a quartz-based, Time/Date clock contained in a compact ROM case. RTC-10 makes it simple to access the time and date with just a few Basic PEEKS. A 2-year + replaceable battery (included) keeps time accurate when the computer is off and even when the cartridge is unplugged.



#### ONLY \$69.00

Compatible with any 16K or greater, Extended or non-extended Color Computer, RTC-10 may be used with or without a Radio Shack or any other Multi-Slot unit. To use it with a disk, without a Multi-Slot, order the Y-cable below.

#### COCO CABLES

Top quality cable and connectors with all gold plated contacts.....

Y-CABLE- 40 conductor, 1 ft. long, 1
Male, 2 Females. Allows you to connect
your disk controller pack and the RTC-10
Clock or most voice synthesizers, etc.
ONLY .......\$29.95

DISK PACK EXTENDER CABLE- 40 Conducter. 2 ft. long, 1 Male, 1 Female. Lets you place your disk controller pack where you want it, out of your way. ONLY .......\$22.95

CUSTOM FLAT CABLES- Call-in or send us your requirement. We will quote a reasonable price for the cable you need.

Custom Computer Products
6 Dogwood Court
Goshen, NY 10924
(914) 469-2043

ADD \$3.00 PER ORDER FOR SHIPPING & HANDLING FOR C.O.D., INCLUDE AN ADDITIONAL \$3.00 NY RESIDENTS MUST INCLUDE SALES TAX

MB8877A is also available through several IC parts houses as well (including DoKay Corp.), and several RAINBOW Magazine advertisers sell the ROM (Spectrum Projects and Vidtron). Unfortunately, I don't know where (other than through Tandy National Parts) to get that pesky little Western Digital WD9216. I'm sure it's available somewhere. If any of you out there know where, do write me and let me know!

(4) The odds are pretty good that, by now, you've fixed your controller. However, if the thing still won't read or write, it means that most likely you've blown one or more of the 12 ICs soldered to the board. As desoldering and replacing a soldered chip is a grand pain, it's helpful to have some guess at where the problem may lie, before you start ripping out *all* the chips!

If you are at this point and getting the normal Disk Extended BASIC copyright notice, but finding your controller fails to properly read from, or write to, a disk, then, very likely you have to replace one or both of two ICs. These are U11 (a 16-pin 74LS221) or chip U3 (a 14-pin 7416). NOTE: There are two 7416's on the board, U8 and U3. The one that is most likely to be blown is U3. This is obvious after a quick glance at the schematic for the CoCo 2 disk controller. U3 provides buffering on the outgoing NMI and HALT lines. These lines are right next to the + and - 12 volt lines on the edge connector. If you're using your CoCo 2 controller with an old CoCo or with a Multi-Pak, and jostle the controller while it's plugged in and the power is on, the 12 volts may get shorted into these two lines, burning out U3. I don't have a simple explanation as to why U11 seems to blow more often than other chips, though a friend who is a computer repair technician reports that the only time he's had to replace soldered ICs on the CoCo 2 controller it was U3 and/or U11.

Desoldering these chips is rather a tricky business. I found that because the chips tend to get soldered on both sides of the board (solder apparently oozes up during the wave-soldering process), I had to resort to cutting all the pins on the IC, then using a "solder sucker" (Radio Shack has one: Cat. No. 64-2098, \$4.95) I cleaned out excess solder, and finally had to heat and individually pull out all the IC's severed pins. I have found that "solder wicks"

(those copper braids for soaking up solder) are rather worthless for this sort of thing. However you do it, the process is usually tedious, even with a \$200 super duper desoldering tool (though that tool does make the job noticeably easier). I have found in my lab that a Palladin brand desoldering tool (made in Sweden and costing about \$15 at various electronic supply houses) meets all my desoldering needs nicely.

In any case, once you've removed (and destroyed) a given chip, replace it by first soldering in a corresponding IC socket. That way, should you blow out the controller again, the repair will be far simpler. Tandy really should have socketed at least some of those chips.

#### **Final Comments**

Of four controllers I've fixed over the last year, two required only cleaning the contacts. I later soldered on EAP Corp.'s gold plug to those, and the owners reported no further problems. One controller I bought in blown condition at a computer fair for \$38. It turned out to have merely a blown Fujitsu MB8877A, which I replaced for \$25 through DoKay Computer Products. Finally, one controller I was given recently by a friend. It turned out to require replacement of both U3 (7416) and U11 (74LS221).

I should make one curious observation. I do a lot of hardware experimentation with my systems. Often, this involves Y or extension cables running out from my CoCo or Multi-Pak. On several occasions, I've accidently plugged in the disk controller upside down into the CoCo's system bus. While it most certainly did not work when this was done, I was utterly amazed to discover that after powering down the system and turning the thing right side up, neither the disk controller nor the CoCo or Multi-Pak showed any sign of damage! Bob Rosen (founder of Spectrum Projects and supplier of 40-conductor extension and Y cables for very reasonable prices) apparently has had the same experience several times himself, and tells me he found the same thing. Neither of us recommend to readers that they try to duplicate our experiments in this matter!

Happy hacking!

(Address all correspondence to Marty Goodman, Cheshire Cat Computer Creations, P.O. Box 115, Lafayette, CA 94549)

0



VISA

1-416-529-1319 PLEASE INCLUDE \$2.50 SHIPPING



#### PRINTMASTER

 $\Delta$  stall sectored serece prints DECORRED STATE CASE CASES eng printer capable of dot TOT SE SOLUTION SIGUESSONDE ascallapile for the color compater. This value packed program showld be on evernomes "must bave" list. Director esectl le dool famb ancelfleathons:- $\Delta$  the properties  $\Delta$ Mean daiven or ealled from Basic

Verstheed അർ മന്ത്യിലായില

මේයවේවෙන්නල (පාලනාව Full or partial sersen rotation 8 eolor recognition & separation.

Vertieel & berizeetel යවැඩුවයවැඩුවෙයව inverse painting.

All of the above will work or ගුණු යන නෙ කෙනෙනු ගුණු නැති postion that you specify.



වගලෙයු ශසුව 000000 000



වන්න එමගම 888 49500m

## 125 SOUTH FIFTH STREET LEWISTON, N.Y. 14092

#### ROMMASTER

Recommender is a circuit beard Califfr a colory scaler and sockets for three EPROM's 024 or 20 pin) that can be individually selected. You can DOW have up to three versions ගැ මගන්න ගහර වර්නය පනන්නෙන ගැ Beforeded Bosie in 700e 6000 al the same thme. නොලල යනනම් යනම නලල එමස්ප නලල සිව over EPROM's and have them evaluable on power up of the DOU M. LOSSEE D 10 LOMB at th elee wet execution coleved secomon wor foul lowesse pe feafed on all zerajons and

gou release them. වන්න එමගින් 2/876 849.050dm 2/300

configurations of ROM's before

Dowble stided prototype boards

89.05US 812.05Cdm

Blowk kepboard overlags

80.75US

80.9900m



## Analyzing More BASIC

#### By Richard White Rainbow Contributing Editor

Though we published Rainbow Checkbook last month, there are a number of modules that have not been discussed in detail. I propose now to carry on that discussion partly for those who may be interested in the program itself. However, the larger purpose is to teach BASIC by studying code from working programs. I think it is better to deal with pieces from programs that have a reason on their own to exist, rather than made-up examples of little intrinsic worth.

The edit module of Rainbow Checkbook is a fairly large piece of program. Changing data is more complex than simply entering it. Existing subroutines are used whenever possible, but many of the edit functions are one time operations.

Edit was placed in the 200-299 line number block. I made no effort to maintain line numbers at intervals of 10, though I did shoot for five in this case. As it turned out, there are some lines with spacing of one.

(Richard White has a long background with microcomputers and specializes in BASIC programming. With Don Dollberg, he is the author of the TIMS database management program.)

This is going to be offensive to some, like the recent writer to THE RAINBOW who called for always numbering in increments of 10 starting at 100. He wanted to reserve the first 100 lines for his own headers and claimed that spacing lines at increments of 10 allows for easy modification.

Firstly, if there are to be headers, please put them at the end of the program where they don't waste prime program space. With the *RENUM* command available, you should feel free to number your programs any way you choose, since someone else can renumber the program if they wish.

Finally, short spacing of lines generally results from the original programmer having to make modifications to make the program work. I would not want the programmer to renumber a program for publication, for they would not then be able to easily answer questions about the program or otherwise support it.

Programs that are sequentially linenumbered in increments of one starting at zero use less memory. It takes fewer characters to identify lines in *GOSUB* and *GOTO* calls. Obviously, any module structure will be lost. It makes sense to renumber a program to increments of one to make a running copy, but keep a copy of your original source code for modification purposes.

When publishing a program, it is better to publish a source version rather than a compressed version, provided the source will run. In some cases, renumbering by ones may make a program fit a 16K machine. I am sure that 16K users would rather have a program they can run rather than a pretty one to look at.

50 PRINT®B,RC\$,"ITEM DATE AMOUNT BALANCE": RETURN

200 CLS:GOSUBS0:PRINTE72, "UNEDITED ENTRY":
PRINTE201, "EDITED ENTRY":PRINTE321, "TYPE
FIELD ENTRY CORRECTION", " (enter) FOR
NEXT FIELD::IFFG=1THENTF=1:FG=0

As always, the first order of business is what the screen is going to look like. We have a header in Line 50 which Line 20 calls. Then, the heading UNEDITED ENTRY is centered on the third line and the heading EDITED ENTRY is centered on the seventh. Edit is going to present one entry at a time under the UNEDITED ENTRY heading. As the user makes changes, the corrected record will unfold under the EDITED ENTRY heading.

Print position 321 is the second

position on Line 11. Here we present some instructions or reminders. FG is a flag that is set in the Input Module. If FG=1, we will hold that value in 'F' so we can use FG as a different flag in the Edit Module. I will have little to say about how FG works. Edit is confusing enough as it is.

218 19-INKEY9:PS=96:GOSUB16:GOSUB15:
PRINT0224,BTRING0(95,32);:
PRINT0416, "new 0, dep, add, --delete,
+-addup/down arrows, return ";:
PS=224:CT0=CC0:TA=CA

Have you ever hit a key twice instead of once and had a program bypass a sequence you needed? This can happen in BASIC when INKEY\$ is used, since the second keystroke is stored in a buffer and is available to the next INKEY\$ encountered. The I\$=INKEY\$ in Line 210 clears the buffer of any inadvertant key strike.

Now we are going to print the unedited record starting at screen location 96. Subroutine 16 gets the fields of the record into variables and subroutine 15 prints the record starting at location PS. Any printing in the edited record area is wiped clean with PRINT@224.STRING\$(95.32):.

Available options are printed starting on Line 14, print location 416. PS is set to 224 in preparation for printing the edited record, the check number string CC\$ is temporarily assigned to CT\$ and the amount CA temporily assigned to TA.

215 GOSUB1: IF1\*=CHR\*(13) THENPRINT@224, CC\*;; GOTO24@ELSE3=INSTR(1, \*NDA-+R\*+CHR\*(94) + CHR\*(10), 1\*1:ONJ GOSUB220, 26, 28, 225, 230, 217, 235, 237

An instruction character is obtained from the *INKEY*\$ routine in Line 1. First, a check is made for the carriage return, *CHR*\$(13), which sends the routine in 240 after printing CC\$. When I\$ is not a carriage return, *INSTR* searches for a match for another instruction and returns a non-zero to 'J' when successful.

ON J GOSUB sorts out the proper subroutine line. Note that this is one of a number of applications for the INSTR-ON...GOSUB combination in the program. In terms of both memory usage and speed, this is preferable to a series of IF...THEN...ELSE statements which are the alternative.

216 IFFB=1THENF6=9:GOTD219ELSEIF1\$()\*R\*THEN GOT0249ELSEF6=TF 217 RETURN

If J=0 the program falls to 216. FG was set to zero on entering edit and edit expects it to be zero at Line 210, so if FG=1, it must be reset to zero. The program then goes to Line 210. If FG=0, the program will go to 240 to get the next field.

Now, the question is can the final element FG=TF ever be executed? Ha! A bug is found! This may explain some funny behavior I have seen on returning from edit. Let's change the lines as follows.

216 1FFG=1THENFG=#:60T021#ELSE24# 217 F6=TF:RETURN

We won't change the version number just yet. There are certain to be other changes for a while.

22# PRINT@224, "";:00SUB1:VI=VAL(I\*):GOSUB22:
RETURN

Line 220 deals with changing the check number. In the *INPUT* mode, entry of a single digit signaled the program that a new number was being entered, rather than just incrementing the last check number.

Line 22 contains the code to get the remainder of the new check number, so we will use GOSUB1 to get the first digit into I\$ and use Line 22 to do the rest of the work. This routine, as well as those on lines 26 and 28 which enter DEP or ADJ rather than a check number, has been previously discussed.

Lines 225 and 227 delete a transaction. This entails quite a bit of work, and is one of the tasks BASIC is not particularly fast at doing. All the data relative to all entries from the deleted member to the end of the file must be moved. In addition, all the balances for each of the affected members must be changed.

All the string data relative to a particular entry is kept in an array member A\$(X). Transaction amounts are kept in the array A(X,0). Moving

the data from the next array members down into the array spot of the deleted members, and then moving all succeeding array members down one to fill the resulting voids handles everything but the balance members.

This work is done in a FOR...TO... NEXT loop whose range is carefully chosen. LR is the number of the next transaction to be entered. LR-1 is the last transaction in the file. In the code A S(X) = A S(X+I) : A(X,0) = A(X+I,0), data from array locations X+1 is moved into array locations 'X'. When 'X' reaches LR-2, the last data in locations LR-1 is moved and that is where the loop must stop.

Balances must be increased if the deletion involved a check or adjustment, or reduced if a deposit is involved. The IF... THEN... ELSE code in 225 deals with this.

The NEXT must be in 227 so it will be operative iregardless of whether the balance was adjusted for a check or a deposit. The remainder of Line 227 does housekeeping, most important of which are decrementing the current record number CR and the last record number, LR.

238 CC6=" ":C05=" ":C85=" ":CA=8:TA=8: CN9="MAKE NEW ENTRY":FG=1: FORX=LRTOCR+19TEP-1:A0(X)=A0(X-1): A(X,8)=A(X-1,8):A(X,1)=A(X-1,1):NEXT: CB=A(X-1,1):LR=LR+1:GOSUB38

Line 230 manages the addition of a transaction to the file. First, it performs the opposite function done in delete. All records are moved up in the file to make room for the new record. Note that the FOR ... TO ... NEXT loop works from the top down, the last record is moved up, then the next to last, etc. Again, the end point needs some thought. Since the last record moved is numbered X-1, the loop must stop at CR+1. It is quite easy to get confused or simply overlook what is happening in data moves of this sort and end up moving too many or too few records.

Finally, the program goes to Line 38 which makes a new data string and fills the arrays. The only thing other than spaces in the string array member is the message "MAKE NEW ENTRY."

232 PS=96:GOSUB16:GOSUB15:PRINTE416, "NEW #, dEP, aDJ, -=DELETE":PRINTSTRING#(28,32);: PS=224:GOSUB1:F6=8:J=INSTR(1, "NDA-",1#): DNJ GOSUB228,26,28,225 234 1FJ)#THEN24#ELBE232 In Line 232, the blank data we just put into the arrays is pulled back out and printed in the unedited space. This sends the user the message to edit the blank transaction to produce the new record. Command options are now limited to only those that pertain to the new record. The ability to scroll through the database is denied. Otherwise, our strategy is identical with Line 215.

235 FG=1:IFCR>1THENCR=CR-1:GOSUB16:PS=96: GOSUB15:PS=224:RETURNELSERETURN 237 FG=1:IFCR<LR-1THENCR=CR+1:GOSUB16:PS=96: GOSUB15:PS=224:RETURNELSERETURN

Lines 235 and 237 manage the scroll through the records, the print position of the unedited record and positioning of the cursor to edit the record. Scrolling is limited to the range of CR=1 to CR=LR-1. Here again, Line 16 takes the string data apart and Line 15 prints it.

248 PRINT0416,STRING\$(45,32):GOSUB38: IFCT\*="DEP"THENIFCC\*="DEP"THENTA=CA-TA: GOTO242ELSETA=-TA-CA:GOTO242 241 IFCC\*="DEP"THENTA=TA+CA ELSETA=TA-CA

Once the check number (or DEP or ADJ as the case may be) has been handled, Line 240 starts dealing with editing the rest of the record. The prompts at the bottom of the screen are cleared and Line 30 is called to get the date. Remember that CT\$ and TA hold the original check number string and amount. Now a new TA is calculated. If CT\$="DEP", TA is calculated

one way if the entry is still a deposit, and another if it is not and the program control is handed to Line 242. The alternate situation, where CT\$ was not "DEP", is handled in Line 241 where again there are two possibilities to be handled.

242 PRINT TA TA, "CA"CA;:FORX=1T02000:NEXT:
FORX=CR TOLR-1:A(X,1)=A(X,1)+TA:NEXT:
CB=A(CR,1):PRINT0247,USINGSS\$;CB;:
LINEINPUT11:IF16<>\*\*THENCS\$=15

The code that starts Line 242 is not a bug, it's an embarrassment. During program debugging, I had to know what CA and TA were. I put in code to print them and delay the program long enough for me to check the numbers. This is a good way to check out what is happening when you are unsure of the cause of a problem. Another way is to put a STOP in a line. This breaks the program and allows you to type in commands from the keyboard like PRINT TA, CA, then you can resume at the command after the STOP by typing CONT. Unfortunately, your screen formatting is destroyed in the process. Of course, any debugging code put in the program must be taken out. It's still not too late.

242 FORX=CR TOLR-1:A(X,1)=A(X,1)+TA:NEXT: CB=A(CR,1):PRINTE247,USINGSS9;CB;: LINEINPUTID::IFI#<>>\*\*THENCS9=1\$

That's better! Now the adjustment factor: TA is added to each balance

from the current record, CR to the last record in the file LR-1. The new balance is printed and the status character obtained in I\$. If no status character is entered, the one already assigned to CS\$ is unchanged.

244 PRINT0256,USINGSN\*(CS\*);LINEINPUT1\*: IF1\*<>>"THENCN\*=I\* 246 PRINT0259,CN\*:GOSUB38:GOTO218

Line 244 prints the status and looks for a new note. Line 246 prints the note, goes to Line 38 to reassemble the data string and then goes back to 210 for instructions on what to do next.

The complexity of edit lies in the variety of changes that must be supported, and the fact that some of these changes affect the balance in different ways. The problems are in the logic; once that is figured out, the code is fairly simple.

We were able to use many of the subroutines we developed for the input mode. This will follow naturally if you make some effort to keep your subroutines fairly general. For example, records are printed at two different places on the input screen and at a different place again on the edit screen. The format is identical in each case. The use of PS to identify a print start location lets us use fewer subroutines to handle a variety of needs.

Next month we will finish up the new month and printer routines, and prepare to move on to different programming challenges.

## \* fss \* FOUR STAR SOFTWARE

#### GALACTIC FIGHTER

A fast-paced arcade game with great graphics and sound. CoCo at its best!

Save earth by fighting your way to Dracoz, the home world of the invaders. Fly earth's secret weapon, 'The Galactic Fighter'. Overcome alien ships, missiles and meteor showers. Try and survive the deadly laser trench.

32K, one joystick required.

CASS. \$19.95 (U.S.) DISK \$24.95 (U.S.)

\$24.95 (CDN.) \$29.95 (CDN.)

Write for free catalogue Dealer enquiries welcome Overseas orders add 10%

#### COCO PAINT

A very advanced, easy-to-use graphics development system for a 64K, single-drive CoCo!

- Supports: keyboard, single joystick, mouse or X-pad
- Mix graphics and text, using built-in or user-definable characters and textures
- Create stamps: rotate, mirror, shrink, expand or invert
- Screen dump to most common printers
   300 1200 baud modem communications capabilities
- Plus many more excellent features

DISK \$39.95 (U.S.)

\$49.95 (CDN.)

P.O. BOX 730 STREETSVILLE, ONTARIO CANADA L5M 2C2

#### BUGS II

An adventure game with all the excitement of arcade action.

Earth is infested with intelligent killer bugs. Find your way through the maze and destroy their reactor. However, you must fight the bugs all the way!

New and improved version of the game that won the Color Computer Magazine® programming contest. 64K required.

CASS. \$19.95 (U.S.) DISK \$26.95 (U.S.) \$24.95 (CDN.) \$32.95 (CDN.)

Cheque or Money Order




Add \$2.50 shipping Ont. Residents add 7% tax

## STRATEGYADVENTUREFUN















OK I





#### MAJOR ISTAR

#### MAJOR ISTAR

Under the Doomed Sea

The ultimate adventure! The biggest and most complex adventure ever! ★ 104 rooms ★ 3 arcade games \* 118 words \* 33 objects. Save & Load feature for disk or tape. Can you be the hero? In 3 months, 6 months,

SCENARIO: You travel to TRIDENT RESEARCH DOME because an urgent call for help is received from one of the service droids stationed there. He said help was urgently needed, but before he could say why, his transmission was cut off!

OBJECT: Solve the mystery at TRIDENT in as few moves as possible.

SETTING: In the beginning of the 21st century, undersea cities, interstellar spaceships, colonies in other planets & solar systems, worker droids, super computers, are all realities. One hero of the time is MAJOR ISTAR. In the late 1990's when space exploration & colonies began, it was necessary to form a task force to offer help to all that needed it in these host le environments. You, Camerion J. Istar, are a highly rated member of that team and you have never failed to solve a mystery! (Requires 32K & joystick)

> disk \$27.95 cass \$24.95

#### MIDDLE KINGDOM

In this real-time graphic adventure, your goal is to become ruler of the Middle Kingdom, which can be achieved only be returning the three magic Rings to the Sanctuary. You must search the rooms of the Catacombs, Temple, & Pyramid

You choose your character of a Magician, Merchant, or Warrior, each having their own weapons & abilities. You will face monsters of all types, Lizardmen, Trolls, Goblins, & worse. You'll find treasures of all kinds too, as well as new weapons along the way!

Try this medieval adventure if you dare! (Requires 32K)

disk \$27.95 cass \$24.95

#### SAM SLEUTH

As a merchant ship captain in the far future, you travel in real-time between solar systems, trading cargo, encountering pirate ships, stopping at starports for fuel or repairs, & making money! Your goal is to earn 1,000 credits to retire in luxury!

STAR TRADER

Your graphic cockpit shows readouts of your location, damage status, credit balance, cargo destination & due date, the location of nearby starships, fuel & laser power levels, & the current date. With your joystick, you choose your next move or transaction. As you travel, transport, trade, & battle, you develop a reputation which affects your future activities & rewards.

With different skill levels & many variable factors, this simulation offers excitement & the challenge of a new game every time you play! (Requires 32K on cassette or 64K on disk, with one joystick or mouse, & Ext. Basic)

> disk \$27.95 cass \$24.95

#### SAM SLEUTH

As the detective Sam Sleuth, you are given 3 cases (of increasing difficulty):

Case of the Missing Cat Mystery at the Museum Baffling Bank Robbery

Using your sleuth skills (& joystick or mouse), you search the town (displayed in hi-res graphics), interviewing townspeople, collecting evidence, examining the grounds, & gathering data to solve the mysteries & apprehend the culprits. The games change every time you play, so you will want to play again and again!

Investigate the bank, museum, school, offices & homes, market, gas station, ... Talk to Mike, Willy, Roy, Sue, Chrissy, ... And keep track of those addresses & clues!

The unique graphics presentation & mouse/joystick control are as intriguing as the mysteries! (Requires 64K & mouse or joystick)

> disk \$27.95 cass \$24.95



## Get Organized for 1985

#### **HARDWARE**



#### **DISK SYSTEMS**

The biggest investment you'll make in your computer system will be a disk system. It will widen your computing horizons considerably and should be chosen carefully. Computerware configures systems to include the most reliable components at the best prices available. We do not try to be the cheapest by compromising quality!

We offer complete systems assembled and tested by expert technicians. We've been selling disk systems since 1977 so we know what you need and we make sure you get it! We use the highest quality components including TEAC and Hitachi drives J & M Systems controller, all GOLD connectors, heavy duty cabinet, power supply, and cable. Our power supplies are totally adequate to insure reliability, we know dual drives need heavier power supplies! All of our TEAC and Hitachi drives come with a 6ms step rate full 40 tracks, slim line size, and a one year warranty in addition to the DOS manual, you receive a 20-page technical manual documenting every detail of disk drive performance and specification.

Also available from Computerware is the new Amdisk. Compatible with Radio Shack Drive O it is perfect for adding extra storage. Our software is available on Amdisk format for only \$4 extra (Remember every Amdisk cartridge is equivalent to two floppy diskettes.)

#### **DISK SYSTEMS**

Include J & M Controller DOS Manual cabinet, power supply, half-size double density drive, & all cables (Prices cuoted for JDOS Add \$10 for RSDOS)

Single drive. Single sided	\$349.00	Dual drives. Single sided	\$509.00
Single drive. Double sided	\$399.00	Dual drives. Double sided	\$599.00

#### ADD ON DRIVES

Each drive add-on includes half-sized drive(s) in cabinet with extender

Single drive. Single sided	\$229.00	J & M Controller	
Single drive. Double sided	\$269.00	with JDOS	\$130.00
Dual drives. Single sided	\$399.00	with RSDOS	\$140.00
Dual drives. Double sided	\$469.00		

#### AMDISK III

Complete Dual Drive System including controller, cable & manual

(Price quoted for JDOS Add \$10 for RSDOS)

\$499.00

Dual Drive and cable only. \$375.00

#### DISKETTES

Computerware double density diskettes with hub rings are of the highest quality. We love them and so will you!

5 pak \$10.95

10 pak \$19.95

Amdisk cartridges \$5.50 each

#### **NEW! IMPROVED! HIGHER RESOLUTION**

We proudly introduce a **new** model of our popular NAP monochrome monitors with **higher resolution** and a more **compact** stylized case. Of course they will have the **built-in audio** – no need to add expensive amplifier or go without sound.

NAP Green Screen \$109.95

NAP amber screen \$114.95

\$34.95

Color with audio \$275.00

#### PUT A MONITOR ON YOUR COCO WITH VIDEO PLUS!

Yes! You can enjoy the crisp display of a composite video monitor using Computerware's Video Plus interface. Each is fully assembled and tested. Installation is quick, easy, and requires no soldering. Your TV output is not disabled. Audio output available. Choose the model right for your computer and monitor.

VIDEO PLUS \$24.95

Interfaces the original model of Color Computer to any composite video monitor (color or monochrome)

VIDEO PLUS II M \$26.95

Interfaces the CoCo II with a monochrome composite video monitor

DEO PLUS II C \$34.95

Interfaces the CoCo II with any composite video monitor (color or monochrome)

DEO PLUS II U

Interfaces the new CoCo II (model with power switch next to the TV output and chips soldered, not socketed) with any composite video monitor (color or monochrome.)

#### SOFTWARE

#### **BUSINESS APPLICATION**

- . They have been in use for over 4 years on many 6809 systems. This means they are well tested
- · Complete manuals accompany the systems
- . User-friendly menus make them easy to use.

#### System Requirements

· 64K memory

. Dual Disk Drives (Payroll requires double-sided drives)

#### GENERAL LEDGER

This is a comprehensive double entry accounting system with complete audit trails, closing procedures, and full reporting. The chart of accounts is flexible and the system easy to use. Reports include the General Ledger, Trial Balance, Balance Sheet, Income Statement, and Transaction Register Your financial information is at your finger tips!

#### CHECK LEDGER

This is a single entry bookkeeping system which allows the user to define a chart of income and expense accounts. Year-to-date totals are maintained for each account as well as complete checking account history. By just entering your checking account information, you can have always-current visibility over your income and expense ledgers. Financial statements and taxes are a snap! \$125.00.

#### INVENTORY CONTROL

This system is designed to help the retailer, distributor, or businessman to keep control of this important factor. It stores your cost and quantity information, updates it immediately, and offers your key management reports with useful summaries at any time. With four costs, four locations, selling history, and vendor information for each item, you will always have the facts!

\$125.00

#### PAYROLL

This is the most comprehensive payroll you'll find on a microcomputer. Besides collecting key employee information, it allows entry of pay rates for standard hours, overtime, and salary. Hourly, salary, and commissioned employees may be paid weekly, bi-weekly, semi-monthly, and monthly. Two types of special monthly deductions are also accommodated. Year-to-date, quarterly, monthly and current totals are maintained. All federal reporting is done automatically and your state computations are also included.

#### **ACCOUNTS PAYABLE**

This system can give you the tools to plan your business' growth by controlling expenditures and forecasting cash requirements. It helps a small business manage and track its cash liabilities by collecting vendor invoice information and reporting the business' cash commitments and payment history. Along with standard payables reports it also includes a check writer and payment forecast reports.

#### **ACCOUNTS RECEIVABLE**

All businesses need to know who owes them money! This system provides reliable and timely information regarding the status of all customer accounts. You can know instantly which accounts are past due, forecast how much money to expect to receive for cash flow planning, and keep on top of your customers' credit positions. Customer name, address, credit limit, invoice, and payment information is recorded and reports of all information including customer statements are available upon your request

\$125.00



#### PERSONAL FINANCE SYSTEM

The Personal Finance System makes it fun and easy to organize, control and understand your personal finances. It's many programs in one. It balances your checkbook. It compares your actual expenses with your own accounts. It has many reports to let you "see" where your money is coming from and going to It can make tax time much easier with convenient financial summaries. It includes a special investment and loan module that helps you calculate all the details like mortgage payments, principal amounts, amortization tables, interest rates and more so you can analyze your current and future investments quickly and easily. With PFS you will not only keep your finances organized but can do important planning and analysis as well. So start 1985 right with your own Personal Financial System! (Requires 32K Extended Basic with 1 Disk Drive and an 80 column printer).

#### сосо сооквоок

- Can be used for ANY free-format filing system (not just recipes). Try it for periodicals and article synopsis, product reviews, real estate descriptions
  !
- . Store & retrieve a large number of recipes
- . Up to 270 recipes on a single disk using a special compression technique
- Up to 3040 characters per recipe including title, ingredients & instructions – all in easy to use "free form" format
- Access each recipe by title, number, or with special keyword search (like all the recipes using "chicken!") List on the screen or printer.
- 50 recipes included FREE!
- . Requires 32K and a disk drive

32K disk \$27.95



## 地 COMPUTERWARE

#### DATA BANK

for OS-9 and other 64K users

If you want a data base that does it YOUR WAY, then DATA BANK is the data management system for you! With DATA BANK, you are the boss. You define your own display screens, record formats, calculated fields, sort sequences, selection criteria, and report formats. Even with all its power. Data Bank is very easy to use! It goes several steps beyond the average data base by adding features like calculated fields, three level sorts, easy interface with DynaCalc, and special file manipulation utilities.

#### STORING YOUR DATA - the way YOU want to see it!

Remember, with Data Bank you determine how your information is stored and displayed. You can design up to 9 different screen formats for display, making data entry and retrieval simple. Each record can contain up to 512 characters in up to 35 fields, ample for nearly every application. Data types include alphanumeric (for strings of all kinds), math (for real numbers), date, and "derived" (values calculated by your own defined formulas)! These derived formulas can use values from other fields and mathematical functions. There isn't anything you can't store with these formats! The size of your data base is limited only by your disk space, and you can maintain multiple data bases on the same disk. Expansion of record files is made very easy with sophisticated file manipulation utilities. You can also transfer data between files. – all records or selected subfiles, which is handy for revising record layouts!

#### SORTS & SELECTIONS - organizing your data

To aid in sorting and selecting, you can define up to 9 different "access keys," each with up to 3 levels. These access keys are used for accessing a specific record, sorting an entire file, or selecting subsets of files. The generic search will find any occurrence of a given value in a key field throughout the data base. Using logical operators illess than, greater than, equal, or, and) you can select any subset of your data base for printing. All or any selected subset of records can be sorted in order. You can organize your data in any way you can think o".

#### REPORTING - all the right stuff!


Printing your information in a format useful to you is the most important function of a data base system. Data Bank allows you to design customized reports to fit your individual needs and can save up to 9 defined formats for repeated use. You may include page headings with titles, automatic page numbers, column headings, totals for numeric fields, and more. Reports will print to the output path you specify and use any of your pre-defined access keys.

#### SPECIAL FEATURES

Data Bank offers even more with

- Access to all OS-9 commands from the program
- · Reads DynaCalc OS-9 files
- Easy access to user programs
- · OS-9 not required

64K Disk \$79.95



This is the most comprehensive and flexible data management system available. It is easy to use and very powerful. (Requires 32K disk & RSDOS.)

Collect up to 35 fields per record, with up to 240 characters per record. You designate the name of each field, its position, and its format, (alphanumeric, numeric, money, date or exponential). The size of your data base is unlimited – only your disk space will limit your files.

Organize your way. You determine how the information is displayed and stored by designing your own entry screens. Your format can be changed any time. Easy screen definition makes data entry simple. The quick assembly language keyboard routine insures that you can't type faster than Flexi Filer!

Select, using logical operators (less than, greater than, equal, and, or) any subset of your data base with up to 36 different criteria. A generic search feature finds any occurrence of a given string in the key field throughout the data base!

Sort all or any selected subset of records in ascending or descending order by any of your 35 fields with a very FAST assembly language sort!

Design customized reports and labels to fit your individual needs, including page headings with titles, automatic page numbers, and column headers. Store up to 10 often-used formats. Numeric fields can be totaled automatically for summaries. Printing your information in the format most useful to you is a snap\* And you can set the baud rate for faster printers too. Reports will print to the printer or screen.

A File Manager with sophisticated file manipulation is the sign of a true data base manager. With Flexi Filer you can archive and/or delete records via selected sub-files. [For example, archive records with an old date into a separate file and delete them from your working data disk. This frees up disk space without losing important data.) You can also transfer data between files – all records or selected sub-files. This is handy for adding fields to old database layouts or revising records without re-entering data. Also included is password protection, automatic expansion of record files, and easy access to user programs.

Disk \$54.95



#### MERGE 'N MAIL

Merge in Mail was specially designed to do one job and do it very well – maintain, merge, and print mail list information. Mail in Merge is perfect for clubs, Christmas card lists, newsletter writers, party givers, or anyone with a personal address file for relatives, doctors, insurance agents, emergency numbers.

A lot of information is stored. The eight preset fields include Last Name, First Name. Company Name Address, City. State, Zip-Code, and Phone Number. Twelve additional programmable fields allow you to store extra information according to your personal needs. Names are automatically sorted by last name when envered, so no special sort is needed. A zip-code sort is also available. Merge 'in Mail can store over 2500 records per file, over 800 is possible on a single drive, the files may be on 1-4 drives.

Look-up is easy and fast. Logical selection allows you to search for records by any field with six different qualifiers. The binary search algorithm makes access very fast. The unique "soundex search" feature lets you look for a name without knowing how to spell it correctly – just type what it sounds like!

Printing is a snap! Label formats are easy to specify at print time or your own custom label formats may also be saved and loaded from disk. Labels and listings may be sorted by name or zip-code. The logical selection feature allows you to specify a subset of your mailing list by any field with six different qualifiers for printing. Printer baud rate, compression and uncompression codes may be changed and saved to disk to tailor it to your personal printer.

The mail-merge feature is especially useful. You can create letters with your word processor and embed mailing list into automatically! It can be used with any ASCII editor including Scribe. Telewriter Scripsit, and Super Color Writer II.

Mail in Merge is sophisticated yet easy to use. If you maintain a mailing list for any purpose, this is a tool that can save you time! It requires 64K and one disk drive and sells for a very reasonable price.

64K disk \$27.95



#### DON'T FORGET!

Personal Time Management System and Event Recorder with Memos

You won't forget Don't Forget! You'll actually enjoy getting organized with this personal time management systems. The Macintosh-like icons make entering your personal schedule simple and fun But if you need instructions, there are help screens to assist you.

You'll never miss a birthday or important appointment again! With **Don't Forget!** you can record the entire year's occasions and daily appointments ahead. Each day has spaces for 4 Special Occasions. 2 Memos, and hourly notes for 6 am through 9 pm. The built-in 51 × 24 upper and lower case hi-res display makes it very easy to read. You can display or print any daily schedule – or a whole week at a time – so you'll remember every important event. You can even print a blank monthly calendar page with big boxes to scribble notes in!

So use your CoCo's memory and Don't Forget! as your personal secretary Designed for mouse, joystick, or keyboard entry, Don't Forget! requires 32K and one disk drive Disk \$27.95

Computerware is a federally registered trademark of Computerware.

Call or Write to:

Checks are delayed for bank clearance



City			State	Zip
Yes! Send	d me your FREE ca	talog! 🗀		
/ISA Card #	MasterCard	Check	CO Exp	D
Signature _				
	Item		Format	Price

Item	Format	Price
Change	6% Calif. Sales Tax	
Shipping: Surface — \$2 minimum.	COD Add \$5	
2% for orders over \$100	Shipping'	
Air or Canada — \$5 minimum	TOTAL _	
5% for orders over \$100		

Canadian Dealer Distributor: Kelly Software P.O. Box 11932 Edmonton, Alberta T5J3L1

## How Not To Let The Bugs Bite In Your Cassette Merge Program

By John D. Boyle

here have been several articles on merging cassette-based programs in various CoCo magazines. All of these I have seen have a common bug which has the potential for bombing any attempted merges. The bug will appear in only 0.8 percent of the programs, and is a function of the length of the initial program.

Bug apart, there is an excellent introductory article on the merge procedure by John Nicolettos in the January 1983 80 Micro. Another good reference is "A Mixed Bag Of BASIC" in the August 1983 RAINBOW by Richard A. White.

The method operates by modifying the start of BASIC pointers contained in RAM locations 25 and 26 to be two less than the current end of BASIC pointers contained in RAM locations 27 and 28. This fools the BASIC loader into putting the second program behind

the first. The subtraction of two is needed to eliminate the two locations used to identify end of program to the BASIC interpreter.

The method described works as long as the value in 28 is two or higher. When 28 is one or zero, there is a need to borrow one from Location 27 and this capability is not included in the published programs. Since any single byte (eight-bit) location has 256 possible values for its contents, the problem can show up 2/256 or around 0.8 percent of the time.

The bug is relatively obvious to anyone who did assembly language programming for the 6800 (the 6809 predecessor). For those who started on the 6809 with its double precision (two-byte) instructions, the difficulty may be less clear. Compare the two assembly language programs shown in listings 1 and 2.

#### Listing 1: 6809 Assembly Code

LDD 27 get values in 27 & 28 SUBD #2 subtract 2 -borrow is automatic STD 25 save result Listing 2: 6800 Assembly Code

100 LDAB 28 fetch low byte

200 LDAA 27 fetch high byte

300 SUBB #2 subtract 2 from low byte

480 SBCA #0 take any borrow from high byte

500 STAB 26 save low byte

688 STAA 25 save high byte

The 6809 code is simpler and shorter because the 'D' instructions handle two bytes at once, and automatically take care of the borrow between the two bytes. The 6800 code requires one line to cater for the borrow possibility. Unfortunately, the *PEEK* and *POKE* capabilities of BASIC are like the 6800 in that they can only handle a single byte at a time. Hence, any attempt to carry out the double precision subtraction used in the merge procedure must build the capability for handling a borrow situation into the BASIC code.

Possibly the most elegant solution is to include the 6809 code shown above as a machine language subroutine. However, only BASIC solutions will be discussed in this article.

Listing 3 contains the simplest equivalent of the 6800 instructions in BASIC. The only real complexity comes in the determination of whether or not

(John Boyle holds an electrical engineering degree from Dundee in Scotland, and is currently working in a quality assurance position. He and his wife, Sheila, have two daughters.)

## 1: ( H: ) F( b

#### CoCo's Best & Fastest Spreadsheet System **ACCLAIMED BY THE EXPERTS**

"DYNACALC is my choice for a CoCo spreadsheet." Dan Downard, RAINBOW, September, 1984.

"Eat your heart out, Lotus 1-2-3!" Scott Norman, HOT CoCo, October, 1984.

#### **Built-in Features:**

- 51 x 24 Display with Lower Case
- Super-fast Smart Screen Refresh
- Auto-Repeat Keyboard Driver
- Keysaver (TM) repeats last command x times
- Disk Operating System (works just like ROM DOS)
- Easy communication with BASIC/DOS programs
- Two-way communications with PRO-COLOR-FILE ★ Enhanced ★
- Outputs to ASCII Word Processors like Telewriter-64
- Fast 16-Digit Arithmetic with Scientific Functions
- Summation, Mean, and Standard Deviation Functions
- Logical Functions with String & Numeric Comparison
- String locate command to navigate large worksheets
- Sort full or partial worksheet by columns or rows
- Line, Bar, Hi/Lo/Close, Circle Graphs
- Full Graphics captioning and overlay facility
- Graphics Drivers for all popular Printers
- Joystick/Mouse Driver for Cursor Movement
- Works with any ROM versions, even JDOS
- 33k Available Worksheet Space
- Up to 256 Columns or 256 Rows
- Can use VisiCalc worksheets & training materials
- On-screen Help Messages

#### FOR 64K DISK SYSTEMS

available from

### now with GRAPHICS!

Jan Feb Mar Aer May Jun Jul Aus See Oct How Dec

COMPUTER SYSTEMS CENTER

## ADDRESS

42 Four Seasons Center #122 Chesterfield, MO 63017

(314) 576-5020



NOW

ONLY

10 to 6 Mon.-Fri.

CANADA- CDN\$129.95 RGS MICRO INC.

CERTIFICATION

SEAL

920

average

759, VICTORIA SQUARE 405 MONTREAL H2Y 2J3 TEL.: (514) 287-1563 ORDER LINE ONLY \* \* \* QUEBEC-ONTARIO-MARITIMES 800-361-5338 WESTERN CANADA 800-361-5155




or your local DYNACALC dealer Price US\$99.95 Outside North America add \$10 postage

DYNACALC Reg. U. S. Pat. Off. PRO-COLOR-FILE is a trademark of Derringer Software Telewriter-64 is a trademark of Cognitec VisiCalc is a trademark of VisiCorp.

## QUALITY HARDWOOD CABINET FOR YOUR COLOR COMPUTER

INSIDE THIS SOLID HARDWOOD CABINET YOU CAN INSTALL:

- \* YOUR COLOR COMPUTER CIRCUIT BOARD
- \* DISK DRIVE CONTROLLER
- \* TWO HALF HEIGHT DISK DRIVES
- \* ANY OTHER 5" X 7" CIRCUIT BOARD (SUCH AS AN 80 COLUMN VIDEO BOARD)



ALSO INCLUDED IS A SEPARATE HARDWOOD KEYBOARD ENCLOSURE WITH CONNECTING RIBBON CABLE ( SPECIFY YOUR KEYBOARD )




AVAILABLE IN YOUR CHOICE OF HARDWOODS :

OAK, MAPLE, CHERRY..\$ 189
WALNUT.....\$ 2Ø9
TEAK.....\$ 229

WE CAN INSTALL YOUR COMPUTER AND ACCESSORIES. WE ALSO CARRY TEAC DISK DRIVES AND J&M DISK CONTROLLERS AT COMPETITIVE PRICES. - CALL

#### PARALLEL PRINTER INTERFACE



MODEL CCP-2 \$84
(with modem switch & connector)

MODEL CCP-1

<sup>\$</sup>69

UPGRADE YOUR CCP-1 TO A CCP-2 \$17 including shipping

- \* RUNS ANY PARALLEL PRINTER FROM THE SERIAL I/O PORT
- \* NO HARDWARE MODIFICATIONS OR SOFTWARE PATCHES NEEDED. WORKS WITH ALL STANDARD COLOR COMPUTER COMMANDS
- \* SWITCH SELECTABLE BAUD RATES FROM 300 TO 9600
- \* ALL CABLES AND CONNECTORS INCLUDED
- \* 1 YEAR WARRANTY

Either Model without power module DEDUCT \$3.00.

Shipping costs included in price Mich. residents add 4% sales tax.

#### BOTEK INSTRUMENTS

313-739-2910 4949 HAMPSHIRE UTICA, MICHIGAN 48087 DEALER INQUIRIES INVITED

a borrow occurred. This is done in Line 400. If FL is negative (less than zero), a borrow is needed from the upper byte. The lowest bit of the upper byte is worth 256. Therefore, when it is borrowed from FH, it is added to FL as 256. This is guaranteed to make FL positive and it can then be *POKED* into the answer location.

#### Listing 3: BASIC Program

100 FL=PEEK(20) fetch low byte
200 FH=PEEK(27) fetch high byte
300 FL=FL-2 subtract 2
400 IF FL>= 0 THEN 500 borrow needed?
450 FH=FH-1:FL=FL+256 yes!
500 POKE 26.FL save low byte
600 POKE 25.FH save high byte

Other methods are possible. Listing 4 gives an example. Here, the two bytes are combined into one using the 256 factor between bytes by multiplying and adding. The subtraction is then carried out before separating the bytes, again using BASIC's divide and *INT* (integer) functions.

#### Listing 4: Alternate BASIC Program

198 FL=PEEK(28) fetch low byte

200 FH=PEEK(27) fetch high byte

300 FC=FH#256+FL combine bytes

488 FC=FC-2 subtract

500 FH=INT(FC/256):FL=FC-256\*FH separate bytes

688 POKE 26, FL: POKE 25, FH

Why are alternates important? They are most commonly investigated to obtain the best solution in terms of either execution speed or memory usage, but another important reason is for test purposes.

By running a program such as shown in Listing 5, which directly compares the results of two alternate methods, it is possible to use the computer to exhaustively test routines like this one and avoid obscure bugs. Such tests are time consuming, but are essential for commercial software. A bug in a commercial or industrial package can

#### Listing 5: Test Program

100 CLS: POKE1020, 10: POKE1021, 0

200 FORX=1T0256

300 T1=PEEK (1020): T2=PEEK (1021)

488 T2=T2-2

500 IFT2>=0THEN800

550 T1=T1-1:T2=T2+256

600 T3=PEEK(1020):T4=PEEK(1021)

700 T5=T3+256+T4

808 T5=T5-2: T3=INT (T5/256): T4=T5-256+T3

988 IFT1-T3=8ANDT2-T4=8THEN1288

1000 PRINT TEST FAIL

1100 STOP

1200 POKE1020.T1:POKE1021.T2

1250 PRINTEG.X

1300 NEXTX

1400 PRINT TEST D.K.

1500 END

be very expensive in terms of time, money and reputation. This and good documentation are two reasons for the often higher cost of good software.

Line 100 sets up start conditions for two consecutive memory bytes. Line 200 sets up a loop which will cycle the program through all possible values of the lower byte. Lines 400-550 carry out one method of subtraction. Lines 700 and 800 carry out the second method. Line 900 compares and takes appropriate action.

Because the methods are both correct, this test will always show a successful completion. During the test the value of 'X' is printed on the screen to allow progress to be monitored. If lines 500 and 550 are deleted, thus ignoring the borrow situation, the test will fail at two values (zero and one) of Location 1021. The program halts with an error in this case. It can be run successfully by starting with a value of two for location 1021 in Line 100, thereby duplicating the error in the original program.

This method of testing does not apply to all types of programs, but where applicable it is a powerful tool in the software quality armory. The cassette merge procedure is a useful one, too, and I would encourage readers to learn and use it. It can also be used with advantage in some disk situations as an alternate to the MERGE command.

#### One-Liner Contest Winner . . .

Remember those big all-day suckers? This program draws an ever-changing lollipop.

Paula Vaske Beloit, WI

#### The listing:

10 PMODE1,1:SCREEN1,1:D=RND(54): C=RND(8):CIRCLE(128,54),D,C:DRAW "C7BM124,184U80D80R10U80L10":PAI NT(129,158),7,7:DRAW"C6BM0,0R245 D245L245U245":RUN

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape*.)

#### One-Liner Contest Winner . . .

This 32K program shows you what popcorn looks like during the actual popping process. (Actually, it draws popped kernels over eight *PMODE 0* graphics screens, then switches screens at random.)

Mike Kilby Englewood, OH

#### The listing:

Ø PCLEAR8:FORP=1TO8:PMODEØ,P:PCL S:FORN=1TO6Ø:X=RND(25Ø):Y=RND(18 Ø):DRAW"BM"+STR\$(X)+","+STR\$(Y)+ ";R2DRFL4UDL2DGDFU2ED5R2UL2U3RUD R2UDL":NEXTN:NEXTP:FORL=1TO5ØØØ: P=RND(8):PMODEØ,P:SCREEN1,Ø:SOUN DP,1:FORT=1TO1ØØ:NEXTT:NEXTL

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape.*)


**Price Changes** 

DISK DRIVES

**DISK DRIVES** 

Price Changes Occur On A Daily Basis. Please Call 1-800-343-8841

## Super Sale on New Hard Drives



Warranty - One Full Year

Introducing

## MEGADISK™

Winchester Hard Drive ready to run on the TRS 80 Model I/III/IV/4P, Color Computer, I.B.M.-PC, Apple, Franklin, Max/80. Software Drivers: LDOS, NewDos/80, Dosplus, TRSDOS 6.0, CP/M

DRIVE A HARD BARGAIN™ Complete Systems Starting at \$649.95

#### Call Toll Free Ordering 1-800-343-8841



High Quality Lowest Price **Drive 0, 1, 2, 3** 

for the

Color Computer

Starting at \$199.95 CALL FOR NEW LOW PRICE



Disk Drive Upgrade for Model III/IV easy to install system Starting at \$309.95 CALL FOR NEW LOW PRICE

© 1985

## SOFTWARE SUPPORT, INC.

1 Edgell Road, Framingham, MA 01701 (617) 872-9090 Telex-383425

#### DEALER INQUIRIES INVITED.

TERMS:

M.C./Visa/Amex and personal checks accepted at no extra charge. C.O.D., please add \$3.00. Shipping: Please call for amount. Not responsible for typographical errors. Prices subject to change.

CANADA MICRO R.G.S. INC.

751. CARRE VICTORIA, SUITE 403 MONTREAL, QUEBEC, CANADA, H2Y 2J3 Regular Tel. (514) 287-1563 Canadian Toll Free 800-361-5155

#### Service! Service!

All in stock products are shipped within 24 hours of order.
Repair/Warranty service is performed within 24 hours of receipt unless otherwise noted. We accept C.O.D., foreign and APO orders. School and D&B corporate P.O.s accepted.

TRS/80 Registered Trademark Tandy Corp. Apple Registered Trademark Apple Computer Corp

IBM-PC Registered IBM Corp. Franklin Registered Trademark Franklin Corp. Max/80 Registered Trademark Lobo Int.

LDOS Reg. Logical System Inc. Dosplus - Micro Systems Software Newdos/80 - Apparat Inc.

DISK DRIVES

DISK DBINES

DISK DEINES

DISK DBINES

DISK DBINES

DISK DRIVES

DISK DBINES

SK DRIVES

DISK DRIVES

Price Changes Occur On A Daily Basis. Please Call 1-800-343-8841

## PRICE BREAKTHROUGH &

Price Changes Occur On A Daily Basis. Please Call 1-800-343-8841

Tava, PC Worka	1000, TRS/80 Models I/III/IV/4P, Compa ikes, Color Computers, Apple/Franklin, H				
	Cables, Software and Quikfit Installation				
5 Megabytes Internal M	ount			starting at 5	449.9
10 Megabytes Internal M	ount	**********		starting at	599.9
20 Megabytes Internal M	ountystem			starting at	999.9
5 Megabytes External S	vstem			starting at	649.9
10 Megabytes External S	ystem			starting at	849.9
20 Megabytes External S	ystem			starting at	1,299.9
.3 Megabytes Kodak Bac	kup System			starting at	599.9
Streaming Tape Backt	ip System			starting at	699.9
OS Systems Availables	IBM/Heath — DOS, 1.0, 2.0, 2.1, 3.0, or I TRS/80-LDOS, TRSDOS 6.x, Newdos/80,	ater - Apple Franklin - De	OS 3.3, Prodos		

	FLOPPY DISK DRIVES k Drives are UL approved — Our Floppy Drive Cabinets and Power Supplies erwriters Laboratory Listed and have passed the required Federal
	nications Part 15 Section B-EMI/RFI tests.
	y on all disk drives is one full years parts and labor. Warranty on floppy disk
drive po	wer supplies is five (5) years. In warranty or out of warranty service is 24 hour
	with the minimum states of the
	- Full Height Drives
100-1	Single Sided 40 tk Bare \$128.00
	In Case with Power Supply
100	Dual Drives in One Cabinet
100-2	Dual Sided 40 tk Bare
	In Case with Power Supply
	Dual Drives in One Cabinet
1.23	Half High Drives
65-1	Single Sided 40 tk Bare
	In Case with Power Supply
	Dual Drives in One Cabines
65-2	Dual Sided 40 tk Bare 145.00
	In Case with Power Supply
	Dual Drives in One Cabinet
65-4	Dual Sided 80 tk Bare
	In Case with Power Supply
	Dual Drives in One Cabinet
	Half High Drives
55A	Single Sided 40 rk Bare 140.00
	In Case with Power Supply 169.95
	Dual Drives in One Cabinet
55B	Dual Sided 40 tk Bare
	In Case with Power Supply
	Dual Drives in One Cabinet
55F	Dual Sided 80 tk Bare
	In Case with Power Supply
	Dual Drives in One Cabinet
	Franklin Disk Drives
	40 Track in Case with Cable and Software
	ntroller Card for Two Disk Drives 49.95
	mbination Price for Disk Drive and Controller
Commo	dore Disk Drives

COLOR COMPUTER DISK DRIVE SYSTEMS AND ADD IN PR	ODUCTS
40 Track Single Head Drive with Case, Power Supply, Cable	
Controller, Instruction Booklet, Diskenes	\$279.95
Above with Dual Drives in One Cubinet	413.95
40 Track Dunt Head with Case, Power Supply, Cable,	
Controller, Instruction Booklet, Diskettes	289,95
Above with Dual Drives in Oue Cabinet	429,95
128 Memory Upgrade Kit	120.05
Dual DOS Swiich	19.95
With Second DOS System - 1DOS, RSDOS, Micro DOS	48.00

TRS/80 HARDWARE
Model I Starter System — Delivered by UPS
One Single Sided Disk Drive, Case, Cable, Power Supply,
TRSDOS 1.3 and Manual
Model III/IV Easy to Install Disk Drive Systems
Memory Upgrades - 4116 and 4164 starting at 1.50 ea.

ALL IN-STOCK ITEMS SHIPPED WITHIN 24 HOURS, SAME DAY SHIPPING PROVIDED BY REQUEST WITHOUT ANY EXTRA HANDLING CHARGES.

	COMPUTERS
All	of our computers come with a full one year Warranty - Parts and Labor - 24
Ho	ur Service on all in stock parts.
IBN	A/PC-256K Two Floppy Drives, One Year Warranty \$1,895.00
	With Monitor Card and High Resolution Monitor
IBN	A/PC-256K 5 Megabyte Drive, One Floppy Drive 2,495.0
	With Monitor Card and Monochrome Monitor
	10 Megabyte System
	With Monitor Card and Monochrome Monitor
IBN	A Lookalike Monitor 800h x 650v resolution w/cable
	S/80 Model IV Computer 128K Dual Drive RS232 1,095.0

	PRINTERS
Dot Matrix	
Star Micr	onics
Gemin	i X-Series Parallel 120 CPS starting at \$259.9
Delta	10/15 160 CPS starting at 424.9
	10/15 200 CPS starting at 649.9
Panase	onic 1090
Daisy Wh	
	Reed 440 80 Column 12 CPS
	550 132 Column 19 CPS
	770 132 Column 36 CPS 895.0
Olymn	nia 132 Column 14 CPS with Form and Tractor
	licronics 100 Column 18 CPS
Apple/Frank	in Printer Interface w/Graphics and Cable 84.9
	s starting at 19.9
De ette	Paper — Microperf Edge 1000 Sheets

EI	ECTRICAL		
Surge Protectors — Line Filters — SL		h Switch	5 39.95
Uninterruptable Power Supplies -	225 Watt	********	399.95

MODEMS	
Volksmodem 300 Baud Signalman Mark X Autodial	5 59.95
Mark XII 1200/300 Baud Autodial	284.95

ADD I																		
STB — Rio Plus 128K			 			110	 					٠.	0					5299.
Super Rio 128K					6												Ç.	 219.
Graphix Plus																		
Graphics Plus II																		
Parallel Printer Port																		
Serial Port																		
Monochrome Board with Paralle																		
Quadram - Quadboard 512 128																		
Quadcolor I		-	 	7.5			 	-	re		Y			4	4	- 1	* )	215
Quadcolor II	- 2						0.0	1.7			7		7	T		+		 120

Diskettes in 10 Pack from S 12.9
Twoprint Switches from 99.9
Disk Drive Cables from 16.0
Maintenance Cleaning Kits 12.0
Parallel Printer Buffers 8K
Floppy Disk Drive Cables
1 Drive
2 Drives
2 Drives
Heath/Zenith 2 Drive Cables — Shielded

© 1985 O O DOUBLE ANY EXTRA HANDLING CHARGES.

## SOFTWARE SUPPORT, INC.

1 Edgell Road, Framingham, MA 01701 (617) 872-9090 Telex-383425

Hours: Mon. thru Fri. 9:30 am to 5:30 pm (E.S.T.) Sat. 10 am to 3:30 pm

SERVICE POLICY — Our Professional Technical Staff Is Available To Assist You Monday Through Saturday. WARRANTIES — Disk Drives — One Full Year Parts And Labor. Floppy Disk Drive Power Supplies — Five (5) Years. SERVICE — 24 Hour Turn-A-Round On All In-Stock Parts. Dealer Inquiries Invited

Toll Free 1-800-343-8841

Please call for Shipping, Handling and Insurance



Speed up typing of machine language programs with this monitor

# Co Comon Tunior

**By Steve Roberts** 

here are plenty of monitors available out there in the program world, and you're probably saying to yourself, "Not another monitor!". but CoComon Junior has some advantages the beginning machine language programmer is looking for to make typing in programs easier.

It can also be used to examine machine language programs. It can be used to execute programs already in memory, or something you have just typed in, so you can see the results immediately. If you already have a program in memory and you want to examine it, but you don't know where the program starts in memory, you can use the find section of the program. CoComon Junior has everything I needed and wanted in my "beginner days," and it should help to give you a good start in machine language.

I will first explain how to use the program, then I'll explain how the program works.

CoComon Junior will first go to the main menu and ask you what you would like to do. There are four choices:

- 1) Type in a machine language program.
- 2) Examine a machine language program.
- 3) Find a machine language program.
- 4) Execute a machine language program.

Press '1' first; you will see instructions on how to type a machine language program into memory. Then press 'L' and you are now ready to start typing in your program.

Typing in machine language with this monitor is unique. Since data in machine or assembly language programs is usually a maximum of four bytes or eight bits or digits in one line, the program is designed so you can input up to four bytes at one time to speed up typing in those long programs, instead of having to press ENTER after each byte (as it is with most monitors).

The program is made so it will work with as few keystrokes as possible; you will rarely have to press the ENTER key. On an average, you can type in a program up to one-third faster than with normal monitors. Next, press 'M' to go back to the main menu.

Press number '2' and see what happens next. Press 'E' and start examining by using the left and right arrow keys to look through memory. You have now entered the examining mode. Do not let that scare you. I know it sounds a little scary at first, but do not worry. In reality, a beginning programmer would not have to use this function very often, but I do suggest it for checking machine language programs for errors after you have typed them in. (You could also use it just to snoop around if you have a curious nature, maybe check out some of the ROM to see what makes your CoCo tick.) Now, go back to the main menu by pressing 'M'.

Press number '3' and you will now see the instructions on how to use this section. Press 'F' and you will see the starting, ending, and executing addresses of your program. This is not always really accurate, but get the starting address, then go to the examine mode and see if that is, indeed, your program. Press 'M' to go back to the menu.

Now press '4' and you will see the instructions on how to execute your machine language program. Press 'X' and type in the executing address. Press 'M' to go back to the menu.

Pressing '5' will make the program end.

#### Input Requirements

- 1) You will not have to press ENTER when typing in the addresses if you input four digit numbers. If they are not four digit numbers, put a zero before the number, or you can just press ENTER if you
- 2) All inputs must be in hexadecimal!


#### **Program Summary**

#### Line Numbers 10-30

#### **Function**

The title, my name and the copyright.

40 50	GOTO the main menu. The start of the load section.	390-450	Get the starting address. Convert to decimal then back to hexadecimal, then	640-670	Change the input to decimal, define <i>USR</i> then execute.
80-150	The <i>INKEY</i> \$ input routine.		print out to the screen.	680-770	Main menu section.
	Get the Hex bytes.	460	Start of the find section.	780-830	Directions for the load
160-270	Convert to decimal then	470	A=start address, B=end ad-		section.
	back to hexadecimal, then		dress, C=execute address.	840-890	Directions for the examine
	print out to the screen:	480-530	Change them to hexadeci-		section.
280	End of the load section.		mal then print them on the	890-930	Directions for the find
290	The start of the examining		screen.		section.
	mode.	540	Start of the execute section.	930-980	Directions for the execute
320-380	The <i>INKEY</i> \$ input section.	550-630	The <i>INKEY</i> \$ input section.		section.



#### The listing:

- 10 '\*\*\*\*COCOMON JUNIOR\*\*\*\*
- 20 '\*\*BY STEVE ROBERTS\*\*
- 3Ø '\*\*COPYRIGHT (C) 1983\*\*
- 4Ø GOTO 67Ø
- 50 CLS:PRINT" LOADING MACHINE LANGUAGE":PRINTSTRING\$(32,"="):PRINT:PRINT@136,"ADDRESS BYTE ":PRINT@419,"PRESS (ENTER) TO LOAD":PRINT@450,"INPUT (M) TO RETURN TO MENU"
- 60 PRINT@67, "STARTING HEX ADDRES S"
- 7Ø SCREEN Ø,1
- 8Ø FOR X=1 TO 4
- 9Ø AV\$=INKEY\$:IF AV\$="" THEN 9Ø
- 100 IF AV\$="M" THEN 40
- 11Ø IF AV\$=CHR\$(13) THEN 16Ø
- 12Ø PRINT @87+X, AV\$
- 13Ø SCREEN Ø,1
- 14Ø AD\$=AD\$+AV\$
- 15Ø NEXT X
- 160 AD\$="&H"+AD\$:Q=VAL(AD\$):Q=Q-
- 17Ø PRINT@64, STRING\$(31, " "):PRI
- NT@75,STRING\$(10," ")
- 180 PRINT@66, "HEX BYTES"
- 190 FOR X=1 TO 8
- 200 SCREEN 0,1
- 21Ø AV\$=INKEY\$:IF AV\$="" THEN 21
- 22Ø IF AV\$="M" THEN 4Ø ELSE IF A
- V\$=CHR\$(13) THEN 260
- 23Ø PRINT@76+X,AV\$
- 24Ø A\$=A\$+AV\$
- 25Ø NEXT X
- 26Ø PRINT@196,STRING\$(12Ø," "):P
- RINT@136, "ADDRESS BYTE": IFA\$=
- "M" THEN 670 ELSE 270

- 27Ø FORA1=1TOLEN(A\$)STEP2:SCREEN Ø,1:A5\$=MID\$(A\$,A1,2):Q=Q+1:A5\$= "&H"+A5\$:A4=VAL(A5\$):POKEQ,A4:PR INTTAB(1Ø);HEX\$(Q);TAB(2Ø);HEX\$( A4):NEXTA1
- 28Ø A\$="":AD\$="":AV\$="":GOTO 17Ø 29Ø CLS:PRINT" EXAMINE MACHIN E LANGUAGE":PRINTSTRING\$(32,"=") 3ØØ PRINT@64,"STARTING HEX ADDRE SS"
- 310 SCREEN 0,1
- 32Ø FOR X=1 TO 4
- 330 AV\$=INKEY\$:IF AV\$="" THEN 33
- 340 IF AV\$=CHR\$(13) THEN 390 ELS E IF AV\$="M" THEN 40
- 35Ø PRINT@85+X, AV\$
- 36Ø SCREEN Ø.1
- 37Ø A\$=A\$+AV\$
- ZOG NEVE V
- 38Ø NEXT X
- 390 PRINT@355, "PRESS M TO RETURN TO MENU": Z\$="&H"+A\$: A=VAL(Z\$)
- 400 A\$="": AV\$=""
- 410 Q2=PEEK(A):PRINT@160, "ADDRES
- S ASCII BYTE":PRINT@226,HEX\$
  (A):PRINT@236,CHR\$(Q2):PRINT@243
  ,HEX\$(Q2)
- 42Ø SCREEN Ø,1
- 430 Z3\$=INKEY\$:IFZ3\$=CHR\$(9)THEN
  440ELSEIFZ3\$="M"THEN670ELSEIFZ3\$
- =CHR\$(8)THEN45ØELSE43Ø
- 44Ø A=A+1:GOTO41Ø
- 45Ø A=A-1:GOTO41Ø
- 460 CLS:PRINT" FIND MACHINE LA NGUAGE PROG.":PRINT@32,STRING\$(32,"=")
- 470 A=PEEK(487)\*256+PEEK(488):B= PEEK(126)\*256+PEEK(127)-1:C=PEEK (157)\*256+PEEK(158)
- 480 PRINT"STARTING ADDRESS=";HEX \$(A)
- 49Ø PRINT"ENDING ADDRESS=";HEX\$(
- 500 PRINT"EXECUTING ADDRESS=";HE X\$(C)

510 PRINT@355, "PRESS M TO RETURN TO MENU" 520 SCREEN 0,1 53Ø A2\$=INKEY\$:IFA2\$="M"THEN67ØE 540 CLS:PRINT" EXECUTING MACHI NE LANGUAGE":PRINTSTRING\$(32, "=" 550 PRINT@128, "EXECUTING ADDRESS 56Ø SCREENØ, 1 57Ø FOR X=1 TO 4 58Ø AV\$=INKEY\$: IF AV\$="" THEN 58 590 IF AV\$=CHR\$(13) THEN 640 ELS E IF AV\$="M" THEN 40 600 PRINT@145+X, AV\$ 610 SCREEN 0.1 62Ø F\$=F\$+AV\$ 630 NEXT X 64Ø F1\$="&H"+F\$:X7=VAL(F1\$):DEFU SRØ=X7: X=USR (Ø) 650 SCREEN Ø.1 660 PRINT@352, "PRESS M TO RETURN TO MENU": I\$=INKEY\$: IFI\$="M" THE N 67Ø ELSE 66Ø 67Ø CLS: SCREENØ, 1 68Ø PRINT:PRINT"THIS IS A MONITO

R PROGRAM FOR THE COLOR COMPUT ER. IT HAS FIVE MAIN FUNCTIONS. 69Ø PRINT" (1) TYPE IN A MAC HINE LANGUAGE PROGRAM." 700 PRINT" (2) EXAMINE A MAC HINE LANGUAGE PROGRAM." 71Ø PRINT" (3)FIND THE STAR TING. ENDING AND EXECUTING ADDRESSES OF A MACHINE LANGUAGE PROGRAM. " 72Ø PRINT" (4) EXECUTE A MAC HINE LANGUAGE PROGRAM." 73Ø PRINT" (5) END THIS PROG RAM. " 74Ø PRINT" enter 1, 2, 3 , 4 or 5" 750 SCREENØ, 1 76Ø I \$= INKEY\$ 77Ø IF I\$="1" THEN 78Ø ELSEIF I\$ ="2" THEN 84Ø ELSE IF I\$="3" THE N 890 ELSE IF I\$="4" THEN 940 EL SE IF I\$="5" THEN END ELSE 760 78Ø CLS:PRINT:PRINT"TO TYPE IN A MACHINE LANGUAGE PROGRAM WIT H THIS MONITOR JUST TYPE IN THE HEX AS YOU SEE IT APPEAR ON Y OUR COPY." 79Ø PRINT:PRINT"THEN PRESS enter

## Aurora Computing

49 Brookland Ave., Aurora, Ontario Canada L4G 2H6

#### **FAMILY GAMES**

The popular STOCKBROKER and CRIBBAGE 32K ......\$14.95 each. ADVENTURE GAMES: Sea Quest and Shenanigans from MARK DATA ..... only \$24.95(C); \$27.95(D) each From BRANTEX, PIRATE TREASURE 16K ...... \$13.95 **SCAVENGER HUNT 16K** ...... \$18.95

#### **EDUCATIONAL GAMES**

COLORMIND, CONCEN - improve your memory and logical thinking - 16K ...... \$10.95 each

#### Also from BRANTEX

EDU-COMBO (Math Derby, Peek 'N' Spell Metric Converter) 16K . . . . . . only \$29.95 **BUSINESS: HOUSEHOLD EXPENSE MANAGER 16K\$19.95** 

LOAN ANALYSIS 16K ...... \$20.95

#### **NEW from MARK DATA**

The amazing TIME FIGHTER 16K ...... \$24.95(C) 32K ...... \$27.95(D) Also the ever popular GLAXXONS 16K ...... \$24.95(C) 32K ...... \$27.95(D)

UTILITIES: ROMDISK: Run your rom pack games from a disk! 

MR. COPY - make up to 99 copies of one program at once! 

#### BASIC COMPILER

MLBASIC 1.0 - BASIC COMPILER

CLOADM

OPEN

WASATCHMARE is pleased to introduce what we feel is the most comprehensive BASIC Compiler available for the Color Computer. This BASIC Compiler, called MLBASIC, is for programmers who want to create machine language from BASIC programs. Written in machine language, MLBASIC will prove to be the most powerful utility on your shelf.

CSAVEN DIR FILES GET

DRIVE

DSKIS

#### COMMANDS SUPPORTED

PRINT

2. Program Control Commands
CALL END EXEC
GOSUB GOTO IF THEN ERROR ELSE STOP SUBROUTINE ON. . GO RETURN 3. Nath Functions ABS EXP LOC ASC FIX LOF COS EOF INSTR INT POINT PPOINT TIMER SGN SIN SQR VAL 4. String Functions CHRS INKEYS LEFTS STRINGS STR\$

5. Graphic/Sound Commands COLOR CLS CIR PCLEAR PCLS PLA RESET SCREEN SET CIRCLE DRAW PRESET PLAY PNODE PSET

SOUND 6. Other/Special Commands

DATA MOTOR DIM LLIST POKE READ REN RESTORE RUN IBSHFT LREG SREG SWP TAB PCOPY VECTD VERIFY PMODD VECT I REAL

WASATCHWARE believes that the 6809 based microcomputer is powerful enough to warrant such a compiler. MLDASIC is a BASIC compiler that allows structured programs (using SUBMOUTINES), full floating point srithmetic and other features not available with Interpreter Basic programs.

Tape- \$69.95 Disk- \$69.95 Both- \$74.95

1. I/O -Commands

CLOSE DSKOS

LSET

#### 64K Required WasatchWare

7350 Nutree Drive Salt Lake City, Utah 84121

Add \$4.00 Postage and Handling Call (801) 943-6263

Send check or Money order. No C.O.D.. Utah res. add 5% tax. HOW TO EARN EXTRA MONEY
WITH YOUR HOME COMPUTER.
See Details Below.

I'M WORKING HARD
TO SAVE YOU MONEY.

L
RITEMS
SWAPHE PEROTHER

#### BUY, SWAP AND SELL

MOM'S CLASSIFIED BULLETIN BOARD OF COMPUTER ITEMS IS YOUR OPPORTUNITY TO LIST FOR SALE OR SWAP-ITEMS THAT YOU NO LONGER NEED. ALSO, IT'S THE PERFECT PLACE TO SHOP FOR BARGAINS OFFERED BY OTHER MEMBERS OF MOM'S FAMILY.

#### **NEW PRODUCTS**

MOM CAN SAVE YOU MONEY ON NEW HARDWARE, SOFTWARE PRINTERS, MODEMS, MONITORS, DISC DRIVES AND MUCH MORE - MANY OF THE SAME ITEMS ADVERTISED HERE IN RAINBOW MAGAZINE.

#### **DISCOUNTS**

SAVE 5% TO 35% ON ALL NEW ITEMS YOU BUY THROUGH MOM - BEFORE YOU BUY, CHECK WITH MOM FOR LOWEST PRICES.

#### SPECIAL OFFER

FREE WITH MEMBERSHIP - YOUR PERSONAL COPY OF "18 WAYS TO EARN EXTRA MONEY WITH YOUR HOME COMPUTER" JOIN TODAY AND YOU CAN START EARNING EXTRA MONEY USING MOM'S GUIDE.

#### MOM PROMISES

PERSONALIZED SERVICE - TO MOM YOUR NOT JUST ANOTHER NAME ... YOUR PART OF HER FAMILY. SHE'S INTERESTED IN YOU AND HOW YOU USE YOUR COMPUTER. WRITE TO HER ABOUT PROGRAMMING, EQUIPMENT, SOFTWARE, PROGRAMMING AND YOUR OWN IDEAS. HAVE COMPUTER PROBLEMS? WRITE MOM - SHE CARES!!

#### **Software Programmers**

Mom can help you Market YOUR programs. <

Others have benefited - why not You?

#### BECOME A MEMBER OF MOM'S FAMILY

Yes, I want to become a member of MOM'S COMPUTER CLUB FAMILY and enclose my personal check for \$14.95 for which Mom will rush my MEMBERSHIP CARD and my CERTIFICATE along with complete details and benefits of membership. Also included will be my FREE issue of "18 WAYS TO EARN EXTRA MONEY WITH YOUR HOME COMPUTER." I understand that my membership will be entered promptly and that there will be no delay due to payment with personal check, or money order.

Name		Date
Address		Apt #
City/State/Zip		
Phone(	)My computer is a	

Make checks payable to:

COMPUTER MOM
4111 Lincoln Blvd. #319

TO LOAD THE HEX INTO MEMORY."

800 PRINT:PRINT"YOU CAN input UP

TO EIGHT DIGITS AT A TIME BEFOR
E YOU HAVE TO PRESS enter."

810 PRINT:PRINT" INPUT (L)OAD /

(M)ENU"

820 SCREEN 0,1

83Ø L\$=INKEY\$:IF L\$="L" THEN 5Ø ELSE IF L\$="M" THEN 67Ø ELSE 83Ø

84Ø CLS:PRINT:PRINT"THIS SECTION
WILL HELP YOU SEARCH THRO
UGH YOUR MACHINE LANGUAGE PR
OGRAM TO FIND ERRORS OR JUST LOO
K THROUGH IT."

85Ø PRINT:PRINT"TO USE IT, INPUT
THE STARTING ADDRESS, AND TH
EN USE THE LEFT ARROW KEY TO GO
BACKWARD IN MEMORY OR THE R
IGHT ARROW KEY TO GO FORWARD I
N MEMORY."

86Ø PRINT:PRINT" INPUT (E) XAMINE / (M) ENU"

870 SCREEN 0,1

880 Es=INKEYS:IF Es="E" THEN 290 ELSE IF Es="M" THEN 670 ELSE 88

890 CLS:PRINT:PRINT"THIS PART SI

MPLY GIVES YOU THE STARTING, E
NDING AND EXECUTING ADDRESSES O
F YOUR MACHINE LANGUAGE PR
OGRAM."

900 PRINT:PRINT"SOMETIMES THIS M AY NOT WORK BECAUSE OF GARB AGE IN THE MEMORY WHICH CA N CAUSE IT TO GIVE FALSE READ INGS."

91Ø PRINT:PRINT" INPUT (F) IND / (M) ENU"

920 SCREEN 0,1


930 F\$=INKEY\$:IF F\$="F" THEN 460 ELSE IF F\$="M" THEN 670 ELSE 930

94Ø CLS:PRINT:PRINT"THIS SECTION WILL EXECUTE YOUR PROGRAM THR OUGH THE USR FUNCTION."
95Ø PRINT:PRINT"INPUT THE STARTI NG ADDRESS OF YOUR PROGRAM THEN PRESS ENTER AND IT WILL EXE CUTE IT FOR YOU."

96Ø PRINT" INPUT E(X)ECUTE / (M) ENU"

97Ø SCREEN Ø,1

980 X\$=INKEY\$:IF X\$="X" THEN 540 ELSE IF X\$="M" THEN 670 ELSE 9



### MEN!

## **'HOME COMMANDER' \$49.95**





#### CONTROL YOUR WORLD

Give yourself piece of mind while on vacation by programming the HOME COMMANDER to control lamps, radios, TVs and more. Or make life easy on yourself by turning on the coffee pot before you wake up. You can do this and more with the HOME COMMANDER.

#### NO WIRES NECESSARY

The HOME COMMANDER uses your home's existing electrical wiring to control virtually anything. Appliances are controlled via small control modules (sold separately). The LAMP DIMMER MODULE allows you to turn a lamp on or off and control 16 brightness levels. The APPLIANCE MODULE is used to control appliances up to 400 watts such as a TV, radio, stereo system, fan or motor.



#### ON FRIDAY 7:42 PM, OFF SUNDAY 1:26 AM

Included FREE is a program to allow you to control up to 256 devices and specify the time and date they are to be activated. That's right, the software has its own built in accurate clock.

LAMP DIMMER MODULE \$16.95 APPLIANCE MODULE \$16.95

#### NEW! PRECISION TIME MODULE



Now your computer will always know the correct time and date. This amazing precision time module is calibrated to the National Bureau of Standards (WWV) atomic clock and you should never have to change it.

Use the PRECISION TIME MODULE to add the time element to your game. Or use on your BBS so that the time will always be perfectly accurate.

#### BATTERY BACKUP

Even when your computer is off, the clock keeps correct time by operating using the internal battery backup system.



#### MONTHS, LEAP YEARS & DST

The PRECISON TIME MODULE automatically adjusts for the different number of days in each month as well as leap years. And believe it or not, it adjusts for DST so you don't have to remember if it's SPRING FORWARD or FALL FORWARD.



#### Y-CABLE \$28.95

Why pay \$100 to \$200 for a multi-pak. With the Y-CABLE, you can connect your disk system to your computer along with either our STEREO PAK music synthesizer, our VOICE, SUPER VOICE speech synthesizers, or our PRECISION TIME MODULE. All connectors gold plated.



Need an

SC-01?

\$29.00



## NEW ATTENTION EXPERIMENTERS!

Interested in building your own project? Our oversized board gives plenty of room for construction while the sturdy-aluminum case with black satin finish assures protection and a professional appearance.

Prototype Board only \$19.95 Prototype Enclosure only \$19.95 Buy both for \$29.95 Advanced Speech Chip SSI-263 (SC-02) \$34.95

Disks (any quantity)	\$1.49
Tape C-10, C-20	\$0.69
Hard Tape Box	\$0.29
6821	\$2.95
74LS138	\$0.79
7407	\$0.79
IC sockets 14, 16, 22 pin	\$0.29
IC sockets 24, 28, 40	\$0.39







Dealer Inquiries Invited

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.
Shipping and handling US and Canada \$3.00
Shipping and handling outside the US and Canada \$5.00
COD charge \$2.00
Illinois residents add 64% sales tax

## Speech Systems

38W 255 DEERPATH ROAD BATAVIA, ILLINOIS 60510 (312) 879-6880 (VOICE) (312) 879-6811 (24 HR. BBS)

CALL ANY DAY, ANYTIME TO ORDER. ALSO ORDER BY MAIL OR BBS.

## MEN'MUSICA 2

Tape \$34.95 Disk \$39.95

- High resolution graphic display, looks just like sheet music.
- Loudness of each voice may be individually specified.
- Memory available is constantly displayed.
- Voice waveshapes may be exchanged between voices at any point.
- Tempo may be specified and may even be altered as the music plays.
- Flats and sharps supported.

Billions of timbre combinations.




Output your music to any dot matrix printer (Gemini 10X, Epson, R.S. printers, Okidata, etc.)



Offer ends Feb. 15 \$29.95

Tape or Disk

 When in stereo mode, music is played through our STEREO PAK (purchased separately).



Repeat bars allow repeating of music without re-inserting music a second or third time.

- Voice timbre (waveshape)
  may be altered by
  specifying harmonic
  content just like stops on
  an organ.
- During editing, voice being inserted is displayed.
- Each measure is numbered for easy reading of music.
- Measure bars aid in reading and developing music.
- Each voice may be visually highlighted for easy identification.

"Musica 2 is GREAT!"

Stephen Wilson

"It's the best four part harmony composer on the market and the most used program in may files." R.G. Wrights

"Of all the music programs, and I've had them all, there is no comparison in flexibility, simplicity of operation and in the warm vibrant tones that it produces. I went out and spent \$700.00 on stereo equipment just so I could more thoroughly enjoy Musica 2 and the Stereo Pak!"

Howard Lentz TCI Industries



#### THERE'S MORE

- 4 Voices produced simultaneously
- Input notes from keyboard or joystick
- Play music from your own BASIC program
- Block copy music for easy music development
- 100% machine language so it is lightning fast
- Vibrato effect easily produced
- With STEREO PAK, voices may be switched between left and right speakers as music plays
- MUSICA 2 is 100% software, no need for hardware unless you want music produced in STEREO. In that case, the STEREO PAK may be purchased separately. It's a must for the audiophile!
- Durations include: whole, half, quarter, eighth, sixteenth, thirty second, sixty-fourth, and triplet.
- 30 page manual describes all.

#### 'I THOUGHT ONLY AN APPLE SOUNDED THAT GOOD'

That's what I was told after I gave a seminar and demonstration of MUSICA 2 and the STEREO PAK at the Chicago Rainbowfest. I smiled and thanked the young man for the "supposed" compliment, but upon reflection, I became angered by the apparent belief that the CoCo is inferior in this regard. Nothing could be further from the truth.

To help fight this false belief, we've decided to lower the price of MUSICA 2 to help spread the word.

We will also keep the STEREO PAK price at \$39.95 and give you a complete refund if you are not 100% satisfied with the STEREO PAK.

#### NEW!

#### STEREO PAK™

Plug this gem into your computer, connect to your home stereo system and sit back and enjoy music realism. The STEREO PAK is a hardware music synthesizer that plays our MUSIC LIBRARY and MUSICA 2 music in stereo. Because it was designed specifically with music reproduction in mind, the sound is superb. The highs are crisp and clear while the bass notes will rattle your walls.

The STEREO PAK is all hardware. It is intended as an enhancement for MUSICA 2 and our MUSIC LIBRARY. Disk owners may use the STEREO PAK with the R.S. Multi-Pak or our Y-CABLE (\$28.95)





### NEW! MUSIC LIBRARYTM

You get over 100 four voice songs with a combined playing time of 3 hours. That's right, 3 hours of music. You won't belive your CoCo could sound so good. To fit over 100 songs required both sides of 5 C-20 tapes and the disk version uses 5 full disks (that's a half box of disks).

A JUKE BOX selection program is included to allow you to select specific songs or automatically play each. These songs are ready to go, you don't need MUSICA 2 or a knowledge of music.

These songs were developed using the best music program available for the CoCo; MUSICA 2. The tunes may be used as source files for MUSICA 2 and changed by the user. When coupled with the STEREO PAK the songs are reproduced in stereo with unsurpassed realism.

## - 3 VOLUMES

#### MUSIC LIBRARY 100 categories:

Stage, Screen, and TV Music of the 70's Music of the 60's Music of the 50's

Classical
Christmas (popular)
Christmas (traditional)

Patriotic Polka Party

#### Old Time Favorites MUSIC LIBRARY 200

Our second volume of 100 tunes, 31/2 hours of music.

#### MUSIC LIBRARY 300

Our third volume of 100 tunes, 3 more hours of music.

MUSIC LIBRARY (Each Volume) ... (32 K Tape) ... \$34.95 (Specify 100, 200, or 300) (32 K Disk) .... \$39.95



### NEW! SPEECH SYSTEMS DATAPEN

only . . . **\$29.95** 







The DATAPEN is a lightpen, but unlike other light pens, it is far more sophisitcated.

- Insensitive to ambient light.
- Responds to different colors
- Program accessible LED lamp readout
- Switch for program control

#### WE STAND BEHIND OUR PRODUCTS

Like all our other products, if it is not the best, we won't sell it. If you're not 100% satisfied, merely return the DATAPEN for a complete refund.



Illinois residents add 61/4% sales tax

documentation to allow you

to integrate the DATAPEN into

your own BASIC program.



USE!



Dealer Inquiries Invited

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.
Shipping and handling 'US and Canada \$3.00
Shipping and handling outside the US and Canada \$5.00
COD charge \$2.00

Speech Systems

38W 255 DEERPATH ROAD BATAVIA, ILLINOIS 60510 (312) 879-6880 (VOICE) (312) 879-6811 (24 HR. BBS)

CALL ANY DAY, ANYTIME TO ORDER. ALSO ORDER BY MAIL OR BBS.

## 'TALKING SOFTWARE'

#### FOR THE VOICE, SUPER VOICE TM, RS SPEECH & SOUND PAK

#### **RADIO SHACK®** SPEECH & SOUND TRANSLATOR



We believe that no COCO speech synthesizer gives you the power and flexibility of the SUPER VOICE. Nevertheless, some have decided to go with the Radio Shack SPEECH & SOUND PAK. For those we've decided to open our TALKING LIBRARY by offering the SPEECH & SOUND TRANSLATOR. Just load this pro-

gram and our entire library is open to you.

But that's not all, this program adds features. You get increased intelligibility, the power of an exception table to specify specific pronunciations, \$12.81 is spoken in dollars and cents, 1,234,567 is spoken in millions, thousands, and hundreds, and TERMTALK All the features of an intelligent telecommunications program plus what appears on the TV is spoken.

- Upload and Download programs
   Control Xmit Protocols
- Full or Split Screen
- Buffer Editing
- Normal or Reverse Video

It talks

Please specify version (VOICE or RS SPEECH & SOUND PAK) Tape \$39.95

Disk \$49.95

TALKING BINGO BINGO was never like this. The VOICE or SUPER VOICE makes all the calls while you sit back and play. Comes with 20 playing cards and 200 markers. High Resolution graphic screen, 3 timing level, ball count and pause con-

ESTHER the talking psychoanalyst. An excellent example of artificial intelligence. She may not solve all your problems, but her insight will amaze you. Just like the original Eliza.

SCORE E-Z A yahtzee type game. Up to six can play. \$24.95

#### **ADVENTURES**

CULT OF THE CAVE BEAR You're a stranded time traveler 50,000 years in the past. Can you fix your time machine while still surviving in this alien environ, and make it

SHIP HUNT Play Battleship with your CoCo. All status reports are spoken. Ready battery, aim, fire at will!

FINAL COUNTDOWN You must stop the mad general from launching a missile at Moscow and causing WW III. Has multiple voices for added realism.

STAR TALK You're the Star Fleet Captain. Your mission...destroy the enemies' Dragon Star Ships. All status reports are spoken!

**ADVENTURE GENERATOR** Create talking adventure games that are 100% Machine Language. Up to 99 rooms, 255 objects, 70 command words and 255 conditional flags.

64K Disk \$39.95

#### EDUCATION



ANIMATED SENTENCES The child builds complete sentences from a graphic menu using keyboard or joystick. The action is then spoken and acted out graphically. It's a great way to learn the parts of speech (ie. verb, \$24.95 subject, noun, etc.)



#### PRE-SCHOOL

#### TALKING COUNT TO ONE HUNDRED

A program designed to teach the child counting to 100 by 1, 2, 5, and 10 forwards and backwards. \$29.95

TALKING ALPHABET A program designed to help the pre-schooler \$29.95 master the alphabet.

TALKING NUMBERS & COLORS must program for the very young. High Resolution graphics to insure attention and concentration. \$29.95

TALKING NUMBER SKILLS The child becomes familiar with the shape and \$29.95 meaning of numbers.

TALKING CLOCK In these days of the digital clock, children miss an important education. This program aids the student in mastering the traditional analog clock. High Resolution graphics.

#### GRADES 2 - 6

TALKING SUBTRACTION A program specifically designed to help the student learn subtraction. \$29.95 KING AUTHOR'S TALES A creative writing tool to allow a child to write compositions, or short stories. Q & A option is also included. COLOR MATH Addition, Subtraction, Multiplication, and Division are mastered. Student may specify difficulty level. \$24.95 SPELL-A-TRON Student builds a dictionary of words to be guizzed on.

Perfect for Spelling B. \$24.95 SPELLING TESTER A graphic spelling game. The student is shown objects to \$9.95 be spelled.

POETRY CREATOR VOICE speech unit is used to speak poetry that is created.

SHORT STORY MAKER A program to create and speak stories created by the child. FOREIGN LANGUAGE Learn a foreign language. French dictionary is includ-PRESIDENTS The student is able to master the Presidents of the US. \$9.95 STATES A program designed to aid the student in learning correct spelling of the states. CAPITALS Learning the State's

Capitals is made more interesting using speech. HANGMAN A word guessing game. You must guess the word before you

\$9.95 MATH DRILL A program to help teach \$9.95 arithmetic.

All software, except as noted, shipped on tape but may be moved to disk.

## 'SUPER VOICE'



In 1979, VOTRAX brought us the SC-01 chip which made inexpensive speech synthesis possible. Speech Systems was proud to bring the COCO community the first speech synthesizer using this miracle device.

Now Silicon Systems Inc. brings us the SSI 263 (sometimes called the SC-02). Once again Speech Systems is happy to be the first to bring you this breakthrough in speech synthesis. The SSI 263 is the most advanced speech chip available. Read "Build a Third Generation Phonetic Speech Synthesizer" in the July 84 issue of BYTE magazine for details of this amazing chip.

#### YOU DECIDE

	SUPER VOICE	BRAND X	BRAND Y	BRAND Z
Synthesizer Device	SSI-263	SC-01	SP-256	SC-01
Speaking Speeds	16	1	1	1
Volume Levels	16	1	1	1
Articulation Rates	8	1	1	1
Vocal Tract Filter Settings	255	1	1	1
Basic unit of Speech	64 phonemes 4 durations each	64 phonemes	64 allophones 5 pause lengths	64 phonemes
Pitch Variations	4096 (32 absolute levels with 8 inflection speeds)	4	1	4

#### SUPER VOICE SONGBOOK VOL. 1

SUPER VOICE sings many of your favorite songs. Start your singing library today! ONLY ...\$24.95

## COCO'S MOST ADVANCED SPEECH SYNTHESIZER.


## NOW IT TALKS, SINGS AND MORE. only . . . \$79.95

The SUPER VOICE gives you COCO's most intelligible speech. In addition, the free TRANSLATOR text-to-speech program allows you to easily write your own BASIC programs. Highest

quality speech may be achieved by specifying inflection, intonation, articulation, and filtration. But that's not all, the SUPER VOICE can actually sing over a 6 octave range. And while the SUPER VOICE was intended for speech synthesis, the fact that you can specify complex speech parameters means you can even create sound effects.



#### SUPER TALKING HEADS



Two heads are better than one.



When the SUPER VOICE speaks in a low pitched voice, the man speaks, when a high pitched voice is used the woman speaks. \$24.95 (see special offer)

Radio Shack® SPEECH & SOUND PAK version

\$24.95







Dealer Inquiries Invited

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.
Shipping and handling US and Canada \$3.00
Shipping and handling outside the US and Canada \$5.00
COD charge \$2.00
Illinois residents add 6 4% sales tax

## Speech Systems

38W 255 DEERPATH ROAD BATAVIA, ILLINOIS 60510 (312) 879-6880 (VOICE) (312) 879-6811 (24 HR. BBS)

CALL ANY DAY, ANYTIME TO ORDER. ALSO ORDER BY MAIL OR BBS.

## 128K


#### THE EASY WAY

**SOLDERLESS MOD FOR** 

**ALL 64K COCOS\*** 

**ONLY \$99.00** 

INCLUDES ADDITIONAL 64K OF RAM



LOGIC BOARD WITHOUT 64K RAM ONLY \$34.95

#### BUSINESS

DUSINESS	
VIPWRITER W/SPELLER	69.95
TELEWRITER-64 TAP	E 49.95
DIS	K 59.95
PRO-COLOR-FILE	59.95
SMALL BUS. ACCOUNTING	89.96
ACCOUNTS RECIEVABLE	59.96
PAYROLL	69.96
DYNACALC	99.95
DYNAGRAPH	19.95
UTILITY FOR DYNACALC	
MASTER DESIGN	29.95
UTILITY FOR TELE-64	
SIDEWISE	39.90
SPREAD SHEET UTILITY	

#### **APPLICATIONS**

GRAPHICO M		29.95
AUTO TERM	TAPE	39.95
	DISK	49.95
DFT/TAPE		25.95
DFT/DISK		25.95
VIP TERMINAL		49.95
SUPER SCREEN	TAPE	25.95
	DISK	32.95
FHL O-PAK		34.95
SPECTRUM VOICE	PAK	69.95
TERM TALK	TAPE	39.95
	DISK	49.95
TALKING EDUCATION	DNAL	24.95
TALKING FINAL COUN	TDOWN	24.95
TALKING SCORE-E	Z	24.95
COMPUSERVESTART	ERKIT	39.95

#### UTILITIES

FULL SCREEN EDITOR*	19.95
64K SPOOLER*	9.95
SUPER DISK/TAPE *	19.95
<b>GRAPHIC SCREEN PRINT</b>	9.95
SPECIFY PRINTER	

#### **HARDWARE**

RHAPASODY CASSETTE	
RECORDER	24.95
M/D KEYBOARD	64.95
HJL KEYBOARD	79.99
M/D MONITOR INTERFACE	29.95
SERIAL/PARALLEL INTERFACE	* 59.95
LP VII/DMP 100 RIBBONS	6.95
32K WORDSTORE	199.77
PRINTER BUFFER	
EPSON/LEGEND RIBBONS	7.49
OKI/GEMINI PRINTER RIBBONS	2.95
COLOR GEMINI RIBBONS	4.95
(RED, GREEN, BLUE, PURPLE & BRO	(NWC
PERFECT DISK HEAD	
CLEANING KITS	19.95
MEMTEK MAINTENANCE KIT	19.95
SS/DD DISK (PKG. OF 10)	19.95
COLOR DISK (BOX OF 12)	24.95
DISK STORAGE BOX	2-1.00
(HOLDS 10)	2.95
(110220 10)	

#### **SPECIAL**

BUY 2 INTARCOLOR GET
THIRD ONE AT HALF PRICE
CANDY CO TAPE/DISK 34.95
ROBOTTACKTAPE/DISK 24.95
GRAND PRIX TAPE/DISK 34.95
WILLY'S WAREHOUSE
TAPE/DISK 34.95

OFFER ENDS 1/31/85

#### GAMES

SAILORMAN	TAPE 29.95
	DISK 34.95
DRACONIAN	TAPE 27.95
	DISK 30.95
GRABBER	TAPE 27.95
	DISK 30.95
WORLDS OF	TAPE 29.95
FLIGHT	DISK 30.95
TREKBOER	TAPE 24.95
	DISK 27.95
SEAQUEST	TAPE 24.95
	DISK 27.95
SHENANIGANS	TAPE 24.95
	DISK 27.95
CALIXTO ISLAND	TAPE 24.95
	DISK 27.95
<b>BLACK SANCTUM</b>	TAPE 24.95
	DISK 27.95
VOCABULARY MGN	AT.
SYSTEM	39.95

#### **DSL COMPUTER PRODUCTS INC.**



313-582-8930

P.O. BOX 1176 DEARBORN, MI 48121

Michigan Residents Add 4% Sales Tax to Order. Please include \$2.00 for S. & H.

In Canada you can order these items from:

R&R COMPUTER PRODUCTS P.O. BOX 354 STATION A WINDSOR, ONT. N9A 6K7 519-255-9113



Unlike Disk BASIC's BACKUP command, this program merges the contents of one disk to another without erasing the contents of the destination disk.

## Get It Together With Disk Merge

By Paul Gani

aving finally transferred all of my programs from cassette to disk, I was left with a new problem. I had put the contents of each of my cassettes onto a different diskette, and I suddenly found out I was running out of empty ones.

Since each of my diskettes had at least 30 free grans left, I decided to merge them all together. But that left me with a huge task, for that would necessitate typing the syntax for *COPY* dozens of times. To alleviate that problem I wrote *Disk Merge*.

Disk Merge is a form of Disk BASIC's BACKUP routine. However, it does not obliterate the data on the diskette to which you are transferring the programs, but rather, as the name suggests, merges the contents of the two together.

To run it, simply enter the program and type *RUN*. If you are using two drives, the program will work automatically. If you only have one drive, you

will be prompted to exchange diskettes when necessary. You will have to switch diskettes for every program on the source disk. It may be annoying if you have a few dozen of them, but the other alternative is typing COPY "name/ext" for each program. Here, you just have to press ENTER when prompted.


The program listing is rather short because I realize most of you do not want to type in a long program if you have not seen it. Thus, you may run across a few problems when using *Disk Merge*. First, if you have a program on the destination disk with the same name as on the source disk, you will get an error and the program will crash. Just be sure to check for matching names.

Another bug you may find is if the destination disk becomes full, you will also get an error and the program will crash again. Check beforehand using the *FREE* command.

The final "bug" is not a bug in the program, but rather in the Disk BASIC COPY command. If for some reason a file is unreadable, you will not get an I/O Error, but rather the computer will freeze up. If the disk has stopped moving and there is no prompt, this has happened. Press Reset to get back to BASIC. To reduce the chance of an I/O Error, keep your drive(s) far away from each other and your TV or monitor. They are usually the main causes of I/O Errors.

The first two bugs mentioned can be fixed by putting in a few routines using FREE and DSKIS. However, as I have said, I didn't want the program to be too long so I have left those projects for you to do.

If you have any questions about this program, feel free to write me at the address shown at the top of the program. I hope all of you find this program useful.



\*\*\*\*\*\*\*\*

40 ' \*\* BY PAUL GANI \*\*\*\*\*\*\*\*
50 ' \*\* 812 N. COLUMBUS AVE. \*\*
60 ' \*\* MARSHFIELD, WI 54449 \*\*
70 ' \*\*\*\*\*\*\*\*\*\*\*
100 CLS:GOTO 580
110 ' MENU AND SELECTIONS
120 PRINT @ 3,"\*\*\*\*\* DISK TRANSF



#### THE ANIMATOR SERIES

Create your own FULLY ANIMATED CARTOONS!

THE ANIMATOR - Command a Hollywood style animation studio. 32 cels & 620 frames for over 1.5 min. of animation! Film style "cel" animation for smooth results. Extensive manual & 3 cassettes. 32K/EXT. \$35

ANIMATOR JR. - a simplified version in semigraphics. 16 cels, 500 frames (1.5 min. +). Animation can be called from your own BASIC program! 16K/EXT. \$16

ANIMATOR COMMERCIAL (for professional use) - 12 FULL-SCREEN cels stored in upper 32K. Can be called from BASIC or fed to a VCR! Variable-speed SCROLL (any direction)! SPRITES! TEXT! Hi-res & "block" versions supplied. Up to 3 min. & 24 frames/sec. 64K/EXT. \$50

#### **ROBOT BASIC**

Kids 7 & up can write graphics programs!

A computer language for beginners. Much EASIER to learn than LOGO. Very similar to EXTENDED BASIC, so when you're ready to advance you don't have to learn all over again. Create dazzling graphics; "CLONE" multiple robots; even TEACH the robot your own commands! Develops problem-solving skills; makes math and geometric concepts come alive! "Doodle Mode" for easy experimentation.

16 & 32K/EXT. \$18

#### TRI-GRAF

Hi-res graphics for your OWN programs!

Get rapid graphics development & still maintain FULL CONTROL over every pixel, not just blocks. Create dazzling title screens. ML routine included lets you load & call your own graphics from BASIC, even chain-feed from tape AT WILL (great for adventure writers)! Variable-size TEXT. WINDOW mode for move or copy. Automatic CIRCLES. Compatible with THE ANIMATOR. BONUS "SLIDE-SHOW" PROGRAM INCLUDED!

ALL PROGRAMS COME ON CASSETTE, WITH BACK-UP. Orders shipped within 24 hours! Call or write for catalog of many other great programs. C.O.D. phone orders OK.

Please send me: order form

Ronnie van Scherpe

name
1504 Day Ave. Apt. D

address April 2

Mateo

Ca. 44402 state zip

send this to: TRIAD PICTURES P.O. Box 1299 Sequim, WA 98382 (206) 683-6459 ER \*\*\*\*\*" 13Ø PRINT @ 100, "SOURCE DRIVE: "; 140 A\$=INKEY\$: IF A\$="" THEN 140 15Ø S=VAL(A\$): IF S>3 THEN 14Ø 16Ø PRINT S 17Ø PRINT @ 132, "DESTINATION DRI 18Ø A\$=INKEY\$:IF A\$="" THEN 18Ø 190 D=VAL(A\$): IF D>3 THEN 180 200 PRINT D 210 PRINT @ 225, "PRESS <ENTER> T O START...." 22Ø IF INKEY\$="" THEN 22Ø 23Ø ' LOAD DIRECTORY-4 PER VAR 24Ø Y=3:FOR X=1 TO 17 STEP 2 25Ø DSKI\$ S,17,Y,A\$(X),A\$(X+1) 26Ø Y=Y+1:NEXT X 270 ' SEPARATE INTO SINGLE FILES 28Ø FOR X=1 TO 18 290 B\$(X\*4-3)=MID\$(A\$(X),01,11) 300 B\$(X\*4-2)=MID\$(A\$(X),33,11) 31Ø B\$(X\*4-1)=MID\$(A\$(X),65,11) 32Ø B\$(X\*4-Ø)=MID\$(A\$(X),97,11) 33Ø NEXT X 340 ' SORT OUT FILES TO TRANSFER 35Ø FOR X=1 TO 72 36Ø IF LEFT\$(B\$(X),1)=CHR\$(Ø) TH 37Ø IF LEFT\$(B\$(X),1)=CHR\$(255) THEN 560 38Ø NA\$=LEFT\$(B\$(X),8)+"/"+MID\$( B\$(X),9,3) 39Ø PRINT @ 296.NA\$ 400 IF S=D THEN 460 410 ' MULTI-DISK COPY 420 A1\$=":"+RIGHT\$(STR\$(S),1) 43Ø A2\$=":"+RIGHT\$(STR\$(D),1) 44Ø COPY NA\$+A1\$ TO NA\$+A2\$ 45Ø GOTO 54Ø 46Ø ' SINGLE DISK COPY 47Ø A1=":"+RIGHT\$(STR\$(S),1) 48Ø COPY NA\$+A1\$ 49Ø SOUND 100,5:CLS 500 PRINT "INSERT SOURCE DISKETT E AND" 510 PRINT "PRESS 'ENTER'"; 520 LINE INPUT A\$ 53Ø GOTO 54Ø 540 ' INCREMENT TO NEXT FILE 55Ø NEXT X 560 ' END PROGRAM 57Ø PRINT @ 359, "FINISHED....." : END 58Ø ' SET UP SYSTEM CONTROLS

590 PMODE Ø:PCLEAR 1:CLEAR 5000

0

600 DIM A\$(18),B\$(72):GOTO 120

189 M

city

) option	Chours !	<del>dilile</del>	<mark>okti</mark>
	erfect		
502/228-4492 P.O. Box	5. Highway 42 x 385 t, Ky. 40059		
I would like to send a subscription to:	gift certificate for a o	ne year (12 mon	iths)
	gift certificate for a o	ne year (12 mon	oths)
subscription to:  Name Address City +++++++++++ From: Name			eths)
subscription to:  Name Address City  +++++++++++  From: Name Address	State	Zip	h+++
subscription to:  Name	StateStateStateStateStateStateInterbank	ZipZipZipZipZipZip	h+++
subscription to:  Name	StateStateStateStateStateStateInterbank	ZipZipZipZip	hths)
subscription to:  Name	StateStateStateStateStateStateInterbank	ZipZipZipZipZipZip	hths)
subscription to:  Name	StateStateStateStateStateStateInterbank	ZipZipZipZipZipZip	eths)
subscription to:  Name	StateStateStateStateStateStateInterbank	ZipZipZipZipZipZip	hths)

.

Give us your best: Join the ranks of these courageous CoCoists in showing the Color Computer world your high score at your favorite micro-diversion. We want to put your best effort on record in THE RAINBOW's Scoreboard column. All entries must be received 60 days prior to publication. Entries should be printed - legibly - and must include your full name, address, game title, company name and, of course, your high score. Each individual is limited to three score entries per month. Send your entries to Scoreboard, C/O THE RAINBOW.

\* Current Record Holder

```
Cheryl Pratt, Moab, UT
Andrew Truesdale, Ferguson, MO
Helene Gilbert, Rouyn-Noranda,
                                                                                                                                                                                                  114,140
                                                                                                                                                                                                                                                                                                                                                                                                                                  James Hall, Castlewood, VA
                                                                                                                                                                                                                                                                                                                                                                               72,650
                                                                                                                                                                                                                                                Quebec
                                                                                                                                                                                        COLOR BASEBALL (Tandy Corporation)
                                                                                                                                                                                                                                   ★Peter Greenen, Sterling Hts., MI
Paul Brouwers, Ontario, Canada
                                                                                                                                                                                                          89-0
61-0
                                                                                                                                                                                        Kevin Oberberger, Sparks, NV
Brian Austin, New Salisbury, IN
Emily Doubt, Deep River, Ontario
                                                                                                                                                                                                                                                                                                                                                                                                         12
                                                                                                                                                                                                                                                                                                                                                                                 GRABBER (Tom
                                                                                                                                                                                                                                                                                                                                                                                                                           mm(x)

★Brian Foley, Blackstone, MA

Blossom Mayor, East Greenbush, NY

Michael Corman, Lafayette, IN

Ellen Ballinger, Uxbridge, Ontario
   AREX (Adventure International)
                                                                                                                                                                                                                                                                                                                                                                                         147,600
129,100
                                             *Barbara Blumenberg, St. Francis, WI
 ATOM (Radio Shack)
BR 35 * Jean-François Morin, Loretteville,
                                                                                                                                                                                       CRAZY PAINTER (Cornsoft)
                                                                                                                                                                                                                                                                                                                                                                                            70,600
                                                                                                                                                                                                       9,500
                                                                                                                                                                                                                                   *Bernd Pruetting, Scheibenhardt,
                                                                                                                                                                                                                                         West Germany
Arlene Kochaniec, Windsor, Ontario
Patrick Kochaniec, Windsor, Ontario
31,900
                                                                                                                                                                                                                                                                                                                                                                                                                                  Stephane Asselin, Hauterive, Quebec
                                                                                                                                                                                                                                                                                                                                                                                GRAN PRIX (Computerware)
2.717 *Apollo Latham, Rich Square, NC
                                                                                                                                                                                                       1.950
                                                                                                                                                                                                                                                                                                                                                                               2,717 ★Apollo Latham, Rich Square, NC
HEIST (THE RAINBOW)
2,100 ★Sergio Waisser, Mexico City, Mexico
1,500 Susan Ballinger, Uxbridge, Ontario
1,500 Julio Comello, Scarborough, Ontario
1,500 Kirstie Compton, Suffield, CT
1,500 Andy Dater, Medford, OR
1,500 Diego Gallina, Summit, NJ
1,500 Tim Hoven, Eckville, Alberta
1,500 Jeef Robers, Wigfield, KS
                                                                                                                                                                                        CRUISING (Sunshine)
3,936 *Paul Hotz, Herzlia, Israel
                                                                                                                                                                                      BASEBALL (Radio Shack)
                                                                                                                                                                                       DEVIL ASSAULT (Tom Mix)
4,569,305 David Fitzpatrick, Ogallala, NE
                                             *Dave Fisher, St. Downey, CA
Walter Trainlips, Janesville, WI
Michael Rosenberg, Prestonsburg, KY
                464-0
460-0
                                                                                                                                                                                       A,509,305 Chad Barry, Rochester, NH
3,048,400 Brent Murphy, Mesa, AZ
2,890,000 Rich Van Manen, Grand Rapids, MI
2,014,600 Steven Rutkowski, Sterling Hts., MI
DOODLE BUG (Computerware)
3,472,000 AJO (Radio Shark)
                324-0
297-0
                                                   Joe Milligan, Julian, PA
Seth Newman, Yardley, PA
Helene Gilbert, Rouyn-Noranda,
                                                                                                                                                                                                                                                                                                                                                                                                                                  Jeff Roberg, Winfield, KS
Brendan Smith, Coral Springs, FL
Kevin Speight, Bridgewater,
                 296-0
                                                                                                                                                                                                                                                                                                                                                                                                 1.500
                                                                                                                                                                                                                                                                                                                                                                                                 1 500
                121-0
                                                         Quebec
 71-0 James Hall, Castlewood, VA
BATS AND BUGS (THE RAINBOW)
                                                                                                                                                                                                                                                                                                                                                                                                                                  Nova Scotia
Rupert Young, Sheffield, MA
                                                                                                                                                                                        MOWNLAND (Radio Shack)
45,659 Todd Witter, Chicago, IL
Jean-François Morin, Loretteville,
                                             Michael Rosenberg, Prestonburg, KY
Lezlee Bishop, Salt Lake City, UT
Apollo Latham, Rich Square, NC
                                                                                                                                                                                                                                                                                                                                                                               HYPER ZONE (Computerware)
59,830 ★Mario Asselin, Hauterive, Quebec
            24,600
7,200
                                                                                                                                                                                                                                                                                                                                                                                NVASION (Spectral Associates)
88,000 *Kevin Hawkins, Scottsburg, IN
35,420 Jeff Kennedy, Scottsburg, IN
THE JUNGLE (THE RAINBOW)
                 3 600
                                                                                                                                                                                                                                              Quebec
                                                                                                                                                                                                                                       Quebec
Joe Stanford, Jackson, MI
Jeff James, Roswell, GA
Mary Ward, Groton, CT
Derek Hall, North Bay, Ontario
Michael Ellison, College Station, TX
Ralph Ritchey, Laclede, ID
Joseph Smith, Bayside, NY
Com Mix)
                 3,350
                                                    Eugene Watanabe, Salt Lake City, UT
                                                                                                                                                                                                   42,188
                 3.300
                                                   Joey Lewis, Cabin Creek, WV
                                                                                                                                                                                                    41.896
 BIRDS (Tom Mix)
73,650 **Darren Kouhi, Brampton, Ontario
                                                                                                                                                                                                   38,954
                                                                                                                                                                                                                                                                                                                                                                                                                            *Apollo Latham, Rich Square, NC Greg Williams, Victoria,
                                                                                                                                                                                                                                                                                                                                                                                    2.054.212
73,650 ★Darren Kouhi, Brampton, Untario
BUZZARD BAIT (Tom Mix)
2,983,350 ★Blossom Mayor, East Greenwich, NY
2,902,700 Michael Popovich, Nashua, NH
2,087,650 Edmund Greene, Nashua, NH
                                                                                                                                                                                                    20,071
                                                                                                                                                                                                                                                                                                                                                                                     1,923,390
                                                                                                                                                                                                                                                                                                                                                                                1,923,390 Greg Williams, Victoria,
British Columbia
1,110,729 Tony Boring, Armagh, PA
1,030,582 Denise Morin, Hudson, MA
644,694 Matt Hazard, Columbia Station, OH
54,131 Jon Clevenger, Lima, OH
JUNK FOOD (THE RAINBOW)
                                                                                                                                                                                                    14,335
                                                                                                                                                                                       13,466
DRACONIAN
                                                                                                                                                                                                                                   Tom Mix)

*Peter Kral, Arcata, CA
George Hoffman, Shavertown, PA
Bernard Lamer, St. Joite, Quebec
Kyle Keller, Overland Park, KS
Jamie Spreng, Dartmouth,
  2.087,650 Edmund Greene, Nashua, NH
CANYON CLIMBER (Radio Shack)
8.990,000 ★Glen Giacomelli, Woodbridge, Ontario
2.326,200 Scott Oberholtzer, Lexington, MA
1.603,400 Shen Mansell, Calgary, Alberta
Jeff Weaver, Gordonville, PA
1.405,600 Sear Whitley, Avende, C
                                                                                                                                                                                                395,400
326,180
                                                                                                                                                                                                  191,340
                                                                                                                                                                                                  190,840
                                                                                                                                                                                                                                                                                                                                                                                64,750 *Bryan Bell, South Lyon, MI
39,300 Aaron Snyder, Hazleton, PA
37,550 Lenny Rockwell, Crouseville, ME
KATERPILLAR ATTACK (Tom Mix)
                                                                                                                                                                                                  167,170
                                                                                                                                                                                     167,170 Jamie Spreng, Dartmouth,
Nova Scotia

DUNKEY MUNKEY (Intellectronics)
2,116,200 **Dan Price, Tacoma, WA
1,936,000 Tim Greenen, Sterling Hts., MI
1,244,400 Jack Baran, Bensalem, PA
1,015,000 **Kyle Keller, Overland Park, KS
ELECTION '84 (THE RAINBOW)
525 to 13 **Ken Krejca, Chicago, IL
ELECTRON (Tom Mix)
14,625 **Mike Sieradski, La Verne, CA
FIRE COPTER (Adventure International)
112,550 **George Dougherty, Hampton, V
       1.426.600
                                                   Sean Whitley, Arvada, CO
 1.426,600 Sean Whitley, Arvada, CO
CASHMAN (MichTron)
$31,260 Fred Naumann, Hailey, ID
$27,530 Sally Naumann, Hailey, ID
$25,320 Chris Dunlap, Springfield, MA
$20,750 Melvin Pettuk, Nampa, Alberta
$19,330 Dan Ralston, Janesville, WI
                                                                                                                                                                                                                                                                                                                                                                                                                            *David Mulvey, Lancaster, CA
James Lafave, Williamstown, MA
Scott Fairfield, Williamstown, MA
Vadim Gotovsky, Toronto, Ontario
                                                                                                                                                                                                                                                                                                                                                                                            50,342
38,676
                                                                                                                                                                                                                                                                                                                                                                                            31,672
                                                                                                                                                                                                                                                                                                                                                                              18,949 Vadim Gotovsky, Toronto, Ontario 6,241 Bryan Bell, South Lyon, MI
THE KING (Tom Mix)
75,550 *Ken Krejca, Chicago, IL
THE KINGDOM OF BASHAN (Owls Nest)
200/259 *Greg Dorsha, Casper, WY
KLENDATHU (Radio Shack)
1,069,934 *Javier Manzano, Los Angeles, CA
LANCER (Spectral Associates)
74,250 *Matthew Crabtree, Pittsburgh, PA
41,700 Susan Ballinger, Uxbridge, Ontario
  CAVERN COPTER (THE RAINBOW)
                                             ★Doug Schwartz, Glendale, AZ
Sean Conner, Summit, NJ
Michael Mefferd, Wren, OH
                   1213
 968 Michael Mefferd, Wren, OH
790 John Rivers, North Adams, MA
760 PEATH (THE RAINBOW)
2,850 ★John Hobson, Plainfield, WI
CHAMELEON (Computerware)
38,800 ★William Triplett, Tampa, FL
CHOPPER STRIKE (Mich Tron)
162,400 ★Andrew Figel, Sardis, OH
130,200 Benny Pischke, Lloydminster,
Saskatchewan
                                                                                                                                                                                                                                   George Dougherty, Hampton, VA
Chris Hafey, Auburn, CA
Sam Hughes, Colton, GA
Woody Farmer, Acme, Alberta
Kevin Marsh, Bokeelia, FL
                                                                                                                                                                                                 112,550
107,370
                                                                                                                                                                                                    97.390
                                                                                                                                                                                                     78,860
                                                                                                                                                                                                                                                                                                                                                                                41,700 Susan Ballinger, Uxbridge, Ontario

LASERWORM & FIREFLY (THE RAINBOW)
45,194 *Theodore Latham Jr., Rich Square, NC

LUNAR—ROVER PATROL (Spectral Associates)
185,950 *Mark Jansen, Franklin, WI
179,350 Thomas Green, Natchez, MS
                                                                                                                                                                                        FOODWAR (Arcade Animation)
104,075 ★Mike Scharf, Fremont, OH
                                                                                                                                                                                                 104,075
                                                                                                                                                                                        94,905 Stephane Asselin, Hauterive, Quebec FROGGIE (Spectral Associates)
86,660 David Garozzo, Morrisville, PA
84,440 Bill Ide, Newark, DE
74,050 Mike Garozzo, Morrisville, PA
73,190 Brendan Smith, Coral Springs, FL
130,200 Benny Pischke, Lloydminster,
Saskatchewan
111,300 Paul Mahoney, Inver Grove Hts., MN
83,300 Doug Masten, Macon, MO
CLOWNS & BALLOONS (Radio Shack)
143,300 **Moe Tindell, Sebring, FL
116,475 Jeffrey Kochs, Grove City, OH
Colin Kerridge, Ladysmith,
British Columbia
                                                                                                                                                                                                                                                                                                                                                                                                                                  Paul Hotz, Herzlia, Israel
Bryan Jenner, Calgary, Alberta
Arlen Kochaniec, Windsor, Ontario
                                                                                                                                                                                        73,190 Brendan Shittin, 73,190 Brendan Shittin, 73,190 Brendan Shittin, 73,190 Bernd Pruetting, Scheibenhardt, 113,700 Berndany, West Germany, 113,700 Brendan Shittin, 73,190                                                                                                                                                                                                                                                                                                                                                                                              79.950
                                                                                                                                                                                                                                                                                                                                                                                                7.200
                                                                                                                                                                                                                                                                                                                                                                                MAZELAND (Chromasette)
5,500 *Todd Knapp, Prairie du Chein, WI
                                                                                                                                                                                                                                                                                                                                                                                 METEORS (Spectral Associates)
24,500 *David Bryan, Kentwood, LA
                                                                                                                                                                                        GALACTIC ATTACK (Radio Shack)
52,380 ★Diego Gallina, Summit, NJ
```

\*

## SCOREBOARD

\***\*** 

MICROBES (Radio Shack)

178,550

Apollo Latham, Rich Square, NC

144,350

Theodore Latham Jr., Rich Square, NC

98,450

Kent Jakway, Garrett, IN

59,960

Joey Lewis, Cabin Creek, WV

MONSTER MAZE (Radio Shack)

115,130

Theodore Latham Jr., Rich Square, NC

MOON HOPPER (Computerware)

116,490

\*Ellen Ballinger, Uxbridge, Ontario

114,540

Susan Ballinger, Uxbridge, Ontario

93,420

Arlene Kochaniec, Windsor, Ontario

78,820

Brian Austin, New Salisbury, IN

59,970

Cole McDonald, St. Cloud, MN

MOON SHUTTLE (Datasoft) MOON SHUTTLE (Datasoft)
9,200 Arlene Kochaniec, Windsor, Ontario
7,380 Curtis Frazier Jr., Enterprise, AL MR. DIG (Computerware) \*Ellen Ballinger, Uxbridge, Ontario
\*Ellen Ballinger, Uxbridge, Ontario
Thomas Henry, Boca Raton, FL
Jeff Davis, Ridgecrest, CA
Ann MacKery, Port Hardy,
British Columbia
Jeff Roberg, Winfield, KS 3,259,750 2,520,650 2.371.550 2,301,000 146,100 Mike Sieradski, La Verne, CA NINJA WARRIOR (Programmer's Guild) OR (Programmer's Gulld)

\*\*Jay Carr, Indianapolis, IN

Sandra Maguire, Port Elgin, Ontario

Douglas Rodger, Harvard, MA

Bud Seibel, Tumbler Ridge,

British Columbia

Martin W. Grimm, Elkview, WV 351,900 157,400 106,300 105,200 OFFENDER (American Business Computers) 99,250 ★Andrew Urquhart, Metairie, LA PAC 'EM (THE RAINBOW)
2,372 ★Stephanie Gregory, Coco Solo. Panama Lawrence Gore, Glencoe, AL 2,301 Dr. James Peterson, Radcliff, KY Art Hartsough, Ft. Wayne, IN Dick Mattox, Chattanooga, TN 2,106 2 028 PAC-TAC (Computerware) Mputerware)

\*\*Remnard Lamer, St-Joite, Quebec
Chris Melbye, Thief River Falls, MN
Curtls Frazier Jr., Enterprise, AL
Jon Clevenger, Lima, OH
Aimee Purcell, Uppersaddle River, NJ
David Bryan, Kentwood, LA
Judy Fahy, Central City, PA
Joe Bironas, Crestwood, KY 71,500 33,600 15,635 10,570 8,800 8,560 7.825 4,450 Joe Bironas, Crestwood, KY
PANIC BUTTON (First Star)
820 \*Mike Sieradski, La Verne, CA
PARACHUTE JUMP (JARB Software)
62,650 \*Dan Sobczak, Mesa, AZ
PARA-JUMPER (THE RAINBOW)
5,028 \*Jon Clevenger, Lima, OH
822 Peter MacLeod, Montague,
Prince Edward Island
783 Ronald Gates, Grand Rapids, MI
PUBLI INF (THE RAINBOW) 783 Honaio dates, Grand Fapius, Mi PIPELINE (THE RAINBOW) 478 \*Susan Ballinger, Uxbridge, Ontario Joe Bironas, Crestwood, KY 302 Lisa Ballinger, Uxbridge, Ontario PLANET INVASION (Spectral Associates) 32,350 \*Susan Ballinger, Uxbridge, Ontario POOYAN (Datasoft)
1,546,000 \*Jeff Connell, Winona, MN Helene Gilbert, Rouyn-Noranda, Quebec 194,800 POPCORN (Radio Shack) \*Susan Rushing, Tucson, AZ Jeffrey Kochs, Grove City, OH Helene Gilbert, Rouyn-Noranda, 64,380 57,860

54,280 Wyatt Godines, Lawrence, MI 51,930 Nathan Wallace, Waldorf, MD 24,410 Kevin Klein, Plainwell, MI PROJECT NEBULA (Radio Shack)

1,705 ★Ken Krejca, Chicago, IL PYRAMID (Radio Shack)

220/113 \*John Dupre, Mobile, AL Cornelius Caesar, Gundelhardtstr, West Germany 220/130 George R. Fairfield, Victoria, British Columbia 220/130 Robert Dickau, Sacramento, CA Andy Nelson, Winona, MN 220/133 Q-NERD (THE RAINBOW) 6,512,020 ★Ray Raval RAINBOW)

Ray Ravalitera, Bethune, France
David Chabot, Granby, Quebec
Apollo Latham, Rich Square, NC
Susan Bennington, Pensacola, FL
Robert Dickau, Sacramento, CA 326,810 240,360 181,920 130,000 Sean Conner, Summit, NJ 20,610 QUIX (Tom Mix)
525,633 Clayton Foxworth, Florence, SC RAKA-TU (Radio Shack)

50 \*\*Mike Bubb, Grafton, OH

50 \*\*Chris Cope, Central, SC

50 \*\*Aaron Flaugher, Hamilton, OH

51 \*\*Airon Flaugher, Hamilton, OH

52 \*\*Auron Flaugher, Hamilton, OH

53 \*\*Auron Flaugher, Hamilton, OH

54 \*\*Auron Flaugher, Hamilton, OH

55 \*\*Auron Flaugher, Hamilton, OH

56 \*\*Auron Flaugher, Hamilton, OH

57 \*\*Auron Flaugher, Hamilton, OH

58 \*\*Auron Flaugher, Hamilton, OH

59 \*\*Auron Flaugher, Hamilton, OH

50 \* \*John Kidd, Clarksboro, NJ
\*Barney Laverty, Gauley Bridge, WV
\*Michael Thomas, Flint, MI
40 Ellen Ballinger, Uxbridge, Ontario
40 David Bryan, Kentwood, LA
25 Joel Flaugher, Hamilton, OH
25 Patric Flaugher, Hamilton, OH
Russ Auld, St. Petersburg, FL

RADIO BALL (Radio Shack)
1,103,090 \*Mike Sengstock, Meriden, CT
RAINBOW ROACH (THE RAINBOW)
1,766,900 \*Nicky Rockwell, Crouseville, ME
REACTOIDS (Radio Shack)
12,114,140 \*Linda Mobbs, Pt. Huron, MI \*Chris Russo, Miami, FL Joseph Russo, Miami, FL Gary Bachtel, Huntsville, AL Robert Buerkle, Conway, PA 406,788 395,029 389,453 208,602 188,000 Todd Kaplan, Lawrenceville, NJ ROADRACE (THE RAINBOW) 5416.4 \*Jon Hobson, Plainfield, WI
ROBOTTACK (Intracolor)
7,528,100 \*Mike Scharf, Fremont, OH
3,242,812 Edwin Prather & Cory Soper. Oxnard, CA Horace Hamilton, Calgary, Alberta Randy Hankins, Tabor, IA Erik Merz, Noblesville, IN 2.516.050 2,216,950 1,922,200 Scott Lawrence, Kill Devil Hills, NC Bryan Bell, South Lyon, MI Andrew Urquhart, Metairie, LA 539.200 300,600 123,000 SAILOR (Tom Mix) 378,800 Andy Dater, Medford, OR

SCARFMAN (Cornsoft)

429,580 Bernd Pruetting, Scheibenhardt,
West Germany SCOOPER PACK (Spectral Associates)
5,000,000 \*Jeff Kennedy, Scottsburg, IN
2,400,020 Kevin Hawkins, Scottsburg, IN 44,870 44,480 Mark Nichols, Birsay, Saskatchewan R. Duguay, St. Bruno, Quebec 12.58 Kevin Hawkins, Scottsburg, in SKRAMBLE (Tom Mix)
61,020 \*Paul Hotz, Herzlia, Israel
45,440 Steve Schutjer, Hazel Green, WI
SLAY THE NEREIS (Radio Shack)
344,115 \*Ed Meyer, Vancouver,
British Columbia
47,442 Joseph DiBattista, Brooklyn, NY

<del>\\*\\*\\*\\*\\*\\*\\*\\*\\*\\*</del>

34,089 Craig Alexander, Heflin, AL SNAKER (THE RAINBOW) 1:26 Dan Sobczak, Mesa, AZ Susan Ballinger, Uxbridge, Ontario Baiju Shah, Deep River, Ontario Eric Burk, Williamsvill, NY 1:57 1:59 2:21 2:21 Eric Burk, Williamsvill, NY

STARBLAZE (Radio Shack)

11,000 \*Steve Schutjer, Hazel Green, WI
9,950 Albert Diaz, Canoga Park, CA
9,700 Mark Welte, Baxter, TN
6,850 Craig Alexander, Heflin, AL
Javier Manzano, Los Angeles, CA STAR TRADER (Computerware)
32 days \*Mark Mulvey, Lancaster, CA
STELLAR LIFE-LINE (Radio Shack)
100,070 \*Alex Gattin, McKinleyville, CA
33,100 Kenn Booth, Grand Rapids, MI Craig Alexander, Hellin, AL David Sullens, Cabool, MO 29,670 22,610 16,920 Jeff Loeb, Mobile, AL STORM ARROWS (Spectral Associates) 35,000 \*Stephane Asselin, Hauterive, Quebec SUB HUNT (THE RAINBOW) SUB HUNT (THE RAINBOW)

#Susan Ballinger, Uxbridge, Ontario

#Susan Ballinger, Uxbridge, Ontario

#Susan Ballinger, Uxbridge, Ontario

#Mark Wooge, Omaha, NE

#Doug Seibel, Tumbler Ridge,
British Columbia

248,530
Sally Naumann, Hailey, ID
Chris Oberholtzer, Lexington, MA

142,200
Fred Naumann, Hailey, ID
Jamie Spreng, Dartmouth,
Nova Scotia

15,600
Stephanie Morgan, Centerville, OH Stephanie Morgan, Centerville, OH (Tom Mix) 15 600 TOUCHSTONE 98,500 ★Glenn Wasson, Castleton, NY
88,300 Michael Mefferd, Wren, OH
65,520 Kevin Marsh, Bokeelia, FL

TRAILIN' TAIL (THE RAINBOW)
105,300 ★Jerry Dill, Frankfort, MI
102,930 Philip Parent, Smiths Falls, Ontario 94,810 Jean-Marc Parent, Smiths Falls, Ontario Michael Rosenberg, Prestonsburg, KY Kenneth Bergenham, Lawton, MI 76 275 TUT'S TOMB (Mark Data)

163,060

158,000

158,000

Chris Russo, Miami, FL

106,460

Elleen Kaakee, Royal Oak, MI

104,360

Gary Marshall, Layton, UT

Stephane Asselin, Hauterive, Quebec WACKY FOOD (Arcade Animation)
241,200 XTodd Kaplan, Lawrenceville, NJ
227,900 Jon Jenkins, Milner, GA
135,800 Mario Asselin, Hauterive, Quebec
105,100 Stephane Asselin, Hauterive, Quebec
WHIRLEYBIRD RUN (Spectral Associates) WHIRLEYBIRD RUN (Spectral Associates)
63,000 ★Andrew Urquhart, Metairie, LA
WILDCATTING (Radio Shack)
250,450 ★John Kidd, Clarksboro, NJ
33,090 Jack Ballinger, Uxbridge, Ontario
31,973 Lisa Ballinger, Uxbridge, Ontario
WILLY'S WAREHOUSE (Intracolor)
93,700 ★Craig Kluger, Miami, FL
ZAXXON (Patasol) Sean Conner, Summit, NJ Diego Gallina, Summit, NJ Theodore Latham Jr., Rich Square, NC 134 800 133,000 108,600 David Finch, Godfrey, IL

- Debbie Hartley

## SCOREBOARD POINTERS

\*\*\*\*\*\*\*\*\*\*\*\*\*

In conjunction with THE RAINBOW's Scoreboard, we offer this column of pointers for our game-playing readers' benefit. If you have some interesting hints and tips, we encourage you to share them by sending them to the Scoreboard, c/o THE RAINBOW.

#### POLTERGEIST PERJURY

Scoreboard:

Something I would like to bring to your attention is that the highest possible score on Poltergeist, by Radio Shack, is 5,205 points. Two people listed in December '84's "Scoreboard" had 6,730 and 6,600 points. This is impossible!

Ken Kreica Chicago, IL

#### GONE WITH THE WIND

Scoreboard:

I have some hints for people with Madness and the Minotaur. To get the first spell, you need the food and the mushroom. If a strong gust of wind blows the lamp out of your grasp, use this spell to restore it to you. Another tip: when you first start a new game, do W, W, N, and LOOK POOL.

I have solutions to this Adventure as well as to: Raaka-Tu, Pyramid, Bedlam, Sands of Egypt, Dungeons of Daggorath, and Keys of The Wizard. If you need a clue, or the complete solution, please write to me at 318 Brady Circle, 32055.

Steve Danielson Scoreboard: Lake City, Fl

#### SAO PAULO PEN PAL

Scoreboard:

I have answers to the following Adventure games (Hi-Res version): Black Sanctum, Shenanigans and Sea Quest. Anyone needing help for these Adventures, or wanting to exchange letters, please write to me at Rua General Osorio, 1526 Campinas.

I'd like to say thanks, and I'm waiting that my wish will be done as soon as possible.

Henrique Porto Sao Paulo, Brazil

#### CALLING ALL COCO NUTS

Scoreboard:

Recently, I have been to RAINBOWfest, and let me say it was great for my first time going. I bought Trekboer by Mark Data, and solved it in one week.

send a SASE to Mike's Room, 208 Osage Ave., 08083. I am interested in talking to people who are "into" CoCos. I will be happy if you write me a letter sometime.

Mike Rebbecchi Somerdale, NJ

#### A GOOD DEAL

Scoreboard:

I've done it. I have finally solved Madness and the Minotaur, and so can you. If anyone has trouble, don't worry. I have the answers. I will give you five pages of information on solving Madness and the Minotaur, including how to obtain all the spells. I will give you a map of all four levels, answers to the oracles' riddles, and lists of all the verbs, objects, treasures and spells in the game. Just sent \$1 and a SASE to me at 18 Chapin Road, 11735.

Rich M. Apollo Farmingdale, NY

#### FLASK FLAP

I have recently solved the Adventure game Dungeons of Daggorath. I have a word of warning to people who use any ol' flask. The Abye flask is very dangerous. If you look in the Webster dictionary Abye means to pay or punish for using. The hale and thews flasks aid you by making your heart slow to the slowest [rate] or giving you strength. If you have any questions on how to win or need help or tips send a letter stating your problem and I will help you as best as I can. I have also completed Bedlam but need help on Raaka-Tu. Write me at 2347 Grace Avenue, 95521.

> Alex Gatlin McKinleyville, CA

<del>\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*</del>

#### **BUG TRAFFIC**

Scoreboard:

I have solved these Tom Mix graphics Adventures: Sea Quest, Calixto Island, Black Sanctum. If anyone is hung up in one SASE and I'll give you the clue you need. Egypt it would be greatly appreciated. But I hit a snag in Shenanigans when I If anyone needs answers or clues, please landed in the pub. I tried ordering the Gaelic

beer, but it didn't seem to work any better than the other brands. I would appreciate some tips, as I seem to have run plumb out of ideas.

A suggestion for Megabug: keep changing direction; never pass up an intersection without sending a spur every way you can. Proceed from loop to loop, and save the dead ends until it is safe to try them (meaning there are no bugs nearby.) Write to P.O. Box 15564, 20003

> John Tiffany Washington, D.C.

#### **BEAT BASHAN**

Scoreboard:

I purchased The Kingdom of Bashan after reading your review in the November '84 issue of THE RAINBOW. The Kingdom of Bashan is yet another very good Adventure from Owls Nest Software.

Having solved the Adventure with 200 points and 259 turns I realized that it is not an unbeatable score but it will give other Adventurers something to shoot for. If anyone needs help with The Kingdom of Bashan, send me a SASE and state your problems. My address is 316 W. 15th St., 82601. I will answer as soon as possible.

THE RAINBOW is the most dedicated computer magazine I have ever seen, truly something for everyone. Keep up the great

> Greg Dorsha Casper, WY

#### PANEL DISCUSSION

Scoreboard:

I have a clue for Pyramid. If you go in the room with the Lamp, Bottle, and Food, type PANEL and you will teleport to the large room with the broken rock wall. Type PANEL again and you will go back. This will save you a lot of time and trouble.

I have also solved Raaka-Tu, Bedlam, Calixto Island, Black Sanctum, and the Scott Adam's Adventureland. If you need any clues or solutions send a SASE to P.O. Box 2581, 27948.

If anybody can tell me how and where of those, you are welcome to send me a to get the drinking container in Sands of

> Scott Lawrence Kill Devil Hills, NC

# Using Your Computer To Help Develop Classroom Material

By Michael Plog, Ph.D. Rainbow Contributing Editor

he use of the computer in education is not limited to computer assisted instruction, computer managed instruction and administrative programs. One often overlooked use of computers is the preparation of materials for students. When using the computer to prepare materials for a classroom, students do not ever have to see or touch a computer. In fact, teachers can use their home computers to prepare materials to be brought into class.

Let me give you a few examples from personal experience. My wife is a teacher for students with learning disabilities. She spends many hours at home preparing materials for her students. One type of material is a word find puzzle, using spelling words of the week. Since only three or four of her students would have the same list of words, this meant a lot of different

puzzles. The first program I ever wrote on the Color Computer would take a list of words and create a word find puzzle. The program has undergone several revisions and improvements, but still produces the same output. Instead of spending all that time preparing the word find puzzles, I now type in a list of her words, and the computer produces a matrix of letters, with words hidden among random letters

Another type of exercise she prepared for students is a word scramble. A word is provided for the students, spelled correctly and then repeated four times, with the letters scrambled in all the repetitions except one. The students have to select the correctly spelled word. The Color Computer is ideal for this task. All I do now is type in her list of words, and turn on the printer; the computer then produces the word scramble.

These may sound frivolous to you, but they are not simple tasks for students with perceptual problems. The word find puzzles are providing experience with figure/ground relationships, which is a major problem for some students. The word scramble is a visual discrimination and visual sequencing


while a child without realizing it, but children with a visual discrimination and sequencing disability need practice before they can read and spell effectively.

Preparation of such materials using the computer is not limited only to lessons for students with learning disabilities. The computer can help prepare materials for any type of student. Consider a simple example for students in primary grades. One duty for educators is to teach kids how to write, that is, draw letters that can be recognized. It does not require much advanced knowledge of graphics to program a computer to use the period key on a printer to make big letters which can be "filled in" by students. The practice of drawing correct letters is necessary before students can write adequately. (If you doubt this, check with your mother. She probably has some early efforts of yours tucked away somewhere.)

Of course, the use of a graphics printer can produce some wonderful materials for students. Instead of having all students in the class draw (or color) that same dumb leaf in the fall, pumpkin at Halloween, or snow-flake in the winter, why not produce different designs for students? A graphics

(Michael Plog received his Ph.D. degree from the University of Illinois. He has taught social studies in high school, worked in a central office of a school district, and currently is employed at the Illinois State Board of Education.)

Sugar Software





**RAINBOW SCREEN MACHINE** 

# **SCREEN MACHINE**

- The Rolls Royce of graphics/text screen enhancers more screen features than all others combined!
- Add these features to your computer/program: ML extension of Basic loads on top of 16, 32, or 64K machines to enable easy mixture of hi-res graphics and text in your programs. Dense text or large lettering for children, visually impaired or VCR title screens with no programming!
- User definable 224 character set featuring lower case descenders, Greek, cars, tank, planes, etc., completely interfaced with all keys, commands, and PMODES. 12 sizes (most colored) from 16 x 8 to 64 x 24. PRINT @, TAB and comma fields are fully supported.
- 2 distinct character sets automatically switch for sharpest lettering featuring underline, subscript, superscript, reverse video, top and bottom scroll protect, double width, colored characters in PMODE 4, and help screen.
- Simple 2-letter abbreviated commands inside your program or control key entry from keyboard, even during program execution!
- Includes demo program, character generator program and manual. 16K Ext. Basic required 32K recommended. \$29.95 Tape; \$32.95 Disk.

Screen Machine can be used in games, word processors, utilities, etc. In addition, the custom graphics characters can be used to develop easy, effective hi-res character-graphics programs. The potential is truly unlimited.

title screens or large lettering for children or the visually impaired simply by typing.

- Revolutionary heralded as the most useful, powerful and versatile state-of-the-art utility ever developed for the Color Computer!
- All of the features of Screen Machine and more:
- Variable SMOOTH Scroll for professional displays, listings, business use.
- Variable volume KEY Click (tactile feedback).
- EDTASM + command for instant compatibility with cartridge EDTASM
- Superpatch + command for instant compatibility with the Superpatch + Editor-assembler
- True Break key disable and recognition.
- 10 User Definable commands used to activate your special drivers or subroutine.
- Dynamic Screen Dump command for use with Custom Software Engineering's Graphic Screen Print program for simple printer "Snapshots" of your screen even during program execution!
- The new standard Upgradeable at any time from previous Rainbow-Writer or Screen Machine purchase. Return old program, manual, plus cost difference and \$7.00 shipping and handling.
- Super Screen Machine \$44.95 Tape; \$47.95 Disk.

Screen Machine is fully interfaced with all keys and commands. Although some Basic programming knowledge is rec-Screen Machine can be used to directly create video recorder ommended just a few minutes spent studying and referencing your computer's Basic manuals will turn you on to the power of computing with Screen Machine.



A complete catalog of other sweet Sugar Software products is available.

SUGAR SOFTWARE 2153 Leah Lane

Reynoldsburg, Ohio 43068 (614) 861-0565

No refunds or exchanges.





Add \$1.00 per tape for postage and handling. Ohioans add 5.5% sales tax. COD orders are wel-come. CIS orders EMAIL to 70405, 1374. Dealer inquiries in-

printer (and some good programming) can eliminate the sameness of classroom worksheets. Wouldn't it be wonderful to visit a second grade classroom and see different pictures instead of the same design, altered only by choice of colors?

Do not think that computer generated materials are to be used only by primary grade students. Materials can be developed for any age and grade. The computer makes an ideal way to print tests, for example.

Consider a mathematics test. The same process (multiplication, for instance) can be tested, but with different (random) numbers used for each test. This provides a very good protection against cheating, too. Each student has the same type of problem as the student in the next seat, but should get a different answer. The teacher is providing a variety of test items, but all related to the same skill.

Tests could be individualized in any subject matter. A social studies teacher may want to store over 100 questions on a computer for a single class. At test time, the computer could select a 20 item test (at random or not) for each student — but each student would receive a different set of items. The bank of test items could be continually updated by the teacher at home, without having to constantly create new exams.

By creative use of a database program, it is possible for a literature teacher to individualize test items to optional readings for students. For example, each student could be required to read any four of 10 optional pieces. Exam items for all 10 readings are stored in the computer, along with student names and the selections for each. The computer would then select a group of test items for each student, depending on the passage read.

Imagine the ease of test construction for a foreign language teacher using the item bank concept. Each individual student can only be tested on a small vocabulary list, compared to all the foreign words they are required to know. Using a database and an item bank, teachers can develop individual tests for students, as well as get some idea about what topics need greater coverage for the class as a whole.

With any test form printed by the computer, scoring can be simplified for the teacher. It is not difficult to have the computer print two pages for each test form. The first could have the correct answers printed; the second would have blanks for student responses. Naturally, individual student names could be printed on each test form.

The concept of an item bank for tests can be applied to other uses for computer generated materials. Work assignments, for example, can also be an application of an item bank. A teacher of a writing class might use an item bank for work assignments. Each student could be assigned themes on five topics, with no student having the same five topics, but each topic being assigned to at least three students.

While humans may consider the logistics of this type of assignment to be unwieldy, a computer can deliver the correct mix with no complaints.

Many teachers already keep student grades on home computers. Instead of providing quarterly grade cards, it might be worthwhile for students (and parents and teachers) to have more frequent progress reports. Students could be shown their grades every month (or even more often). This simple procedure can eliminate surprises at the end of a grading period. In addition to students knowing their progress, parents can be informed quickly about problems, and the teacher can easily identify difficulties before it is too late for correction. (Just consider the public relations benefits to be gained by teachers with this type of information to parents.)

In all the examples listed above, the major emphasis is on individualization of materials for students. With increased demands being put on teachers' time, it is more and more difficult to provide individual challenges for students. Yet, individualization is necessary in order for education to accomplish its multiple goals. The microcomputer offers a new opportunity for teachers to individualize materials for students.

Your comments and thoughts on these articles are always welcome. If you wish to share your experiences or ideas, please write me at 829 Evergreen, Chatham, IL 62629.



# THE NEW GENERATION



COMPLETE SG-10 PRINTER SYSTEM

All the performance, features, and reliability of the **Star Micronics GEMINI-10X PLUS:** 

120 CPS with true descenders.

NLO (Near Letter Quality).

2K BUFFER accessible.

HEX DUMP for Machine Language listings.

ULTRA HI bit image graphics.

20% INCREASE in throughput.

1 YEAR MICRONICS WARRANTY Servicable at over 4000 locations.

BLUE

MDI ETE

SYSTEM

NOTHING MORE TO BUY

- SG-10 PRINTER
- BLUE STREAK INTERFACE
- SUPER GEMPRINT
- TYPE SELECTION/TUTORIAL

95 + \$10 Shipping and Insurance SG-15-43995

# BLUE STREAK SERIAL TO PARALLEL INTERFACE

- RUN COCO I or II to PARALLEL PRINTER
- 300, 600, 1200, 2400, 4800, 9600 SWITCHABLE BAUD RATES
- AC POWER OPTIONAL-NOT NEEDED WITH SG-10 PRINTER
- COMPLETE WITH ALL CABLES AND CONNECTORS
- 180 DAY WARRANTY



5495 SHIPPING (SPECIFY PRINTER)
PAID!



# SUPER GEMPRINT SCREEN DUMP PROGRAM

"Overall, **Super Gemprint** is very well-written and documented."

-Rainbow December 84 review.

# BONUS! TYPE SELECTION/TUTORIAL PROGRAM FREE WITH SUPER GEMPRINT

Menu driven program for the CoCo. Teaches and shows the new user the numerous features of the SG-10.

SUPER GEMPRINT AND TYPE SELECTION/TUTORIAL PROGRAM

\$**17**95

+ \$2 Shipping and Handling

# DAYTON ASSOCIATES THE, INC.

DUN & BRADSTREET LISTED
7201 CLAIRCREST BLDG. C • DAYTON, OHIO 45424
(513) 236-1454
OHIO RESIDENTS ADD 6% SALES TAX
C.O.D. ADD \$2.00



# RAINBOW REVIEWS




Air	Traffic Control Simulator Excels With Precise Features/Betasoft Systems	229
The	e Archivist	220
	Make Cassette Backups From Disk/Sonburst Software	205
Aut	t <b>o Run 64</b> Avoid Crashing/ <i>Sugar Software</i>	224
BAS	SIC Programming Tricks Revealed	
	Unleash Your CoCo/Spectrum Projects, Inc.	226
Big	B Pro Quarterback Kickoff On Your CoCo/Big B Software	219
Big	Bird's Special Delivery	
	Excellent For Teaching Classification Concepts/Radio Shack	218
Bur	rner+ A Great Tool For The Avid Tinkerer/Pollak Electronics	228
Col	lorforth Version 2.0	
	Good Compiler Made Better/Armadillo International Software	198
The	Enhancer Expand Your CoCo's Vocabulary/H.D.R. Software	213
Flip	Side Develop Game-Playing Strategy/Radio Shack	102
Floi	ppiclene	132
	Cleans CoCo's Disk Drives/Automation Facilities Corp	233
Gra	Aphicom Joystick Solves A Problem/Spectrum Projects, Inc	221
Meg	gamunk	000
	Offers A Challenging Spectacle/Color Connection Software	200
MS.	. Maze Arcade-Like Performance/Tom Mix Software	216
Nur	mber And Color Words	
DD	A Good Early Reader Program/CY-BURNET-ICS	202
FF	The Screen Dump You've Awaited/Derby City Software	194
The	Peeper Monitors Machine Language Program Operations/Spectrosystems	217
64K	( Spooler	217
	Can Be Used With Printer Related Projects/DSL Computer Products, Inc	220
so	LVE	015
Sna	Remedies OS-9 Blues/Dugger's Growing Systems	215
Ope	Offers Two Great Adventures In One/Pal Creations	212
Spe	ectrum Analyzer	100
Too	A Fast Fourier Program/Ankia Research	196
100	Improve Math Skills/Sunburst Communications	227
Tex	kt Master And Graphic Master	201
VID	Transform CoCo's Screen/Dataman	231
1	Spreadsheet For The Color Computer/VIP Technologies	222
Ver	rsa Mail	1
Wa	Features Efficiency And Versatility/Computerware	211
	An Excellent Database Management System/Workbase Data Systems	207

# SIGHT...



# Combine the Color Computer 2 and the new



# At \$219.95, Our Best Color Computer 2 Has a Lot of People Talking

Radio Shack's most powerful Color Computer 2 has always been a popular topic among computer enthusiasts. Our new low price of \$219.95—a savings of \$40—makes it an even hotter one. But now there's a new voice in the crowd, because our Color Computer 2 can speak for itself.

# Get Sound and Speech for Just \$99.95

Add sound effects and up to three voices to your BASIC programs with our Sound/Speech Cartridge (26-3144, \$99.95). Put special sound effects in your personal game programs—or create your own stories and animated programs with the computerized voice of a narrator!

Our new cartridge is easy to use and plugs into your computer's Program Pak port or Multi-Pak Interface to add brand new challenges to your home programming. Simple PEEK and POKE commands let you access the Sound/Speech Cartridge for an almost endless number of exciting programming possibilities.

# Get a Computer Designed for Serious Programmers

Our 64K Color Computer 2 was designed for the serious programmer—but it's easy enough to use for a beginner to learn on! It's the ideal choice for your family's first venture into computing or for upgrading your present "out-dated" home system for new challenges.

This is no kiddie computer: the 64K Color Computer 2 has enough power and room for expansion to

# a sound.



# Sound/Speech Cartridge and hear what you see

see you through high school, college and beyond. But we've made it easy to start home computing with the Color Computer 2 right away. Just connect it to your TV set and start programming in Extended BASIC (we include an easy-to-use manual to show you how), or choose from our ready-to-run software for games, educational programs and more.

The 64K Color Computer 2 makes it easy to create stunning color graphics with simple one-line commands. For even more challenge, try color animation—or create your own arcade-style games with music and sound effects.

For advanced programmers, the 64K Color Computer 2 can handle string arrays up to 255 characters, trigonometric functions and multicharacter variable names, full-featured editing and more.

The Color Computer 2's Extended BASIC also lets you access 32,000 characters of memory right away. Just add a disk drive and operating system and you'll have a full 64K to work with.

# Expand Your Computer As Your Needs Grow

Your Color Computer can grow as your needs do. Add a disk drive and you can choose from our large selection of educational, entertainment and professional software. Or add a printer, plotter, modem, joysticks, Color Mouse and more for even greater versatility.

# See the Color Computer and Accessories Today

Radio Shack makes it easy to start home computing with the Color Computer 2 and our new Sound/Speech Cartridge. Visit your nearby Radio Shack Computer Center or participating Radio Shack store or dealer today for a hands-on demonstration. Be sure to see all the Color Computer accessories while you're there.

# Radio Shack The Technology Store

A DIVISION OF TANDY CORPORATION

#### New! 1985 Computer Catalog RSC-14. Send me a free copy.

Mail To: Radio Shack, Dept. 85-A-348 300 One Tandy Center, Ft. Worth, TX 76102

Name \_\_\_\_\_\_

City\_\_\_\_\_\_

State Zip \_\_\_\_\_

Prices apply at Radio Shack Computer Centers and at participating Radio Shack stores and dealers. 64K Color Computer 2 (26-3127) was \$259.95 in Cat. RSC-12.

# RECEIVED & CERTIFIED

The following products recently have been received by THE RAINBOW, examined by our magazine staff and approved for the *Rainbow Seal of Certification*, your assurance that we have seen the product and have ascertained that it is what it purports to be. This month the *Seal of Certification* has been issued to:

MICRO-GRIP V, a retrofit mechanism for the purpose of obtaining single sheet correspondence from Epson MX/FX/RX 70/80 tractor feed printers to achieve maximum friction feed capability. Bill Cole Enterprises, Inc., P.O. Box 60, Wollaston, MA 02170-0060, kit \$39.95

Primary Number Skills, a 32K ECB program covering numeration skills for children preschool through second grade. Two versions are available: TALKING (requires *The Voice*) with synthesized voice on all parts; MUSIC which rewards completion of 10 problems with melody. Both versions include Quit and Help key options. CY-BURNET-ICS, 5705 Chesswood Dr., Knoxville, TN 37912, cassette \$29.95, disk \$32.95, *The Voice* \$79.95 cassette or disk, plus \$1.50 S/H, Tennessee residents add 7% sales tax

The Talking Clock and Clock Arithmetic, two 32K ECB programs to promote time telling skills for children preschool through third grade. Rewards are provided for each problem and the completion of 12 problems. The Talking Clock uses The Voice and both programs load automatically and are menu driven. CY-BURNET-ICS, 5705 Chesswood Dr., Knoxville, TN 37912, cassette \$29.95, disk \$32.95, The Voice \$79.95 plus \$1.50 S/H, Tennessee residents add 7% sales tax

PRO-COLOR-FILE \*Enhanced\* Ver. 2.0, an all new version of *PRO-COLOR-FILE* including 60 data fields, fast ML sort (750 records in less than five minutes), possible creation of up to 16 indexes for sorting or reporting records and password protection. Derringer Software, Inc., P.O. Box 5300, Florence, SC 29502-2300, disk \$59.95 plus \$3 S/H

Galactic Fighter, a 32K arcade style game with graphics and sound. This futuristic scenario pits you and your single ship against the invaders from Dracoz. Only a highly alert and strongly motivated (you're the human race's last hope) avenger can succeed against asteroids, enemy fighters and defense lasers. Four Star Software, P.O. Box 730, Streetsville, Ontario, Canada L5M 2C2, cassette \$19.95 (U.S.), \$24.95 (CND.), disk \$24.95 (U.S.), \$29.95 (CND.) plus \$2.50 S/H

Bugs II, a 64K Adventure that casts you in the role of Captain of the deep space vessel Andromeda, presumed lost. After accidental cryogenic suspension lasting five centuries, you bring the Andromeda home only to find Intelligent Insects have subjugated the human race. You must find and destroy these pernicious vermins' power base. Four Star Software, P.O. Box 730, Streetsville, Ontario, Canada L5M 2C2, cassette \$19.95 (U.S.), \$24.95 (CND.), disk \$26.95 (U.S.), \$32.95 (CND.) plus \$2.50 S/H

CoCo Paint, a 64K graphics development system for single drive CoCos that mixes graphics and text using built-in or user-defined characters, screen dump to most printers and 300 to 1200 Baud modem communications capabilities. Four Star Software, P.O. Box 730, Streetsville, Ontario, Canada L5M 2C2, disk \$39.95 (U.S.), \$49.95 (CND.) plus \$2.50 S/H

JDG Kalends, a 32K Disk BASIC date book and calendar which features a full-screen editor, auto-repeating keys, Help screen with all keys defined and print-screen option. Jade Products, 519 N. Scott, Wheaton, IL 60187, disk \$28

Bumble Games, two 16K cassettes for youngsters aged 4 to 10 to explore basic mathematical concepts containing TIC-TAC-TOC, Bumble Dots, Find the Bumble, Find your Number, Butterfly Hunt and Visit from Space. The Learning Company, 545 Middlefield Rd., Menlo Park, CA 94025, cassettes \$39.95

EASY-EDIT, a 32K text editor requiring at least one disk drive. *EASY-EDIT* is designed for convenience for both assembly language and BASIC programming and offers these text handling capabilities: built-in DOS, 32-64K memory sense, auto key repeat and 51 by 24 character line screen. Mark Data Products, 24001 Alicia Parkway, No. 207, Mission Viejo, CA 92691, disk \$34.95

Addition & Subtraction of Fractions & Mixed Numbers, a 16K ECB program to guide a student through every step of the problem. Advice is given to allow immediate

corrections of errors. There are nine levels of difficulty with student performance determining the level offered. Timothy McIlwee, R.R. 2, Box 462A, Dundee, IL 60118, cassette \$10

The Ideal Host and Teleremote Executive, a 32K ECB communication complex requiring two disk drives. Capabilities include conversion of any 16K (and up) computer to a remotely operated mainframe computer. It can be accessed and operated by either smart or dumb terminals and has a two-or optional three-way security check. TITAN Software, 508 West Avenue, Northvale, NJ 07647, \$85 plus \$4.50 S/H

Juggles' Rainbow, a 16K ECB package for introducing very young children (ages 3 through 6) to the computer. Dancing rainbows and twirling windmills teach reading and math skills. The Learning Company, 545 MIddlefield Road, Suite 170, Menlo Park, CA 94025, cassette \$29.95

The Sailor Man, a 64K arcade game that pits Sailorman against Bigfatbadguy in a fight to the finish to determine who will win the heart of Elsie. It features nine screens (levels of difficulty). Tom Mix Software, 4285 Bradford, N.E., Grand Rapids, MI 49505, cassette \$29.95, disk \$34.95

Dan Tucker's Mine, a 32K ECB Adventure that casts you as sole inheritor of ol' Dan Tucker's legacy: a rumored lost fortune on a vast expanse of forest, mining tunnels, wilderness and abandoned prospecting sheds. Deductive reasoning, logic and a keen sense of purpose can bring you fame and fortune. PAL Creations, 10456 Amantha Ave., San Diego, CA 92126, cassette \$14.95

Stone of ROKAN, a 32K Adventure wherein you are Krog, chieftain of the Jamuras, in the land of Caladar. Your deity is ROKAN and after the theft of his sacred stone you must journey through lands of legends and wonders to retrieve the stone before famine and pestilence befall your people. PAL Creations, 10456 Amantha Ave., San Diego, CA 92126, cassette \$19.95

The Spanish Armada, your CoCo can become Mr. Peabody's Way-Back machine as this 32K strategic Simulation relives the summer of 1588 on the precarious, always unpredictable, English Channel. Can your English Commanders outmaneuver, outfire and outrun the Duke of Parma's "invincible" Armada? Picosoft Games, P.O. Box 85, Eighty Four, PA 15330, cassette \$24.95, Pennsylvania residents add 6% sales tax

**Library 2,** a 32K graphics library, this second program in the library series for Color Disk *EDTASM* users requires disk

drive(s). Capabilities include: 12 commands to draw lines, boxes and circles, GET, PUT, PCOPY and PCLS, single line assembler commands. Sadare Software, P.O. Box 3891, Gaithersburg, MD 20878, disk \$24.95

VIP Integrated Library, an applications package containing six stand-alone programs requiring 64K and at least one disk drive. Included are: VIP Database, an ML program featuring the Library memory sense with bank switching and selectable lowercase displays; VIP Disk-Zap, a repair and retrieve utility for bashed, crashed and dashed files, disks and hopes; VIP Calc, a worksheet and financial modeling program with memory sense and bank switching allowing 33K of workspace in 64K; VIP Speller, a 50,000 word indexed dictionary with add or delete facility; VIP Terminal, a communications smart terminal utility featuring selective Baud rates from 110 to 9600, word mode, full 128 ASCII keyboard and automatic graphics mode for sending and receiving programs, messages and other VIP Library files; VIP Writer, a word processor program with true format and edit windows, printer control codes and onscreen help. Softlaw Corporation, 132 Aero Camino, Goleta, CA 93117, \$149.95

BASIC Programming Tricks Revealed, a book by John Gabbard covering useful techniques for BASIC programmers seeking the most from the ever-obliging CoCo. Included are explanations and examples of *PEEKs, POKEs* and *VARPTR*. Spectrum Projects, Inc., P.O. Box 21272, Woodhaven, NY 11421 or P.O. Box 9866, San Jose, CA 95157-0866, \$14.95 plus \$3 S/H

ColorMath, a 64K educational guide requiring a disk drive. Math fundamentals; addition, subtraction, multiplication and division, are presented from beginning concepts to complicated problems with skill level placement. Comes with recommended lesson plans and parents' guide. Tandy Home Education Systems, Radio Shack stores nationwide, disk \$19.95

# CERTIFICATION SEAL

The Seal of Certification program is open to all manufacturers of products for the TRS-80 Color Computer, the TDP-100, or the Dragon-32, regardless of whether they advertise in THE RAINBOW. By awarding a Seal, the magazine certifies the program does exist, but this does not constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to THE RAINBOW'S reviewers for evaluation.

- Monica Dorth

**Graphicom Joystick** is a special joystick designed for use with the *Graphicom* graphics design program. Spectrum Projects Inc., Box 21272, Woodhaven, NY 11421 or Box 9866, San Jose, CA 95157-0866, \$24.95 plus \$3 S/H

VIDEO\*CLEAR, a kit containing a video cable, its filter block, a coaxial 'F' connector adapter and a 300 ohm BALUM connector to hook up between your computer and your TV set to reduce or eliminate picture interference caused by the computer itself. Spectrum Projects, Inc., P.O. Box 9866, San Jose, CA 95157-0866, or P.O. Box 21272, Woodhaven, NY 11421, \$19.95 plus \$3 S/H

**HQ-Screen-Dump**, a 32-64K ECB ML program for the Gemini-10X printer allowing printouts of the images of the Hi-Res *PMODE 4* screen. Zoltan Szili, 2490 Rue Bourdages, Longueuil, Quebec, Canada, J4M 1N9, cassette \$12, disk \$15

TRI-GRAF and SHOWMAKER, two 16K ECB programs compatible with *The Animator. TRI-GRAF* functions as a computer graphics studio to develop charts, graphs, artwork, reports, presentations and background scenes for your title screens, games, programs and animated cartoons. *SHOW-MAKER* compiles and displays any number of *TRI-GRAF*-generated picture panels. Triad Pictures Corp., P.O. Box 1299, 134 Simders Rd., Sequim, WA 98382, cassette \$16 plus \$2 S/H

# SOFTWARE THAT DOES SOMETHING!

NOT SHOOT-EM-UP GAMES
NOT ANOTHER LANGUAGE
NOT MORE UTILITIES

ANKIA RESEARCH Software lets your Color Computer do something for you NOW!

Our PROFESSIONAL 3-D PLOTTER# will draw a "landscape" in 6 seconds! This ML program lets you generate the surface using BASIC and almost instantly your picture appears. \$24.95

Our SPECTRUM ANALYZER# will calculate a Fast Fourier Transform (spectrum) over 10 times faster than BASIC. \$24.95

Do you run a small business or a large home? PROPRIETOR'S ACCOUNTANT is a complete double-entry bookkeeping system. 32 K Disk Only \$29.95

# WE'VE TAKEN THE WORK OUT OF SOLVING YOUR MATHEMATICS PROBLEMS!

Do you have a series of points that you want fit to a line or curve?

Get FUNCTION FINDER\* \$12.95

Do you want to solve an equation or a set of linear equations? You need EQUATION EVALUATOR\* \$12.95

Do you need to invert, add, and multiply matrices? MATRIX MATH\* can handle a 37x37 matrix in 32 K. \$12.95

Do you need to solve a finite integral or differentiate a function?

CALCULUS® can do it. \$12.95

ALL 4 MATH PROGRAMS \$44.00

EDUCATIONAL SIMULATIONS#
STRATEGY POLITICS \$16.95
The 1984 Election

STRATEGY INVESTING
Today's market or 1929
STRATEGY FOOTBALL
\$16.95

NFL NCAA, USFL Play-by-Play
STRATEGY BOXING \$12.95

Coach the Olympic Team
IMAGE PROCESSING \$16.95

64 x 48 Pixels with 16 gray scales
ALL FIVE SIMULATIONS \$69.95

Check or money order, add \$2.00 shipping. Specify Disk or Tape, #32 K or \*16 K Req'd. Florida Residents add 5% Sales Tax WRITE FOR FREE CATALOG



901-19 INDIANTOWN RD. SUITE R JUPITER, FL 33458

# REVIEWING REVIEW

#### VIP CALC

Editor:

We would like to thank RAINBOW for this opportunity to respond to the excellent review of VIP Calc by Stuart Hawkinson. It is this type of devotion to fairness and objectivity which will keep RAINBOW as the undisputed leader in Color Computer magazines.

There is really very little to add to this excellent review. We would mainly like to point out how the problems brought up by the reviewer have been corrected. The copy of VIP Calc which THE RAINBOW received was one of the initial releases, and therefore had some bugs, all of which have long since been corrected.

The problem Mr. Hawkinson had with the sort feature was not due to the program. but was due to a poor explanation in the manual of how to use the sort function. The manual has since been corrected. The replicate problem was also easily taken care of, as was the locate command bug, and the problems with some of the more arcane trigonometric functions.

While we're here, we would also like to point out one feature which Mr. Hawkinson did not mention, but which is important when comparing the spreadsheet programs on the market. VIP Calc has up to eight display windows so that the screen can be split up to show different portions of the worksheet. This feature, which is standard with spreadsheet programs such as VisiCalc, MultiPlan and Lotus 1 2 3, allows the user to juxtapose portions of the worksheet which cannot be seen at one time, even with the high resolution screens, for comparison and easy reference.

More importantly, VIP Calc is now a major part of VIP Integrated Library. This adds integration to the other advantages pointed out about VIP Calc.

Thanks again to RAINBOW.

Tom Nelson VIP Technologies Goleta, CA

#### ADOS

Editor:

There are a couple of comments I'd like to add concerning Dale Shell's fine review of our enhanced Disk Basic ADOS that appeared in the December 1984 issue, Page

Since Mr. Shell's review, we have added a major new feature to ADOS: error trapping (the equivalent of an ON ERROR GOTO command). This feature was added in response to a surprising number of requests for it that we encountered, particularly from those running BBSs, when ADOS was demonstrated at the recent Princeton RAINBOWfest.

Secondly, we would like to clarify Mr. Shell's correct statement that burning ADOS into an EPROM may result in loss of the ability to use the high speed poke. In actuality, whether or not the high speed poke is retained depends on the type of EPROM used. We supply a list of sources that will burn ADOS into an EPROM (after the user has customized it using the provided utilities) for a total cost of \$20, including the cost of the chip. The type of EPROM used by these suppliers will almost invariably allow the high speed poke to be retained. No soldering is involved in the installation of the EPROM; it is simply a matter of unplugging one chip from its socket inside the disk controller and replacing it with the EPROM, an operation for which we provide full instructions.

Arthur J. Flexser SpectroSystems Miami, FL

#### SPECTRUM ANALYZER

Editor:

In regard to the review of Spectrum Analyzer by Stuart Hawkinson, let me comment. First, let me thank THE RAINBOW for obtaining such a professional, intelligent, and qualified reviewer for a technical program such as Spectrum Analyzer. The program was not designed for "the gameplayer;" it was written for the serious user of the Color Computer. My description in the Catalog states that this program is for "the professional scientist or engineer or a student in the scientific field." Although the reviewer received a copy supplied on disk, this program, as well as all other scientific or educational programs from Ankia Research, are available on disk or tape. They will work with either medium; however, since data files are more easily stored on disk, that medium is recommended.

Mr. Hawkinson makes three remarks concerning possible drawbacks of the program operation. The first concerns the "fixed length (256)" of the data samples. This has been changed in version 2.0 available at this writing. All owners of version 1.0 have been sent, free of charge, a copy of version 2.0 which lets you vary

the length of the sample. Any length of sample from 2 to 256 is allowed (as long as it is a power of 2; i.e., 2,4,8,16, etc.). Mr. Hawkinson mentions the "bothersome . . . display." I would like to announce that version 2.0 also has a reformatted display and the "bug" was corrected which caused an error if data-altering followed a screen output.

Please let me emphasize the comments made in the last paragraph of the review. "The program does compute FFTs correctly. And the machine language version certainly speeds the process." This is no mean feat. The program was written in assembler and uses the floating-point calls to BASIC where necessary. A 256-point FFT takes 16 seconds; a 128-point FFT takes 7 seconds; and all FFTs less than 32 points take less than one second! For comparison, a 256point FFT in BASIC, with the same algorithm, takes nearly two minutes. Besides, this program is not copy-protected so that users might use it in other specialized software. The good points must certainly outweigh the fact that - you need to know what the program does — before it becomes useful. This is the requirement of any software, especially the professional and educational software of Ankia Research.

Robert K. Tyson President, Ankia Research Jupiter, FL

#### SUPER SPOOLER

Editor:

Thank you to Sandy and Barry Smith for their excellent review of our product SuperSpooler on Page 219 of the December 1984 issue.

The review contained only one small error. The reviewers stated that the manual does not show how to change the size of the buffer. However, pages 14 and 15 of the manual explain how to modify the size and location of the buffer.

Also, perhaps space constraints required a shorter review, so the Smiths were unable to mention the powerful features included in SuperSpooler; such as reprinting the buffer, checking the status of the buffer and fine-tuning SuperSpooler to the user's

Once again, thank you to the Smiths and THE RAINBOW.

> R. Lainevool Tandar Software Agincourt, Ontario

#### AUTOTERM

Editor:

I would like to reply to Ed Ellers' review of AUTOTERM (November 1984, Page 229). While Mr. Ellers' comments on this program were primarily complimentary, I feel he was not entirely fair in his criticism. He states that the one drawback to the program was the lack of its ability to delete unwanted logon/off protocol. The truth is that the program has a built in provision to handle this or most other user requirements. The KSM function (programmable function keys) allows the user to set up, prior to going online, any combination of deletes/ saves he wishes. All the user has to do after this set up is push two keys and stand back. Personally I appreciate the lack of the automatic "header" delete mode. Several of the mainframes charge per minute and assess an additional charge if they have to bill you. The logon time is generally printed in the upper right immediately after logon. Incidentally, I have no connection with PXE Computing other than being a very satisfied customer.

> Larry Goldwasser DeSoto, MO

Editor:

Thanks for whatever time you spent on reviewing AUTOTERM. I'm sure that you have other things that make demands on your time.

I did notice one misunderstanding in your review. You implied that the user cannot delete text while in the Send/Receive operating mode, saying that it is a lot of trouble to jump into text editing mode in order to get rid of unwanted text accumulated in the buffer. Actually, the user can delete, edit, etc. while in the Send/Receive mode. Perhaps the manual isn't so good at emphasizing such capabilities. It also appears that you may not realize that CLEAR up-arrow toggles SAVE-TO-MEMORY on and off. The 'M' in the upper right of the screen tells you when SAVE-TO-MEMORY is on.

Hope that these comments make AUTO-TERM a little more usable for you.

Phil Zwart PXE Computing Richardson, TX

Editor:

Mr. Ellers' review of AUTOTERM failed to mention several features of the new disk version of that program. He did not mention the new FIND feature, which will search for any string. And although he did discuss the new Hi-Res screen displays, he neglected to discuss some of the screen features, such as the scroll/no scroll mode. Let's give AUTOTERM the credit and recognition it truly deserves. I've been using AUTOTERM for well over a year, having upgraded from the cassette version to disk (which PXE Computing sent me free). Hats off to author

Phil Zwart and PXE for making the best terminal program for any computer.

Robert Codver Northboro, MA

Editor:

I would like to comment on Ed Ellers' review of AUTOTERM by PXE Computing. The review did not specify which version of the program was reviewed. The disk version that I have been using does not have any of the shortcomings that the reviewer pointed out. AUTOTERM offers a convenient method of continuously maintaining a disk file of your session. The MAINTAIN command lets you easily copy to disk only the not-yet-saved portion of your current session. Using the MAINTAIN command has allowed me to download files too large to store in memory.

So far I have only found one operational deficiency. When I try to correct my typing errors on some of the Apple bulletin boards, they echo the "backspace character" and it is displayed on my screen as an "inverse

I have been using the program for some time now. As a matter of fact, the first version (2.0D) I received did not have the high-resolution screens. As soon as it was ready, the high-resolution version (3.0D) was sent to me, free of any charges. Only it had a problem, which PXE took care of by sending me version 3.2D; also free of any charges.

Bobby Joe Harrison El Dorado, AR



800-245-6228

CALL 215-602-6055 IN PA. OR FOR TECHNICAL NOTES



ALL PRICES INCLUDE CASE AND POWER SUPPLY!

PLETE WITH JOS OR RSDOS

2 SINGLE-SIDED DRIVES: #265

(ADD \$20 FOR TEAC D-8)

ALL DRIVES ARE 1/2 HEIGHT, DIRECT DRIVE, 40 TRACK & 6 MILLISECOND AND ARE FULLY ALIGNED, AND CERTIFIED AT NO EXTRA CHARGE TESTED

ALL DRIVES ARE TEAC OR PANASONIC

6 монтн MARRANTY ON PANASONIC,

> 12 MONTH ON TEAC DRIVES



M.C. AND UISA ACCEPTED

P.O. BOX 116-F MERTZTOUN, PA

19539 (PA residents include 6% tax)

call TOLL-FREE: 000-245-6220 in Pennsylvania: 215-682-6855

THE WINNER "TIGRESS" -of Compuserve's Coco SIG Graphics Programming Contest DRAWN USING "MASTER ARTIST", BY THE AUTHOR OF THE PROGRAM GET IT RLL IN ONE PROGRAM:

TOUCH-PAD INPUT
X-PAD INPUT
MOUSE INPUT
DAYSTICK INPUT
PAINT COMMAND
TEXTURES
"RUBBER STAMP" PAINTBRUSHES
LETTERING IN ANY SIZE
COLOR SCREEN DUMP TO INK-JET

MASTER ARTIST (V.2.0) ... 29.95 64K disk.....

See our ad in December or January RAINBON for other graphics programs:

3D-DESTGNER. ANIMATOR'S TOOLBOX..24.95 2-PROGRAM DISCOUNT 3-PROGRAM DISCOUNT

# Develop Game-Playing Strategy With Flip Side

Flip Side is a creative strategy game for children aged 10 and older. It is written and produced by the Children's Computer Workshop, an activity of Children's Television Workshop (the people who have given us Sesame Street, The Electric Company and 3-2-1-Contact).

To play this game requires a Color Computer with Extended BASIC, a cassette recorder and joysticks. A color television or monitor is necessary as a display (I first tried this game with a black-and-white receiver, but could not differentiate between the red and blue player pieces).

Flip Side is a board game for one or two players. It is remotely similar to Othello and Reversi games, in that players place markers on the board and flip the opponent's pieces (and those of the computer, as well) according to rules established at the start of each game. At the end of each round, the computer flips the pieces of each player according to the same rules. It then displays the score of each player and the number of rounds remaining. Each player tries to fill as much of the screen with his colored markers as he can. The player must use strategy to analyze the continually changing pattern and place his marker to maximize his score.

At the beginning of each game, the player is given the option to play the "standard" game, or he may modify the rules. He can change the number of markers each player may play in any one round, the number of rounds in the game, the number of times the computer will flip at the conclusion of each round, and the rules for flipping markers. (These rules define flips based on the colors of the eight squares surrounding a player's marker. Depending on these colors, a player's piece may be flipped to the opponent's color, unflipped to the background color, or remain unaffected.)

The 15-page instruction book supplied with this game is excellent. It includes detailed setup instructions and a diagram. It also includes a step-by-step procedure to be followed in the event of a loading problem. Detailed playing instructions are included, with numerous diagrams to illustrate game play. And finally, detailed instructions explain how to modify the game.

As you can probably tell, I enjoyed reviewing this game. Although a 10-year-old (remember, this game is recommended for children aged 10 and older) would not be able to develop a sophisticated playing strategy, he would, I think, enjoy the game. And older children would find themselves really challenged to improve their previous scores by developing a more complicated playing strategy.

(Radio Shack stores nationwide, cassette \$19.95)

- Jerry Oefelein

# MUL-T-SCREEN



# COLOR CHARACTER GENERATOR A NEW DIMENSION IN COLOR COMPUTING



- Now includes a character generator and sample graphic space game at no extra cost.
- Full 224 text and graphic characters. Underline in all PMODES.
   Prints vertically.
- All machine language, user transparent. Supports all BASIC, EXTENDED BASIC and DISK commands.
- · Automatic loader recognizes 16K, 32K & 64K computers.
- Mix up to 5 character sizes in 4 colors all on one screen. A total of 10 sizes available from 8\*4 to 42\*24 or 32\*32 in vertical mode.
- Use up to 4 defineable window screens of any size. Also includes horizontally scrolling (crawling) one line screens.
- Includes positive & negative screen dumps in 2 sizes for R/S, Epson & Gemini printers. (Please specify)
- Special Trace Delay can be used to debug programs one line at a time ( even graphics ).
- A special printer control can output characters to the screen & printer simultaneously.
- A must for all color computer owners. Once you try it you won't write another program without it.

# INCENTIVE SOFTWARE (519) 681-0133

P.O. BOX 323 STATION B LONDON ONTARIO CANADA N6A 4W1 P.O. BOX 7281 PORT HURON MICHIGAN 48301 U.S.A.

MINIMUM REQUIREMENT TAPE - 24.95 US or DISK - 27.95 US or 16K BASIC 29.95 CDN 32.95 CDN

VISA

MasterCard

Tape to Disk upgrade available for \$8US or \$10CDN. We pay postage within US & CANADA on orders over \$20, otherwise please add \$1. Other countries please add \$2. Charge orders please add \$1.



# federal Hill Software

FINE PRODUCTS FOR THE COLOR COMPUTER, DRAGON AND MC-10



# You Need Coco-Accountant II

Were your taxes a mess last year? Do you look at your bank balance and wonder where all the money went? Then you need Coco-Accountant II. This 32/64K home and small business accounting program is all you need to answer the Three Big Questions about your money: Where did it come from? Where did it go? And what can I deduct from my taxes?

Spend a few minutes with your canceled checks, credit card receipts and payroll stubs. Here's what Coco-Accountant II will do:

★ List and total expenses or income by account.★ List and total expenses and income by month, with net cash flow report. ★ List and total expenses or income by payee/income source. ★ Year-to-date summary by account. ★ List and total tax deductible expenses. ★ List and total expenses subject to sales tax-even compute the sales tax you paid! ★ Print a spreadsheet showing activity by account and month for a whole year (Seeing is



believing!). ★ Balance your checkbook. ★ All reports (except spreadsheet) to screen or printer. ★ Store data on tape or disk.

The 32K tape version stores 450 entries in a single file; 32K disk stores 500. The 64K versions store 900 entries on tape or disk. Our happy customers say this is the most useful program they own, and you'll agree! Only \$34.95, tape or disk. Please state memory requirements.



If you like racing, you'll love The Handicapper! These 16K programs for Thoroughbred and Harness horses combine the power of your computer with the savvy of a veteran horseplayer. Spend a few easy minutes entering data and get rankings for the horses in each race!

All information is readily available from the thoroughbred Racing Form or Harness track program. We even provide a diagram showing you where to get the data you need! Factors include speed, past performance, post position, class, weight (for thoroughbreds), jockey or driver's record, beaten favorite, stretch gain, breaking tendencies and parked out signs (for trotters).

The Handicapper programs come with complete instructions and betting guide. We tell you which races to bet and which to avoid-one of the secrets of good handicapping. For all Color Computers and Model 100's. Thoroughbred or Harness, \$34.95 each on tape or CoCo disk. Both programs only \$49.95.

# **Greyhound Handicapper**

NEW GREYHOUND HANDICAPPER! Now use your Color Computer for greyhounds, too. This fine program, written by a veteran trainer, uses speed, breaking tendencies, favorite box, kennel performance, maneuvering ability and other factors to rank the dogs in each race. Recommends quinnella, trifecta and exacta bets, too. For CoCo only, \$27.95 tape or disk. SPECIAL-All three Handicappers only \$64.95!

# Play Blackjaq!

This lightning-fast, full casino Blackjack simulation will boggle your mind! Up to 5 players and 9 decks. The computer deals and plays vacant hands—by card-counting rules! Blackjaq keeps track of winnings and losings, displays two card-counting algorithms and card distribution. It can even print out the results of every hand! Great for beginners or advanced players. Requires 16K Ext. Bas. Only \$27.95, tape or disk.



# **federal Hill Software**

FINE PRODUCTS FOR THE COLOR COMPLITER, DRAGON AND MC 10



We accept checks, money orders, Visa and Master Card. Add \$1.50 for shipping. Make foreign orders payable in U.S. funds. Credit card orders should include card number, exp. date and signature.

825 William St. Baltimore, Md. 21230

301-685-6254

# PP Color Dump Is The Screen Dump You've Awaited

The old saying says that "a bird in the hand is worth two in the bush." A similar expression is true with computer artistry: "a picture on paper is worth several on the screen." Everyone who owns a printer wants the capability of duplicating an interesting graphics screen in hard copy form. Surprisingly, there are very few "screen dump" programs currently available for the popularly priced CGP-115 color printer/plotter. This review is about a new screen dump, called *PP Color Dump* which, if you own a CGP-115, may be the software you have been looking for.

One of the most important characteristics of this type of software is speed. The reason for this is there are potentially over 49,000 pixels (picture elements) of information to reproduce. *PP Color Dump* achieves the desired speed by utilizing machine code. This program is

# FLY at MACH 2!

# F-16 Instrument Flight Simulator

Don't chug around at 90 knots with other simulators - F-16 flys Mach 2.6, is fully aerobatic, very realistic.......\$21.95

DESCENDERS - FIX RADIO SHACK® LPVII, DMP100, TDP-1, AND GORILLA BANANA® CHARACTERS.......\$17.95

TELEWRITER-64 TAPE......\$49.94 DISK.....\$59.95

ELITE CALC THE BEST CoCo Spreadsheet.....\$59.95

ELITE FILE THE BEST CoCo DATABASE.....\$74.50

# NEW: CoCo WORLDTM

OUR SOFTWARE CATALOG

Tired of seeing fabulous ad pictures that don't resemble the program at all? Wonder what the programs really do? Our catalog is on tape or disk and contains detailed explanations of programs, demo programs & graphics, along with reviews & articles for you. Send \$2.00 & we will rush you our latest in formation. Please specify 16/64K tape or disk. Note: Any Software Author may advertise in our catalog at nominal cost; contact us for details.

Call (813) 321-2840 9-5 pm EST for ordering or information.

KRT Software Inc.
P. O. Box 41395
St. Petersburg, Florida 33743



MasterCara

VISA

unique in my experience because it is a product of a BASIC program which has been compiled with the Color BASIC Compiler sold by Computerware. This means the program was originally written in BASIC and converted by the compiler program into a form of machine language. The result in this application is quite satisfactory. The speed and quality of this software reflects the capability of the compiler program, as well as the BASIC programming skills

PP Color Dump is a menu-driven program allowing a variety of options. Among other features you can flip through graphics memory pages, change a particular color, set a different graphics mode and reverse the colors. All this while previewing the results on the screen. You also have the ability to set the high speed poke, which increases the output speed slightly, but the speed of the printout with this program is limited mostly by the plotting rate of the CGP-115. Be prepared to spend about 15 to 20 minutes per color pass.

One of the key features of this screen dump program is its double size printout. One pixel on the screen is reproduced as four points on the plotter. The screen is scanned vertically while the output is printed horizontally. This orientation creates a picture which is nearly the full width of the paper.

Derby City Software has obviously tried very hard to please the customer with this product. This is apparent with a very detailed five pages of instructions on how to use the software. There are also hints on how to save time by eliminating the drawing of the background color (i.e., use white), as well as trouble-shooting hints if something goes wrong.

There is very little to be critical about with this program. I suppose it would have been nice if the program included a 1X as well as 2X printing mode. This would save time for some applications. Also, it should be mentioned that the primary disadvantage of a compiled program is the inefficient use of memory space. Unfortunately for 16K RAM machine owners, a 32K system is needed to run PP Color Dump.

There does appear to be one minor bug in the program. This occurs if the space bar is hit after the program has been loaded and *EXEC* typed. The program hangs up with a "TURN THE PRINTER ON" prompt shown on the screen. Turning on the printer at this point does not solicit a response. This minor problem is avoided by hitting ENTER immediately after typing *EXEC*.

PP Color Dump is supplied on tape, but functions equally well with disk. Instructions are included to save the program to disk. Also, according to the instructions, any CoCo can use this screen dump. This means Extended BASIC is not required.

Overall, I believe this program, with a few minor exceptions, is well worth consideration if you are in the market for a decent, easy to use, and reasonably fast screen dump for the CGP-115 printer/plotter. It definitely fills a current need.

(Derby City Software, 3141 Doreen, Louisville, KY 40220, cassette \$19.95 plus \$1.50 S/H)

- Tom Szlucha

# DIGISECTOR DS-69 VIDEO DIGITIZER FOR THE COCO

Give your COCO the gift of sight!

The Micro Works is happy to introduce the newest member of our Digisector<sup>™</sup> family — the DS-69 Video Digitizer for your COCO. It has all the standard features of its big brothers but comes with a price tag that's right for you.

- High Resolution 256 by 256 spatial resolution.
- Precision 64 levels of grey scale.
- SPEED! ½ second for a full screen of video.
- Compactness Self contained in a plug in Rompack.
- Ease of Use Software on disk will get you up and running fast!



The DS-69 Digisector opens up a whole new world for you and your COCO. Your computer can be a security system, take portraits, analyze signatures, inspect assembly work . . . the DS-69 is your COCO's

eyes. Use the DS-69 and a TV camera to get fast, precise conversion of video signals into digital data.

#### Powerful C-SEE™ software.

C-See is a menu-driven software package included with your DS-69. It provides high speed 5 level digitizing to the screen, high precision 16 level digitizing for superb hard copy printout, and simple software control of brightness and contrast. Or call our driver rou-

tines from your own Basic program for easy 64 level random access digitizing. Pictures taken by the DS-69 may be saved on disk by C-See and then edited by our optional MAGIGRAPH package for enhancements and special effects.



The DS-69 comes with a one year warranty. C-See supports both cassette and disk operation with the Multi-Pak adaptor and requires 64K. Cameras and other accessories are available from The Micro Works. Let your COCO see the World!

■ DS-69 Digisector & C-See Software

\$149.95

■ MAGIGRAPH Graphics Package on disk Terms: Visa, Mastercard, Check or C.O.D.

\$ 39.95

Purveyors of Fine Video Digitizers Since 1977.

The CRO
WORKS
Established 1977

The state of the s

P.O. Box 1110

Del Mar, CA 92014


(619) 942-2400

# Spectrum Analyzer: A Fast Fourier Program

Spectrum analysis involves transforming a signal into its frequency components. From a spectrum, you can tell what frequencies are present and their relative strengths. You can also see the effects of filtering various frequency bands. Normally, spectrum analysis is beyond the means of the casual computer hobbyist.

The Radio Shack Audio Spectrum Analyzer program pack allows you to see the frequency components in an audio signal, but the program itself has no facilities for experimenting with various filter functions, or for transforming the frequency response back into a signal. In fact, the program uses a simple "zero-crossing count," rather than an actual Fourier transform to present its approximate results.

The Spectrum Analyzer, from Ankia Research, provides the basic facilities for experimenting with the ideas of spectrum analysis and Fourier transforms. You can input data from the keyboard from a previously saved data file on disk, or you can generate a data set using BASIC statements within the program. The options include



oz. cassettes	or boxes.		Signature Phone
Outside 48 Continental States — Additional \$1 per caddy, per doz, cassettes or boxes.			
-		3.50	CityState/Zip
		2.50	1
add sales las	SUB TOTAL		Address
@ 2 95 ea			To the second se
			Name
3.00/100	20.00/1000		] our or the
2.50	4.00		Card No. Exp.
11.00	21.00		
9.00	17.00		Charge to credit card: VISA MASTERCARD
1 8.75			Check or M.O. enclosed Send Quantity Discounts
7.50			preferred, check field.
			preferred, check here.
			ly. In Continental U.S. shipment by U.P.S. If Parcel Pos
		TOTAL	Each cassette includes 2 labels only. Boxes sold separate
	8.75   9.00   11.00   2.50   3.00/100   4.00/100   @ 2.95 ea	1 7.00	7.00

displaying the results, computing forward and inverse Fourier transforms, and editing (or generating) the data for a signal. The editing section of the program provides various scaling options and the facility for applying either basic frequency cut-off filters or a custom-designed filter.

The program is supplied on disk in unprotected BASIC format. The program contains a machine language section which implements the fast Fourier transform (FFT) as a subroutine. The simple two-page instructions assume a great deal of knowledge about Fourier transforms and signal analysis; no sample problems or exercises are described, so you are really on your own.

While the material supplied is correct and details all the program's operations, it would be difficult to master without previous experience with signal analysis. The instruction sheet recommends several books for study. These are definitely college level engineering texts. The remainder of this review will focus on features with which the experienced signal analyst might be concerned.

Spectrum Analyzer is really a misnomer. The program only computes FFTs. Spectrum analysis usually refers to taking the log magnitude of the Fourier transform after applying a suitable window sampling function.

The program only computes transforms of fixed length (256). There is no provision for samples of other lengths. You are forced to pad the signal data with zeros. The input editor makes this process frustrating, since you must enter all 256 points (128 for a symmetric signal) before exiting the input section of the program.

The display is also bothersome at times. If you list the data to the monitor, the numbers are displayed as 10 complex pairs per screen. You must view all 256 pairs before exiting the display routine. Many times the numbers will cause the display to scroll so that you miss the heading and several lines of output. You can also send the display to your printer, or produce a high resolution plot on the monitor. The plot option is really the best way to display the data until you're ready for a permanent copy.

The program has a bug that surfaces when you use the screen display option. The section that produces the display prematurely exits a FOR/NEXT loop. This causes an NF Error to occur when you next try to scale the data. The instructions fail to mention how to recover from errors without losing data. I found that entering GOTO 70 in the command mode will return you to the main menu. From there, most options will work correctly. This method will also allow you to rerun the program without waiting for the machine language FFT to be poked into memory.

Another small problem with the program concerns the user prompts. Many times it isn't clear when the program has gone off to compute, in response to keyboard input. This is particularly frustrating for the first-time user.

The program does compute FFTs correctly, and the machine language version certainly speeds the process. You could use this program to form the basis of your personal signal analysis library. However, it will only serve the needs of the serious experimenter with considerable modification.

(Ankia Research, 901-19 Indiantown Rd., Suite R, Jupiter, FL 33458, disk \$19.95)

-Stuart Hawkinson

# MOVING UP

The Color Computer is good-butwhen you need more power:

# PENDING BOCK COMPRHESS

- \* MADE BY MITSUBISHI
- \* 99% IBM COMPATIBLE
- \* 128K RAM MEMORY
- \* 2 DOUBLE SIDED DISK DRIVES
- \* 80 x 24 DISPLAY MONITOR

\$ 1695



# PRINTERS

C-Itoh 8510AP Prowriter -- \$ 319. 120 c.p.s.

C-Itoh 8510BPI Prowriter- \$ 389. IBM compatible

C-Itoh 8510SP Prowriter -- \$ 429. new!! 180 c.p.s.

C-Itoh 8510SCP Prowriter- \$ 499. new!! 7 colors

Gemini 10X----- \$ 249. 120 c.p.s.

Gemini 15X----- \$ 399. 120 c.p.s.

plus shipping

# DISK DRIVES & ACCESORIES



TEAC FD54A----- \$ 99. single sided, 40 track

TEAC FD55A---- \$ 129. single sided, 40 track

TEAC FD55B----- \$ 155. double sided, 40 track


TEAC FD55F----- \$ 169. double sided, 80 track

J&M Disk Controller- \$ 125. (JDOS or RSDOS)

Dual Drive Case & Ps.- \$ 59.

Dual Drive Cable---- \$ 23.

# PARALLEL PRINTER INTERFACE



MODEL 1 \$ 59.95

with modem connector & switch

without power \$ 54.95

MODEL 2

and gold contacts

without modem connector & switch

without power \$ 44.95

ADD 3.00 FOR SHIPPING AND HANDLING

# **New Years** Special

COMPLETE DRIVE 0 SYSTEM

TEAC FD54A DISK DRIVE

J&M DISK CONTROLLER ( JDOS or RSDOS )

**DUAL DRIVE CASE &** POWER SUPPLY

**DUAL DRIVE CABLE** 

COMPREHENSIVE MANUAL

plus shipping

# DRIVE O DISK SYSTEMS



J&M DISK CONTROLLER ( JDOS or RSDOS )

**DUAL DRIVE CASE & POWER** SUPPLY, CABLE, & MANUAL

PLUS YOUR CHOICE OF ONE OF THE FOLLOWING DRIVES.

TEAC FD55A---- \$ 305.

TEAC FD55B---- \$ 330.

TEAC FD55F---- \$ 345.

plus shipping

# TRI-TECH ELECTRONICS

P.O. BOX 8100

ROCHESTER, MICH. 48308

(313) 254-4242

# Colorforth Version 2.0 — A Good Compiler Made Better

Colorforth Version 2.0, by Armadillo International Software, is a revised version of a FORTH compiler which RAINBOW reviewed in the May 1982 issue. Since the review was short, we will reprint it here:

"The 16K program works very well and is easy to operate. It comes with extensive documentation, although it doesn't teach you the language.

"Our first brush with FORTH was a very positive experience. This was no doubt helped a great deal by the program, which behaved flawlessly and made our preliminary ventures into the language easy.

"If you're interested in a second language, FORTH and *Colorforth* would be a good bet."

Two other FORTH compilers were reviewed in the December 1982 issue of THE RAINBOW. Color-Forth (similar name), by Hoyt Stearns Electronics, comes in two versions costing \$58.95 or \$123, while ccForth, from the Frank Hogg Laboratory, is \$99.95 and is available only on disk. Armadillo's program has a distinct advantage over the others in that, for \$49.95, you get both tape and disk versions supplied on a single cassette. On the other hand, the more expensive programs contain a variety of sound

# NEED AN INEXPENSIVE SERIAL-PARALLEL INTERFACE?

# SP-2 INTERFACE for EPSON PRINTERS:



- 300-19,200 BAUD rates
- Fits inside printer No AC Plugs
- Optional external switch (\$500 extra) frees parallel port for use with other computers
- \$49°5 (plus \$200 shipping)

#### SP-3 INTERFACE for MOST OTHER PRINTERS:

- 300-19,200 BAUD rates
- External to printer No AC Plugs
- Built in modem/printer switch—no need for Y-cables or plugging/unplugging cables
- \$64<sup>5</sup> (plus \$2<sup>∞</sup> shipping)

Both also available for RS-232, Apple IIC and MacIntosh computers.

Co Co Serial Cables 15 ft.—\$10.

Co Co/RS-232 Cables 15 ft.—\$20. Other cables on request.



P.O. Box 492 Piscataway, NJ 08854 (201) 752-0144

R ENGINEERING
DEALER INQUIRIES INVITED!

and graphics routines not supplied in *Colorforth*. However, the nature of the FORTH language is such that you can create such routines yourself.

The instruction manual (82 pages, spiral-bound, 5½ by 8½ inches) clearly states that you will not learn FORTH from the manual. It recommends two books and points out several minor, but important, variations from the dialects taught in the books. For example, when the book Starting Forth tells you to write VARIABLE CATFISH, Colorforth requires 0 VARIABLE CATFISH. Similarly, WORD in the "standard" version becomes WORD HERE in Colorforth.

There is an introductory section that will give novice users an idea of command syntax (very heavy on spaces), and of how new commands are defined. Clear and complete instructions are given on how to make backups and save "screens" in which your source code and other data is stored. There is also a thorough description of the editor, which bears a strong resemblance to the ED text editor used in CP/M. But, most of the remainder of the manual will be difficult to understand unless the user knows the language.

For those who have some knowledge of machine language, instructions are given for incorporating ML routines into your programs so that you can have graphics, sound, control of I/O ports, etc.

The original Colorforth was a 16K program. Version 2.0 requires a minimum of 16K, standard BASIC, but if you have 32K or 64K, it will take maximum advantage of available memory. There is even a provision to bankswitch the upper 32K in a 64K CoCo between RAM and ROM.

Version 2.0 also contains certain "vectored" words, and an optional faster LIST that the original did not have. "Vectoring" means that some words can be redirected where needed. For example, if you sometimes use a printer that requires an extra linefeed after every carriage return, you have only to type '<CRLF> IS CR when using that printer. You can also create your own vectored words.

For those without Extended BASIC, Colorforth contains its own CSAVEM command for making backups and storing data to cassette.

The word FREEZE allows you to install your own definitions so they will be in effect automatically whenever you load *Colorforth* from disk or cassette.

(Armadillo International Software, Box 7661, Austin, TX 78712, \$49.95 plus \$2.50 S/H)

Neil Edward Parks

See You At
RAINBOWfest IRVINE
Feb. 15-17

# THE COLORSOFT™ BUSINESS SYSTEM

INTEGRATED BUSINESS SOFTWARE DESIGNED FOR THE COLOR COMPUTER WRITTEN FOR USE BY THE NON-ACCOUNTING ORIENTED BUSINESSMAN CONCISE USERS MANUAL WITH SAMPLE TRANSACTIONS TUTORIAL PROFESSIONALLY WRITTEN AND FULLY TESTED HIGHLY USER FRIENDLY AND MENU DRIVEN AFTER THE SALE SUPPORT

SMALL BUSINESS ACCOUNTING (Version 2.0) This sales-based accounting package is designed for the non-accounting oriented businessman. It also contains the flexibility for the accounting oriented user to set up a double entry journal with an almost unlimited chart of accounts. This package includes Sales Entry, transaction driven Accounts Receivable and Accounts Payable, Journal Entry, Payroll Disbursement, and Record Maintenance programs. Screen and hardcopy system outputs include Balance Sheet, Income Statement, Customer and Vendor Status Reports, Accounts Receivable and Payable Aging Reports, Check Register, Sales Reports, Account Status Lists, and a Journal Posting List. The number of accounts is limited only by the number of disk drives.

ACCOUNTS RECEIVABLE (Version 2.0) This package is designed to meet the requirements of most small business users. The system includes detailed audit trails and history reports for each customer, prepares invoices and monthly statements, mailing labels, aging lists, and an alphabetized customer listing. The user can define net terms for commercial accounts or finance charges for revolving accounts. This package functions as a standalone A/R system or integrates with the Small Business Accounting package to build a complete accounting/receivables system. \$59.95

PAYROLL (Version 2.0) This integratable package is designed for maintaining personnel and payroll data for up to 200 hourly and salaried employees with 8 deductions each. This system calculates payroll and tax amounts, prints checks and maintains year-to-date totals. These amounts can be automatically transferred to the SBA package for financial reporting. It computes each pay period's totals for straight time, overtime, and bonus pay and determines taxes to be withheld. Additional outputs include mailing list, listing of employees, year-to-date federal and/or state tax listing, and a listing of current misc. deductions. This system is suited for use in all states except Oklahoma and Delaware. \$69.95

All programs require a minimum of 32K and 1 disk drive but will take advantage of 64K and multiple drives. Each package features a hi-res 51 x 24 black on green screen. 16K versions available without hi-res screen. Specify 16K or 32K versions when ordering. Future integrated packages will include: Inventory Control, Sales Analysis, Accounts Payable.

INCLUDE \$5.00 Shipping/Handling Per Order

Write for Free Catalog

BRANTEX, INC.

**COLOR SOFTWARE SERVICES DIV.** 

BUSINESS SOFTWARE GROUP P.O. BOX 1708 GREENVILLE, TEXAS 75401



TELEPHONE ORDERS (214) 454-3674 COD/VISA/MASTERCARD

ATTENTION DEALERS: WE OFFER THE BEST DEALER PLANS AVAILABLE

# Megamunk Offers **A Challenging Spectacle**

Megamunk is a strategic, arcade game which requires 32K of memory and is available on tape or disk. If you get the cassette you can follow the instructions to transfer to disk, which were included with my copy. It is a 100 percent machine language game in which you play the part of a soldier monkey sent on a mission by the king of Ledonia. In this daring venture you will see 11 different screens with multiple colors and four-voice music (then again, you may not see the 11 screens!).

This game is, to say the least, a real challenge. You must save the forest of Ledonia from the monster spiders of Dagath. To do this you need to fully cross all sections of the web with your monkey and be careful not to touch the spider. The spiders cannot be killed, only chased away. As you cross a section of the web it will turn from white to red, which means you have drained it of power and at the same time stored the power for your teleportation to the next web. Finally, when all the web is red the dangerous spider will exit quickly since the web will selfdestruct. At this time you must rapidly move to recover the Treasures of the State, i.e., the signet ring, and then press your joystick button to depart to the next, more complicated web.

Simple you say? Wrong, dragonbreath! I forgot to mention that while you are climbing around, you must also chase away the sacred birds of the State that approach

or land in the web. If they land, the spider will attack the birds and they will disappear. But, there is yet another danger! You must continually dodge the coconuts that keep falling due to your moving about on the web. A direct hit will do the obvious: kill your monkey. Fortunately, a glancing blow will only make you see stars. (The web has been spun between two coconut trees and that is the reason for the falling menaces.)

As mentioned earlier, you must not touch the spider or you will die. But, you must not let the spider get you, either. You have a limited cloak of invisibility, which, when your time is up, will let the spider see you and he will attack you, instead of the silly birds. And that is the last of the perils (as if that isn't enough!).

I will admit that I was not able to see all the screens through normal play; even with a trick which allowed me to see or get to the tenth screen, I was never able to go to the eleventh. I kept getting killed each time. For the trick allowing you to advance to higher screens, be sure to read the whole instruction book.

So if you relish a challenging arcade-style game, spending endless hours dodging coconuts and spiders, feeling the wonderful satisfaction of beating the computer and a welldesigned game, then Megamunk is definitely for you. But remember, I warned you it isn't easy!

(Color Connection Software, 1060 Buddlea Drive, Sandy, UT 84070, tape \$21.95, disk \$23.95)

BRITISH COLUMBIA

For all your COCO needs

write or call:

Douglas Pirro



# **GOLD PLUG - 80**

Eliminate disk reboots and data loss due to oxidized contacts at the card edge connectors. GOLD PLUG 80 solders to the board edge con-

nector. Use your existing cables. (if gold plated)



COCO Disk Module (2) Ground tab extensions Disk Drives (all R.S.)

Gold Disk Cable 2 Drive Four Drive Cable

USA shipping \$1.45

\$16.95 INCL \$7.95

29.95 39.95

Foreign \$7 Don't wait any longer

Can/Mex \$4. **TEXAS 5% TAX** 

Available at your favorite dealer or order direct from



E.A.P. CO. P.O. BOX 14



**KELLER, TEXAS 76248** (817) 498-4242


MC/VISA

+ trademark Tandy Corp

**COCO SHOP** YOUR ONE DATAFACT SOFTWARE LTD. BOX 5356 STATION B VICTORIA, B.C. V8R 6S4 Orderline: (604) 595-2312 Mon. - Sat. 9am - 5pm PST

AFTER HOURS BBS





# **MICRO LANGUAGE LAB: LEARNING THE 6809**

eeling at the mercy of a programmer somewhere? Mystified by a machine? My Micro Language Lab will give you the power to end those helpless feelings.

Here's why. The heart of any computer program anywhere is machine language. Every piece of software uses it - your favorite game, spreadsheet, word processor, data base manager, or recipe file. Every time you hit "Enter", it's working. All the languages and operating systems are created from it. Basic, Fortran, Pascal, Flex, OS-9.

TRSDOS...they're 6809 machine language, the whole lot!

And you can learn the language of the 6809, the programming heart of your Color Computer, with my Micro Language Lab.

Not everyone can program. Writing a few lines in Basic now and then doesn't make you a programmer. But if you can program, then my Micro Language Lab will teach you - the right stuff, the right way.

I'll teach you in 24 half-hour lessons on 12 audio cassettes, with a 220-page textbook, with data booklets, with 35 sample programs, and with a programming reference card. You'll spend 50 hours or more with my course, listening, watching, and working. And when


you're done, you'll be programming your Color Computer in the 6809's language.

Stop ignoring those gnawing feelings of helplessness. The 6809 is where the power lies in your computer. Turn on that power with the Micro Language

• Micro Language Lab, \$99.00 (plus \$3.50 shipping and handling) Requires 16K Extended Basic EDTASM +

Not sure? Write or call for a Table of Contents and sample pages — and your "I'll Teach You

A Lesson" button!



# ALSO AVAILABLE FROM GREEN MOUNTAIN MICRO

(Add \$2.50 shipping and handling to your order)

## Lowerkit III

- Full-time upper and lowercase installs in 15 minutes.
- · Normal and reverse video standard
- Fully compatible with all Alpha and Graphic modes

\$79.95 assembled and tested \$49.95 complete kit of parts Important! Specify Color Computer or Color Computer II

TV Buff II, clear image for video monitors, \$19.95 (specify CoCo or CoCo2) CoCoPort parallel interface (now includes plastic case), \$54.95 / \$44.95 kit

ColorPack ROM/RAM pack, \$29.95 (specify configuration) / \$19.95 kit / case \$3.00 extra

64K memory upgrade kit with full instructions, \$49.95 / with memory test on tape, \$54.95

Color Quaver Software Music Synthesizer on tape (requires 32/64K), \$19.95

Color Burner EPROM Programmer (2716/32/32A/64/64A/128, 68764/66) with software, \$69.95 / \$56.95 kit

User Group, Educational, Club and Dealer Discounts are available.

TRS-80 and TRSDOS are trademarks of Tandy Corporation. Flex is a trademark of TSC, Inc. OS-9 is a trademark of Microware Corporation.

# Green Mountain Micro Bathory Road, Box R

Roxbury, Vermont 05669 802 485-6112

Hours: 9am - 5pm EST, Monday - Friday COD/VISA/MASTERCARD

# Number And Color Words — A Good Early Reader Program

By Kenneth D. Peters

Number and Color Words, by CY-BURNET-ICS, is an educational program for preschool/kindergarten through second grade children designed to provide practice with recognition and spelling of the number words zero through 19, and the color words red, green, blue, orange, yellow and white. Rewards are given for correct answers, and a menu provides selection of eight levels of play. Together, they motivate a desire to use the program and make it easy for young kids to use with minimum supervision.

Number and Color Words is available in either a "talking version" or a "music" version (non-talking). The talking version was designed to be used with *The Voice*, a speech synthesizer from Speech Systems. The music version provides random selection of three songs in four-part harmony as a reward for completion of 10 problems. I have used both versions. The two versions are essentially the same, and therefore comments pertain to both unless otherwise noted.

Number and Color Words is loaded and auto-run by CLOADM. The program itself is in BASIC and contains a list-disable poke, so if you're someone who likes to see how the program is written or wish to modify the program, you will have to know how to restore the normal listing (POKE 383,0). The documentation seems complete and is well-written. It suggests using a setting of 6-7 on the recorder for loading the programs. I encountered difficulty loading the programs at that setting, but would like to remind you that a recommended setting on one system may be entirely wrong for another. As it happened, I could not load the music version at any setting above 3-4, but had no problem at levels of 2-3.

The program is loaded and a menu appears with eight options or levels of play, not necessarily in the order of difficulty:

- 1) 0-9 Sequential
- 2) 0-9 Random
- 3) 0-9 You spell 'em
- 4) 10-19 Sequential
- 5) 10-19 Random
- 6) 10-19 You spell 'em
- 7) Match colors
- 8) Spell colors

At the bottom of the menu screen four special keys and their functions are listed as a convenience to help you with the program: ENTER, CLEAR, arrows, space bar. Use of these keys will be described shortly.

Pushing any number one through eight on the keyboard selects your level of play. I started my kindergarten daughter on Level 1, which I thought to be the easiest. On levels 1, 2, 4 and 5 a number word is displayed in the middle of the screen in large (one inch on a 13-inch TV) graphics letters, either sequentially or randomly, according to the menu selection. The student must then enter the correct numerical response. The number selected appears above the number word in a larger (one and one-half inch) graphics display as soon as the number is pushed. If the student decides the number s/he has chosen is the wrong number, s/he can push any of the four arrows to erase

the number and select another, until s/he enters his final choice.

An incorrect response automatically erases the graphics number and "beeps" a quick error note. A correct answer gets and different note and removes one of 10 little trains at the bottom of the screen. The bottom of the screen is initially filled with 10 little train engines or locomotives (two rows of five each) with smoke bellowing from each stack. Removal of each train with a correct answer is part of the graphics reward. Perhaps this is suggestive of "the little engine that could?"

If the child doesn't know what number the word represents, s/he can press the space bar at any time for help. Help in the "music" version is a visual display of the correct number for approximately one second. The "voice" version provides a spoken pronunciation of the correct number in addition to the visual presentation of the number. The "talking version" utilizes speech as a help mode on all levels of play.


After all the numbers have been either randomly or sequentially used and the child has completed 10 correct answers, the child is rewarded with a selection of one of three songs, all having something to do with trains: "Chattanooga Choo-Choo," "Wabash Cannonball," and "Old Ninety-Seven." Unfortunately, the talking version of Number and Color Words does not have musical rewards. I say unfortunately, because both of my kids who used this program (ages 5 and 7) started out using the talking version. After quite a bit of coaxing, I convinced them to try the "music" version and was never able to get them to go back to the talking version because of the attraction to the musical rewards! They loved the music so much they would sway and dance in front of the computer. It would be nice if the programmer could combine the music and voice together in one program for those who have the Voice Pak, as the voice does have its advantages, especially for the younger children.

At any time and for whatever reason, the child can hit CLEAR and return to the menu, no matter where s/he is in the game. Let's discuss options 3, 6 and 8 of the menu. These will generally be for the older children in the range group, as my older son in second grade can testify, since they deal with spelling tasks. He thought matching colors and numbers with the words had been "easy," but spelling the colors and numbers was another story.

A numeral or a box of color is displayed at the top of the screen in inch and one-half characters, and the child must enter the correct spelling of the number or color word. Again s/he has every opportunity to erase the spelling using the arrows and correct it before entering it, or ask for help (space bar), or quit altogether by hitting the CLEAR button and returning to the menu. Help in the spelling options consists of displaying the correct spelling of the words for approximately one second, and if using *The Voice* the word will also be spoken.

The final option, 7, is Matching Colors. A color word is displayed in the center of the screen in one-inch letters. The child must match the word with one of four colored boxes numbered one to four at the top of the screen. My 5-year-old was a little upset with this option, as she couldn't read enough to match the colors, yet wanted to do it in the worst way! We ended up writing the color words on a sheet of paper using the color of the word to write the word. After a day or two, I noticed she was no longer using her paper!


# NOVASOFT THE ATOM MIX COMPANY \* ATOM MIX COMPANY \* ATOM MIX COMPANY \*



# CONTROL OF THE PROPERTY OF THE



DK : Now white B





# BUZZWORM

This one will drive you nuts. Guide the snake around the screen eating the snakebalt for points; but don't bite yourself! Lots of fun awaits you with this one.

REQUIRES 32K & JOYSTICK TAPE \$15.95 DISK \$18.95

# BREWMASTER

Move along the end of the bars serving beer to your thirsty customers. Watch for falling glasses and rowdy customers. Loads of fun.

> REQUIRES 32K & JOYSTICK TRPE \$14.95 DISK \$17.95

## BLACKBEARD'S ISLAND

A brand new high res graphic adventure. This one will blow your socks off! Wander around Blackbeard's Island being ever mindful of the hazards while your lust builds for Blackbeard's buried treasure. T'aint easy, matey!

REQUIRES 32K DISK ONLY DISK \$19.95

#### PANIC

Climb the ladders and fight the "meanies". Dig holes and bury them. Hours of fun await you in this outstanding graphic arcade game. Enjoyment for all ages.

> REQUIRES 32K & JOYSTICK TRPE \$14.95 DISK \$17.95


#### MONEYOPOLY


Now! Play this popular board game on your computer. Probably the most realistic computer board game simulation ever. Contains all the features of the original. Buy, rent or sell properties and become a wealthy land baron with this program.

REQUIRES 32K & JOYSTICK TRPE \$19.95 DISK \$22.95

# TOP QUALITY SOFTWARE AT AFFORDABLE PRICES! WRITTEN BY WELL-KNOWN AUTHORS IN 6809 MACHINE LANGUAGE ESPECIALLY FOR NOVASOFT







## BATTLE STATIONS

BRTTLE STATIONS is a remake of a popular board game. Without a doubt the most outstanding sound and graphics you have ever heard or seen. BRTTLE STATIONS is a one player interactive simulation of skill, strategy and luck. The player pits his tactical skills against the cold, cunning logic of the computer.

REQUIRES 32K DISK TRPE \$21.95 DISK \$24.95

# **VEGAS GAME PAK**

Have you ever wanted to bring Las Vegas home with you? Now you can! Six different games in this package: Blackjack, Keno, Poker, plus three slot machine lookalikes. You'll swear you are at the table or the slots when you see the outstanding graphics we have created.

REQUIRES 32K TRPE \$24.95 DISK \$27.95 6 games

#### COLOR CAR

You asked for it and now here it is! Fast-moving Grand Prix style racing. With your computer sit at the wheel of your racer through the difficult racecourse. Smash into other cars but be careful because they'll refurn the favor. Jump your car through the air, over water, and other hazards.

REQUIRES 64K & JOYSTICK TRPE \$19.95 DISK \$22.95

NO DEALERS PLEASE



CHECKS OK

Phone Orders (616) 957-0444 4285 Bradford N.E. Grand Rapids, MI 49506

\*Add \$2.00 shipping & handling

#### SOFTMART FEBRUARY SALES

SALE PRICES GOOD UNTIL FEBRUARY 26.

#### HARDWARE

BOTEK PARALLEL INTERFACE — SAVE 15.00 IF ORDERED WITH ANY PRINTERS
14050 DI US
VIDEO PLUS
WITH ANY PRINTERS
HJL 57 PROFESSIONAL
Jam DISK CONTROLLER
64K UPGRADE KIT 45.95
SPECTRUM LIGHT PEN
PHELAN SWITCH BOX 39.95
(FOR CONNECTING PRINTER AND MODEM
PHELAN 10 FT EXT. CORD FOR PRINTER:
MALE TO MALE 15.00
FEMALE TO MALE
PHELAN 10FT COCO JOYSTICK CABLE
PEEKS AND POKES CAT. FOR COCO
VIDEO CLEAR
VIDEO IIC 35.00
PRINTERS ALL TYPES CALL
DISK DRIVERS ALL TYPES CALL
MONITORS (MONOCHROME & COLOR) CALL
DISK CABLES
DISK CONTROLLER EXTENDED CABLE
BOX 10 SDD MEMOEX DISKETTES
SOFTWARE
CANDY CO (INTRACOLOR) 30.50 (C/D)
WILLYS WAREHOUSE (INTRACOLOR) 30.50 (C/D)
GALAGON (SPECTRAL ASSOCIATES) 21 50 (C) (25 40 (D)
SOFTWARE   30.50 (C/D)   30.50 (C/D)   WILLY'S WAREHOUSE (INTRACOLOR)   30.50 (C/D)
MINJA WARNON (PROGRAMMER S GOLD)
(GET SNOWPLOW FREE)     29.95 (C/D)       MOON SHUTTLE (DATASOFT)     25.95 (C/D)       POOYAN (DATASOFT)     25.95 (C/D)       GRAPHICOM     26.95 (D)       GRAPHICOM PICTURE DISK I-V     17.25 ea. (D)       ELITE CALC     51.95 (C/D)       ELITE FILE     69.00 (D)
MOON SHUTTLE (DATASOFT)
POOYAN (DATASOFT) 25.95 (C/D)
GRAPHICOM 26.95 (D)
GRAPHICOM PICTURE DISK I-V
ELITE CALC 51.95 (C/D)
ELITE FILE 69.00 (D)
NEW WORLDS OF FLIGHT (TOM MIX) 27.95 (C)/30.95 (D)
WAREHOUSE MUTANTS (TOM MIX) 21.95 (C)/24.95 (D)
SALVAGE (PROPER PROGRAMS)
COCO CALIGRAPHER (SUGAR)
TUT'S TOMB (MARK DATA)
THE NORTH CAROLINA CARTOGRAPHER 24.95 (D) 32K EXT.
ANY MARK DATA GRAPHIC ADVENTURE 21.95 (C)/25.95 (D)
MAJORISTAR (COMPUTERWARE) 21.95 (C)/24.95 (D)
STAR TRADER (COMPUTERWARE) 31 95 (C)/34 95 (D)
SAM SI FIITH (COMPUTERWARE) 21.95 (C)/24.95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D)  MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) TEL EWEITER-SA (COGNITEC) 45.95 (C)/24.95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) TELEWRITER-64 (COGNITEC) 45.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25 50 (D)
SAM SLEUTH (COMPUTERWARE)   21.95 (C)/24.95 (D)
SAM SLEUTH (COMPUTERWARE)       21.95 (C)/24.95 (D)         MIDDLE KINGDOM (COMPUTERWARE)       21.95 (C)/24.95 (D)         TELEWRITER-64 (COGNITEC)       45.95 (C)/54.95 (D)         MR. DIG (COMPUTERWARE)       23.20 (C)/25.50 (D)         JUNIOR'S REVENGE (COMPUTERWARE)       23.50 (C)/25.50 (D)         DEMONIOR (COMPUTERWARE)       23.50 (C)/25.50 (D)
SAM SLEUTH (COMPUTERWARE)   21.95 (C)/24.95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) JUNIOR'S REVENGE (COMPUTERWARE) 23.50 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) CASHMAN (MICHTRON) 22.50 (C)/24.95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) TELEWRITER-64 (COGNITEC) 45.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) JUNIOR'S REVENGE (COMPUTERWARE) 23.50 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (MICHTRON) 22.50 (C)/24.95 (D) TIME BANDIT (MICHTRON) 22.50 (C)/24.95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) JUNIOR'S REVENGE (COMPUTERWARE) 23.50 (C)/25.50 (D) JUNIOR'S REVENGE (COMPUTERWARE) 23.50 (C)/25.50 (D) CASHMAN (MICHTRON) 22.50 (C)/24.95 (D) TIME BANDIT (MICHTRON) 22.50 (C)/24.95 (D) DEMON SEED (MICHTRON) 22.50 (C)/24.95 (D) DEMON SEED (MICHTRON) 22.50 (C)/24.95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) TELEWRITER-64 (COGNITEC) 45.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) JUNIOR'S REVENGE (COMPUTERWARE) 23.50 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 22.50 (C)/24.95 (D) TIME BANDIT (MICHTRON) 22.50 (C)/24.95 (D) DEMON SEED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) JUNIOR'S REVENGE (COMPUTERWARE) 23.50 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) CASHMAN (MICHTRON) 22.50 (C)/24.95 (D) TIME BANDIT (MICHTRON) 22.50 (C)/24.95 (D) DEMON SEED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) COLOR FURY ( MICHTRON) 22.50 (C)/24.95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) TELEWRITER-64 (COGNITEC) 45.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) JUNIOR'S REVENGE (COMPUTERWARE) 23.50 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) CASHMAN (MICHTRON) 22.50 (C)/24.95 (D) TIME BANDIT (MICHTRON) 22.50 (C)/24.95 (D) DEMON SEED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) COLOR FURY (MICHTRON) 22.50 (C)/24.95 (D) RAINBOW SCREEN MACHINE ( RAINBOW) 25.54 (C)/28.00 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) JUNIOR'S REVENGE (COMPUTERWARE) 23.50 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) CASHMAN (MICHTRON) 22.50 (C)/24.95 (D) DEMON SEED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) COLOR FURY ( MICHTRON) 22.50 (C)/24.95 (D) COLOR FURY ( MICHTRON) 22.50 (C)/24.95 (D) SUPER SCREEN MACHINE ( RAINBOW) 25.45 (C)/24.95 (D) SUPER SCREEN MACHINE ( RAINBOW) 38.20 (C)/40.40 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) JUNIOR'S REVENGE (COMPUTERWARE) 23.50 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) SUPER SCREEN MACHINE (RAINBOW) 25.45 (C)/28.00 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.00 (D) SUPER SCREEN MACHINE (RAINBOW) 18.85 (C)/26.00 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) JUNIOR'S REVENGE (COMPUTERWARE) 23.50 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 22.50 (C)/24.95 (D) TIME BANDIT (MICHTRON) 22.50 (C)/24.95 (D) DEMON SEED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) COLOR FURY ( MICHTRON) 22.50 (C)/24.95 (D) COLOR FURY ( MICHTRON) 22.50 (C)/24.95 (D) SUPER SCREEN MACHINE ( RAINBOW) 25.45 (C)/26.90 (D) SUPER SCREEN MACHINE ( RAINBOW) 38.20 (C)/40.40 (D) 64K DISK UTILITY ( SPECTRUM PROJECTS) 18.95 (D) HOMEBASE (WORKBASE DATA SYSTEMS) 49.95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/24.95 (D) PEMGON SED (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OLONG FURY (MICHTRON) 22.50 (C)/24.95 (D) GAINBOW SCREEN MACHINE ( RAINBOW) 25.45 (C)/24.95 (D) RAINBOW SCREEN MACHINE ( RAINBOW) 38.20 (C)/40.40 (D) SUPER SCREEN MACHINE ( RAINBOW) 38.20 (C)/40.40 (D) GAK DISK UTILITY (SPECTRUM PROJECTS) 18.95 (D) HOMEBASE (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE ( WORKBASE DATA SYSTEMS) 49.95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) CASHMAN (MICHTRON) 22.50 (C)/24.95 (D) TIME BANDIT (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) COLOR FURY ( MICHTRON) 22.50 (C)/24.95 (D) COLOR FURY ( MICHTRON) 22.50 (C)/24.95 (D) SUPER SCREEN MACHINE ( RAINBOW) 25.45 (C)/26.90 (D) SUPER SCREEN MACHINE ( RAINBOW) 38.20 (C)/40.40 (D) SIAVE SCREEN MACHINE ( RAINBOW) 38.20 (C)/40.40 (D) HOMEBASE (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 61.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 75.00 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) TELEWRITER-64 (COGNITEC) 45.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) JUNIOR'S REVENGE (COMPUTERWARE) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 22.50 (C)/24.95 (D) TIME BANDIT (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OLOR FURY ( MICHTRON) 25.45 (C)/28.90 (D) SUPER SCREEN MACHINE ( RAINBOW) 36.00 (C)/40.40 (D) SUPER SCREEN MACHINE ( RAINBOW) 38.00 (C)/40.40 (D) 64K DISK UTILITY (SPECTRUM PROJECTS) 49.95 (D) MORKBASE I (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 5.00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) DEJAVU (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) TIME BANDIT (MICHTRON) 22.50 (C)/24.95 (D) TIME BANDIT (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.95 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) 64K DISK UTILITY (SPECTRUM PROJECTS) 18.95 (D) HOMEBASE (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE II (WORKBASE DATA SYSTEMS) 61.95 (D) WORKBASE II (WORKBASE DATA SYSTEMS) 75.00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) VATCHTSEE (BEAR GRIP SOFTWARE) 15.95 (C)/17.95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/24.95 (D) PENGON SED (MICHTRON) 22.50 (C)/24.95 (D) DIMB BANDIT (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) PAINBOW SCREEN MACHINE (RAINBOW) 35.45 (C)/28.00 (D) SUPER SCREEN MACHINE (RAINBOW) 36.20 (C)/24.95 (D) 64K DISK UTILITY (SPECTRUM PROJECTS) 18.95 (D) HOMEBASE (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 61.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 15.90 (D) PAINTHSEE (BEAR GRIP SOFTWARE) 15.95 (C)/15.95 (D) WATHST-TREK 55 (D) MATHST-TREK 55 (5) (5) (D) MATHST-TREK 55 (5) (D) MATHST-TREK (5) (5) (D) MAT
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) TIME BANDIT (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 25.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 38.20 (C)/40.40 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) HANDIS (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 61.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 50.00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) VATCHTSEE (BEAR GRIP SOFTWARE) 16.95 (C)/17.95 (D) MATHS TREK 15.95 (C) COLORBOWL FOOTBALL (COMPUTERWARE) 21.95 (C)/24.95 (C)
SAM SLEUTH (COMPUTERWARE) 21,95 (C)/24,95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21,95 (C)/24,95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21,95 (C)/24,95 (D) MR. DIG (COMPUTERWARE) 23,20 (C)/25,50 (D) MR. DIG (COMPUTERWARE) 23,20 (C)/25,50 (D) PENGON (SPECTRAL ASSOCIATES) 21,95 (C)/25,50 (D) PENGON (SPECTRAL ASSOCIATES) 21,95 (C)/25,50 (D) TIME BANDIT (MICHTRON) 22,50 (C)/24,95 (D) DIMON SED (MICHTRON) 22,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 32,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 32,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 36,00 (D) SUPER SCREEN MACHINE (RAINBOW) 36,00 (C)/24,95 (D) FOR RAINBOW SCREEN MACHINE (RAINBOW) 36,00 (C)/24,95 (D) OHOMEBASE (WORKBASE DATA SYSTEMS) 49,95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 49,95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 75,00 (D) WATTCHTSEE (BEAR GRIP SOFTWARE) 13,95 (C)/15,95 (D) WATTCHTSEE (BEAR GRIP SOFTWARE) 13,95 (C)/15,95 (D) WATTCHTSEE (BEAR GRIP SOFTWARE) 13,95 (C)/15,95 (D) WATTS TREK
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/24.95 (D) DEMON SEED (MICHTRON) 22.50 (C)/24.95 (D) DIMB BANDIT (MICHTRON) 22.50 (C)/24.95 (D) DEMON SEED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 25.45 (C)/26.90 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) HANDROM SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) HANDROM SCREEN MACHINE (RAINBOW) 38.20 (C)/40.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 50.95 (D) WORKBASE II (WORKBASE DATA SYSTEMS) 75.00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) VATCHTSEE (BEAR GRIP SOFTWARE) 16.95 (C)/17.95 (D) MATHS TREK (SOFTWARE) 21.95 (C)/24.95 (D) ICE HOCKEY (COMPUTERWARE) 21.95 (C)/24.95 (D) ICE HOCKEY (COMPUTERWARE) 21.95 (C)/24.95 (D) ICE HOCKEY (COMPUTERWARE) 21.95 (C)/24.95 (D)
SAM SLEUTH (COMPUTERWARE) 21,95 (C)/24,95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21,95 (C)/24,95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21,95 (C)/24,95 (D) MR. DIG (COMPUTERWARE) 23,20 (C)/25,50 (D) MR. DIG (COMPUTERWARE) 23,20 (C)/25,50 (D) PENGON (SPECTRAL ASSOCIATES) 21,95 (C)/25,50 (D) PENGON (SPECTRAL ASSOCIATES) 21,95 (C)/24,95 (D) DEMON SEED (MICHTRON) 22,50 (C)/24,95 (D) DIMB BANDIT (MICHTRON) 22,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 32,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 32,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 36,00 (D) SUPER SCREEN MACHINE (RAINBOW) 36,00 (C)/24,95 (D) FOR RAINBOW SCREEN MACHINE (RAINBOW) 36,00 (C)/24,95 (D) OHOMEBASE (WORKBASE DATA SYSTEMS) 49,95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 49,95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 75,00 (D) WATCHTSEE (BEAR GRIP SOFTWARE) 13,95 (C)/15,95 (D) WATTHS TREK 15,95 (C)/24,95 (D) MATTHS TREK 15,95 (C)/24,95 (D) GRAN PRIV (INTRACOLOR) 21,95 (C)/24,95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 38.20 (C)/24.95 (D) OUTHOUSE (MICHTRON) 38.20 (C)/24.95 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) GAK DISK UTILITY (SPECTRUM PROJECTS) 18.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 61.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 75.00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) WATCHTSEE (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) WATCHTSEE (BEAR GRIP SOFTWARE) 12.95 (C)/15.95 (D) WATTHS TREK
SAM SLEUTH (COMPUTERWARE) 21,95 (C)/24,95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21,95 (C)/24,95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21,95 (C)/24,95 (D) MR. DIG (COMPUTERWARE) 23,20 (C)/25,50 (D) MR. DIG (COMPUTERWARE) 23,20 (C)/25,50 (D) PENGON (SPECTRAL ASSOCIATES) 21,95 (C)/25,50 (D) PENGON (SPECTRAL ASSOCIATES) 21,95 (C)/24,95 (D) TIME BANDIT (MICHTRON) 22,50 (C)/24,95 (D) DEMON SED (MICHTRON) 22,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 32,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 38,20 (C)/24,95 (D) OUTHOUSE (MICHTRON) 38,20 (C)/24,95 (D) OUNDRE SCREEN MACHINE (RAINBOW) 36,20 (C)/24,95 (D) FOR INSTANCE (MICHTRON) 38,20 (C)/24,95 (D) OUNDRESSE (WORKBASE DATA SYSTEMS) 49,95 (D) WORKBASE (I (WORKBASE DATA SYSTEMS) 49,95 (D) WORKBASE (I (WORKBASE DATA SYSTEMS) 50,95 (D) WORKBASE (I (WORKBASE DATA SYSTEMS) 75,00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13,95 (C)/15,95 (D) MATHS - TREK 51,95 (C)/24,95 (D) MATHS - TREK 51,95 (C)/24,95 (D) GRAN PRIV (INTRACOLOR) 21,95 (C)/24,95 (D) GRAN PRIV (INTRACOLOR) 21,95 (C)/24,95 (D) BJORK BLOCKS (MORETON BAY) 29,95 (C/D) BJORK BLOCKS (MORETON BAY) 29,95 (C/D) VEDIT-OSS PEDITOR (SOFTMART) 49,95 (C)/24,95 (D) BJORK BLOCKS (MORETON BAY) 29,95 (C/D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) DOWNER SED (MICHTRON) 22.50 (C)/24.95 (D) DOWNER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) BAK DISK UTILITY (SPECTRUM PROJECTS) 18.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 50.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 61.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 75.00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) WATHS-TREK 15.95 (T)/49.95 (D) WATHS-TREK 15.95 (C)/24.95 (D) CE HOCKEY (COMPUTERWARE) 21.95 (C)/24.95 (D) GRAN PRIV (INTRACOLOR) 21.95 (C)/24.95 (D) GRAN PRIV (INTRACOLOR) 21.95 (C)/24.95 (D) GRAN PRIV (INTRACOLOR) 21.95 (C)/24.95 (D) BJORK BLOCKS (MORETON BAY) 29.95 (C/) VUSTON COLOR SCREEN EXPANDER (PHELAN ENTERPRISES) 21.95 CUSTOM COLOR SCREEN EXPANDER (PHELAN ENTERPRISES) 21.95
SAM SLEUTH (COMPUTERWARE) 21,95 (C)/24,95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21,95 (C)/24,95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21,95 (C)/24,95 (D) MR. DIG (COMPUTERWARE) 23,20 (C)/25,50 (D) MR. DIG (COMPUTERWARE) 23,20 (C)/25,50 (D) PENGON (SPECTRAL ASSOCIATES) 21,95 (C)/25,50 (D) PENGON (SPECTRAL ASSOCIATES) 21,95 (C)/25,50 (D) TIME BANDIT (MICHTRON) 22,50 (C)/24,95 (D) DIMON SEED (MICHTRON) 22,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 32,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 38,20 (C)/24,95 (D) OUNDROWN SCREEN MACHINE (RAINBOW) 36,20 (C)/24,95 (D) FOR RESPONDED (MICHTRON) 38,20 (C)/24,95 (D) OUNDRESSE (WORKBASE DATA SYSTEMS) 49,95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 49,95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 75,00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13,95 (C)/15,95 (D) VATCHTSEE (BEAR GRIP SOFTWARE) 16,95 (C)/17,95 (D) MATHS - TREK 15,95 (C) COLORBOWL FOOTBALL (COMPUTERWARE) 21,95 (C)/24,95 (D) GRAN PRIV (INTRACOLOR) 21,95 (C)/24,95 (D) BORK BLOCKS (MORETON BAY) 29,95 (C/D) BORK BLOCKS (MORETON BAY) 29,95 (C/D) VEDIT-OS-9 EDITOR (SOFTMART) 49,95 (C)/24,95 (D) JUSTOM COLOR SCREEN EXPANDER (PHELAN ENTERPRISES) 21,95 (C)/24,95 (D) TREKBOER (MARK NOATA) 22,95 (C)/24,95 (D) FREKBOER (MARK NOATA) 29,95 (C)/24,95 (D) FREKBOER (MARK NOATA) 29,95 (C)/24,95 (D) FREKBOER (MARK NOATA) 21,95 (C)/24,95 (D) FREKBOER (MARK NOATA) 22,95 (C)/25,95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) PRAINBOW SCREEN MACHINE (RAINBOW) 25.45 (C)/24.95 (D) RAINBOW SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) BKK DISK UTILITY (SPECTRUM PROJECTS) 18.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 50.00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) WATHS-TREK (15.95 (C)/24.95 (D) WATHS-TREK (15.95 (C)/24.95 (D) WATHS-TREK (15.95 (C)/24.95 (D) RAN PRIV (INTRACOLOR) 21.95 (C)/24.95 (D) GRAN PRIV (INTRACOLOR) 27.95 (C)/D ROBORTACK (MORETON BAY) 27.95 (C)/D ROBORTACK (MORETON BAY) 27.95 (C)/D ROBORT SCREEN KAPANDER (PHELAN ENTERPRISES) 21.95 TREKBOER (MARK DATA) 21.95(C)/25.95 (D) SEA SEARCH (MARK DATA) 21.95(C)/25.95 (D) SEA SEARCH (MARK DATA) 21.95(C)/25.95 (D)
SAM SLEUTH (COMPUTERWARE) 21,95 (C)/24,95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21,95 (C)/24,95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21,95 (C)/24,95 (D) MR. DIG (COMPUTERWARE) 23,20 (C)/25,50 (D) MR. DIG (COMPUTERWARE) 23,20 (C)/25,50 (D) MR. DIG (COMPUTERWARE) 23,50 (C)/25,50 (D) PENGON (SPECTRAL ASSOCIATES) 21,95 (C)/25,50 (D) PENGON (SPECTRAL ASSOCIATES) 21,95 (C)/24,95 (D) TIME BANDIT (MICHTRON) 22,50 (C)/24,95 (D) DEMON SED (MICHTRON) 22,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 22,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 22,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 22,50 (C)/24,95 (D) PAINBOW SCREEN MACHINE (RAINBOW) 36,20 (C)/24,95 (D) RAINBOW SCREEN MACHINE (RAINBOW) 36,20 (C)/24,95 (D) OUD 64K DISK UTILITY (SPECTRUM PROJECTS) 18,95 (D) HOMEBASE I (WORKBASE DATA SYSTEMS) 49,95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 51,95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 75,00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13,95 (C)/15,95 (D) MATHS TREK COLORBOWL FOOTBALL (COMPUTERWARE) 13,95 (C)/15,95 (D) MATHS TREK COLORBOWL FOOTBALL (COMPUTERWARE) 21,95 (C)/24,95 (D) MGNEBASE I (WORKBASE DATA SYSTEMS) 21,95 (C)/24,95 (D) MGNEBASE I (WORKBASE DATA SYSTEMS) 32,95 (C)/17,95 (D) MATHS TREK COLORBOWL FOOTBALL (COMPUTERWARE) 21,95 (C)/24,95 (D) MGNEBASE I (WORKBASE DATA SYSTEMS) 21,95 (C)/24,95 (D) MGNEBASE I (WORKBASE DATA SYSTEMS) 32,95 (C)/15,95 (D) MATHS TREK COLORBOWL FOOTBALL (COMPUTERWARE) 21,95 (C)/24,95 (D) MATHS TREKBORGOWL COLORS (C) 25,95 (D) MATHS TREKBORGOWL COLORS
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/24.95 (D) PENGON (SPECTRAL ASSOCIATES) 22.50 (C)/24.95 (D) DIMB BANDIT (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) PENGON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OUNDRED (MICHTRON) 25.45 (C)/28.00 (D) SUPER SCREEN MACHINE (RAINBOW) 36.20 (C)/40.40 (D) BAK DISK UTILITY (SPECTRUM PROJECTS) 18.95 (C)/40.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 50.00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) WATHS TREK (15.95 (C)/24.95 (D) YATCHTSEE (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) WATHS TREK (15.95 (C)/24.95 (D) CE HOCKEY (COMPUTERWARE) 21.95 (C)/24.95 (D) GRAN PRIV (INTRACOLOR) 27.95 (C/D) ROBOTTACK (INTRACOLOR) 27.95 (C/D) WCDIT-OSS DEJOTOR (SOFTMARE) 21.95 (C)/24.95 (D) BJORK BLOCKS (MORETON BAY) 29.95 (C/D) VEDIT-OSS DEJOTOR (SOFTMARE) 21.95 (C)/24.95 (D) SUSTAM COLOR SCREEN EXPANDER (PHELAN ENTERPRISES) 21.95 TREKBOER (MARK DATA) 21.95 (C)/25.95 (D) SAILORMAN (TOM MIX) 27.95 (C)/31.95 (C)/34.95 (D) SPEED RAACER (MICHTRON) 31.45 (C/D) SPEED RAACER (MICHTRON) 31.45 (C/D)
SAM SLEUTH (COMPUTERWARE) 21,95 (C)/24,95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21,95 (C)/24,95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21,95 (C)/24,95 (D) MR. DIG (COMPUTERWARE) 23,20 (C)/25,50 (D) MR. DIG (COMPUTERWARE) 23,20 (C)/25,50 (D) JUNIOR'S REVENGE (COMPUTERWARE) 23,50 (C)/25,50 (D) PENGON (SPECTRAL ASSOCIATES) 21,95 (C)/25,50 (D) PENGON (SPECTRAL ASSOCIATES) 21,95 (C)/24,95 (D) TIME BANDIT (MICHTRON) 22,50 (C)/24,95 (D) DEMON SED (MICHTRON) 22,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 22,50 (C)/24,95 (D) OUTHOUSE (MICHTRON) 22,50 (C)/24,95 (D) ORAINBOW SCREEN MACHINE (RAINBOW) 25,45 (C)/28,80 (D) SUPER SCREEN MACHINE (RAINBOW) 36,20 (C)/24,95 (D) OHOMED SCREEN MACHINE (RAINBOW) 36,20 (C)/24,95 (D) OWORKBASE I (WORKBASE DATA SYSTEMS) 49,95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 50,00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13,95 (C)/15,95 (D) VATCHTSEE (BEAR GRIP SOFTWARE) 13,95 (C)/15,95 (D) MATHS TREK COLORBOWL FOOTBALL (COMPUTERWARE) 13,95 (C)/15,95 (D) MATHS TREK COLORBOWL (COMPUTERWARE) 21,95 (C)/24,95 (D) MGNEBASE (WORKBASE DATA SYSTEMS) 50,00 (D) MATHS TREK COLORBOWL (COMPUTERWARE) 21,95 (C)/24,95 (D) MATHS TREK COLORBOWL (COMPUTERWARE) 21,95 (C)/24,95 (D) MATHS TREK COLORBOWL (COMPUTERWARE) 21,95 (C)/24,95 (D) MATHS TREK COLORBOWL FOOTBALL (COMPUTERWARE) 21,95 (C)/24,95 (D) MACHS TREK COLORBOWL FOOTBALL (COMPUTERWARE) 21,95 (C)/24,95 (D) MATHS TREK COLORBOWL FOOTBALL (COMPUTERWARE) 21,95 (C)/25,95 (D) MACHS AS AS ARCH (MARK DATA) 21,95 (C)/25,95 (D) SEA SEARCH (MARK DATA) 21,95 (C)/25,95 (D) SEA SEARCH (MARK DATA) 21,95 (C)/25,95 (D) SEAD MACER (MICHTRON) 31,45 (C)/25 (D) SAM DIMMOND (MORETON BAY) 25,95 (D) SAM DIMMOND (MORETON BAY) 25,95 (D)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/24.95 (D) PENGON (SPECTRAL ASSOCIATES) 22.50 (C)/24.95 (D) DIMB BANDIT (MICHTRON) 22.50 (C)/24.95 (D) DIMON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 25.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 36.20 (C)/24.95 (D) OUTHOUSE (MORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 50.00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) WATHS-TREK (15.95 (C)/24.95 (D) VATCHTSEE (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) WATHS-TREK (15.95 (C)/24.95 (D) VATCHTSEE (BEAR GRIP SOFTWARE) 21.95 (C)/24.95 (D) GRAN PRIV (INTRACOLOR) 21.95 (C)/24.95 (D) GRAN PRIV (INTRACOLOR) 21.95 (C)/24.95 (D) GRAN PRIV (INTRACOLOR) 21.95 (C)/24.95 (D) BJORK BLOCKS (MORETON BAY) 29.95 (C/D) WOST SCHOOL (MARK DATA) 21.95 (C)/24.95 (D) SALLORMAN (TOM MIX) 27.95 (C)/25.95 (D) SALLORMAN (TOM MIX) 27.95 (C)
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/24.95 (D) DEMON SEED (MICHTRON) 22.50 (C)/24.95 (D) DEMON SEED (MICHTRON) 22.50 (C)/24.95 (D) DEMON SEED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) HOMEBASE (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 50.00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) VATCHTSEE (BEAR GRIP SOFTWARE) 16.95 (C)/17.95 (D) MATHS - TREK COLORBOWL FOOTBALL (COMPUTERWARE) 21.95 (C)/24.95 (D) ICE HOCKEY (COMPUTERWARE) 21.95 (C)/24.95 (D) ROBOTTACK (INTRACOLOR) 21.95 (C)/24.95 (D) SUPIN SURVINIANCOLOR) 21.95 (C)/24.95 (D) SUBJORK BLOCKS (MORETON BAY) 29.95 (C)/24.95 (D) SAM DIJONK BLOCKS (MORETON BAY) 21.95 (C)/24.95 (D) SAM DIJONK DION (MORETON BAY) 21.95 (C)/25.95 (D) SAM DIJONNO (MORETON BAY) 21.95 (C)/25.95 (D) SAM DIJONNO (MORETON BAY) 22.955 (C)/25.95 (D) SAM DIJONNO (MORETON BAY) 25.95 (D) SAM DIJONNEM (PEE COMPUTING) 35.00 (C)/27.95 (D) SAUTHERM (PEE COMPUTING) 3
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/24.95 (D) PENGON (SPECTRAL ASSOCIATES) 22.50 (C)/24.95 (D) DITIME BANDIT (MICHTRON) 22.50 (C)/24.95 (D) DIMON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) PAINBOW SCREEN MACHINE (RAINBOW) 35.45 (C)/28.00 (D) SUPER SCREEN MACHINE (RAINBOW) 36.20 (C)/24.95 (D) OH MOREDASE (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 50.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 61.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 15.95 (C)/15.95 (D) WATHS-TREK 16.95 (C)/17.95 (D) GRAN PRIV (INTRACOLOR) 21.95 (C)/24.95 (D) UGRAN PRIV (INTRACOLOR) 21.95 (C)/24.95 (D) UGRN BLOCKS (MORETON BAY) 29.95 (C/D) WORKBASE (WORKBASE DATA SYSTEMS) 15.95 (C)/15.95 (D) SALOVERY (COMPUTERWARE) 21.95 (C)/24.95 (D) UGAN PRIV (INTRACOLOR) 21.95 (C)/24.95 (D) SALOVERY (COMPUTERWARE) 21.95 (C)/25.95 (D) SALORES (MORETON BAY) 29.95 (C/D) SALORES (MORETON BAY) 21.95 (C)/25.95 (D) SALORMAN (TOM MIX) 22.95 (C)/25.95 (D) SALORMAN (TOM MIX) 24.95 (C)/25.95 (D) S
SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) MR. DIG (COMPUTERWARE) 23.20 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/24.95 (D) PENGON (SPECTRAL ASSOCIATES) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) DEMON SED (MICHTRON) 22.50 (C)/24.95 (D) OUTHOUSE (MICHTRON) 22.50 (C)/24.95 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) SUPER SCREEN MACHINE (RAINBOW) 38.20 (C)/40.40 (D) HOMEBASE (WORKBASE DATA SYSTEMS) 49.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 61.95 (D) WORKBASE I (WORKBASE DATA SYSTEMS) 75.00 (D) DEJAVU (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) WATHS-TREK 15.95 (C)/17.95 (D) WATHS-TREK 15.95 (C)/24.95 (D) VATCHTSEE (BEAR GRIP SOFTWARE) 13.95 (C)/15.95 (D) WATHS-TREK 15.95 (C)/24.95 (D) COLORBOWL FOOTBALL (COMPUTERWARE) 21.95 (C)/24.95 (D) ROBOTTACK (INTRACOLOR) 27.95 (C)/24.95 (D) ROBOTTACK (INTRACOLOR) 27.95 (C)/24.95 (D) SAILORMAN (TOM MIX) 27.95 (C)/24.95 (D) SAILORMAN (TOM MIX) 27.95 (C)/25.95 (D) SAILORMAN (TOM MIX) 27.95 (C)/27.95 (D) SAILORMAN (TOM MIX) 37.95 (C)/27.95 (D) SAILORMAN (TOM MIX) 27.95 (C)/27.95 (D) SAILORMAN (TOM MIX) 37.95 (C)/27.95 (D) SAILORM
GRAPHICOM PICTURE DISK I-V 17.25 ea. (D) ELITE CALC 51.95 (C/Z) ELITE CALC 51.95 (C/Z) ELITE TILE 61.69.00 (D) REW WORLDS OF FLIGHT (TOM MIX) 27.95 (C)/30.95 (D) WAREHOUSE MUTANTS (TOM MIX) 21.95 (C)/24.95 (D) SALVAGE (PROPER PROGRAMS) 20.95 (C)/25.95 (D) TOMB (MARK DATA) 21.95 (C)/25.95 (D) THE NORTH CAROLINA CARTOGRAPHER 24.95 (D) 32K EXT. ANY MARK DATA GRAPHIC ADVENTURE 21.95 (C)/25.95 (D) THE NORTH CAROLINA CARTOGRAPHER 24.95 (D) 32K EXT. ANY MARK DATA GRAPHIC ADVENTURE 21.95 (C)/25.95 (D) MAJOR ISTAR (COMPUTERWARE) 21.95 (C)/25.95 (D) SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) SAM SLEUTH (COMPUTERWARE) 21.95 (C)/24.95 (D) MIDDLE KINGDOM (COMPUTERWARE) 21.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.95 (C)/24.95 (D) MR. DIG (COMPUTERWARE) 23.50 (C)/25.50 (D) TELEWRITER-64 (COGNITEC) 45.95 (C)/24.95 (D) JUNIOR'S REVENGE (COMPUTERWARE) 23.50 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/24.95 (D) JUNIOR'S REVENGE (COMPUTERWARE) 22.50 (C)/25.50 (D) PENGON (SPECTRAL ASSOCIATES) 21.95 (C)/24.95 (D) CASHMAN (MICHTRON) 22.50 (C)/24.95 (D) DEMON SEED (MICHTRON) 38.20 (C)/24.95 (D) DEMON SEED (MICHTRON) 22.50 (C)/24.95 (D) DEMON SEED (MICHTRON) 38.20 (C)/24.95 (D) DEMON SEED (MICHTRON

SEND FOR OUR FREE MONTHLY SALES SHEET. SALES IN MOST CATAGORIES: ARCADE, ADULT. BUSINESS APPLICATION, UTILITY, FLEX, OS-9, ADVENTURE, DATABASE, LANGUAGES, SPREADSHEETS, EDUCATION, HAR DWARE, BIBLE STUDY, INVESTMENT, SCIENCE/ENGINEERING, HAM RADIO, MUSIC, WORD PROCESSING, HOME, COMMUNICATION, AND BOOKS.

WE ARE ACTIVELY LOOKING FOR GOOD PROGRAMS TO DISTRIBUTE. WRITE FOR AUTHORSHIP/DISTRIBUTORSHIP PACKAGE.

DESCRIPTIVE CATALOG — \$14.95(C) / 17.95(D) CATALOG LISTING - \$2.00

 MONTHLY SALES SHEET ● ACCEPTANCE OF CHECKS WITH NO DELAY
 ● RALEIGH, NC STORE LOCATION COMPLETE WITH LIBRARY AND COMPUTER DISPLAYS.

MAIL ORDERS: \$3.00 - 15T CLASS / \$3.00 - UPS GROUND / \$4.00 2ND DAY AIR \$2.00 - C.O.D. / NC SALES TAX 4½% MC & VISA WELCOMED

#### SOFTMART

5024E Departure Drive - Raleigh, NC 27604

ORDER ONLY 1-800-334-0854, EXT. 879 INFORMATION (919) 876-6124 I guess I would like to see a ninth option added, in matching colors, that would give a "color clue" for the children to help match colors with the color words. For example, the graphics letters used for the color words could be shaded with the appropriate color, or the little trains could be shaded with the correct color. Alternatively, the "color clue" could be incorporated into the help mode. For example, the letters could be shaded briefly with the correct color and then returned to normal. Currently, the help in this option is a small arrow that appears and points to the correct colored box for a second, then disappears. And, of course, the talking version says the color in addition to pointing to it.

Number and Color Words provides a good variety of options for children to practice recognition and spelling of number and color words. Not only is there a variety of things to do within the program, but each option provides a variety of excellent graphics and musical rewards. There is even an occasional change in the background color of the game's graphics screen. The trains also change colors along with the background change. In effect, a change of scenery occurs without changing the routine.

My only disappointment with Number and Color Words was going from the "music" version to the "talking" version and finding the musical rewards had been sacrificed for the advantage of the voice! Apparently both of my kids felt the same way since they have almost always used the music version. However, it is my understanding both versions are included on the same media if the talking version is purchased.

Aside from that, neither my kids nor I had any problems using the program. Watching my preschooler while she was trying to "read" the words for the colors and the numbers, I thought this was very like an early reader or "I Can Read" book. I decided Number and Color Words must be an early reader program. Number and Color Words is very easy to use and provided hours of entertainment and learning for the kids.

(CY-BURNET-ICS, 5705 Chesswood Dr., Knoxville, TN 37912, 32K ECB, cassette \$29.95, disk \$32.95. Add \$5 for Talking Version with copy of Music Version)

## NEW! NEW! NEW!

Draw flow charts, diagrams, or pictures! Use optional mouse and/ or keyboard to draw lines, squares, circles, polygons, rectangles and different size text. Like MacPaint! Pictures can be printed, saved and loaded.

Cassette . . . . \$24

Print, plot or input from any of up to 16 WINDOWS of any size using 9 new BASIC commands. Each window can mix graphics and characters and has automatic scrolling. Demo program included.

Cassette . . . \$24 MUSIC SYNTHESIZER: Create quality sounds by controlling 30 harmonics. Easy to create and play impressive sounds. Uses graphics with optional mouse or keyboard to modify sounds. Sounds can be saved and loaded.

Cassette . . . \$24

All are written in machine language and have full documentation.

#### ESSENTIAL ENGINEERING P.O. Box 26516 San Francisco, CA 94126

(California residents please add 6% sales tax.) (Bay area & LA please add 6.5% sales tax.)

# Make Cassette Backups From Disk With The Archivist

By Frank J. Esser

How many times have you lost a disk only to find out that the backup either could no longer be read or for some reason no longer existed? It has been known for a long time by the computer industry that magnetic tapes provide one of the best long term backup media. They can be stored in environments not as strictly controlled as those required for long term floppy storage. How does all this affect the Color Computer? Well, the Color Computer can access a cassette recorder; although it is not a 9-track magnetic tape unit, it will work very well. The Archivist program, from Sonburst Software, will give you the ability to make those backups to cassette tape and not have to worry about the type of files on the disk. As far as I could tell, The Archivist handled all types, including BASIC data files.

The Archivist comes on a 5¼-inch diskette and includes a spiral-bound instruction manual. The diskette comes write protected, but can be backed up using the standard disk BASIC BACKUP command. The Archivist is a machine language program which will take the contents of any disk and back it up to cassette tape. It will also restore any disk it has backed up. Thus, it gives you the ability to

keep tape backups of your important software and do it quite easily.

The Archivist also allows for the placing of a 256-byte information block on the front end of each cassette tape. The purpose of this block is to provide information about what is stored on the rest of the tape. The Archivist will read this block first from the tape and display it for you before going on with the restore function. With the proper use of this block, it becomes unnecessary for one to search the entire tape to determine if it is the right one or not — a very neat feature. The disk I received for review contained six programs, four of which were copies of the other two.

The manual is broken down into seven chapters. They are: 1) Variables List, 2) Warranty, 3) Introduction, 4) Instructions, 5) Examples, 6) Question and Answers, and 7) Index.

The variables list is not what the name implies. The Archivist has the ability to perform two very important functions besides backing up and restoring diskettes. It has the ability to change the disk stepping rate to six, 12, 20 or 30 ms. It also has the ability to double the speed data that is sent to the tape recorder. The variables list section shows how you can modify the BASIC loader to set both the stepping rate of the drives and the tape recorder. You are warned that the double-speed will not work with all recorders. The CTR-80 and CCR-81 sold by Radio Shack are recommended if double-speed is desired. I own a CTR-80 and tried it at double-speed and had no problems whatsoever. I also have MPI and Tandom disk drives, and set them up for a step rate of six ms. All worked very well.

# LINE COMPUTERS

# COLOR COMPUTERS

# CALL TOLL FREE 1-800-248-3823

#### COLOR COMPUTER, DISK DRIVE AND PRINTERS

## **COLOR COMPUTER SOFTWARE**

PRICE PRICE		PRICE
26-3136 16K Extended Color Computer 2 \$ 139.95 \$ 120.00 Telewriter 64 Tape.	\$	49.95
26-3127 64K Extended Color Computer 2 \$ 199.95 \$ 169.00 Telewriter 64 Disk	\$	59.95
26-3029 Disk Drive 0 for Color Computer \$ 349.95 \$ 295.00 VIP Writer	\$	59.95
26-1161 Disk Drive 1. 2. 3 for Color Computer \$ 279.95 \$ 230.00 VIP Speller	\$	49.95
26-1276 DMP-10580 cps Dot Matrix \$ 199.95 \$ 169.00 VIP Database	\$	59.95
26-1271 DMP-110 50/25 cps Triple Mode Printer \$ 399.95 \$ 299.00 VIP Terminal Disk	\$	49.95
26-1255 DMP-120 120 cps Dual Mode Matrix \$ 499.95 \$ 385.00 TOM MIX Software.	- \$	CALL
26-1257 DWP-21014 cps Daisy Wheel Printer \$ 459.00 \$ 485.00 RADIO SHACK Software		15% Off

#### OTHER PRINTERS AND ACCESSORIES

#### MONITORS

	OUR PRICE		OUR PRICE
EPSON Printer\$	CALL	COMREX 12" Green Monitor	95.00
OKIDATA Printer\$	CALL	COMREX 12" Amber Monitor	110.00
STAR GEMINI 10X Printer\$	275.00	COMREX 13" Color Monitor	285.00
COMREX CR-II Daisy Wheel Printer\$	415.00	AMDEK 300A Monitor\$	155.00
C.ITOH 8510 Prowriter Printer	335.00	VIDEO PLUS Monitor Adaptor	CALL
BOTEK Serial to Parallel Interface\$	59.00	GORILLA Monitor\$	85.00

#### **COLOR ACCESSORIES**

	LIST		OUR PRICE		LIST		OUR
26-2226 RS-232 Program Pak \$	79.95	\$	68.00	26-3018 Extended Basic Kit	39.95	\$	34.00
26-3012 Deluxe Joystick (EACH)\$	39.00	\$	34.00	26-1175 Direct-Connect Modem I\$	99.95	S	85.00
26-3017 64K RAM Kit\$	69.95	\$	59.00	26-1173 Direct-Connect Modern II	199.95	S	169.00
26-3008 Joysticks \$	24.95	S	21.00	Signalman Modem 300/1200 Baud	399.00	S	275.00
26-3016 Keyboard Kit	39.95	\$	34.00	Hayes Modems		\$	215.00

All prices and offers may be changed or with information.) M.C., Visa, AX, add 3%. m shipping charge \$3.00). C.O.D. accepted. [54.00 charge per carto

The chapter on warranty explains the exact terms under which the software has been purchased and the purchaser's responsibilities. They go into great detail, which leaves little room for confusion or misunderstanding.

The introduction tells how to get the program up and running, and just what the terms are that are used throughout the manual: terms such as upperleft, subject, next line and escapes. Again, the change in speed parameters is explained. It is also mentioned that a full disk can be backed up in nine to 11 minutes using the tape at double speed. Not bad in the time department. Also, typical errors that might be encountered are explained and what should be done about them.

The instruction section takes you through the process for saving and restoring a diskette to cassette tape. Typing RUN AR gets The Archivist up and running. You are presented with a menu requesting you to enter one of the following:

- D Presents the directory in the default drive and allows killing files or alphabetizing the entire directory.
- A Presents archive and format menu of four choices
  - 1) Erase and format the disk
  - 2) Verify the tape copy
  - 3) Disk to tape archive
  - 4) Tape to disk restore
- U Allows the selection of the default drive.
- V Toggles verify write operation off/on. The verify operation is the same as disk BASIC's VERIFY operation.

THE SOFT SHOP							
64K Ram Chip Set							
HJL-57 Keyboard Kit		. 75.95 419.95					
ARCADE ACTION							
	TAPE	DISK					
King Tut (Tom Mix) (16K)	25.95	28.95					
The King (Tom Mix) (32K)	23.95						
Pooyan (Datasoft) (32K)	26.95	29.95					
CU*BER (Tom Mix)	25.95	28.95					
Draconian(32K)	25.95	28.95					
The Touchstone	25.95	28.95					
Crash(32K)  ** BUY 2 GET 1 AT 1/2 PRICE	23.95	26.96					
	* *						
** For the Serious User **	TAPE	DISK					
Basic09 (Requires OS-9) (64K)	IALL	89.95					
VIP Writer w/Speller (Softlaw) (32K)	**	65.95					
VIP Terminal (Softlaw)	**	45.95					
VIP CALC (Softlaw)	**	65.95					
** - Tape Version Included							
Call or write for a catalog							
Call our BBS on-line from 10 p.m. to 7 a	a.m. EDT!						
Phone (803) 288-0613							
Terms: Money Orders and Personal Checks welcon	ne (Please	allow an					
additional 3 weeks for personal checks.) S.C. Residents add 5%							
sales tax. (All Funds U.S. DOLLARS Please.)							
Shipping: \$3.00 for Software, 3% for Hardware. C.O.D.: Please add \$3.00 (No COD's outside the continental US and							
Canada!)							
Blue Label: Add \$4.00							
Handling: Handling Charges will be added to orders outside the continen- tal U.S. (Minimum \$5.00)							
VISA and MASTERCARD ACCEPTED.							
THE SOFT SHOP							

- T Allows input of today's date in MM/DD/YY format. The date appears as the first bytes in the message buffer for later reference.
- K Toggles the keyclick off/on.

Selecting the 'D' response will get you into the Directory function. You will be presented with a listing of the directory of the disk in the default drive. Using the arrow keys, you have the ability to scroll through the entries. Pressing the 'A' key will sort the directory entries in alphabetical order. At this point the directory on the disk is not replaced. Using the arrow keys and positioning to a directory entry, then pressing the CLEAR key will kill that file. Again, this is only done to the memory directory. Pressing 'W' will write the memory directory back to the disk in the default drive. If you make a mistake and kill a file you do not want to kill, all you have to do is exit this section and reenter it. The old memory directory will be destroyed, will not be written back to the disk, and upon reentry a new memory directory will be built.

The examples section of the manual will walk you through both a disk to tape backup and the reverse process, a tape to disk restore. The examples are straightforward and easy for almost anyone to follow. Once through these examples no one should have any trouble running the programs. They are that simple and easy to use.

The question and answer section is sort of a technical section. The people at Sonburst Software used this method to put forth the more technical details of the program. Such questions are: "How is the tape formatted?", "What is a sector, track and gran?", "What is a collated backup?" and so on. This section is a somewhat novel way to explain the inner workings of your software.

The Archivist does everything it is advertised to do and more. It performs very well. I backed up seven of my full disks and had absolutely no trouble recalling them, and all programs worked after the restore process. The format used by The Archivist is such that you can only place or perform one backup on one side of a tape. But, when you think about it for a minute, you really don't want more than one on a side; it sort of defeats the purpose of the header block. A full disk, one that has all 68 grans allocated, would not fit on one side of a 30-minute tape, but would fit on one side of a 60-minute tape.

The Archivist works very well, is reasonably priced and provides an excellent manner to back up your disks onto a good storage media without regard to the type of file or files on the disk. It would be an excellent addition to any library.

(Sonburst Software, 233 Rogue River Hwy., Grants Pass, OR 97527, \$14.95 plus \$1.50 S/H)

# See You At RAINBOWfest IRVINE Feb. 15-17

10 a.m.

P.O. Box 878 Mauldin, S.C. 29662

(803) 297-1067

# Workbase — An Excellent Database Management System

By Frank J. Esser

Today there exists a number of database systems for the Color Computer. Some of them are quite simple to operate but are not as flexible as one would like. Others require more time to learn to operate them, but in return offer greater flexibility. The more complex a program is, the longer it will take to become familiar with it. Please notice I did not say the more complex a program is, the harder it is to operate. That simply is not always true.

Workbase is a database management system, which is somewhat complex in nature, but very flexible in its uses. The most flexible portion of Workbase is the report section. It is possible to easily produce a report, in almost any format you desire. Most database systems will provide you with a columnar format. That is, you can produce a report in which the data stored in the database is displayed in columns with the data field name at the head of each column. Workbase can do this also, but it has a custom report section, which allows you to format a report in almost any way you want. It even allows you to create form letters, using your database to extract the needed names and addresses. The entire section is very well done and really has to be seen to be appreciated. The entire package, from the programs to documentation is well done. I fell in love with Workbase and think it is a real winner. It is not as full blown a database manager as one might find on a larger machine, but it sure doesn't fall very far short.

Workbase comes in two levels, Workbase I and Workbase II. Since Workbase II is essentially Workbase I with the ability to handle larger databases, this review will cover Workbase and the differences will be listed at the end. Workbase II comes enclosed in a three ring binder. The documentation is subdivided by functions with each of the system menus receiving its own section. Thus, if you need help with any given menu, it is easy to find the section explaining it. The system comes with two diskettes - a system and a demo diskette. Both diskettes can be backed up using the standard BASIC backup command. The documentation was produced on a matrix printer with free use made of the elongated print and overstrike features. The demo diskette contains 10 sample databases and associated report files. Each of these sample databases is fully explained in the introduction section along with the file layout and the report formats. The introduction section also contains an overview of the entire system and what it will do for you in more general terms. Workbase requires a 32K Extended BASIC computer with at least a single disk drive and a printer. Workbase supports the following printers:

Epson—Gemini—LPVII—DMP100—LPVIII—DMP—200—NEC—Prowriter—Okidata 83A

If you do not own one of the above printers, Workbase has provisions to add two additional printers without disturbing the above list. If you should need more than

that, for some reason, then simply delete one of the above listed printer codes and substitute the one you want. The entire process is quite simple and easy to do. Just another example of the extra steps taken to make *Workbase* a good solid system. The introduction section also describes, in detail, the different types of data formats supported by *Workbase*. The data types supported are:

Amount — is limited to nine digits, with two decimal places and will always appear with a dollar sign and decimal point.

Other — is the same as the amount data type except a dollar sign is not used and it has three decimal places.

Integer — used for numeric data fields that do not require a decimal point.

Date — used for storing the date in the format of mm/dd/yy and will always be printed in this manner.

Clock — used to store the time of day in 12 hour notation. The format is hh:mm AM or PM.

Phone — used to store a seven digit phone number and will be stored in a format of xxx-yyyy.

Text — used to store any type of data and can be from one to 255 bytes long. The length is specified at definition time.

Workbase is activated by placing the system disk into drive 0 and typing RUN "WORK". Once Workbase is loaded and running, it enters the initialization or system definition stage. You will be asked the number of drives your system has. If you respond with two, you will then be instructed to remove the system disk from drive 0 and place it in drive 1. One of the faults I found with Workbase was the inability of the system to determine what drive the original module was loaded from. Thus, if you leave Workbase for some reason, you will be required to move the system disk from drive 1 to drive 0. RUN "WORK", answer the number of drives prompt, and then move the system disk from drive 0 to drive 1 and continue. It is not a major point, since it does not affect the running of the program, but it sure would have been more convenient if the system disk could have remained in drive 1. You will now be asked to identify the type of printer you are using, or if you wish to add a new printer or change a given printer's codes. If you are using one of the predefined printers, then enter the number that corresponds to your printer, or a 'D' to define a set of or modify an existing set of printer codes. Once that has been accomplished, you will be asked for the printer Baud rate. Simply enter the number corresponding to the set Baud rate of your printer. With this complete, Workbase is ready to go to work.

Workbase is divided into nine major sections, each section being selectable from the main menu. These sections

- 1) Data Management
- 2) Calculations
- 3) Standard Report
- 4) Custom Report
- 5) Utilities
- 6) System definitions
- 7) Conversion
- 8) Quick Edit
- 9) End





LABEL III – Name and address file-print system. With LABEL III you can develop and maintain a mailing list. Print lists or mailing labels in your choice of 1, 2, or 3 wide. Supports 3 or 4 line addresses with phone optional, FAST machine language sort by last name, first name, or zip

Cassette 16K EXT - Postpaid

Cassette 16K EXT - Postpaid

\$19.95



FILEIII - Data Management System With FILEIII you can create and maintain records on any thing you choose. Recipes, coupons, household records, financial records - you name it. You create records containing up to five fields you define. You can search, sort, modify, delete, save on tape and display on the screen or send to a printer. The program is user friendly and user proof. Prompting is extensive. A comparable program could cost much more. This one is a bargin!



(Reviewed in Oct. '83 Rainbow) PROGRAM FILE Organize your cassette programs. With PROGRAM FILE you create a file of your computer programs. You can search, sort, modify, add, delete, save on tape, and display on screen or printer.

Cassete 16K EXT - Postpaid



INTRODUCING! - CODE CONVERTER Secrurity System CODE CONVERTER will protect your basic and ML programs from unauthorized use. A simple code of your choice encodes your programs. Basic program listings will be scrambled and inoperative. Machine Language will not operate. Coded programs can be copied but are useless untill properly decoded. Cassette 16K EXT - Postpaid



ADVENTURE STARTER (Reviewed in Feb.'84 Rainbow) Learn to play those adventures the painless way. You start with a simple adventure and move into an interme diate. Two complete seperate adventures plus hants and tips on adventuring. Finish this and you are ready for ATLANTIS!

Cassette 16K Ext - Postpaid



ATLANTIS ADVENTURE (Reviewed in May'84 Rainbow) This one is tough! We challenge you to complete this in 30 days! If you can we will send you any program we sell Postpaid - at absolutely no charge. You start on a disabled sub near the lost city of Atlantis. You must get the sub (and your self) safely to the surface.

Cassete 16K EXT - Postpaid



ESPIONAGE ISLAND ADVENTURE (Reviewed June'84) You have been dropped off on a deserted island by submarine. You must recover some top secret microfilm and signal the sub to pick you up. Problems abound in this adventure.

32K EXT - Postpaid

Disk - \$20.95 Cassette \$17.95



## KINGDOM OF BASHAN

Our most involved adventure to date. Bashan has a large vocabulary and some unique problems to solve. You must enter BASHAN (not easy), gather the ten treasures of the kingdom while staying alive (even harder), and return to the starting point (harder yet). If you can get the maximum 200 points in this you are an expert!

32K EXT - Postpaid Disk - \$20.95 Cassette \$17.95



FOUR MILE ISLAND (Reviewed May '84) You are trapped inside a disabled nuclear power plant. The reactor is running away! You must bring the reactor to a colo shutdown and prevent the "China Syndrome". Can you save the plant (and yourself)? It's not easy! Cassette 16K EXT - Postpaid \$17.95


\*C.O.D. orders please add \$1.50

\*No delay for personal checks

IN A HURRY? CALL OUR HOOT LINE: (615) 238-9458



OWLS NEST SOFTWARE



**MasterCard** 

The Data Management section of Workbase II is the heart of the system. It is through this section you will create your database files, edit or update existing files and reorganize existing files. Each of these sections has its own submenu that will guide you through its use. The menus are easy to read and a little tricky to get used to, but once you have them mastered, life becomes very simple. After I got over the initial familiarization cycle, I found that I had all the options I could desire available to me. This section is really well done and requires some getting used to, but the time is well spent. "Update a file" allows you to look at given records, or scroll through the database a record at a time. Each record is displayed and you have the opportunity to modify any of the fields in that record before it is put back. "Reorganize a file" gives you the ability to add, change or delete data field definitions. Suppose you wanted to add a data field to your database that you forgot when the file was created. Using this section, that forgotten field can be added. From this section, as well as others, a directory listing can be obtained from any of the drives.

The Data Edit section supports adding new records or data fields, changing a data field or record value, deleting a record or data field, listing a data field or record, initialize clear a record or data field, select a data field or record, change the title line, move a data field or record, sort records or data fields, print records, calculations, copy records, end session and display file characteristics. The add, delete, list and initialize functions can be performed at either the record level or at the data field level. Thus, all one type of data field could be deleted or initialized/cleared through one command. The move command allows you to alter the order in which the records will be displayed if a sort has not been run, and also the order in which the fields will be displayed. Normally the fields will be displayed in the order in which they are created. The sort command allows you to define the order in which records will be displayed, according to the fields sorted on and the type of sort used. I was able to get a three level sort to function quite nicely. I am the secretary for a Friday night couples bowling league. I set up a database and entered the roster. Using the sort routine, connected with the report facilities, I was able to sort the database on the team number, the last name of each team member, and then the first name of each team member. It worked perfectly. I was really impressed with the ease with which all this was accomplished.

The Calculation section provides the ability to update a database through calculations on fields contained within the database. A calculation in Workbase is entered in the form of a simple formula. The first step requires identifying the data field in which the calculation is to be stored. The following format is used.

Result = Operand (operation) Operand (operation) . . .

Net Amnt = Extnd Amnt + Tax + ...

The supported operations are add, subtract, multiply and divide. Once the calculation procedure has been entered, it can be stored and executed. Thus, it becomes a part of the data disk, ready to be used at any future time. The procedures can be listed to the printer or screen. They can also be loaded, modified and saved.

The Standard report section can be used to produce reports which consist primarily of columnar data. Standard reports contain parameters describing multiple reports as well as the record selection and sorting requirements for each report. Each report defined in a standard report consists of 14 BASIC options. Some of these options are page length, page width, top margin, normal or compressed print, print record names, print data names, key data name and page per key value. From these options I think you can start to get the idea of the flexibility that has been built into the Workbase system. The standard report section has all the features necessary to create, save, load, edit, print and execute the report procedures. With the given options it is very easy to put together a report procedure which will handle label printing for a mail list database. The quality of reports that can be produced is striking.

The Custom Report section is used to produce those reports that cannot be handled by the standard report section. A custom report procedure consists of several report/documents as well as record sort and selection criteria. Each report included in a custom report procedure will print once for each record in the database. Multiple copies may be printed for any report. Multiple report/ documents can be merged to create a report. Available to help you create your document procedure is a full screen editor which will edit a buffer of 2400 characters and has excellent cursor control functions. The custom report section also has all the features necessary to create, save, load, edit, print and execute these procedures. Also you can get a draft copy of the report. You can get a printout of how the document/report will look without having to run any actual data through it. The data fields you wish to be printed in the report/document are enclosed in "/ " marks. Thus, suppose I wish to create a form letter using a mailing database. I might start out with:

Dear Mr. //LAST NAME//

For each record in the database, the text stored in the data field LAST NAME would be placed between the / Lusing a figure of 80 bytes per line, 2400 bytes would allow for 30 lines if each line required a full 80 bytes. Usually this is not the case and a full page of 66 lines can usually be accomplished without too much trouble. The manual fully explains, in plain language, the cursor control functions that are available and the accepted embedded printer control codes. Some of these printer codes are: advance to next line; advance to next page; right justify; double space; quit printing; tab; set left margin; double width print; compressed print; emphasized print and overstrike. All the functions found in most word processors. These features are enough to turn an average report into something that will demand attention. The editor functions included full cursor control, jump to beginning or end of line, jump to top or bottom of screen, print the screen, jump backward/forward a word, scroll up/down a line, scroll up/down a full screen, jump top/bottom of document, enter insert/delete mode and end text editing. Again all the functions one would expect of a full word processor. All of these printer codes and editor functions are available for you to use when creating your custom report/document. A really impressive addition.

The Utilities section provides the following utility functions: generate a new file; merge files; copy files; update files; summarize numeric data fields; kill/delete a database file; rename a database file and post numeric fields to another file. The generate utility will create a new database file from an old database file. However, the new file is not a simple copy of the original file. Only those data fields and records selected are moved to the new file. This utility can be used for a number of purposes which include an accounting database for a new period or the framework for a new file. The merge utility will move data from file 1 to file 2, extending file 2 in the process. Only those fields and records selected will be moved to file 2. Data fields must match between file 1 and file 2 in terms of the data field names and data type. The copy utility will copy a file using the standard BASIC copy command. With this utility you can make a backup copy, which is a mirror image of the original. The update utility is used to update matching fields from file 1 in file 2. The summarize utility will total the selected records and create a record for storing the totals. A separate total record will be created for each value of the data field identified as the key. The delete and rename utilities are identical to the BASIC commands of kill and rename files. The post utility will summarize selected data fields in file 1 and the totals are used to update matching data fields in file 2. Each record in file 2 which has a matching record in file I will be updated. A single data field or record name is used as the key for matching records between the two files.

The Quick Edit section allows you to perform the following functions: add a record; change a data field or record; list/display a data field or record; select a data field or record; enter calculator mode; sort records or data fields; print records or data fields selected and list file statistics. These options are similar to those in the Data Management section except they are more limited and a little faster to use. All else remains the same.

The conversion section is used to convert a Homebase database to a Workbase format. The conversion process

# \*\*\* NEW \*\*\*

# Formaker 2.0

the fastest, most complete office package yet!

Totally Menu Driven Customize with company information & printer Complete "on screen" instructions

#### **FORMS** letter invoice quote purchase order mail order confirm order

complete forms item list subquotes letters footnotes customer info

STORES

net tax

#### SEPARATE CONFIGURE PROGRAM

for company info printer options quote & inv. # w/auto sequencing auto date

receipt

**Challenger Software** 3703 131st Ave N Clearwater, FL 33520 or Call (813) 577-3998

# **FIGURES**

quantity list discount subtotals freight, etc.

#### **PRINTS**

form feed letterhead envelope multiple copy emphasized

\$49

32K disc

send for more information and catalog of other fine software

includes reformatting and compression of data records so it is possible that after the conversion process additional free/unused records will be vailable.

I purchased my Color Computer in August 1982. At that time there just wasn't much available for the Color Computer in terms of word processors and database management systems. I have watched the level and sophistication of the software continue to grow until there are now first rate packages available. One of these packages I think is Workbase. I had originally done the review on the Homebase database management system, published in the March 1983 RAINBOW, so I was familiar with the concepts of Workbase. However, with the added functions and the level of the report capabilities I think a good program just got a lot better. As with any database management system, Workbase requires that time be spent on learning its ins and outs before tackling any serious applications. Also one needs to spend some time defining just what it is that he/she wants to accomplish with Workbase. Through the utilities, errors in the original design can be accommodated and corrected; it is much easier to eliminate them before beginning. But once these steps have been mastered, the database manager is a pleasure to use. It is error forgiving and error trapping is used where possible. The programs, and there are many, are written for the most part in BASIC. My experiences were that if the programs had an error it was due to a bad file (most likely due to not exiting the programs properly). Once I got over the primitive learning stage I had no problems whatsoever. I was impressed with the ease with which I could get data in and out of the database. The programs are well done, the menus are clear and easy

# YOUR TRS-80\* SPECIALISTS IN CANADA

#### COCO SOFTWARE FROM

ADVENTURE INTERNATIONAL COMPUTERWARE PRICKLEY PEAR COGNITEC EIGEN MICHTRON TOM MIX SPECTRAL SILVERWARE SOFTLAW MARK DATA SKYLINE

## **ACCESSORIES**

PRINTERS BOTEK INTERFACES MODEMS JOYSTICKS SUPER PRO KEYBOARDS EAP GOLD CONNECTORS BOOKS, MAGAZINES AND MORE

WE HAVE BEEN SERVING TRS-80" USERS FOR 3 YEARS WITH THE LARGEST SELECTION OF SOFTWARE AND ACCESSORIES AVAILABLE IN CANADA.

WRITE OR PHONE FOR A FREE CATALOGUE MASTERCARD AND VISA ACCEPTED



CMD MICRO COMPUTER SERVICES LTD. 10447 124 ST. EDMONTON ALBERTA T5N 1R7 PHONE: 403 488-7109

\*TRS-80 is a trademark of Tandy Corp

to read, the documentation is easy to follow and the options are excellent. I believe Workbase to be a system of good design and very well written programs that perform in a similar manner. On the other side, there are a couple of improvements that I think would make Workbase just a little more versatile. I think it would be nice if the print process could be interrupted and stopped or resumed by the user. Thus, if for some reason, the data being printed was not wanted, you would not have to wait for the process to complete before continuing. Also, you are required to place the system disk in drive 0 to load the initial program. If you are using two disk drives, like I do, then midway through the initialization process you are asked to move the system diskette to drive 1. If, for some reason you leave Workbase and return, you must move the system diskette back to drive 0 and repeat the process. The drive number last accessed is available in low memory and could be used to force load all other modules from that drive. The last and final suggestion is to force exit through the warm start procedure of the BASIC interpreter. As it stands now, you must either power cycle the computer or perform the following to rerun Workbase. You can force the interpreter through the warm start procedure by POKE 113,3:EXEC 40999. Other than those few items, I think that Workbase is a database manager of very good quality and reliability. Once I got over the original learning curve. not once did I crash the system. And I am not known for my excellent typing skills. The difference between Workbase I and Workbase II is the number of records allowed in any one file. Workbase I allows for a maximum of 400 records while Workbase II allows for 1200. I think the Color Computer and Workbase make a winning combination.

(Workbase Data Systems, P.O. Box 3448, Durham, NC 27702, Workbase I \$64.95; Workbase II \$79.95)

One-Liner Contest Winner . . .

Richard Carey says that "this program has two purposes: 1) creates random music, and 2) drives little brothers up the wall." That may well be true.

Richard Carey Marshall, TX

The listing:

Ø T=RND(-TIMER):P=RND(255):FORX=
P TORND(255)STEPRND(5):SOUNDX,RN
D(5):NEXT:RUN

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape.*)

# Versa Mail Features Efficiency And Versatility

By Eldon Doucet

Do you have a need for a good mailing list program? Well, you've come to the right spot. Versa Mail, by Computerware, is a very versatile mailing list database. It requires a 64K disk system and a printer (80-132 column). It has the ability to span up to four drives to store a database on. This adequately gives a capacity of over 2,500 records per file with four drives; over 800 with just one drive. I found one drive to be plenty, as any mailing list I have is less than 200 names.

Versa Mail stores the first name, last name, address, company, city and state, ZIP code and phone number for each record produced. You also have the option of creating 12 additional fields. These fields are given a title by the user up to eight characters long and can store any kind of data up to 20 characters long. The more space used for each record by adding more fields will cut down the number of records that can be stored on each disk.

The manual is well-written and leads the user through the program quite effectively. The first thing to do to set your database is configure it. This involves setting the Baud rate of your printer; defining compression and uncompression codes for your printer, so that an 80-column printer can use 132-column print, and switch back; defining any additional fields for each record; allocating disk space to be used to store text files for "mail merging" them with your mailing list, and for label formats used to print mailing labels from the database; defining how many records the database can use, and on which drives; and setting the date. Most of the items that are configured can be changed when the main program is running by selecting a specific menu item. The ones that can't be changed are the extra fields set up initially.

Once the configuration process is complete, you can move into the main program which has the following options: Add Record; Delete Record; Change Record; Display Record; Print Listing; Print Labels; Mail Merge; Utilities/Defaults; and Return to BASIC. The menu screen also shows how many records are currently in the database, the maximum allowed, and the last date the database was used.

All input screens are user-friendly and have default answers which can be used by hitting ENTER. They also give the option of changing anything before any action is taken. For example, on the first screen when adding a record is completed, a prompt asks which field to change, or hit ENTER if none are to be changed. Prompts like this are throughout the whole program — a good feature since it also prevents an accidental erasure of a record in the Delete Record section. One nice feature of *Versa Mail* is that a deleted record can be "Unkilled," provided the record number is valid (all records have numbers), and you have not yet exited the program.

Display Record has some very nice features incorporated into it. Since all the records are automatically sorted as they are added, a sequential search of the database produces an alphabetical display starting at the name you choose (last name only). But two other displays are available.

One is a Soundex search, and the other a Logical search. The Soundex search is unique, and I have not come across it anywhere else; it allows you to find records that sound similar to the name or word you are looking for. For instance, the names "Jonson" and "Johannsen" would both be displayed if you use the name "Johnson" to search by Soundex. The other search, Logical, is more familiar. especially if you have used a database program such as VIP Database. It allows you to select records based on a logical code, for example, as field #6 equal to California. You would type 6 EQ CA, and the program would find only records where field 6 equaled the letters CA. The other qualifiers are GT (greater than), LT (less than), NE (not equal to), GE (greater than or equal to), and LE (less than or equal to). The only thing missing from this search is the ability to AND or OR one field with others.

Printing can be done in several ways. A wide listing of records can be produced, using the compression codes that were previously defined; a short or long listing can be produced, i.e., the programmed fields can be printed or not; and records can be selected for printing using the selective criteria from the display routine. Another printing feature is the mailing labels. Labels from one to 12 lines and either one- or two-wide can be used. All of the main fields can be used and up to three of the programmed fields. In place of a programmed field, you can define straight text to print on the label on any line. The label format is saved as a separate file (which is why you reserved space in the configuration program). An alignment label can be printed first, and the records to print on labels can be selected using the selective criteria from the display routine.

Mail merge is a feature I've also seen before and is very handy. A form letter can be produced by any word processor capable of producing ASCII files, and space can be left to insert data from *Versa Mail*. Any field can be inserted anywhere in the letter and the manual describes this feature fully.

A file can also be expanded at a later date by adding a disk drive. *Versa Mail* will not increase a file on a disk it is currently using, but will allow more drives to be added to the database.

Versa Mail is an excellent mailing list database with plenty of features to boot. A 64K disk system may not be in the hands of everyone yet, but here's another excuse to get it!

(Computerware, P.O. Box 668, Encinitas, CA 92024, disk \$39.95)

# JoySticks/plus

Quality Game and Graphics Controls for the Color Computer

and ordered the control of the contr

Deluxe Graphicom Controller \$24.95
Standard Game Controller \$18.95 each /34.95 pair
States of the Union Educational Hi-Res M/L D \$49.95
State Lottery Utility T \$10.95 D \$14.95

add \$3.00 Shipping
COD, Money Order or
Certified Check ONLY
WV Residents Add 5% tax

JoySticks/plus 120 East Point Dr. Charleston, WV 25311 304-755-9623

# Space Escape Offers Two Great Adventures In One

Space Escape is another great BASIC Adventure on tape from Pal Creations. When you buy one of Pal Creations' 32K Adventure programs, you have a selection of more 32K Adventure programs to receive as a free bonus. Usually, a free program means a sloppy job that is only meant to entice you to buy the company's product. Well, Eno, one of the free Adventures from Pal, is just as good or better than Space Escape. Both run in 32K, but if you own a disk system, you'll have to unplug it because both programs use up all the available memory and just won't run with a disk configurated system. Perhaps if Pal compiled their BASIC programs into machine language they would use less memory and run on a disk system. Otherwise, the programs are fine the way they are. I'd rather unplug my drives than play an edited version of either Adventure.

First, I'll describe generally what can be said about both programs, then go into specifics. Both programs are terribly hard Adventures (all the better). They list all of the possible commands available, and you don't have to memorize them or write them down. If you type in an invalid command, the list of vocabulary words will be displayed. Now to the specifics.

In Space Escape, you have been taken prisoner by an alien UFO. You've been poked and prodded for many days

History of the Color Computer Sales 1982 1983 1984 1985 1986 Months Since CoCo's Introduction With GRAFPLOT you can be a graphic artist! Get your point is by turning dull rows and columns of numbers into dazzling resolution graphs. You'll never need to use graph paper, ror messy ink again. Improve your image and impress your NO RISK! MONEY-BACK GUARANTEE! FREE R/S SCREENPRINT PROGRAM! FULLY AUTOMATIC OPERATION! "A great package gets even better ... totally impressed ... equally useful in the home and office ... meticulous, hand-holding documentation ... very easy to use" RAINBOW, 6/84 & 7/83 "A high quality product ... slick presentations" Hot CoCo, 8/84 Universal Screenprint Loader for non-Radio Shack printers. Universal Screenprint Loader for non-Radio Shack printers.
Full ASCII upper and lower case in 4 on-screen labels.
Automatically scales and labels axes with "neat" tic marks.
Full function data editing: add, change, delete and sort.
Graphs and data output to screen, printer, tape or disk.
Calculates user-defined functions, moving averages (binomial smoothing), cumulative totals and integrals (areas).
Saves completed graphs for instant reloading.
Works with all CoCo models - requires Extended BASIC.
Disk Only: display or print directory, kill or rename files. 16K TAPE - \$35.00, 32K TAPE - \$40.00, 32K DISK - \$45.00 (US) ASK YOUR DEALER FOR GRAFPLOT OR ORDER DIRECT FROM HAWKES RESEARCH SERVICES, 859 STANFORD AVE. DAKLAND, CA 94608 YOUR PERSONAL CHECK IS WELCOME! \$3.00 SHIPPING ON ALL ORDERS. SHIPMENT WITHIN 48 HOURS! CA. RESIDENTS ADD SALES TAX.

now, but today you haven't been bothered, and your door has been left open. When you leave your room you find a control panel with 16 symbols on it. You will find a tabloid with a key as to what each symbol stands for. The symbols are the names of planets. When you push one, the forward wall rotates (all directions are in terms of forward, aft, port and starboard, instead of traditional directions). It seems the control panel operates a "rotating jail." The cell is either facing the opening or it isn't; only one cell can be opened at a time, preventing a mass escape. When examining all the cells you will find many strange enemy creatures. All dead, but not all harmless. You will also find an android named Noxol with one eye torn out. He is nonfunctional, as well as Zoxol, a robot you will find.

To escape you have to activate Noxol and Zoxol. Both will follow simple commands such as Follow, Stay and Destroy. While you explore the ship you must find a device that lets you translate the alien language, because there are clues everywhere written in alienese. There is even a clue on a monitor screen in a laboratory (I wonder if it's a CoCo!). There is another alien still alive on the ship. All the others were killed by a disease brought from Earth when you were picked up. To win, you have to leave the ship and return to Earth. I was eventually able to leave the ship, but I was stranded on an asteroid for eternity.

Eno has a totally different setting. You have an eccentric aunt who died and left you a fortune — you only have to find it. Clues are given which you have to decipher. The directions give the clue that the money is hidden in the living room. This is a lot of help since the entire Adventure takes place in the living room.

This Adventure is written with a humorous note. It is such a hard Adventure I didn't come close to solving it. I did figure one thing out: there is a safe behind a picture of a black cat (how classic). If you try to open the safe, and don't type in the correct numbers, you will be arrested because you set off an alarm. I won't give away all the funny things you will find in this Adventure, but if you go to the NE corner of the living room, you will see a large fishtank. If you aren't careful, you'll break it and drown. The program then tells you it was a very large fish tank and that you should have listened!

Both *Space Escape* and *Eno* are excellently written. Any program by Pal Creations means great Adventure. This is a fine product and worth purchasing.

(Pal Creations, 10456 Amantha Ave., San Diego, CA 92126, cassette \$14.95)

- Scott Sehlhorst

# IRA FORECASTS MARKET VALUE ESTIMATES MORTGAGES INTEREST DEDUCTIONS RETIREMENT PLANS BOND YIELDS

Analyze any fixed rate — fixed payment investment and do Monte Carlo estimates for capital needed to inflation proof investments. You type inputs on the "WORK SHEET" (new help messages appear at the top of the display for each input). The computer displays your answers and amortization schedules adjusted for taxes and inflation. One key save and print. Uses 16K EXT BASIC. Cost is \$30. Send check to:

BELOX TECH

26060 W. Cuba Road • Barrington, IL 60010

# Expand Your CoCo's Vocabulary With The Enhancer

By C.L. Pilipauskas

A software utility is just a tool, like a screwdriver or a saw. Everybody needs a screwdriver (how else could you hook up your CoCo to the TV?), but not everybody needs a saw. Since a utility is a tool, you'll have to decide whether or not you need it and, hopefully, I'll give you enough facts here to decide.

A recent arrival on the utility scene is a program called *The Enhancer* from H.D.R. Software and written by David Skoll. It "enhances" Extended Color BASIC on a 64K CoCo by adding nine new commands and one new function. The program is available on cassette or disk.

The disk I received auto-executed after *LOADMing* it into memory. I was greeted by both a new copyright notice and prompt. I barely skimmed the five-page manual before typing in my favorite test program (10 PRINT"HELLO WORLD", 20 GOTO 10) and running it. It worked just fine. Now back to the manual to see what this program could really do.

Here is a brief summary of what I found.

 RECOVER — use this when you mistakenly type NEW before SAVE and want to recover your program.

- 2) REPEAT ON (or OFF) turns on the key repeat mode. Holding any key repeats it FAST. (I thought it started repeating a little too soon.)
- BREAK OFF (or ON) disables the BREAK key to prevent accidentally crashing your program. It can still be used from your program as it returns an ASCII 6 when pressed.
- 4) DESPACE removes all spaces from a BASIC program; be sure to have another copy of the program saved as the EDIT and ASCII SAVE may not work. A long program may take three minutes to "despace."
- 5) KEYDEF defines keys 'A' through 'Z' as special keys when used with the control key (down-arrow). Each key can represent up to 100 characters. The author preprogrammed each key as a BASIC keyword (like D.A.+E=EDIT). Unfortunately, there is no way to save them for future use.
- 6) HIPRINT ON (or OFF) this is the heart of the utility TEXT WITH GRAPHICS, allowing 32 columns (or characters) in 24 rows to be displayed on a *PMODE 4* screen. It even has true lowercase letters but no descenders; 90 characters are defined.

The last three commands and the one function can be used only while HIPRINT is active.

- 7) CURSOR replaces the *PRINT* @ function on the Hi-Res text screen.
- SCROLL scroll protects from zero to 22 lines at the top of the screen.



- CUSTOM allows you to define your own character or even your own character set. Unfortunately, there is no way to save them for later use.
- 10) CHAR is a function that returns the ASCII value of a character on the Hi-Res text screen, much like PPOINT is used for graphics.

Though the manual is only five pages long, anyone with a little experience in computers should be able to figure out how to use these features. I would like to have seen some sample programs using all the HIPRINT options as that would have made it easier to understand.

Unlike some other programs I've used that put the BASIC ROMs in RAM, this one is Reset proof. It also loads itself into the upper 32K of the memory map, so it uses virtually none of BASIC'S RAM space.

The only "bug" I found was getting an ?AO error on the first *LOAD* after *The Enhancer* was running. A second *LOAD* or *DIR* works fine.

There are several things I would like to have seen done differently or better to enhance *The Enhancer* program. The inability to save redefined keys and characters is, in my opinion, a major flaw. The density of the text characters on the Hi-Res screen is a little disappointing, especially considering the state of the art with other programs. Without descenders, some of the lowercase letters took awhile to recognize.

# **WANTED!**

Young men and women seeking adventure, excitement and thrill-a-minute action. No experience necessary—just you and your Color Computer. See below:

#### FOR THE 32K THRILL SEEKER

	ON THE SER THRILL	SEEKE	n
	TITLE	DISK	CASS.
NEW!	MR. DIG	\$27.95	\$25.95
NEW!	CANDY CO.	29.95	29.95
NEW!	WILLIE'S WAREHOUSE	29.95	29.95
NEW!	ICE HOCKEY		21.95
	ZAXXON	29.95	
	PROTECTOR II		29.95
	DESERT PATROL		21.95
	ICEMASTER		21.95
	FOODWAR		22.95
	WACKY FOOD		19.95
	CASHMAN		24.95
	CHOPPER STRIKE		24.95
	TIME BANDIT		24.95

#### LOTS OF PLAY FOR 16K

MOONSHUTTLE		\$26.95
FROG TREK	16.95	14.95
3-D TIC-TAC-TOE	18.95	16.95

Interested applicants send check or m/o to:

# OELRICH PUBLICATIONS, INC. 4040 N. NASHVILLE CHICAGO, IL 60634

Credit card orders call: 800-621-0105 (In Illinois call: 312-545-9286) NO SHIPPING CHARGES!!! As just a reminder, writing programs that use the features provided by *The Enhancer* can be run only while it is active. Also, some graphics games I loaded apparently interfere with this program while in HIPRINT mode; this is not a problem, just a warning. This program was also Copy-Backup protected, but can be replaced if damaged (but not tampered with) by sending back the original plus 50 cents to cover postage.

I received version 3.0 of *The Enhancer* from THE RAINBOW, and spent about three weeks testing it and writing this review. In response to a letter I sent to Mr. Skoll concerning pricing, I received an updated revision of this program (V4.3). There are several changes to the program and the manual. Time didn't permit me to test the new revision as thoroughly as the original and I'll just mention the new features:

1) New cursor — a black blinking square.

- An expanded character set for HIPRINT (now 223 characters) which includes graphics, Greek letters, etc.
- One more new command SWAP which quickly exchanges two BASIC variables.
- 4) Information is now included on how to use *The Enhancer* with ML programs.
- 5) A complete ASCII table for the character set is included in the manual.
- 6) It will now run on both the original CoCo as well as the new CoCo 2.
- 7) The program is copyrighted by H.D.R. Software.
- 8) Underlining and bold characters are now available in HIPRINT mode.

All in all, I found this program to be well thought out, with the exception of the inability to save the redefined keys and characters. The program functioned as described in the manual and, if you write a lot of BASIC programs for your own use, *The Enhancer*'s features could make your tasks a little easier.

To enhance or not to enhance . . . I'll leave that up to you!

(H.D.R. Software, 27 Doyle St., St. John's, Newfoundland, Canada, A1E 2N9, tape \$18.99, disk \$22.99; make check or money order payable to David Skoll.)

# **SWITCHABLE DOS IS HERE!**

No Traces To Cut — No Soldering Uses J&M **OR** RS Disk Controller, JDOS **AND** RS DOS at your fingertips. \*DOS's not included.

DOS Switches \$39.95 plus \$2.50 S/H (WA Res. Add 7.8% sales tax)



Multi-Venture P.O. Box 6157 Alderwood Manor, Wa.

98036

# **SOLVE** Remedies OS-9 Blues

Are you sick and tired of that Debug module that is packaged with OS-9? Does the standard assembler Radio Shack supplies give you fits? Do you wish you had a disassembler for OS-9 that supported symbolic disassembly? Are you still reading these questions? If your answer is "ves" to any of these questions (except possibly the last one) then chances are SOLVE (Symbolic Object/Logic Verification and Examination), by Dugger's Growing Systems, is probably meant for you.

Although the full name is slightly more involved than piloting the space shuttle blindfolded through an asteroid belt, the program is very easy to use and operate, assuming that 6809 machine language is already familiar territory. The purpose of the debugger/assembler/disassembler is to allow program development and debugging in the OS-9 machine language environment. SOLVE serves this purpose quite well and effectively replaces the OS-9 system Debug and Asm modules, and some of the duties of the Edit module. Also note that SOLVE is completely memory resident, and is one large integrated package, so the large amount of file transfers normally required to develop a program is virtually eliminated.

SOLVE serves as a Monitor and a Disassembler/ Assembler. To get a better perspective of each of these aspects, I will evaluate them separately.

The Monitor command set controls the manipulation of the stack, memory and registers. Commands included are:

M — Display Memory

Examine and Change Memory

Fill Memory

Search For Bytes

X — Transfer Memory

Calculate Expression

- Examine and Change Stack Contents

B — Set and Display Breakpoints

K - Kill Breakpoints

@ — Change Current Nest Level

N - Set Maximum Nest Level

Commands included for execution and simulation of execution are:

L - Link to Module

E — Prepare Module for Execution

T — Trace Program

G — Jump to Program (Unmonitored)

S — Simulate Program

As one can see, this is a very complete command set for any monitor, and probably one of the best available

# **Canadians**

Can you imagine it? It's free

# 





Send for your free copy of our catalog/newsletter. It will contain articles, rumors and letters of interest to all Canadians. We stock all of the latest products available for the color computer, and the best news is that it will usually cost you less than importing from the United States. Kelly Software is Canada's largest distributor of CoCo Software.

Dealer inquiries invited.

Kelly Software Distributors Ltd.

P.O. Box 11932 Edmonton, Alberta T5J-3L1

Telephone (403) 421-8003.

# Receive our free Catalog/Newsletter.

To receive our free catalog/newsletter please fill in the following information.

#### Type of Computer.

- □ CoCo
- □ CoCo-2
- □ Basic
- ☐ Extended Basic
- ☐ Memory 16K
- ☐ Memory 32K
- I am interested in the following Products and Software
- □ Business Application
- ☐ Graphics
- ☐ Games
- ☐ Music
- ☐ Utilities
- □ Voice
- ☐ Home and Family
- □ Education □ Communication □ Adventure

□ Tape

☐ Disk

□ Modem

☐ Amdek Drives ☐ Hard Drive

☐ Memory 64K

☐ Memory 128K

□ 128K □ Model 111/1V.

\_ Date: \_\_

Address: \_

\_\_\_\_ Province: \_\_

Postal Code: \_\_\_ \_ Telephone: \_

Mail the coupon to:

Kelly Software Distributors Ltd.

P.O. Box 11932

Edmonton, Alberta

T5J-3L1

Telephone (403) 421-8003.

probably accommodate any needs.

Another very notable command is the Simulate program, of 'S' command. This command allows the program to run at about six to seven percent of its normal speed, while the debugger traces the program and its register contents. Conditions can be set up for the cessation of the simulation, which include setting the number of instructions to be executed before termination, setting values for the registers to be at before halting, setting an address to halt execution upon, and many others. This command is very useful in the debugging process, and possibly the best designed program simulation function I have ever used.

The Disassembler command set is quite compact, and I will consider the miscellaneous commands part of this

set for convenience's sake. These commands are:

A - Assemble

P - Print Symbol Table

D - Disassemble

\$ — Pass command to OS9

Q - Quit

! — Set Program Base Address

< - Set Data Base Address

These commands are fairly straightforward, yet the 'A' and 'D' commands appear to be much less sophisticated than they actually are. The 'A' command allows the construction of a symbol table, as well as a full-blown assembler complete with pseudo-ops and all the standard 6809 mnemonics. The 'D' command will likewise disassemble, with as little error as possible, any portion of memory. The symbols can be placed and defined anywhere in memory, and can also be loaded in from the disk drive.

The manual is very well-written and each command is covered quite sufficiently. The last five pages also include a sample session, in which the source code is included on the program disk. The sample session takes the user through almost every command and does it quite effectively. In fact, the only problem I could find with the entire package was a slight discrepancy in the addresses — the addresses listed in the manual are not necessarily the ones that will appear when the user uses the program, because the loading address will probably be different than the sample's loading address. Although nothing is wrong with this, I feel it should be pointed out in the manual so the user can adjust accordingly.

SOLVE is top-notch, and the Color Computer would do well to have programs of equal quality and design. I would recommend this program to anyone who wants a well-designed, integrated development system for the OS-

9 environment.

(Dugger's Growing Systems, P.O. Box 305, Solano Beach, CA 92075, \$99.95 plus \$3 S/H. Supplied on OS-9 disk)

- Eric W. Oberle

# Arcade-Like Performance Makes Ms. Maze A Winner

Ms. Maze is the Tom Mix version of the well-known arcade game, Ms. PacMan, for the Color Computer. According to the current Tom Mix ad, "Anything that could be done to make the Color Computer look and play like the arcade version has been done." The graphics certainly reflect this — they are sharp, with good color and movement. Played with a Kraft joystick, the game has a nice, crisp feel to it. With the Radio Shack joystick,

play is somewhat sloppier but not unduly so.

The "look" of this game is very similar to the arcade version. There are four screens, each with a different maze. The first two boards must each be cleared twice, and offer side passages that allow Ms. Maze to "wrap around" to the opposite side of the maze for purposes of escape. The third and fourth boards (cleared once each) have no side passages. The fourth board is actually the same as the third, but the walls are invisible. The dots give you an outline to follow, but as these are eaten your outline disappears, making things downright exasperating. Additional points are given for eating the monsters that pursue Ms. Maze with such tenacity. These are vulnerable only when Ms. Maze eats one of the four flashing power dots, and then only for a short time.

Four options are offered at the beginning of play: BREAK, which gives a demonstration of the four boards; 'X', which gives a silly, speeded-up version of the game; 'P', which allows a practice game with 10 tokens instead of the usual four; and any other key, which starts the regular game.

Music plays a part in this game, signaling either death of one of your tokens or advancement to the next level. The tunes are well-done, but like any tune heard over and over, they soon pall. Of course, the TV volume can be turned down or off, but this does not eliminate the delay while the tune plays; this delay only seems longer with the sound off and can be annoying. A desirable option on games like this would be a "music on-music off" toggle that would also eliminate the delay caused by the tune playing. This is the only drawback to an otherwise excellent game.

(Tom Mix Software, 4285 Bradford N.E., Grand Rapids, MI 49506, cassette \$24.95, disk \$27.95)

- Mark Williams

See You At
RAINBOWfest IRVINE
Feb. 15-17

# The Peeper Monitors Machine Language Program Operations

"The Peeper is an interrupt-based program tracer that lets you monitor operation of a machine language program while it is running." In other words, The Peeper runs at the same time as another machine language program. "The Peeper is designed to let you inspect any desired portion of the Color Computer's memory, even while BASIC or machine language programs are running. With The Peeper, you can display any part of memory, using any of the Color Computer's 26 documented display modes (test, graphics, or semigraphics). You can freeze the action at any time, or slow it down by practically any desired amount."

"The Peeper is capable of providing a running trace of the 6809's registers and stack, and supports single-stepping, breakpoints, and other useful program-monitoring functions." But The Peeper also caters to the non-machine language programmer. By looking "behind the scenes" at what BASIC is doing, you can get a better understanding of how BASIC winds its way through the computer and how various POKEs can change things. Also, The Peeper can be used to just watch machine language games running in the computer; seeing how the programs draw things on the screen, how some use hidden screens, etc., all by using The Peeper to control how the game is running.

To use and appreciate *The Peeper* to its fullest extent, I recommend some knowledge of machine language and the hexadecimal system, as the program is geared towards this. To get an idea of how powerful and extensive *The Peeper* is, here is a brief summary of *The Peeper*'s commands.

Display Mode commands — change the display to the next mode in a cycle of 13 display modes and the two color sets

Display Window commands — control what portion of memory is displayed on the screen. They allow you to scroll up and down through memory, go back to page zero, go back to the text screen and text mode, and go back and forth between *The Peeper*'s status display page and the current display page you are looking at.

Speed commands — allow you to freeze the execution of the program being monitored, select a slow motion speed mode from one of seven (of which all can be altered, giving a very broad range of speed controls), and select slow motion speed after a 1/60 second delay so the ENTER key can be processed by BASIC.

Breakpoint command — allows the entry of up to three breakpoints. (Used by machine language programmers to halt the execution of a program at a specific address in memory.)

Trace commands — allow the trace of the program by either the address or the registers. You can display the register values and the current address being executed.

Examine Mode commands — can display any address' contents and change its value.

Other commands allow you to enable or disable output to the printer, exit *The Peeper*, and define your own "custom" functions. The Peeper is easy to load and comes on a cassette which can be transferred to disk. It will run in any system 16K or higher; it does not require Extended BASIC and will run with both versions of Disk BASIC. The cassette also includes two companion programs: "The first, Rompeep, supplements Peeper in that it allows you to inspect the contents of the BASIC ROMs and of ROM pack cartridges. The second program, Find, is a utility to aid in locating interrupt-disabling instructions that must be removed from some machine language programs in order to achieve The Peeper compatibility."

The manual supplied with *The Peeper* is one of the best I have seen so far for a utility program. It is long and detailed and describes every aspect of the program. It includes instructions for 64K operation and user modification as well. Also included with my review copy was a source code listing which can be purchased with the program for a couple of extra dollars — well worth it.

One part of the manual I enjoyed was the section on using *The Peeper* with commercially available machine language games. It goes into great detail on interrupts and interrupt servicing routines, and explains how to make *The Peeper* work with quite a list of games from all companies. The ones not included are left up to the user to see if they will work with *The Peeper*, but after a thorough reading and understanding of the manual for *The Peeper*, one should be able to append the list of games provided by *The Peeper*.

If nothing else, the manual is an excellent learning and teaching tool for many aspects of the Color Computer and the 6809 processor. It answered a few questions I had come across while disassembling various programs and should become a highly used publication in your library.

For the price, buy it! Order the version with the source code because even if you're not a machine language programmer yet, you will be some day, and hopefully *The Peeper* will bring that day a little closer.

(Spectrosystems, 11111 N. Kendall Drive, Suite A108, Miami, FL 33176, \$21.95, \$24.95 with source, plus \$2 S/H)

- Eldon Doucet

One-Liner Contest Winner . . .

Pinwheel draws random circle segments; diameters, angles and colors are all random and everchanging.

Kenneth Budnark
Oakville, Ontario, Canada

The listing:

1 PMODE4,1:SCREEN1,1:PMODE3,1:S=RND(100)/100:E=RND(100)/100:R=RND(130):C=RND(4):PLAY"V15;T25505CO4BAG":CIRCLE(128,96),R,C,1,S,E:GOTO1

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape.*)

# Big Bird's Special Delivery Is Excellent For Teaching Classification Concepts

Big Bird's Special Delivery is another in the series of programs that are presented by Radio Shack and the Children's Computer Workshop. It is an instructional program in a game setting that provides practice in classification. Attributes are examined and compared in regard to form, class and function. The 3 through 6-year-old is the intended user. It must be stressed that these are family oriented games. For best results, an adult should be present to supervise the activities on the computer.

A small loader program is first loaded into the computer. (A Color Computer with Extended Color BASIC is needed to use the program.) After running the loader program, the title screen and opening credits are displayed. The time to load this information is long, so it is a good idea to do this before the session with the child.


There are two games on the opening menu. The first game is called the "Same Game." The child must pick the pictures that exactly match. Four pictures are displayed in the upper portion of the screen. The object to be delivered appears and the child uses the arrow keys to help Little Bird move the picture to the store that contains the same picture in the window. The up-arrow is then pressed and

Reye syndrome is a rare but dangerous condition that can develop from flu or chicken pox. It occurs mainly in children under 16, usually when they appear to be recovering. Watch for these signs:

- Persistent vomiting
   Fatigue
   Confusion and
  belligerence.
- If your child displays any of these symptoms, consult a doctor immediately.

Some studies indicate that there may be an association between the use of aspirin for Itu and chicken pox and the development of Reye syndrome. Further studies are being conducted on this possibility. In the meantime, the U.S. Surgeon General suggests that you check with your doctor before using aspirin or any medication when your chicken pox.

 A message from the Food and Drug Administration.



the picture is delivered to the store. Little Bird does a little dance of joy to let you know the goal has been achieved. If the delivery is not correct, the shopkeeper shakes his/her head and the child receives another chance to make the right delivery. The person supervising the child may need to help the child identify and name the pictures in the store windows. The graphics are as good as they could make them, but some of them are confusing. After Little Bird does his thing, the child is ready to help make another delivery.

The second game contained in the program is called "Find the Right Kind." In this segment, the child must find the object that is of similar kind. For instance, an apple appears for Little Bird to deliver. The four pictures in the upper portion of the screen are a leaf, an umbrella, a banana and a car. The apple must go to the store with the banana because they are both fruits. The same procedures are followed as in the first game and Little Bird does his dance.

The program uses nine categories for the pictures that are displayed. There are 63 pictures available for selection by the computer. The categories are clothes, ways to travel, buildings, sports, food, instruments, plants, kitchen things and animals. As mentioned earlier, the pictures may be difficult for the child to identify so assistance may be needed.

Big Bird's Special Delivery is an excellent tool for teaching concepts of classification. I found the younger children, aged 3 and 4, enjoyed the program more than the 5- and 6-year-olds. Program quality follows the same high standards of the other programs in this series. A 12-page parent's manual is included for program operation. Additional ideas are presented for follow-up activities for family enjoyment.

(Radio Shack stores nationwide, Cat. No. 26-2525, requires 16K ECB, \$19.95)

-Rick Cobello

One-Liner Contest Winner . . .

The object here is to make a single line without crossing your path, using the joystick to change directions.

Tom Smallwood Sierra Vista, AZ

The listing:

1 CLS:PMODE4,1:PCLS:SCREEN1,1:LI
NE(0,0)-(255,191),PSET,B:X=127:Y
=97:FORZ=0T099999:IFPPOINT(X,Y)=
5THENPRINT"SCORE:"Z:ENDELSEPSET(X,Y):X=X+INT(JOYSTK(0)/31)-1:Y=Y
+INT(JOYSTK(1)/31)-1:NEXT

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape.*)

# Kickoff On Your CoCo With Big B Pro Quarterback

My football playing era ended in high school when I spit out my four front teeth after an unexpected encounter of the painful kind with a face guard from a member of an opposing team.

Although my physical involvement with the pigskin has ended, my interest in the game has not. To the consternation of my wife, too many weekends are spent in front of the tube rooting my favorite team on the gridiron.

When there is no game on TV, to relieve my anxiety, I have even resorted to a quick game with a Mattel handheld football game. I will admit that moving a blip on a 1-inch by 3-inch screen on a hand-held toy, avoiding the game's opposing blips is not a whole lot like the game of football.

With my current addiction to football, I was elated to hear that I was assigned the football Simulation Big B Pro Quarterback for review. The only involvement my CoCo had with football, so far, was using it to run the Pigskin Predictions program to generate a computerized point-spread prediction. I had visions of plotting end-runs around electronic blockers skillfully piloted by my CoCo.

Upon arrival, I anxiously shoved the cassette in and loaded the program. A menu appeared on the screen giving the options available. It may be played with two players or one against the computer.

When playing, you first choose a name for your team. If you are playing against the computer, you are asked to enter how fast you wish the computer to flash the plays it selects on the screen.

When the game begins, a coin flip determines which team receives the kick. The kicking team must decide whether to kick away or onside. If the ball is kicked into the end zone, the receiving team will automatically return the ball.

After the kickoff, a screen will appear showing where the ball is, the down, yards-to-go and plays left in the quarter. A game is composed of four quarters of 50 plays per quarter. The plays available for the offensive team are:

Running plays
-Handoff
-Draw Play
-Dive (over the top)

Passing plays
-Screen Pass
-Short Pass
-Medium Pass
-Long Bomb
Other plays
-Punt
-Field Goal

The instruction sheet suggests that you try a little experimentation to get an idea of the average yardage, completion rate, etc.

Another option available is "Scoreboard," which gives rushing, passing and total yardage statistics. Also available is a "Save Game" option which will SAVE a game in process so it may be finished at a later date. (I know many coaches who would like to have that option in real life.)

Upon scoring on the Extended BASIC version, the screen flashes TOUCHDOWN and sounds a little victory charge tune.

The description of the game sounds exciting; actually while playing it, boredom set in quite rapidly. This is due to many things. Primarily, there is no playing field shown on the screen. The status is shown using words on the screen rather than showing your players on the gridiron.

While your play is occurring, the screen tells you what is happening. Gains and losses are determined by seemingly preset random variables. You have no control over the success or failure of a play except choosing an appropriate play for the situation. Yardage gains and turnovers are representative of actual football situations, but you also have no control during the play.

Conversely, when you are on the defensive side, there is no active defense. The computer randomly determines whether the opposing team gains or not. In real football, offensive and defensive strategies are combined to win the game.

Overall, I found Big B Pro Quarterback to be a poor Simulation of the strategies involved in football, which is just as well, for with the NFL Sunday games, the Saturday college games, Monday Night Football and the USFL second season, my wife's reaction to more football time in front of a screen would cause me to wear a helmet and pads in the house.

(Big B Software, P.O. Box 91, Broomfield, CO 80020, 16K ECB or non-Extended BASIC, cassette \$16.95)

- Bruce Rothermel

# "Tape Tamer" and "A Snappy Zapper" DAPPER) by Sadare Software

# T.UTIL

Appends • Indexes • Copies • Verifies
...I haven't seen any tape utility that can compare to
T.UTIL. Rainbow, June 1984 Only \$12.95

# DAPPER

Allows complete control of disk system.

.... I highly recommend DAPPER .... performed flawlessly .... It's a winner! Rainbow, October 1984 \$14.95 ROM Runner—Allows any ROM pack-based program to run from tape or disk. Requires 64K and a cassette

drive. Easy-to-use. \$7.95 **Library 1**—The ultimate productivity tool for all Color

EDTASM users. Requires 32K, a disk drive and disk

EDTASM. Priced at only \$24.95

MDCOPY/NODISK—ease the transition from tape to disk. Both for only \$9.95

DISCOUNTS on brand-name disks-send for price list!

COM	IPAI CE &	RE B	RAINBOW CERTIFICATION RAI SEAL	adare Software programs are inbow-certified  Sadare Software
PERI	-UK	G	P.O. aithersburg, l eck/money orde	Box 3891 MD 20878
T.UTIL	1.1.2	Name		
DAPPER ROM		Address		
Runner		City	State	Zip
Library 1 MDCOPY/	-	Please sen		
NODISK		_ fre	e catalog 📋 disk	price list
Postage & Handling	\$1.50		o: Sadare Sof 3891, Gaithersbur	
TOTAL \$		Maryland	residents add 5°	o sales tax.

# 64K Spooler Can Be Used With Printer Related Projects

The year is 1985 and the Color Computer has been on the market for how many years? I think it was 1980 when I brought my machine home for \$399. Yet here is a piece of software with little explanation as to what it is supposed to do and how and with what you can use it! I've seen some excellent documentation and software for the Color Computer in recent months and I know that this computer can compare well with the others. Perhaps DSL Computer Products should be looking at how far documentation has advanced for the CoCo and take some lessons!

64K Spooler, from DSL, comes on a cassette with a folded card on which a brief explanation is written of how to load it and what to expect. It requires a 64K Color Computer and claims it will save the user "hours of frustration." "When you print to the printer" reads the documentation, "you'll return to BASIC almost immediately." The documentation tells you to clear some memory and type EXEC. It does not tell you to CLOAD or CLOADM, but since you have to EXEC the user must assume to CLOADM. This is only one example of the kind of explanation you can expect from 64K Spooler.

So what does a "spooler" do and how well does 64K Spooler do it? My understanding of a spooler is that it allows the user to return to normal keyboard functions while the computer takes care of feeding a printer with

material to be printed. Thus a spooler's usefulness will be based around printer-based software such as word processors and other printer related projects. The problem with 64K Spooler is that most of the software in this category already uses the full 64K memory (such as Telewriter-64) and won't work with it. The documentation for 64K Spooler mentions no optional software to use with the program so the user is left to his/her experimentation. The only popular word processor that uses only 32K of memory I can think of is Color Disk Scripsit from Radio Shack. I would assume this is the word processor of choice for 64K Spooler.

Since I don't use Color Disk Scripsit, I decided to test 64K Spooler on a mailing list program written in BASIC I often use for our local users group. I use a printer with a large buffer so waiting for the printer to absorb a large amount of data does not depend upon printhead speed. Without 64K Spooler it took my computer 45 seconds to dump to the printer and return to keyboard operations. With 64K Spooler my computer returned to keyboard input in 30 seconds, a savings of 15 seconds. Sorry, but I don't consider saving 15 seconds of computer time compared with two or three minutes of loading time and \$9.95 a very good deal.

Perhaps I gave 64K Spooler an unfair test. Perhaps if I spent two or three weeks reading between the lines of the 64K Spooler documentation I would discover the optimum usefulness of this program. But this is 1985 and documentation for computer programs has advanced past this point. The explanation of this program is the major problem in this software. Until DSL can advance its documentation I cannot recommend 64K Spooler.

(DSL Computer Products, Inc., 4950 Schaefer, Dearborn, MI 48121, requires 64K memory, cassette \$9.95)

- Brian James

# \*\*\*\*\*\*\* EXCITING! AMAZING! HUMOROUS!

Meet "Professor AL"

(Copyright 1984) Friend, Confidant, Advisor, Playmate!!



Two years in the making. Now available for the first time! Both BIG & LITTLE "Kids" love "Professor AL." YOU will, too !!!!!!

\*Exciting, unique, unpredictable \*Simulates human thinking through combined logic & data.

\*The "Prof" can teach you, AND you can teach him! (Even change his personality if you want tol)

\*He has good solid morals & can handle insults.

\*Program easy enough for a child; sophisticated enough for adulta!!

(Must be run on at least a 32K TRS-80 Color Computer with Disk Drive)

ORDER TODAY! Disk & Explanation Literature

\$30.00 + \$3.00 shpg. & hdlg.

(Texas residents add 51/8% Tax)



SANCHER ENTERPRIZE 3720 Brookside Dr. P.O. Box 260213 Corpus Christi, TX 78426 One-Liner Contest Winner . . .

This shows how you can scale what you draw in a DRAW command string. It draws a number of airplanes; they are all alike, but some are large and some are small.

> Bryan Copeland Keithville, LA

The listing:

\*\*\*\*\*\*\*\*\*\*\*\*\*\*

1 PMODE4,1:PCLS:SCREEN1,1:FORT=8 TO17ØSTEP15:L\$="S"+STR\$(RND(5)+1 )+"BM"+STR\$(RND(17Ø)+1Ø)+","+STR \$(T) + "R9U3R6D6G3L15D1F2G2H2E2U1L 3H3D3U6D3E3D3R8L8U3R8U3L8R2D2":D RAW LS:NEXT T:FORP=1T0900000:FOR O=1TO900000:NEXTO:NEXTP

(For this winning one-liner contest entry, the author has been sent copies of both The Rainbow Book Of Simulations and its companion Rainbow Simulations Tape.)

# Graphicom Joystick Solves A Problem

Cheshire Cat's *Graphicom* is a very versatile graphics package, but its "user interface" (a popular buzzword meaning the way in which you operate the program) is very strange. The worst thing about it has been the two joystick buttons. *Graphicom* uses the right joystick for drawing and moving cursors, but it also uses the button on the left stick to switch between menu and drawing modes, and you have to hold it down to stay in menu mode. I've ended up holding the left stick in my left hand with index finger on button, the right joystick similarly in my right hand, and working the stick with my right thumb!

One solution to the problem has been to wire a foot switch to the left joystick socket, but this is still awkward. Spectrum Projects has now come up with a new joystick especially for *Graphicom*, and it looks like the ideal solution

to the problem.

The Graphicom Joystick is a lot like some of the CoCo joysticks that have come out in that it's based on one of those little joystick mechanisms you might see advertised in the electronics magazines. It's a good mechanism, roughly the same as Radio Shack's two-for-\$30 joysticks, but the few really fussy people who can't use anything less than a Deluxe Joystick or a Hayes Mach II won't

like it. (I didn't have any trouble with it myself.) The fire button is large, round and very much like the buttons on arcade machines. This acts as the pen button in *Graphicom*.

Now for the real trick. This housing also has an onoff push button wired as the left joystick button; this lets you toggle between drawing mode and menu mode without having to hold anything down. The cord has two plugs coming out at one end; the one with the thicker cable (more wires inside) going in is the right plug.

This little blue box, with the menu switch, pen button and stick neatly arranged from left to right, gives you full control of *Graphicom* in one unit. It also can be used as a single joystick, or you could even write programs that use both buttons. Spectrum's Graphicom Joystick really improves a popular program.

(Spectrum Projects Inc., Box 21272, Woodhaven, NY 11421; Box 9866, San Jose, CA 95157-0866, \$24.95 plus \$3 S/H)

- Ed Ellers

# See You At RAINBOWfest IRVINE Feb. 15-17

# **TRS-80 COMPUTER DISCOUNTS**





# **COLOR COMPUTERS**

26-3134 16k color II	110.00
26-3136 16k ext color II	130.00
26-3127 64k color comp	185.00
26-3029 1st disk drive	289.95
26-1161 2nd disk drive	229.95

# **PRINTERS**

26-1276 DMP 105	169.95
26-1271 DMP-110	299.95
26-1255 DMP-120	395.00
26-1257 DWP-210	500.00

# MODEL 4 and 1000's

25-1000 mod 1000	999.95
26-3211 Monochrome moniter	125.00
26-1069 mod 4 64k 2dr.	1020.00
26-1080 mod 4 p	1020.00
25-1005 2nd drive mod 1000	215.00
25-1004 128K memory board	250.00

We Carry the Complete Line of TRS-80 Computer Products at Discount Prices CALL FOR A FREE PRICE LIST 800-257-5556 IN N.J. CALL 609-769-0551

# **WOODSTOWN ELECTRONICS**

Rt. 40 E. WOODSTOWN, N.J. 08098

# VIP Calc: Spreadsheet For The Color Computer

By Stuart Hawkinson

VIP Calc, a professional spreadsheet program for the Color Computer, offers more usable features than most existing CoCo spreadsheets. VIP Calc works almost identically to VisiCalc, the original spreadsheet program, so you can use the many books and articles on VisiCalc to learn about spreadsheets. In addition, VIP Calc adds mini-operating system commands to allow disk and tape operation from within the program. This provides the same display, formatting, and disk/tape operations provided in the other VIP family programs.

VIP Calc operates on both 32K and 64K CoCos, with separate versions for each in the package I reviewed. The 64K version gives you over 32K memory (with some options removed), a large amount of user area for your spreadsheet calculations.

Several options are available for tailoring the display to your taste. A high-resolution display allows you the choice of 51, 64 or 85 characters per line. In addition, the normal 32 character low-resolution display is available and gives an extra 6K of user memory. You can also select either 21 or 24 lines instead of the normal 16 lines per screen. Combined with options for narrow or wide characters, green or buff background, and inverted images, you have practically unlimited display choices.

# 10 DISKETTES FREE 20 C-20 CASSETTES

A subscription to the 'Coco-Cassette' gets you a tape or disk full of 10 quality programs delivered to you by first class mail every month. The documentation included will help you run great utilities like 'Word Processor,' and 'Budget Analyzer,' or enjoy great games like 'Frogjump' and 'Caterpillar Cave' FOR AS LITTLE AS 46 CENTS EACH!

★ Limited offer ★ Subscribe for a year on cassette and receive 20 Free C-20 cassettes or subscribe for a year on disk and receive 10 Free 51/4 single sided double density diskettes!

Now available on disk!



PRICES TAPE DISK 1 YR (12 ISSUES) 5500 7000 6 MO (6 ISSUES) 4000 3000

★ 16K extended required

Mich. Res. add 4% Overseas ADD \$10 to subscription ★ Some programs require 32K, and/or disk and \$1.00 to single issues

★ Over 3000 satisfied customers

★ Back issues available from July '82 PERSONAL CHECKS WELCOME! (over 280 programs to choose from!)

★ Also available for Commodore 64



T & D Subscription Software P.O. BOX 256-C HOLLAND, MI 49423 VISA (616) 396-7577

Single Copies

800

Command modes are clear and easy to use. The main program operates with multilevel, single-key command sequences. Most have help facilities to explain your choices at each level. You reach the special command mode by pressing the CLEAR key twice. In the command mode, you have access to the disk/tape commands and the many formatting and display options.

VIP Calc has a full complement of formatting features for printed output. Included are such options as header and footer lines, line spacing, margins, page numbering, and printer Baud rate and word length settings. Single sheet printing pauses and special pauses to change type wheels are supported. You can embed printer codes in the label fields to get special printer effects such as emphasized or compressed text. The formatted text can be saved to an ASCII file for use by other programs such as a word processor. With this feature, you can incorporate parts of your spreadsheet data into another report.

# **Program Details**

VIP Calc is professionally produced and packaged. The program is supplied on either disk or tape. It comes with documentation in an attractive folio case. The loose-leaf manual is over 175 pages long and typeset with proportionally spaced font. The manual starts with a five lesson tutorial. This provides an introduction to the many features of VIP Calc.

The manual contains a complete description of the available commands and options. Summary appendices give a quick reference to the commands and formatting options. Several books are suggested for further study by those not familiar with spreadsheets.

The edition of VIP Calc which I reviewed was supplied with both 32K and 64K versions. The 32K version did not support all of the special functions (such as SORT, EDIT and LOCATE), or Hi-Res display. The 32K version will operate on a 64K computer, however, giving a larger user memory. Recent ads for VIP Calc indicate the 32K version now supports the SORT and EDIT functions, and Hi-Res displays. The 32K version I reviewed also omitted the the trigonometric function.

VIP Calc not only has a full complement of standard spreadsheet functions, but also has some unique features. As with most spreadsheets, you move from cell to cell using the arrow keys. With VIP Calc, various combinations of SHIFT and CLEAR with the arrow keys allow you to move over the entire spreadsheet. You can scroll to the start or end of a page, as well as to the start or end of the defined area of the matrix. The GOTO command (>) sends you to a named cell (as explained in a help screen).

VIP Calc simplifies editing your worksheet with two functions. The LOCATE command allows you to search for strings in labels or for values similar to a word processing program. The EDIT command makes changing complicated formulas easier than retyping the whole expression.

The SORT function is a welcome addition to a spreadsheet, available only as an expensive add-on for the original VisiCalc. The SORT function allows you to sort numeric or alphabetic data by rows or columns, in ascending or descending order.

A unique feature of VIP Calc executes programmable functions. By recording keystrokes in an unused cell, you can execute them with the CLEAR-X command. This form of macro facility is similar to those in second generation integrated spreadsheets such as Lotus 1-2-3. You can even embed programmable functions in other functions. Since the command mode and mini-operating system are available to the programmable functions, you can do an amazing amount of work.

Three macro examples are described in the manual: printing a number of copies of your spreadsheet; customizing complex formulas to save keystrokes; and saving two copies of your work, printing a copy, and clearing the work space to be ready for a new problem. The ability to execute these macros opens up new vistas to the programmer.

In addition to the well-written documentation and help screens, VIP Calc has several other friendly features. You can select the number of significant digits to display, and do calculations in single or double precision (16-digit accuracy).

You can also use a simple calculator from the command line (with +-/\* and power as operations). This allows easy access to a calculator for data entry. I recently saw a \$39.95 option for an IBM PC spreadsheet to give it the same capability. You also have the option of selecting the base (2, 8, 10, 16) of the calculation.

# Problems Encountered

I had problems with several of the VIP Calc functions. I found a bug in the LOCATE command. If you search for the string ABC and have entries such as XYZABC and XYZAABC, the program will find the first occurrence of ABC but not the second. The double letter combination causes a problem. Apparently the search algorithm resets pointers incorrectly after a partial match.

Several of the trig and log/exponential functions have bugs as well. The ATAN function doesn't give any reasonable answers. The LOG(X) function is incorrect for X=0.5, while EXP(X) is wrong for ABS(X)<0.25. Also, if you post-multiply a function, such as SIN(0.25)\*2, you get the function with the argument multiplied instead, as SIN(0.25\*2).

A fatal error occurs when you try to abort a replicate command. Normally, you can stop any command by pressing the BREAK key. This is handy when you make a mistake, however, when you are using the replicate command, and you get to the question "Replicate: Relative y/n?," if you hit the BREAK key the system hangs up. I lost an entire spreadsheet to this bug.

## **Overall Impressions**

VIP Calc offers a good value in a spreadsheet for the Color Computer, as it closely follows the VisiCalc model. You can use almost any text or article on VisiCalc or SuperCalc for sample spreadsheet templates. VIP Calc will appeal especially to those already familiar with the command structure of VIP Writer.

VIP Calc gives you a large user space in a 64K CoCo. Its many display and formatting options will benefit most users. Hopefully, the bugs and limitations of the review copy have been corrected in the current release.

(VIP Technologies, formerly Softlaw Corp., 132 Aero Camino, Goleta, CA 93117, tape or disk, \$59.95 plus \$3 S/H)

# The KEY-264K is here!!

DO YOU HAVE A 64K SYSTEM (OR 32K WITH 64K MEMORY CHIPS) ?? ARE YOU BEING TOLD YOU CAN ONLY USE 32K FROM BASIC ??

DON'T BELIEVE IT !! - KEY COLOR SOFTWARE brings you the KEY-264K. An exciting NEW SOFTWARE utility that allows any STANDARD 64K OR 32K COLOR COMPUTER TO ACCESS 64K RAM FROM BASIC, and with NO HARDWARE MODIFICATIONS REQUIRED!!

\*\*\* Works with CASSETTE based systems! \*\*\*

\*\*\* Works with DISK based systems! \*\*\*

The <u>KEY-264K</u> divides the 64K ram memory into two 32K banks or sides, each of which can be utilized independently by the BASIC interpreter, with the ability to switch instantly from one side to the other. IT'S LIKE HAVING TWO COMPUTERS IN ONE!! Have your BASIC program on one side and keep your variables on the other side, or have your main program on one side and your subroutines on the other side, or have your program on one side and use the other side for 4 additional HI-RES pages, or any combination you like. The possibilities are endless because the allows full communication between sides plus the ability to switch back and forth at will, all from within BASIC. You could also have different programs in each side and switch back and forth between them using simple keystrokes, even while the programs are running!! Or run them both at the same time in the FOREGROUND/BACKGROUND MULTI-TASKING mode. Don't buy that printer buffer yet! With the KEY-264K you can be printing in the background side while utilizing your computer normally in the foreground side AT THE SAME TIME!!! Debugging a program? Ose either a BASIC command or simple keystrokes to instantly duplicate your program, in it's present status, on the opposite side. Switch to the opposite side later and pick up exactly where you were before!

For DISK users, the <u>KEY-264K</u> allows you to alternate between DISK and EXTENDED BASIC on the same side with simple keystrokes. No need to pull your controller or power down. You can be in EXTENDED BASIC on one side and in DISK BASIC on the other side and still switch back and forth and have full communications between the two sides.

The <u>KEY-264K</u> does this and MORE thru extensions to BASIC. No need to learn a new language! The <u>KEY-264K</u> adds 15 NEW COMMANDS and 1 function to BASIC, including powerful new BLOCK MEMORY MOVE and GRAPHICS VIEWING commands.

The KEY-264K works on the 64K COCO or 64K COCO-2 and on older 32K systems with "E", "F", or even modified "D" boards and requires EXTENDED or DISK BASIC with GOOD 64K MEMORY CHIPS!

KEY-264K TODAY by sending check or money order for \$39.95 (cassette) or \$44.95 (disk) plus \$2.00 postage U.S.A. (\$5.00 outside U.S.A.) Mass. residents add 5% sales tax.

MASTERCARD, VISA, OR COD CALL (617) 779-5034

KEY COLOR SOFTWARE P.O. BOX 360 HARVARD, MA. 01451

223

# Avoid Crashing With Multifaceted Auto Run 64

Auto Run 64 is a multifaceted utility program that "generates a machine language loader program that precedes your program." This program has been around for some time, and now Sugar Software has updated it to function with the new 64K CoCo memory. The new addition includes a reset routine to prevent program crashing, relocating ROMs in the 64K CoCo to give you an added 8K of memory usage, and the ability to create loader programs for 64K CoCos on 32K or smaller memory CoCos.

When the program is loaded, it displays a title screen, then a prerecorded "car crash" (this is an audio sound recording, not computer sound), and then the program

# Talk is Cheap!

your Color Computer can talk for only

\$29.95

SPEAK UP!™ is a machine language, voice synthesizer program for the TRS-80 Color Computer\* It is 100% software—nothing else to buy. Best of all, YOU can make BASIC programs talk!

- •16K, 32K, 64K all on one cassette
- Text-to-speech makes it easy to use
- SPEAK UP! will say anything
- Reviewed in April '83 issue of Rainbow
- Reviewed in Oct. '83 Color Computer
- COD, VISA, MC, checks—no delay

ORDER NOW 800-334-0854 EXT 890









P.O. Box 3318
Chapel Hill, NC 27515

\*TM by Tandy Corp.

menu screen is presented for you to continue.

This utility program is a marriage of BASIC and machine language. The user can interrupt the program and see the BASIC listing, and Sugar Software has provided a source code listing of the machine language part. (Sugar Software does not provide the 64K machine language source code due to a proprietary algorithm.)

The program is recorded on both sides of the tape and the many times I loaded it, I experienced no problems. The main menu lets you select "Create title screen" or a "Program tape" (with *Auto Run*) or "Return to BASIC." (Note: the created or loaded title screen remains in memory until cleared, overwritten, etc.)

The instructions booklet with the tape is well-written and very comprehensive. All the menus and control keys are fully explained. The title screen menu lets you Initialize, Load, Edit and Save the title screen you created or loaded (for edit). You can create and save as many title screens as you want, then select the one for your *Auto Run* program. The *Auto Run* graphics editor lets you create a low resolution title screen with text and graphics. You can select one of eight color borders, or select one of six different border styles.

Using the same arrow keys used to position graphics, you also position the text. Incorrect keys result in an audio beep response; you must respond with an acceptable key code.

Once the title screen is created, you can either save it or proceed to create an *Auto Run* program tape. Selecting from the menu, you can add to your *Auto Run* program a custom sound/audio selection. The program's menu and instructions will guide you all the way.

In the sequence of instructions the program asks if a machine language program or BASIC program is going to be used, and the booklet instructions tell you (when you are in the Define Parameter mode) where in memory your BASIC program (can) will reside. The Parameter mode also lets you select the time for the audio portion of your autoload program. There is also a provision to test your audio selection before you use it. It is interesting to note that the auto loader program actually consumes no memory from your program.


While you can use this utility as freely as you want on your own private programs, they do require that if you want to use the program in a commercial venture you need only follow the instruction they give, and send them a copy of the software that uses the *Auto Run 64* program.

Lastly, because the largest part of this program is a wellorganized BASIC program and can be viewed by the user, one can learn a lot about this fast response graphics program. Those that have a disassembler can also look at the machine language part of the program.

This program is a highly recommended utility for those who want their programs to run *Auto Run* style, privately or commercially. An added bonus, as mentioned above, is the machine language graphics screen saving program built into the utility program.

(Sugar Software, 2153 Lean Lane, Reynoldsburg, OH 43068, 16K ECB required, \$24.95 plus \$1 S/H)

-Stephan A. Brown



#### CINC PAC — Battle of Midway 32K

Ark Royal's masterpiece game of naval strategy of perhaps the most important battle in the history of the United States Navy. Hi Res graphics, 75% machine language allows player to control as many as 41 separate units on the screen at one time. Command Task Forces 16 & 17 as they play cat and mouse with the Japanese fleet. Maneuver the Hornet, Yorktown and Enterprise into the best position. Set courses and launch search and attack aircraft then hope for the best. Find the enemy fleet, then pick the targets: Akagi, Soryu, Kaga, Yamato and others in this historically accurate game. Relive history, Admiral, and it won't be any easier this time around. Anchors Aweigh.

Game save. Requires disk version to operate on disk. Cassette \$27.95.



#### COMPANY COMMANDER 32K


Game module 1 - House to House. Ark Royal's squad level WWII infantry combat game.

They said it couldn't be done - a SQUAD LEVEL wargame on a computer - but we've done it. The Line of Sight problem is licked - and the machine language routines really speed things up.

Game Module #1 comes with House to House map and 10+ scenerios involving infantry combat in Aachen, Caen, Arnheim, Stalingrad and other famous WWII city battlegrounds. Combat units include rifle squads, mortar teams, machine gun crews, engineers, and more (depending on the scenerio chosen), leaders, vehicles and other weaponry of WWII. Unique design allows incorporation of future expansion modules.

Choose campaign play and put yourself on the battlefield, Corporal Smith or Jones; collect points toward promotion. Order up smoke from the mortar squad, HE for those dug in units. Take the objective and you might make Major someday. Just don't step on a land mine.

Comes with House to House game map, more than 10 scenerios, on 2 cassettes, or all on 1 disk...\$29.95. (Disk included.)



#### BATTLE OF THE BULGE 32K

Ark Royal's 1 or 2 player game by the author of Battle For Tunis, Bulge recreates operation Wacht Am Rhein, Hitler's last desperate gamble of WWII. In none of our games is the fog of war so apparent than in BULGE. You know the Germans have attacked in the Ardennes, but little else. What is their strength? Their objective? Who do you send to repair the huge gap in the American lines? What bridges do you blow? Can you protect the fuel depots? Where are all those Tigers coming from? When will the weather clear?

Historically accurate, and a real challenge whether it be against the computer or a friend. (Just don't humiliate him too badly.) A game you've been waiting for. Cassette \$25.95.

#### OTHER ARK ROYAL GAMES ... Some at reduced prices!

Waterloo 32K

Kamikaze 32K

month

Legatus

(Mar '84)\* . . . . . . . . . . \$22.95 Guadalcanal 32K . . . . \$24.95 Battle For Tunis .... \$24.95

(Disk only) . . . . . . . . . \$29.95

(Apr '83)\* . . . . . . . . . \$19.95 Kamikaze 16K . . . . . . \$14.95

Denotes Rainbow review

Across the Rubicon 32K (Feb '84)* \$24.95
Across the Rubicon 16K (Dec '82)* \$14.95
Mission: Empire 32K (Oct '82)* \$22.95
Mission: Empire 16K* \$17.95
Galactic Taipan 32K (May '84)* \$17.95
<b>Starblazer 32K</b> (Apr '84)* \$17.95
Bomber Command 16K (Jan '84)* \$22.95

# ARK ROYAL GAMES P.O. Box 14806


Jacksonville, FL 32238 904-786-8603

Prices on all games include shipping. Florida Residents add 5% tax. All games available on disk, add \$3.00. All programs shipped within 24 hours regardless of check or money order. We pay shipping to U.S. and Canada. Others add 10%. Dealer inquiries invited. COD's accepted. All Programs require Color ComPuterTM (Tandy Corp) or TDP System 100 ComPuterTM (RCA).

# Unleash Your CoCo With BASIC Programming Tricks Revealed

How to do what Radio Shack says you can't — at least this should be the title of the new book out by Creative Northwest Programming. The real title is *BASIC Programming Tricks Revealed* and is distributed by Spectrum Projects, Inc. In this book are many interesting, powerful, and just plain ol' fun tricks you can play on your CoCo to make it do many of the things it wouldn't ordinarily do.

Chapter I contains detailed information about the direct page and variable storage locations. In it are listed many useful addresses and short descriptions of what they are used for. For instance, one two-byte location contains the address of the start of a data line, and another contains the line number of the current data line (both of which are used later in the book to allow a partial restore of data beginning at a specified line number). In the list are included general addresses, Extended BASIC addresses, Disk



# THE SPANISH ARMADA

In the summer of 1588 King Philip of Spain's "Enterprize of England" sailed up the English Channel while Europe watched in apprehensive silence. The SPANISH ARMADA recreates the problems faced by the English Commanders as they struggled to defeat the Armada. Only this time it's up to you! Using weapons of the day, can you defeat the Armada? Cope with fickle winds? A relentless current? Difficulty of supply? It won't be easy, but it's fun to try.

The game requires at least a 32K computer and is compatible with either cassette or disc systems. Both versions are shipped on tape.

### THE SPANISH ARMADA .....\$24.95

Send check or money order to Picosoft Games, P.O. Box 35, Eighty Four, PA 15330; (412) 267-3721. Games are shipped postage paid. PA residents add 6% Tax. No delays for personal checks.

BASIC addresses and RAM vectors. At the end of the first chapter is a discussion and example of how to alter the RAM vectors.

The second chapter is titled "Start and End of the BASIC Program," and contains information on how to do a *PCLEAR 0* without destroying a program in memory, as does *POKE 25,6:NEW*, and also how to alter a program to hide program lines, making them invisible, or appear differently when *LISTed*.

Next is a chapter on "The Structure of a BASIC Program" which deals mainly with how BASIC tokenizes program statements and line numbers. Also, there is a one-liner which will show what the tokenized representation of a program line is as it is entered. In addition, there is also a brief discussion of how to conserve memory by combining lines, as well as a numerical example of the memory that can be saved in this manner.

Chapter 4 deals with eliminating the time-consuming "garbage collecting" and gives examples using the two methods covered.

Chapter 5 discusses "Seldom Used Useful Functions" such as the *PEEK*, *POKE*, *AND*, *OR* and *NOT* commands, and how to use them.

Chapter 6 is "Playing With Hi-Res Graphics" and shows how to manipulate the graphics memory by implementing a *PCLS* command which allows user input of the start and end line number. Also included is a program that will allow the user to view the graphics representation of any section of memory, and a brief section on how to use variables within *DRAW* and *PLAY* command strings.

Finally, Chapter 7 is devoted to "Disk Tricks" and contains several examples of how to use the built-in DSKCON subroutine to check the validity of a disk and to save the directory in case of a disk crash. Also included are several other routines to make the CoCo allow 35-track access, double-sided drive use without hardware modifications and other tricks of the trade.

Chapter 8 should perhaps be an appendix instead of another chapter since it deals with "Special Things That Can Make Your Program Crash!" These include common mistakes that can take hours to find, since they are so "obviously correct."

As a summary there is a  $4\frac{1}{2}$ -page program that uses almost all of the routines, tricks and other programming subtleties in the book in the form of a file handling program.

I found the book an excellent help in understanding how the Color Computer works and how to make it work for me. The modifications necessary to cause the computer to ignore what it was originally intended to do, and instead do what I want, are amazingly small programs and subroutines which are easily MERGEd with an existing program to create a powerful customized utility, game, etc. As is stated in the beginning, BASIC Programming Tricks Revealed contains valuable routines everyone can use, but only the moderately advanced programmer will understand. In general, it is an excellent book for any BASIC programmer.

(Spectrum Projects, Inc., P.O. Box 21272, Woodhaven, NY 11421, or P.O. Box 9866, San Jose, CA 95157-0866, \$14.95)

- Jim Sewell

# Improve Math Skills With Teasers By Tobbs

How good are you at adapting to new concepts? I've found that my kids (Mike, 7 and Bonnie, 10) are quite a bit better at it than I am. The catalyst for this discovery is a math education program from Sunburst Communications.

Having been taught my "Reading, Writing and 'Rithmetic" during the '50s and '60s, my mind was locked into vertical or horizontal positioning of addition or multiplication problems, such as:

$$2 \times 3 = (or)$$
 2  $\times 3$ 

When the digits exceed nine, I have my trusty calculator to bail me out. It's amazing how much we depend on those portable calculators now. I remember when I could add more than single digits in my head.

Teasers By Tobbs, however, faced me with a math problem which looked like this:

\* 2 4  
3 6 12  
6 12 
$$\square$$

My first reaction was "huh?!" Even after reading the manual, I didn't understand the problem and the relationship of the numbers. As a last resort, I consulted a much more flexible source of knowledge regarding such things to solve this puzzle — my kids. It was no problem for them, and with a great deal of patience, I was running the program with all the skills of someone born in the '70s.

Teasers by Tobbs uses the tic-tac-toe-like grid to present a math problem so a group of numbers interact with each other to solve the problem. Using the above example:

**Problem** 

# Position reference

2	3	X	2	4
5	6	3	6 12	12
8	9	6	12	

If you multiply 2 times 3 (position reference 2 times position 4), you get a 6 (space 5). The answer is placed where lines drawn inward towards the center of the puzzle intersect. Therefore, the blank box is solved by multiplying 4 times 6 (space 3 times space 7) which is 24.

Once you get the basic knowledge of which numbers interact with each other, it makes sense.

The puzzles get interesting and more challenging at the higher levels. There, more than one number is missing, forcing the pupil to solve more than one math problem to get the necessary information to solve the puzzle completely.

For instance, solve this:

X		
4	8	
3		9

The answer is 12. If you can't figure out how it is so, I would suggest you let your kids help out.

The program has six levels each for addition/subtraction and multiplication/division. Help is available to the student without parental or teacher assistance by pushing the 'H' key.

The program is made more interesting by the use of a little gremlin called "Tobbs," who appears in the answer block. The screen prompts you to tell Tobbs what answer to put in the square. When the correct answer is entered, Tobbs does a little dance, prance and a flip. When the incorrect answer is entered, he shakes his head sadly and the screen asks you to try again.

The program is a challenge, and the different levels make it usable by a wide variety of age groups (including adult). If I keep giving Tobbs the correct answers, I might eventually be able to wean myself away from my calculator.

This program is released for a variety of computers including Commodore and Apple. Possibly because of this wide usage, it fails to take advantage of all the capabilities of the CoCo.

The graphics are excellent. The characters and numbers generated by this machine language program are very readable, but the program does not use any voice or sound to aid in reinforcing positive responses for the correct answers or negative responses for incorrect answers. Any program which doesn't use the sound capabilities of the Color Computer gets dull very fast and is sadly behind the times.

Other than this lack of full utilization of the sound and speech capabilities, the program is well-designed and even fun. It's expensive and requires a 32K minimum Extended BASIC disk system which limits the number of people who can use the program, but overall it's a professionally done package.

(Sunburst Communications, 39 Washington Ave., Pleasantville, NY 10570, 32K Disk ECB required, \$49.95)

- Bruce Rothermel



# Burner+ Is A Great Tool For The Avid Tinkerer

An EPROM programmer is one of the more esoteric tools a hacker might use to further his craft. Using one, you could turn a patch for BASIC that has to be loaded every time you power up into one that's just as permanent as BASIC itself, or put that new machine language arcade game or utility you just wrote into a cartridge you can just plug in, switch on and use.

The EPROM programmer is only a useful tool on the CoCo, though, if you know how to write in machine language and want to do things like BASIC patches and other ROM-based programs. If you also have other computers around, there may be other things you can use an EPROM programmer for, like new display character sets and the like. Burner+ does a first-rate job performing this task.

First, a little information about ROM (read-only memory) chips. The BASIC ROMs in the CoCo, as well as those in many game and other cartridges, are "masked" type chips; the manufacturer takes the desired program and designs a mask that is used to make the actual circuits. This is fine when you need thousands of copies (in fact, it's the cheapest type of ROM), but if you only need one, a dozen or a couple hundred (or if you can't wait for masked ROMS to come back through the production cycle), you need a chip that comes blank and that you program yourself.

After a brief fling with "fusible-link" PROMs, the EPROM (erasable, programmable read-only memory) has emerged as one of the most widely used chips. EPROMs can be programmed with reasonably simple equipment, and when the contents are no longer needed, you can erase them by exposing them to a strong ultraviolet light source. (Black lights won't do; you need special UV fluorescent tubes in a shielded enclosure to avoid exposure to UV rays. Several EPROM eraser units are on the market, including one from Heathkit.)

The Burner+ is a deceptively small gadget housed in a standard cartridge case. There's a special "zero insertion force" socket on top to accept the EPROM, a set of 10 tiny switches to set up the Burner+ for a particular job, one more switch to adjust for fast and slow chips and a power input jack to supply the 24-volt source needed for programming. (The unit comes with a special adapter to connect three 9-volt "transistor radio" batteries in series; an AC adapter is available as an option.)

There's also an edge connector on a short cable to let you connect a disk controller or other cartridge along with the Burner+ without any other adapters. The unit is designed to program the very common 27xx series EPROMs (which range from the 1K 2708 to the 16K 27128); there are a number of socket adapters available that allow the use of other common EPROMs. One of these lets you use the Motorola 68764 8K EPROM, which is "pincompatible" with the masked ROMs used in the CoCo and therefore plugs in without rewiring.

The driver software, appropriately enough, is contained in a 2K 2716 EPROM. Burning EPROMs doesn't take much in the way of software; you could even write your own driver in BASIC (though it would be rather slow). The supplied driver provides a number of useful functions, but (oddly enough) no way of loading or saving files to tape or disk; you do this yourself with the usual BASIC commands. There are commands to set EPROM size (though you still have to set up the switches), finding blank spaces in an EPROM, speed of programming (there are two speeds, one for fast chips and another for those that are relatively slow) and doing the actual transfer. Transferring data to an EPROM is pretty much the same as just moving it into high RAM, but is done with the 24-volt power supply attached. The process takes about 25 seconds (or eight minutes on a slow chip) for an 8K EPROM like one you would use to replace a BASIC ROM.

The Burner+ is not without its bugs. First of all, the EPROM addresses are at the top of memory; to program a 16K EPROM on a disk system you have to switch the disk ROM out of the way. This also means you can't program anything into the last few hundred addresses on a 16K chip, because the signals will go to the CoCo's SAM and PIA chips instead. (If you're programming a 16K EPROM to replace disk BASIC and add new features, you won't be able to use those addresses anyway for the same reason.) 16K EPROMs aren't commonly used, so this may not bother you.

The other minor bug is that you need to be careful when setting the DIP switches, as it is entirely possible to pull the whole cartridge out and damage the computer. This is easily solved by holding the Burner+ cartridge in with one hand while flipping switches with the other.

The Burner+ is not a bad item. It will program most common EPROMs easily, and if you can live with its minor quirks, it's a good value.

(Pollak Electronics, 13761 Grosvenor Rd., Surrey, British Columbia V3R 5E5, Canadian prices: Burner+ \$157, AC adapter \$23, socket adapter \$4)

— Ed Ellers

One-Liner Contest Winner . . .

This shows a spacecraft rising slowly (and smoothly) off the launch pad, with sound effects.

Steve Schutjer Hazel Green, WI

The listing:

1 PMODE4:PCLS:SCREEN1,0:X=50:DIM Z(20,25):DRAW"BM0,177R255L95U40L 20D37L30D3R35U5R5D5U5R5D5":DRAW"BM120,170U5E3U7E2F2D7F3D5H3D4L4U 4G3":GET(118,152)-(133,173),Z:FORS=173T021STEP-1:PUT(118,S-21)-(133,S),Z:X=X+1:SOUNDX,1:NEXTS

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape.*)

# Air Traffic Control Simulator Excels With Precise Features

By Larry Birkenfeld

"Pilot to tower. Pilot to tower. Bay Federal 23L requesting instructions. Hey guys, are you down there? I'm getting dizzy circling. When can I land?" Ah, the work of the air traffic controller is never done! That is how I felt when I began my review of Air Traffic Control Simulator, hereafter referred to as ATC, by Betasoft Systems.


The ATC game is a very realistic Simulation of life inside the control tower at your local airport. The game is written for a 32K Color Computer and may be purchased on cassette or disk. The package comes complete with a 27-page, 8½ x 11-inch, bound instruction manual and a quick reference card containing a summary of all communication instructions. For those of you, like myself, who are unfamiliar with "tower talk" there is a section in the manual on basic air traffic control principles. The instructions are simple enough for even the novice to be landing aircraft in no time. The game, however, is a real challenge.

Not being a pilot myself, I decided to enlist the assistance of a pilot friend, Paul Tudor, in order to evaluate the realism of this Simulation. After playing the game for a while, we both agreed with the claims made by Betasoft Systems that this Simulation is indeed as realistic as possible within the constraints of a 32K CoCo.

To play the game, you must be both tower controller and radar controller. As tower controller you must handle all departing aircraft as expediently as possible. As radar controller you must use your radar screen to vector (controller talk) your aircraft either into landing position or through your airspace. You must control both IFR (instrument flight rules) and VFR (visual flight rules) aircraft. These IFR and VFR craft have a different cruising speed, landing speed and rate of descent. Scoring is based on your ability to land craft, allow craft to depart, respond to craft entering your airspace, and keep an appropriate altitude and distance separation between craft. Believe me, after trying to do all this at one time, you will understand why an air traffic controller's job is so full of stress.

The display uses a high resolution screen and mixes text and graphics. The only complaint I have is that the text used as craft identifiers on the radar screen is extremely difficult to read using a standard television. I even tried three different sets, a Sharp, a Sony and a Zenith black-and-white, with no luck. Other than this one problem, the display was excellent. The Simulation provides a radar screen representing an area 40 miles in diameter. In the center is a backward 'L' representing an east, west, north, and south runway. Outside each runway is an indicator mark representing the outer limit marker five miles from the runway threshold. Around the screen are "tick" marks representing degrees, with 360 degrees being straight up.

Each corner of the screen is also used to display information. The bottom right corner shows an enlarged view of each runway and any aircraft awaiting takeoff.



As many as five craft may await takeoff with only three being displayed at any one time. Here's true realism in every detail. These planes even make a 180 degree turn onto the runway as they depart, just like the big boys do. The bottom left corner contains the temperature, ceiling, sky, visibility, precipitation, and wind speed and direction. One important point here that can save novices hours (I know from experience), the wind direction indicates the direction the wind is coming from, not the direction it's blowing toward. If you're not sure which way to land, just watch in which direction the aircraft takeoff.

Both of the top corners contain communication information. At the left you receive messages from the aircraft and on the right is displayed the last two instructions sent out from the controller. There are also various sounds which are used as notification that a new aircraft has entered your airspace, an aircraft is requesting instructions, or one of your commands cannot be carried out due to one of five possible errors which are listed on your quick reference card. A timer is also displayed and the radar screen blinks every five seconds as its contents are updated.

As I said before, there are both IFR and VFR aircraft to deal with. Some want to land, some to take off and others simply want to pass through your area. Each type has its own specific set of communication and landing rules. For example, IFR craft must be cleared for approach outside the outer marker, but within a 60 degree cone of the runway threshold. If they are not within the cone and at an altitude such that they may descend to 1,500 feet by the time the outer marker is reached, you will hear a loud tone and receive the message "parameter out of range." Once within the outer marker they must be cleared for landing. VFR craft must be inside the outer marker and within a 30 degree cone to be cleared for landing.

THE SOFTWARE HOUSE

The same ominous sound occurs if they cannot attempt

DISKS



DISKS

SS / DD DS / DD \$ .99 ea. \$ 1.29 ea.

Price includes Tyvek Sleeves

100% CERTIFIED ERROR FREE 5 YEAR WARRANTY

Minimum order 10 disks Name brand disks but unlabelled. We bought 'em at a good price and are passing the savings along to you. Add \$2.50 S/H. In Mich. add 4% sales tax.

Make check / money order payable to: 'DALLAS COX'

THE SOFTWARE HOUSE 9020 Hemingway, Redford, MI 48239

(313) 937-3442



Send card number & expiration date



a landing. VFR craft must also be requested to "squawk" (more controller talk) before they will accept any communications from the controller at all. Paul the pilot, who flies VFR craft, informs me that this is indeed the way it is!

Communications messages are typed and appear in a scratch pad area below the weather information at the bottom of the screen. They may be edited before pressing return to send them to an aircraft. All messages consist of a three character alphanumeric craft identifier such as "23L" followed by commands and parameters. A few examples would be the following: 23L TH36A40 (23L turn to heading 360 and climb/descend to 4,000 feet) and 23L CL27 (23L cleared to land on runway 27). There is even a command to stack aircraft in a holding pattern if it gets too much for you to handle all at once.

Once you begin playing ATC it will become habit-forming. A word of warning is needed at this point: don't begin unless you plan to spend some time at the computer. Everything is true-to-type, including the time it takes to vector a plane into landing position. I spent two days trying to land planes. My longest single sitting was more than three hours straight. I'm glad I wasn't a passenger on any of those planes! All this is on the least difficult mode. There are two other modes, moderate and heavy, providing more air traffic in each mode. After experiencing these, I was ready to go on strike myself.

For anyone wishing to experience the thrill of an airport environment, Air Traffic Control Simulator is the one to buy. The realism abounds, right down to the bloodshot eyes. Other than the hard (but not impossible) to read craft identifiers, I found no noticeable software bugs. The documentation is excellent and even provides some training for a novice like myself. A lot of work went into this software to achieve such authenticity. It's a real buy!

(Betasoft Systems, P.O. Box 1174, Smithtown, NY 11787, tape \$34.95, disk \$37.95)

One-Liner Contest Winner . . .

This shows the planet Saturn, with its rings, and a few other planets in the background.

Todd C. Hauschildt Red Wing, MN

# The listing:

1 PMODE4, 1:PCLS:SCREEN1, Ø:FORZ=1 TO3Ø:CIRCLE(128, 100), Z:NEXTZ:FOR Z=60TO92STEP4:CIRCLE(128, 100), Z, , .2:NEXTZ:FORZ=1TO3:CIRCLE(30, 25 ), Z:CIRCLE(180, 160), Z:CIRCLE(230, 80), Z:NEXTZ:FORZ=1TO7:CIRCLE(50, 150), Z:NEXTZ:CIRCLE(140, 30), 1:FORZ=0TO1STEP0:NEXT

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Simulations* and its companion *Rainbow Simulations Tape.*)

# Text Master And Graphic Master Transform CoCo's Screen

By J. Michael Nowicki

This review covers two programs, Text Master and Graphic Master; each can work alone or be used in conjunction with the other for some pretty impressive results.

Text Master will transform your CoCo text screen into a smart and sophisticated screen that is a pleasure to use.

Getting started is very easy by CLOADMing or LOADMing the program and EXECuting it. The setup takes about 15 seconds after which your screen is transformed into a smart screen with a wide variety of text sizes and special effects.

There are six sizes of character sets: 32 x 24; 36 x 24; 42 x 24; 51 x 24; 64 x 24; and 85 x 24. These can be enhanced by using a proportional mode that produces some of the most attractive and readable character sets I have seen on the CoCo. However, using this mode cancels the left-arrow cursor movement which can be a little confusing when editing program lines.

Other features include underline, inverse video, subscript, superscript, audible key click, bell ring, auto key repeat, screen inversion, screen/printer echo, regular or fine text scrolling and upside down printing. You can use any or all of these features on the screen at the same time using the same technique used to initialize a printer with BASIC's CHR\$ command. To turn on or turn off any feature takes just one CHR\$ code and by printing a CHR\$(0), you can turn most of them off to start up default mode. There are several useful cursor movement commands with obvious word processing application.

There are two animated cursors for the different size text characters that make it hard to lose your place on the screen. There is an auto key repeat feature, but it moves much too quickly to be of any use unless you have catlike reflexes. There is no mention of controlling the repeat

speed in the manual.

The PRINT@ and CLS instructions have been patched for full compatibility in all text size modes. The CLS can be used to clear the video text screen as usual, or you can add a bit pattern parameter such as CLS(102). The upside down printing mode will be appreciated by Spanish speaking users who need to use characters unique to that

language.

Any key can be redefined and saved to tape or disk, and you have the ability to switch back and forth between regular keyboard definitions and custom characters stored in memory. A character editor is included that allows you to redefine the character set shapes and their ASCII equivalent codes. A person could easily redefine the keyboard for foreign scripts such as Arabic, Japanese, Cambodian or Cyrillic which use special alphabet symbols, and turn CoCo into an international word processor of your own design.

Text Master is meant to be used with your own BASIC programs; no mention is made in the manual about using it with canned software or the user's machine language programs. I have found, however, that any machine language program that uses the official Radio Shack indexed addresses of \$A000 for keyboard input and \$A002 for screen/device output, and has no memory conflicts, can be adapted. Even copy protected text oriented programs using these ROM calls seem to work just fine.

The documentation comes in a silver three-ring binder just the right size to fit on top of CoCo without mousetrapping closed. A BASIC demo program is also included to show you what can be done, and the user is encouraged to study its listing. The manual itself is very much like a printer manual, giving you the CHR\$ control codes and general notes about the program. A chart of special purpose memory addresses for use by machine language programmers is included, as well as a reference card with all the CHR\$ code meanings. The character editor program is simple and easy to learn, and it can load or save keyboard definition to tape or disk.

Text Master requires 64K tape or disk and was tested using all ROM versions with no problems. The program is not copy protected and comes supplied on a tape with simple instructions for disk transfer. It takes up a little over 8K, resides in high memory above the disk ROM space, and uses a PMODE 4 screen starting at the cold start default location. No instructions are given for changing the screen memory start address, but if you poke the new address into low housekeeping RAM that contains the screen addresses, you can move your graphics screen

# UPGRADE NOW!

Unleash the power of your Color Computer! Sale Packages for every need

SALE #1 DISK DRIVE SYSTEM-J&M Controller, JDOS, 1/2 Ht. 40-track TEAC Drive, cable and manual (2nd Drive add \$159) \$379

#2 FULL FEATURE PRINTER—Panasonic Model 1091, Near Letter Quality, Dot Matrix Graphics, with Metric Parallel \$389 Interface (PBH Interface add \$20)

#3 COMMUNICATIONS PACK—Volksmodem from Anchor, 300 baud, direct connect, cable and Colorcom-E terminal program (ROM or Disk) \$115

#4 MONITOR & DRIVER-New Taxan Hi-resolution Monitor, Green 12" display with Video Plus driver (easy to install) \$159 (Swivel base for monitor add \$22)

PLUS: Full Travel Keyboards 64K Expansion Kits (Prime IC's) \$64.95 Basic 1.2 or Disk 1.1 ROM's, each \$39.95

SOFTWARE. BOOKS—We carry over 200 titles from many fine companies. Give us a try!





231

Ca. Res. 6½% tax Visit our Retail Store

Shipping: \$2 Software Charges: \$5 Hardware

anywhere in low RAM before EXECuting the program.

BASIC and Extended BASIC commands work just fine with Text Master, so you can combine text and graphics with good effect. The text screen displays black text on a green background. There seems to be no provision to use the black/buff color set without doing some modification to the \$FF22 address contents that control PMODE 4 color sets.

One of my favorite acid tests of a graphics text generator is what it does when you try to format a disk using DSKINI. Many other programs of this type I have seen either belly up and crash, or revert to the 32 x 16 text screen and you have to reEXEC to program afterwards. Text Master will format a disk, but it takes about twice as long to do the verify pass. The display will garbage up during the format process and return to normal operation once the disk is formatted.

One of the first things I did with Text Master was convert a drab Disk BASIC program I wrote to keep track of my video library. In less than an hour I had reincarnated the program into a very attractive format that flashed the searched-for data on the screen with reverse video and bell sounds. The program also uses a printer and direct access disk commands that can sometimes gum up a poorly designed text generator, but this one did it with no I/O problems.

One of my main uses for CoCo is as a smart terminal for decoding of radioteletype news services, embassy transmissions, and weather stations from around the world using a high frequency communications receiver and a military surplus radio modem. You lock onto a signal and



KEEP - TRAK "DOUBLE-ENTRY" General Ledger Reg. \$69.95 - ONLY \$19.95 Accounting System

General Ledger Accounting System for home or business: 16k, 32k, 64k, User-friendly, menu driven, Program features: balance sheet, income & expense statement (current & YTD'), journal, ledger, 899 accounts & 2350 entries on 32k & 64k (710 accounts & entries on 16k) disk only. Version 1.2 with screen printouts. For upgrade return original disk & \$5.00. 1.1 Rainbow Review 9/84

"OMEGA FILE" Reg. \$69.95 — ONLY \$14.95

Filing data base, File any information with Omega File, Records can have up to 16 fields with 255 characters per field (4080 characters/record). Sort, match & print any field, User friendly menu driven, Manual included (32k/64k disk only).

"A M T" Reg. \$29.95 — ONLY \$14.95 Rainbow Review 10/84 AMT starts where everyone else ends. AMT calculates almost any sales or purchase outcome. Total interest, total principle, total payment are all figured. AMT is not just an amortization scheduling program, but a cost forecasting and prediction program. Useful to anyone who plans to sell or buy something with interest. (Disk Only).

**■ IIIMINIII ■ BOB'S MAGIC GRAPHIC MACHINE ■ IIIMINIII ●** 

Turns 2 weeks of graphic programming into 2 hours with 'rubber band" type graphics. Generate BASIC code to use in your programs. Easy drawing and manipulation of circles, elipses, boxes, lines and ARCS. Single joystick operation with on line HELPS at all times. Allows text on the graphics socreen and movement of objects on the screen. Can be used as a stand-alone graphics editor. Great for programmers and LOTS OF FUN for the novice. Reg. \$39.95 — ONLY \$14.95 for cassette and \$14.95 for disk. 64k with ECB required, (includes instruction manual). GRAPHICS EDITOR

PERSONAL INFORMATION FILE—\$14.95 disk HOME INVENTORY—\$14.95 disk MEMO WRITER-\$14.95 disk CASH-IN (billing)-\$14.95 disk

GRADE EASY (teacher data base)-\$14.95 32/64k disk

64 K UPGRADE	\$42.00	VOLKS MODEM	\$59.95
FLIP & FILE 50	\$19.95	RITEMAN PLUS PRINTERS	\$275.00
FUJI-MAXELL SSDD	\$17.95	RITEMAN 15"	\$549.00
DATA DEFENDER 70 W/I	ock \$21.95	GENERIC DISKS SSDD	\$14.95

# COMPARE FEATURES AND PRICE, then buy "THE OTHER GUY'S SOFTware!"

Send check, money order or C.O.D., U.S. funds to: THE OTHER GUY'S SOFTware • 875 S. Main • Logan, UT 84321 PHONE (801) 753-7620 or WRITE for a FREE CATALOG text scrolls across your screen like an electronic newspaper in English, and sometimes, Spanish. However, many signals to and from Eastern European Warsaw Pact countries are being sent in the Cyrillic alphabet, with its own weird and unique third register character set. I was able to develop a Cyrillic character set with the Text Master editor, change the recognition codes and patch it into a commercial machine language RTTY program; these transmissions that I previously thought were unreadable were made clear. This is, I admit, a rather esoteric application, but it does serve to illustrate the versatility of this program and what it can do.

All character sets are generated in PMODE 4 and you are locked into this Hi-Res mode. Some of you may comment that in PMODE 4 there are two color sets of two colors each, and what good is a Color Computer without multicolor graphics? This is where the other program, Graphic Master, comes into play. In essence, this program lets you design and implement multicolor PMODE 4 artifact graphics through BASIC that execute with the speed of machine language.

The graphics commands found in BASIC and Extended BASIC are easy to use and powerful, but very slow when large areas are to be painted or animated. This program is a new graphics operating system that does not use the BASIC graphics commands unless you want to include them in addition to using this program's commands.

All the new graphics commands are called by using a USR call with parameters tagged onto it. It dedicates the USR0 call for graphics use, but you can still employ the other nine USR calls for your own use.

Many commands are like their Extended BASIC cousins to reserve memory for graphics screens, flip pages, clear screen, draw lines, paint areas, set points and GET/PUT. The difference is the speed. Using Extended BASIC's command to paint an entire PMODE 4 Hi-Res screen would do it in about 15 seconds. The DYE command used in Graphic Master does it in the blink of an eye. Not only can you dye in colors, but with bit patterns as well.

The GET/PUT equivalent commands work very fast, regardless of the size of the sprite being moved around the screen, with little or no flicker or jerkiness. The SCROLL command lets you move an entire Hi-Res screen like a curtain, similar to arcade games that scroll game screens.

My favorite command is POLYGON, which allows you to define a geometric shape with up to 255 sides and move it, rotate it and change the size with the speed of machine language. Quite impressive!

The demo program included with this software package really sets the hook in anyone who sees it, especially when you tell them its all done through BASIC commands. It really demonstrates the graphics potential of the CoCo using high speed PMODE 4 artifact colors. Images are created with DATA statement tables, and stored in memory as a machine code image table. It's the missing link between pure BASIC and pure ML programming, using the best features of both.

Machine language programmers can doodle with arcade game designs through BASIC using the same data images tables as they would programming in assembly language, and if the idea works out, the transition to 100 percent ML is very easy.

All that is required of the user is to have a decent working knowledge of variable housekeeping using BASIC, and a

(add \$2.50 for postage and handling)

conceptual understanding of using screen coordinates to direct movement. The program does all the rest for you. Anyone with these fundamental skills can write an arcade game or graphics-oriented program with professional results.

Even more amazing is that the minimum system required is only 16K BASIC with tape. A special CLOADM/ CSAVEM command has been thoughtfully included for those without Extended BASIC. Program overhead is a little over 2K, so with 16K you can't use all the features, but with 32K or 64K you can do some pretty amazing stuff that you may never have seen done on a CoCo before. A utility program is included to do three-dimensional rotation of complex shapes that gobble up a lot of memory, but produce results similar to drafting programs used in high-end machines.

All is not roses, however. The user's manual is nothing short of user-hostile, and is a classic example of why the programmer should not write the documentation other than to supply technical information to the writer. The reason I suspect the programmer wrote the manual is because too much is assumed without starting at base one, and the page numbers start with Page 0! Only programmers number that way.

Misspellings occur throughout the manual, the most disconcerting being "softwhere" on Page 2. There is no table of contents or index, so you have to page through the manual to find what you're looking for. Two pages contain a summary sheet of commands and syntax for reference. Very serious errors occur, such as on Page 17 where the QLINE2 command is explained. It should be defined as USR(13), but it is mislabeled as USR(11). The program comes on tape with instructions on Page 52 to transfer the programs to disk. One of the line numbers referenced for changing CLOADM to LOADM is incorrect and so is the replacement line. You have to add a couple other program lines to input a disk filename, but the manual doesn't tell you this. With CLOADM you do not have to specify a filename, but with LOADM you do.

The manual does not take you by the hand like the manual that came with your CoCo; you will have to put in many unnecessary extra hours learning to use this outstanding program that could have been avoided by good

documentation.

Graphic Master comes with a graphics editor to design graphics figures, but when I tried to run it I got an OM? Error. An inquiry to Dataman concerning this bug brought no response whatsoever. After about an hour of analyzing the program I found the bug and fixed it - another hour down the drain.

Both Text Master and Graphic Master are useful, well done programs and worth the price. What you can achieve with them is directly proportional to your level of programming skill and imagination.

In summary, Text Master is an excellent screen text enhancement program with adequate documentation. The price is right and I would highly recommend it. Graphic Master is an absolute gem of a graphics development program that is severely crippled by documentation that has to be corrected, if not completely rewritten for clarity.

(Dataman, 420 Ferguson Ave. N, Hamilton, Ontario, L8L 4Y9, Text Master, \$29.95; Graphic Master, \$49.95)

# Accessory Review

# Clean CoCo's Disk **Drives With Floppiclene**

As one might have expected, since disk drives have become common items a great number of drive cleaning products have come out. Thankfully, most of them have been the "wet-system" type that use a cleaning fluid applied to a non-abrasive disk. Automation Facilities' Floppiclene is one of the more expensive kits on the market, but it's a good one and is worth consideration.

The Floppiclene kit consists of a disk sleeve, a number of cleaning disks (20 in the one I tested), a spray can of Safeclene head cleaner and two Safeclens anti-static screen cleaning wipes. To use the disk drive cleaner, you spray the head cleaner on one of the disks, insert it in the sleeve, put that in the drive and run the drive for 30 seconds. (On the CoCo, doing DIR twice takes care of that. Note that all of your drives, if you have more than one, run regardless of which one is being accessed.) The cleaning disk is then thrown away, unlike some other kits where you reuse a cleaning disk a dozen times or so.

The Safeclene head cleaner can also be used on audio tape heads; just spray it on an ordinary cotton swab and wipe the heads clean. (I don't think it would be a good cleaner for video recorder heads.) The Safeclens wipes are a good anti-static TV screen cleaner.

Floppiclene is a nice cleaning kit for your disk drives, tape recorder and TV or monitor screen.

(Automation Facilities Corp., 3916 State St., Santa Barbara, CA 93105, \$34.95)

- Ed Ellers

One-Liner Contest Winner . . .

This is a typing test which flashes a random letter on the screen and waits for you to type it. After 25 letters it tells you how many you got right and the total time for all 25.

> Dave Koscinski Waterford, WI

#### The listing:

1 CLS:TIMER=0:FORQ=1TO25:H\$=CHR\$ (RND(26)+64):PRINT@240,H\$:FORT=1 T099999: A\$=INKEY\$: IFA\$=""THENNEX TT ELSEIFA\$=H\$THENR=R+1:NEXTQ:PR INT"YOU HAD "R" OUT OF 25 RIGHT IN"TIMER/60" SEC. ": ENDELSENEXTQ: PRINT"YOU HAD "R" OUT OF 25 RIGH T IN "TIMER/60"SEC. ": END

(For this winning one-liner contest entry, the author has been sent copies of both The Rainbow Book Of Simulations and its companion Rainbow Simulations Tape.)

# GREAT COCO PRODUCTS



# SUPER SCREEN

The Color Computer Supercharger

- · A big 52 character by 24 line screen
- 'PRINT @' is fully implemented on the big screen
- · Easily combine text with hi-res graphics
- Auto-key repeat for greater keyboard convenience
   The 'ON ERROR GOTO' statement is fully implemented
- Control codes for additional function

Super Screen comes with complete, well detailed instructions and is available on cassette or disc. It adjusts automatically to any 16K or greater, Extended or Disc basic Color Computer or TDP-100 and uses only 2K of memory in addition to the screen memory reserved during power up. Guaranteed to be the most frequently used program in your software library...once you use it, you won't be without it!

Hot CoCo, Jan. '84 "Super Screen represents a quality utility program that fills a definite need for the serious CoCo user. No other programs on the market so far have offered the

error-trapping utility of Super Screen."

Color Computer Magazine, May '84 "Super Screen is a worthy addition to anyone's software library. It has become my most used utility and has made programming in BASIC

Cassette \$29.95

# NEW!

# **EASY-FILE**

# Data Management System

- Need a good mailing list or customer list program? How about a program to keep track of your investments, your computer magazines, or record collection? Do you have an inventory of all household items for insurance purposes? EASY-FILE will do all of these things and many more
- EASY-FILE makes data managing a breeze with single key menu selections, extensive error handling procedures, a demonstration data file and a detailed, easy to understand instruction manual.
- EASY-FILE is powerful, too. It automatically enhances your monitor screen to a full upper and lower case, 51 character by 24 line display. EASY-FILE allows up to 30 data fields and provides password file protection, selectable numeric totalling and complete data searching and editing capabilities. You can quickly enter, locate, review and modify data records, and even transfer records from one file to another.
- Sorting? You bet! EASY-FILE allows you to sort up to 5 levels of data and allows you to define upper and lower limits as well. You can sort in many different ways and save the results in individual index files. These index files may be used later to determine what will appear on your printed reports.
- Reports are easily prepared with EASY-FILE because it offers so many automatic features. There is no need to generate complex report forms. With EASY-FILE you simply select from a list of options to determine what your report and header will look like. There are countless variations. EASY-FILE takes care of tab stops and field spacing automatically. Prepare horizontal reports (80 or 132 columns), vertical reports or labels! Save your favorite report formats right in a data file so they may be
- The EASY-FILE master disc and instructions are packaged in an attractive 3-ring binder. Requires 32K and at least one disc drive

Order yours now! Get organized for only \$59.95!

# UNIVERSAL VIDEO DRIVER

Carefully engineered to work with ALL Color Computer models, including the new

**ENABLES YOUR COCO TO OPERATE WITH A VIDEO MONITOR INSTEAD OF A TELEVISION!** 

- Works with Monochrome Monitors!
- Works with Color Monitors!
- · Audio Connection Included!
- · Easy Installation-No Soldering!
- Great Price! ONLY \$29.95



# ORDER ENTRY SYSTEM

Rainbow, Feb. '84 "If you are looking for a program to keep track of your sales and print invoices, then this one will take care of those needs quite well... A good program that would serve the invoicing needs of a small company quite nicely.

The Mark Data Product sales order processing system provides a fast, efficient means to enter orders, print shipping papers and invoices, prepare sales reports, and monitor receivables. The system automatically enhances the monitor screen to a 51 character by 24 line display. 32K of memory is required along with an 80-column printer and one or more

The MDP Order Entry System is a family of programs which operate interactively by means of a "menu" selection scheme. Up to 900 products may be defined and a single disc system can hold over 600 transactions. When the operator selects a task to be performed, the computer loads a program designed to handle that task from the system disc. The system disc contains all of the programs required to create, update and maintain data files and prepare the necessary paperwork including shipping and invoice forms, daily sales reports, a monthly (or other period) sales report and a receivables report.

This order entry software equals or exceeds higher priced packages for other computers and includes a detailed operating manual. ONLY \$99.95



\* Computers produced after approximately October 1982 require an additional keyboard plug adapter. Please add \$4.95.

# ACCOUNTING SYSTEM

Rainbow, May '84 "Considering what it can do to organize a small business, it is quite a

Hot CoCo, June '84 "...a serious, professional accounting program and well worth its price. The programs are complete and simple to use.

The Mark Data Products Accounting System is ideal for the small businessman needing a fast, efficient means to process income and expenses, prepare detailed reports and maintain most of the information required at tax time. The system is a family of programs which operate by means of a "menu" selection scheme. When the operator selects a task to perform, the computer loads a program designed to handle that task from the system disc. The system disc contains all of the programs required to create, update and maintain data files and prepare the necessary accounting reports including a transaction journal, a P & L or income report, an interim or trial balance and a balance sheet.

Up to 255 separate accounts may be defined and a single disc system can hold over 1,400 transactions. This system automatically enhances the monitor screen to a 51 character by 24 line display, 32K of memory is required along with an 80-column printer and one or

This accounting software equals or exceeds higher priced packages for other computers and includes a detailed operating manual.

SHIPPING: All orders under \$100 please add \$2 regular, \$5 air. All orders over \$100 please add 2% regular, 5% air. California residents please add 6% sales tax. Orders outside the continental U.S., check with us for shipping amount; please remit U.S. funds. Software authors—contact us for exciting program marketing details. We accept MasterCard and VISA. Distributed in Canada by Kelly Software



FREE - Send for our NEW 24 page catalog!

Mark Data Products

24001 ALICIA PKWY., NO. 207 ● MISSION VIEJO, CA 92691 ● (714) 768-1551

# \$\$ SAVE MONEY ON YOUR \$\$ CASSETTE & DISC SUPPLIES

CASSETTES

We buy cassettes and discs in large quantities for our own use and can pass the savings on to you.

C-10 Cassettes w/labels .59 ea 10 for \$5.50
Cassette storage box .25 ea 10 for .2.00

5¼ DISCS

High quality, nationally advertised brand. Guaranteed Performance! We will replace any disc that fails during normal use. Discs are single sided, double density, reinforced hub with Tyvek sleeve. \$2.25 each 10 for \$19.95

D	0	A	A	c

Basic 1.2	95
Extended 1.1 w/manual	95
Disc 1.1	95

#### **NEED MORE MEMORY?**


64K Memory Expansion Kit


All parts and complete instructions (For 'E' and 'F' boards and CoCo II) \$59.95

# COCO DISC DRIVES

COMPLETE SYSTEMS INCLUDE:

- Hi-Quality Teac Thin Line Drives
- · Attractive, Beige Dual Drive Cabinet/Power Supply
- Fill Panel for Single Drive Disc Systems
- Radio Shack or J & M Controller
- · Cable and Operating Manual
- Full 90 Day Warranty





The combination of exciting game-play action and colorful, hi-res graphics in Zookey make it an outstanding typing tutor. Speed and skill levels are fully adjustable to train the beginner or challenge the most experienced typist.

Stimulating for both youngsters and adults...Ideal for classroom or individual instruction.

# NEW SUPER BUG



Mark Data Products SUPER BUG is a powerful, relocatable machine code monitor program for your CoCo. If you are a beginner, the program and documentation are an indispensable training aid, helping you to gain a better understanding of your Color Computer and machine code programming. If you are an accomplished computerist, SUPER BUG'S capabilities, versatility and convenience will prove invaluable during programming and debugging.

SUPER BUG offers so many outstanding features that we are unable to list them all in this limited space but here are a few: hex and alpha numeric memory display, modify, search, and test; full printer support with baud rate and line feed select; up to 220 breakpoints; mini object code disassembler; 64K mode setup; decimal, hex and asci code conversion routines and extensive documentation.

Tape \$29.95

Disc \$32.95

#### **INFORMATIVE BOOKS**

"Your Color Computer" by Doug Mosher

Over 300 pages of detailed information...an indispensable introduction to your Color Computer, complete with diagrams, photographs, and a BASIC thesaurus and command reference section. A CoCo encyclopedia. \$16.95

"Programming the 6809" by Rodney Zaks

One of the best machine language texts available—required reference material. This book explains how to program the 6809 in machine language, covering all aspects progressively and systematically. \$15.95

# QUALITY VIDEO MONITORS



**SAKATA COLOR SC-100-\$299.95** 

The SC-100 is a streamlined 13" composite monitor which produces sharp, brilliant colors. The cabinet is made of durable styrene and is available in an attractive off-white color. Includes audio with speaker and earphone jack. We highly recommend this color monitor because of its excellent performance and beautiful styling.



TAXAN AMBER SCREEN-\$149.95

A 12" amber screen composite monitor of the highest quality with exceptional reliability and performance. 18 MHZ bandwidth. Attractive off-white cabinet. We use this monitor in our offices.

#### **VIP SOFTWARE**

We carry the most asked for softlaw products for your convenience.

# SUPER NEW GAMES


\$24.95 DISC

\$27.95

Pilot your MD-64 fighter through a hazardous time tunnel. Your mission is to destroy the dreaded Time Guardian who threatens the natural order of the universe. In order to reach this menace you must fight aerial dangers from strange and different time zones. If you like fast action, this one's for you! 16K required.

TIME FIGHTER

Rainbow, March '84 "One of the best in your library of computer games. It's a real gem."



#### **TUT'S TOMB**

Explore the ancient, mystical tomb of the great Pharoah. Find the magical keys which lead you to unbelievable treasures as you out-maneuver the creatures that slither and swarm about you. Super fast arcade action—this one will knock your socks off with 16 screens of incredible color and sound. Fabulous! 32K required.

Hot CoCo, April '84 "State of the art CoCo graphics. A first rate game."

\$24.95 DISC

\$27.95

Mark Data Products



# Using Tables To Assist In Programming

# By Joseph Kolar Rainbow Contributing Editor

ou never know where you may find an idea to send you off on a frenzy of programming creativity.

Leafing through a Rumanian grammar book, it was noted that interesting tables were included in each lesson to aid the student in creating a variety of practice sentences, so material covered in the lesson could be reviewed.

The method used, though simple, was filled with possibilities for the budding CoCo enthusiast who wishes to enlarge his educational programming capabilities.

The program we shall develop will be ideal for a foreign student studying English, who desires practice in reading sentences or studying their structure. Surely, you will find other uses this program may suggest.

Now to work! First, a sentence must be created to convert into a table. The basic sentence, in this case, is "I see him opening the door." We expand this to create many possible sentences (see Table 1).

Here is how it works. Read across from left to right, selecting one word from each column, being careful not to cross any horizontal line. For instance, you might choose "We" from Column 1 and "sees" from Column 2, etc.

Look over the table carefully to make sure the possible sentences are grammatically correct and they are not silly or improbable. A grammatically incorrect sentence would be "Joe see him opening the book." If we substituted "Joe" in place of "George" in Column 3, we could get an unlikely sentence as "Joe sees Joe," etc.

You can readily see that an awful lot of different sentences can be made, choosing one word from each of the six columns to comprise a complete sentence.

Let us beginners see what we can come up with!

We shall begin at Line 100, reserving lines 0-99 for a title and instructions. Key in:

100 CLS

Referring to our homemade Table 1, we note that we have five words in the

first column. In order to select the five words in a random order to begin our sentence, we must resort to the RND(x) function. Key in:

110 X = RND(5)

We must also send the computer to different program line numbers when 'X' is internally selected.

120 ON X GOTO 130,140,150, 160,170,

This line tells CoCo that if X=1, GO-TO program Line 130 where the first word, "I," will be found; if X=2, GOTO Line 140 where the second word, "We," will be found etc.

Now assign each word in Column 1, a line number in pencil on your homemade table using it as a convenient work sheet. Refer to Column 1, Table 2

130 PRINT "I";:GOTO 180

We indent two spaces, key in the word to which you assigned the line number and skip a space. After the closing quotation mark add a semicolon to indicate the next word follows

(Joseph Kolar is a free-lance writer and programmer dedicated to proselytizing for computers in general, and the CoCo specifically.)

# Falsoft to the Rescue . . .

# . . with The Rainbow Bookshelf

Don't take it out on your local bookseller if you've been frustrated by his woeful supply of books on the Color Computer. There just haven't been enough in circulation.

Help is on the way. The same folks who bring you THE RAINBOW are, right now, poring over new manuscripts, considering new concepts, and identifying critical areas of need. There will be fun books, packed with all-new games and informative programs, and books of a more serious nature to help you take full advantage of the Color Computer's capacity.



— The Rainbow Book of Simulations is the newest addition to the bookshelf, featuring award winners from THE RAINBOW's very first Simulation contest. You will carve your niche in history as the President of the United States, change the course of the Civil War, be on the hot seat as Chairman of a major U.S. corporation, save a town from flooding, learn sailing maneuvers or engage in a sea battle. Twenty new Simulations — realistic, challenging and fun.

— Coming soon is The Complete Rainbow Guide to OS-9, by Dale Puckett and Peter Dibble. This comprehensive new publication, packed with programs, demystifies the system through a step-by-step process. Two of the foremost authorities fully explore the incredible potential of this multifaceted new operating system.

Book \$19.95 Tape \$19.95 — Copies are still available of **The Rainbow Book of Adventures**, which includes all 13 winners from THE RAINBOW's first Adventure contest. A sure collector's item, the entries include all the elements of the classic Aventures, including the allure of a tropical island, the zany antics of a mad scientist, smoking dragons, winding hallways, neverending forests, explosions, traps, tricks, mindbenders, and more.

Book \$7.95 Tape \$7.95

Also in the works are books that will make it easier for you to take advantage of some of CoCo's sophisticated business applications, as well as more books with new Adventures and Simulation games. And a whole lot more!

Keep your library up to date. Order now!



I want to start my own Rainbow Bookshelf!		Falsoft, Inc. The Falsoft Building 9529 U.S. Highway 4 P.O. Box 385
Please send me:   The Rainbow Book of Simulations	\$ 9.95	Prospect, KY 40059
Rainbow Simulations Tape	\$ 9.95	
☐ The Complete Rainbow Guide to OS-9	\$19.95	
Rainbow Guide to OS-9 Tape	\$19.95	
The Rainbow Book of Adventures	\$ 7.95	
<ul><li>Rainbow Adventures Tape</li></ul>	\$ 7.95	
Add \$1 per book Shipping and Handling i Canada and Mexico Add \$2.00 All Other Foreign Add \$4.00	n U.S	
	Total	
Name		
Address		
City State		ZIP
Payment Enclosed VISA MasterCard	American Express	
Account Number	Interbank No. (Mo	C Only)
Signature		on Date

immediately after. Put a colon to separate units of a multiple statement and add a *GOTO* statement with the location of the next word to follow. Mark "see" Column 2, Table 2 on your work sheet, assigning it Line 180.

140 PRINT "WE";:GOTO 180 150 PRINT "YOU"::GOTO180

Note that the words to which you assigned lines 160 and 170 require "sees" instead of "see." In pencil, on your worksheet, assign Line 190 to "sees." Lines 160-170 will be similar in format to lines 130-150, except that they will tell CoCo to GOTO 190. Key in lines 160 and 170 at this time.

160 PRINT "JOE";:GOTO 190 170 PRINT "OLIMPIA";: GOTO 190 Add the following lines: 180 PRINT"SEE";:GOTO500 190 PRINT"SEES";:GOTO500 500 GOTO 500

Note: Do not insert a space in front of either "see" in Line 180 or "sees" in Line 190. This space between the first and second words was taken care of by putting the space after each of the five words in lines 130-170.

At this point, check to see if all is well. RUN repeatedly until all five words in Column 1 appear randomly on the screen with their appropriate word from the second column. Correct any boo-boos! Do not consult Listing 1 because it is the final program and somewhat different from the work in progress.

When you are satisfied with your work, above the third column, pencil in 200 RND(5. This reserves a line for RND. Assign to the five words in this column the next five line numbers.

EDIT lines 180 and 190 to GOTO 200 instead of 500. The GOTO 500 was just temporary to allow us to check our work. It is not necessary to direct Line 190 with GOTO200 because CoCo knows it is the next line in the listing. Add it anyway to make the listing easier to follow.

200 X=RND(5)

Since we have five words in the third column, we shall make a multiple statement by adding to Line 200 :ON X GOTO 210,220,230,240,250. Did you remember to assign the five words in the third column, lines 210-250? Key

1	2	3	4	5	6
1.		нім			DOOR.
WE	SEE	HER		Α	WINDOW.
YOU		THEM	OPENING	THE	воок.
JOE	SEES	GEORGE	SHUTTING		DICTIONARY
OLIMPIA		DIANA			

TABLE 1

1	2	3	4	5	6
110		200	260	290	320
RND(5)		RND(5)	RND(2)	RND(2)	RND(4)
120		10-			
130		210			330
1		нім			DOOR.
140	180	220		300	340
WE	SEE	HER		Α	WINDOW.
150		230	270	310	350
YOU		THEM	OPENING	THE	воок.
160	190	240	280	777	360
JOE	SEES	GEORGE	SHUTTING		DICTIONARY
170		250		1 7-1	
OLIMPIA		DIANA			

TABLE 2

in lines 210-250 and add *GOTO500* to each of lines 210-250 as a temporary aid so we can check out our work.

RUN and check the spelling, and make sure there is just one space between the second and third words. If the third word does not follow the second properly, but falls on the next line, you may have omitted the semicolon in lines 180 or 190. If you have two spaces instead of one, check to see if you put a space after the opening quotation mark in any of lines 210-250.

When you are ready to proceed, on your worksheet above Column 4 write 260 X=RND(2) because there are only two choices in this column. Assign 270 and 280 to the two words in Column 4.

EDIT lines 210-250, changing 500 to 260. Make a multiple line statement in Line 260 as you had done in Line 200.

260X=RND(2):ON X GOTO 270,280

270 PRINT"OPENING ";: GOTO 500 280 PRINT"SHUTTING ";: GOTO 500

RUN and check for mistakes as previously explained. If all is well, drop the sentence to the middle of the screen with either of the Line 105s listed:

105 PRINT:PRINT:PRINT: PRINT:PRINT:PRINT

105 FOR I=1 TO 6:PRINT:NEXT

RUN and BREAK repeatedly; notice that the length of the sentences in progress will vary.

"Olimpia sees George opening" has only two spaces left at the right margin. This indicates the rest of the sentence must be placed on the next screen line.

EDIT lines 270-280 so they read:

270 PRINT"OPENING":GOTO290 280 PRINT"SHUTTING":GOTO290 Since these two words will be the last on the first screen line, notice that a space is not required after the word or a semicolon, because no more words will follow. However, since we will locate the second line using *PRINT*@, you could leave the space and semicolon in and they would be harmless.

By now you know what to write in pencil above the fifth column, and what line numbers to assign the two words. Refer to Table 2, if in doubt.

290 XRND(2):ON X GOTO 300,310 300 PRINT25,"A ";:GOTO500 310 PRINT@224," THE ";: GOTO500

We used *PRINT*@ to locate the first character one space in from the left margin. Note the two variant ways to do this.

At this point, put in the appropriate information above and in Column 6. Again, refer to Table 2, if in doubt.

*EDIT* lines 300-310 by changing 500 to 320.

320 X=RND(4):ON X GOTO 330,340, 350,360

Write 370 below the lower right-hand corner of Table 2 to indicate the line number that takes us out of the table.

#### 330 PRINT"DOOR,":GOTO370

Key in lines 340-360 making sure you use a period for proper punctuation. Do not use a semicolon.

#### 370 GOTO 370

Delete line 500. RUN and correct any errors. Notice that the shorter sentences are off-center tending toward the left. You can compensate for this to some degree by editing lines 130 and 140. Insert four additional spaces between the first quotation mark and the first letter. This should result in six spaces in those two lines. The words in lines 150-160 are a bit longer so just insert three spaces to make a total of five spaces between the opening quotation mark and the first character. Finally, insert one space in Line 170 to make it a total of three spaces.

RUN and check it out. Not perfect, but good enough for us beginners.

Rewrite Line 370.

370 A\$=INKEY\$:IF A\$="G"THEN CLS:GOTO 100 ELSE 370.

We told CoCo to leave the sentence displayed on the screen until the 'G' key is pressed, at which point to clear the screen; choose and display the next sentence.

You are left to your own devices to create a title. It may be better to wait until next month as we plan to delve further into this programming area. Save this program on tape.

A sample instruction was created in lines 50-60 in Listing 1. Since there is only one sentence displayed, an ending panel would be a waste of time. Just turn off CoCo when you are finished running through the sentences.

The beginner programmer has one tremendous advantage over the professional. Usually, the beginner has a specific person/persons in mind when he creates a program. With a little thought, he can generally personalize his program by inserting personal names to become an integral part of the program. Note in Column 1, Table



1, instead of using "he" or "she," I use my name and a friend's name for whom the program was designed. Note, also, the two names used in Column 3, Table 1. Again, people who might use the program.

Everybody is fascinated to see their names pop up on the screen. This inducement adds to their interest, costs nothing and generates good will. So, consider substituting the personal names in the program with those of

yourself and friends. Be careful to use names with eight or less characters. Otherwise, you will have to adjust the first word in the sentence to avoid splitting words between lines!

More on this next month.

# Listing 1

Ø 'LISTING1

50 CLS(0): PRINT@128." TO STUDY THE SENTENCES IN THISPROGRAM, P RESS THE (G) KEY. RE-PEAT THIS PROCEDURE UNTIL YOU ARE FINISH ED WITH THE TABLE."

60 PRINT: INPUT "

PRESS

<ENTER>"; OA

100 CLS

105 FOR I=1 TO 6:PRINT: NEXT

110 X=RND(5)

120 ON X GOTO130,140,150,160,170

13Ø PRINT"

I ";:GOTO18Ø

140 PRINT"

WE ";:GOTO180

15Ø PRINT"

YOU ";: GOTO18Ø

160 PRINT"

JOE ";: GOTO19Ø

170 PRINT"

OLIMPIA ";:GOTO190

180 PRINT"SEE ";:GOTO200

190 PRINT"SEES ";:GOTO200

200 X=RND(5):ON X GOTO210,220,23

0,240,250

210 PRINT"HIM ";:GOTO260

220 PRINT"HER ";:GOTO260

230 PRINT"THEM ";: GOTO260

240 PRINT"GEORGE ";:GOTO260

250 PRINT"DIANA ";:GOTO260

260 X=RND(2):ON X GOTO270,280

27Ø PRINT"OPENING": GOTO29Ø

280 PRINT"SHUTTING": GOTO290

29Ø X=RND(2):ON X GOTO 3ØØ,31Ø

300 PRINT@225, "A ";:GOTO320

310 PRINT@224," THE ";:GOTO320

320 X=RND(4): ON X GOTO330, 340,

350,360

330 PRINT"DOOR.":GOT0370

340 PRINT"WINDOW. ": GOTO370

35Ø PRINT"BOOK.":GOTO37Ø 360 FRINT"DICTIONARY. ":GOTO370 370 As=INKEYs: IF As="G" THEN CL S:GOTO100 ELSE370

# Listing 2

0 \*\*\*\*ALT2 THE DISPLAY WILL P AUSE FOR ABOUT 10 SECONDS. YOU CAN GUESS WHAT THE DESIGN WILL B E.

2 '\*\*\*THE SOUND WILL BEEF 20 TIMES. IF YOU NEED MORE TIME, YOU MUST PRESS (SHIFT)<@> TO HOLD THE DISPLAY. WHEN READY TO

CONTINUE, PRESS ANY KEY.

3 \*\*\*\*IT TAKES ABOUT 4-5 MINUTES TO DRAW THE DESIGN, SO BE A LIT-

TLE PATIENT!

3Ø PMODE3:PCLS:PMODE4

40 A=128:B=92:R=70:P=2.3

50 DIMS (2)

60 DRAW"BM0,0BF2L2D2R2D2R2U2R2U2 L2U2L2D2"

70 GET (0,0)-(6,6),5,6

80 PCLS: SCREEN1.1

175 FOR D=10 TO 10

180 FOR Z=1 TO 755 STEP 2:C=Z

190 C=90+C\*P/SQR(D)/SQR(D)

195 K=9Ø+C\*P\*18Ø

200 X=INT(A+R\*COS(K)):Y=INT(B+R\*

SIN(C))

21Ø PUT(X,Y)-(X+7,Y+5),S.PSET

240 IF Z=101 THEN FORO=1 TO 20:5

OUNDSØ, 4: NEXT

250 NEXT Z.D

255 PLAY"03L8FAFL16FAFECEL8FAFEC

EL4ECCP2"

260 GOTO260

# OS-9 USERS **ELIMINATE DISK HANDLING**

Patch for OS-9 single disk operation for CoCo's with ROM 1.0 Easy, Quick Patch

Send \$9.95 to:

enture

Multi-Venture P.O. Box 6157 Alderwood Manor, Wa. 98036

Postage & Handling included.

No Refunds



# **FLORIDA** SEARCH NO LONGER!

The Software Connection of

0

Fort Lauderdale is your one stop source for your Color Computer Software, Peripherals, Books, Magazines & Repairs



4301 N. State Rd. 7 Lauderdale Lakes, FL 33319 (305) 484-7547



# PRICKLY-PEAR SOFTWARE

# QUALITY PROGRAMS FOR YOUR COCO & TDP-100

PROGRAMS REQUIRE 16K EXTENDED BASIC FOR TAPE, AND 32K DISK UNLESS OTHERWISE NOTED.

**GREAT!!! 32K VIKING II** — The most popular simulation of all time was **Viking!**, by Bill Nolan, and now here is the long awaited **VIKING II**. This great program, by the original author, is twice as long and lots more fun. See if you have what it takes to become King or Queen in ancient Norseland, and along the way, see why **VIKING!** clubs were formed all over the USA to play the first **VIKING!**. Tape - **\$24.95** Disk **\$29.95** 

**ADVENTURE IN WONDERLAND** — This 32K machine language adventure was THE most popular program for five months. If you don't have it, you have missed the best adventure experience available on your computer. Tape - \$24.95 Disk - \$29.95

**COLOR DISK TRIVIA** — A great game for 1 to 4 players, this game has been a sensation since it was introduced. It became our #1 program in less than a week, and for good reason. This trivia game has 1100 questions in 5 categories — a FULL disk. It is really fun and challenging to play, and you can develop your own question disks easily with the included software. This program is already in use in many schools, but if you just like trivia, you will be interested to know that we have additional question disks available with 1100 questions on each one. We have a disk of Bible questions, sports questions, entertainment questions, and questions for children (8-15). The game, with 1100 questions and the question development program is \$29.95. The additional question disks are \$19.95 each.

**GRAVITOR** — A new machine language arcade game for the Coco that needs only 16K of **RAM**, and yet gives you 16 levels of play, 10 high-res playing screens in color, multiple voice music, and a practice mode. Fly from planet to planet (each one different), and see if you can destroy the enemy bases, or challenge the twisting passage to the reactor on the death base. No joysticks needed. **AWESOME!!** Tape - \$24.95 Disk - \$29.95

**THE COMPLEAT ENCHANTER** — A 100% GRAPHICS ADVENTURE with a ton of rooms and lots of options. Can you fight your way in and defeat the dungeon lord Asmodeus? Even the fights are in high-res graphics. Needs 32K. Tape **\$24.95** Disk - **\$29.95** 

**BONANZA PACK FOR FANTASY GAMERS** — Bill Nolan, the author of the Dragon's Byte column, brings you over 100K of fantasy gaming programs on a single disk. These are not games. They are useful computer programs for anyone who plays fantasy games. With instructions. 32K disk only. **\$29.95** 

**COLORKIT** — This program has been in our top five for over a year. It is the ultimate programmer's utility, giving you a full screen editor, keyclick, 35 new commands, programmable keys, and lots more. There are other programmer's utilities on the market, but all are sad imitations of the original **COLORKIT**. You know what they say — "Accept no substitutes." Tape \$34.95 Disk \$39.95

STATISTICS — STATISTICS — STATISTICS — STATISTICS — STATISTICS — STATISTICS

**LIZPAC** — If you have a need to do statistical analysis, this is the program you have been waiting for. The only statistics package that comes close needs \$3,000 worth of computer to run, costs \$1995 for the software, and this one is better! **LIZPAC** is 850K of programming, filling 7 disks, and comes with a manual that is nearly 200 8½ by 11 pages long in a quality binder. It will do anything you need to do in statistics (including graphic display). In its manual, the list of features and functions is **FIVE PAGES** long, while the list of included programs is **THREE PAGES** long. Call for specific information. The package is friendly to use, and requires no specialized computer knowledge. 32K disk - \$195.00

FLIGHT PLAN — FLIGHT PLAN — FLIGHT PLAN — FLIGHT PLAN — FLIGHT PLAN — FLIGHT PLAN — FLIGHT PLAN AIRNAV — A COMPLETE PROFESSIONAL FLIGHT PLANNER — AIRNAV is powerful and user friendly disk based flight planner for your Color Computer. This package was developed by a Commercial Airline pilot, and was checked against his airline's official flight plans for accuracy. In two minutes this program will produce a flight plan on your screen or printer that would take two hours to duplicate.

The disk for **AIRNAV** is packed with information on over 1,400 VOR stations or navaids, and over 1,000 airports within the continental United States and Hawaii, including civilian airports, Air Force, and Navy bases. You can easily add navaids and airports if you wish, and you can delete or modify the information to keep it up to date. You can also save your 10 most used routes. This quality program is for disk systems only, and is shipped with full documentation in a quality binder. If you fly, you need **AIRNAV**. **\$99.95** 

# 1-800-223-5369 EXTENSION 256

Send for our free Catalog of 50 Great Programs for your CoCo

#### POLICY ON PROTECTION

We believe our customers are honest — all of our software can be backed up using standard backup procedures.

Your Personal check is welcome - no delay. Include \$1.50 shipping for each program ordered. (Shipping free on \$50.00 or larger orders). AZ residents add 7% sales tax. Orders shipped within two days.

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd., P.O. Box 11932. Edmonton, Alberta T5J-3L1 (403) 421-8003

Stocked by Quality Dealers, or

Send Order To: PRICKLY-PEAR SOFTWARE



2640 N. Conestoga Ave. Tucson, Arizona 85749 (602) 749-2864



Relief for type-weary fingers

# FILECOPY — A Handy OS-9 Utility

By Gerry Schechter

what a hassle it can be when you want to copy several files from one disk to another. All that typing in of the COPY command can really wear your poor fingers to the bone. With OS-9 and its multilevel directories, the problem is even worse. For example, to copy just one file, you would have to enter the following: COPY /DO/CMDS/FORMAT/DI/NEWCMDS/FORMAT. Needless to say, if you have a dozen or so files to copy, it could take quite a while.

I decided my computer should do most of the work for me, so I set out to write a BASIC09 program to take care of all that typing. This in itself was an experience, since I had never written a BASIC09 program before. With my trusty manual in hand, I came up with FILECOPY.

FILECOPY, as its name suggests, is a utility program that will copy files from one disk to another. Using it is very simple. All you have to do is to enter the input pathname, such as / DO/CMDS, and the output pathname, such

(Gerry Schechter has over 12 years of data processing experience. He is currently employed by the Mercy College where he is the manager of technical services. His hobbies include writing software for the Color Computer.)

as / DI/ NEWCMDS. The program will then take care of the rest by prompting you to see which files you want to copy. Any time it asks you a question, you merely enter a 'Y' for yes, or anything else for no. The way it works is quite interesting, and it shows off some of the powers of OS-9 and BASIC09.

It starts off by creating a file of the input pathname. It does this by redirecting the output from the *DIR* command to a disk file. This file is then read and the filenames are extracted from it.


Making liberal use of the ON ERROR statement, the program will also determine if the file already exists in the output pathname. If it does, it asks you if you would like to rewrite the file. The program will also let you know if you try to copy a directory, or if you have no more room left on the disk.

As with any computer program, FILECOPY could be enhanced some. The first thing that comes to mind is to have it run itself recursively in order to copy a directory along with some or all of its files.

I hope this program will encourage you to delve deeper into the marvelous OS-9 operating system. For those of you who really hate typing, I would be happy to send you a copy of the program for only \$1, if you send a blank disk and SASE to: 75 Midland Terrace, Yonkers, NY 10704.

# VIZIDRAW 1.0

BY GEORGE ZIRIENICZ AUTHOR OF COLOR TOOLKIT



Current Fill Pattern Available Fill Patterns Patterns Hodifiable Save/Load Patterns

Fill

Interactive Drawing Board Graphic Display Processor

Text Manipulation
Versatile Yext Sizes/Fonts

Italias Underline Bold


Swall, Mormal Size or ENLARGED

448 X 480 PIXEL WORKSHEET!

You can design a whole sheet
of paper in the COCO's memory!
NO HORE SMALL PICTURES!!

THE POWER OF 'MACPAINT' AT A COCO PRICE!

13 STANDARD FONT SETS INCLUDED !! (3x5, 4x7, 5x7, 7x9, Daisy, Venice, English, Frontier, Hollow, Future, Digital 1 and Digital 2)



PRINTERS: RS (LP VII FORMAT, EPSOM, CHTOTH 8510, GEMINI 10 & 10X)

TAPE or DISK

\$49.95

please specify + \$2.00 POSTAGE
(DEALER INQUIRIES WELCOME)



# VIDX DIGITIZER

NO V-CABLES OF MULTIPACKS!

Yes, that's right you don't need any of the above to run VIDX. VIDX can be run with a simple 16K E.C.B. TAPE MACHINE up to a 64K DISK SYSTEM!!

Just connect VIDX between the video source and the RS-232 port of your Color Computer. You can digitize any source of video such as off air IV, video tape recorder or live camera! Software is supplied on a RS-DOS DISK or cassette (not protected!).

Please specify system you plan to use THE SOFTWARE FEATURES:

- J SINGLE/ MULTIPLE EXPOSURES
- 3 ABORT OR RESUME SCAN
- I LOGICAL 'AND' SCREEN 2 AND 1
- J FRAME PICTURE
- J READ/WRITE TO GRAPHICOM, RS-DOS DISK OR CASSETTE

VIDX-1 - \$99.95 DIG.&SOFT. VIDX-2 -\$124.95 DIG.&SOFT. W/ 2 PORT RS-232 SWITCHER PLUS \$3.00 POSTAGE

GRAFX-MONTHLY GRAPHICS DISK

A MONTHLY COLLECTION OF ARTS SEASONAL MOTIFS AND HUMOR WITH MUSIC! JUST INSERT INTO DRIVE!

SPECIAL NEW PRICE \$75.00
YEAR'S SUBSCRIPTION
3 MONTH TRIAL ONLY \$25.00

SAMPLE DISK \$10.00

TO DRDER SEND YOUR CHECK DR H.O. TO:

G R A F X P. O. B O X 2 5 4 WEST HIFFLIN, PA 15122-0254

VOICE LINE (412) 466-6974 (6-9PM) 24 HR BBS- COCONET (412) 744-2335- 300/1200BAUD - YOU CAN DOUNLOAD DIGITIZED PIX -

THIS COMPLETE AD PREPARED BY VIZIDRAW WITH NO CUTS OR PASTES!--COLOR COMPUTER IN TAMOY CORP. MACPAINT IN APPLE COMPUTERS

# The listing:

PROCEDURE FILECOPY	NEXT XX
REM FILE COPY UTILITY V1.0	GOTO 110
REM BERRY SCHECHTER	120 PRINT "COPY "+FILENAME+" ";
REM 75 MIDLAND TERRACE	INPUT YESNO
REM YONKERS, NY 10704	IF YESNO="Y" THEN
REM MARCH 1984	130 SHELL "COPY \$8K "+INPATH+"/"+FILENAME+" "+OUTPATH+"/"+FILENAME
DIM INPATH, OUTPATH, FNAME, FILENAME: STRING[24]	+SD
DIM ERRNO, DISK, XX: INTEGER	ENDIF
DIM INDATA: STRING[80]	140 WHILE MID\$(INDATA,XX,1)=" " DO
DIM YESNO: STRING[1]	XX=XX+1
DIM SD:STRING[3]	ENDWHILE
DIM FIRST: BODLEAN	XX=XX-1
FIRST: =TRUE	FNAME=""
DN ERROR GOTO 160	RETURN
PRINT CHR\$(12);	150 CLOSE #DISK
PRINT " ** FILE COPY UTILITY **"	PRINT
PRINT	PRINT "PROCEDURE CONCLUDED."
PRINT "DO YOU HAVE MORE THAN"	PRINT
INPUT "ONE DISK DRIVE ? ", YESNO	END
IF YESNO="Y" THEN	160 ERRNO:=ERR
SD=""	IF ERRNO=218 THEN
ELSE	1F FIRST THEN
SD=" -S"	PRINT "DELETING OLD DIRECTORY FILE."
ENDIF	DELETE "/DO/FILECOPY.DIR"
PRINT	6070 100
INPUT "ENTER INPUT PATH:", INPATH	ELSE
PRINT	PRINT FILENAME+" ALREADY EXIBTS"
INPUT "ENTER OUTPUT PATH:",OUTPATH	INPUT "DO YOU WISH TO REWRITE IT ? ",YESNO
PRINT	IF YESNO="Y" THEN
PRINT "DNE MOMENT PLEASE"	SHELL "/DO/CMDS/DEL "+OUTPATH+"/"+FILENAME
PRINT	6010 130
PRINT "LOADING COPY COMMAND."	ELSE
SHELL "/DO/CMDS/LOAD /DO/CMDS/COPY"	60T0 140
PRINT "CREATING DIRECTORY FILE."	ENDIF ENDIF
100 SHELL "/DO/CMDS/DIR "+INPATH+" >/DO/FILECOPY.DIR"	ENDIF
FIRST:=FALSE	IF ERRNO=215 OR ERRNO=216 THEN
OPEN #DISK, "/DO/FILECOPY.DIR": READ	PRINT
READ #DISK, INDATA	PRINT "PATH NOT FOUND!"
PRINT CHR\$(12)	PRINT
PRINT "FILE COPY FROM: ", INPATH	END
PRINT " TO: ", OUTPATH	ENDIF
PRINT	IF ERRNO=214 THEN
110 READ #DISK, INDATA	PRINT "CANNOT COPY "+FILENAME
IF EDF(#DISK) THEN 60TO 150	PRINT "IT IS A DIRECTORY."
	60TO 140
ENDIF FNAME=**	ENDIF
FOR XX=1 TO LEN(INDATA)	IF ERRNO=248 THEN
IF MID\$(INDATA, XX, 1) = " THEN	PRINT "DISK IS FULL!"
FILENAME=FNAME	PRINT "PROCEDURE ABORTED."
GOSUB 120	END
ELSE	ENDIF
FNAME=FNAME+MID\$(INDATA,XX,1)	PRINT
ENDIF	END "OS9 ERROR # "; ERRNO; " HAS OCCURRED!"
LIIVAT	

# BAINBOW Info

# **How To Read Rainbow**

Please note that all the BASIC program listings you will find in THE RAINBOW are formatted for a 32-character screen —so they will show up just as they do on your CoCo screen. One easy way to check on the accuracy of your typing is to compare what character "goes under" what. If the characters match — and your line endings come out the same — you have a pretty good way of knowing that your typing is accurate.

We also have "key boxes" to show you the *minimum* system a program needs. But, do read the text before you start

typing.

Finally, the little cassette symbol on listings indicates that program is available through our RAINBOW ON TAPE service. An order form for this service is on the insert card bound in the magazine.

# What's A CoCo


CoCo is an affectionate name which was first given to the TRS-80 Color Computer by its many fans, users and owners. As such, it is almost a generic term for three computers, all of which are very much alike.

When we use the term CoCo, we refer to the TRS-80 Color Computer, the TDP System-100 Computer and the Dragon-32 Computer. It is easier than using the three "given" names throughout THE

RAINBOW.

In most cases, when a specific computer is mentioned, the application is for that specific computer. However, since the TDP System-100 and TRS-80 Color are, for all purposes, the same computer in a different case, these terms are almost always interchangeable.

# The Rainbow Check Plus



The small boxes that you see accompanying programs in the THERAINBOW are the "Check system," which is designed to help you type in programs accurately.

Rainbow Check PLUS will count the number and values of characters you type in. You can then compare the number you get to those printed in THE RAINBOW. On longer programs, some benchmark lines are given. When you

reach the end of one of those lines with your typing, simply check to see if the numbers match.

To use the Rainbow Check PLUS, type in the program and CSAVE it for later use, then type in the command RUN and press ENTER. Once the program has run, type NEW ENTER to remove it from the area where the program you're typing in will go.

Now, whenever you press the down arrow key, your CoCo will give you the checksum based on the length and content of the program in memory. This is to check against the numbers printed in THE RAINBOW. If your number is different, check the listing carefully to be sure that you typed in the correct BASIC program code. For more details on this helpful utility, refer to H. Allen Curtis' article on Page 21 of the February 1984 BAINBOW.

Since Rainbow Check PLUS counts spaces and punctuation, be sure to type in the listing exactly the way it's given in

the magazine.

10 CLS:X=256\*PEEK(35)+178 20 CLEAR 25.X-1 30 X=256\*PEEK (35)+178 40 FOR Z=X TO X+77 50 READ Y:W=W+Y:PRINT Z,Y;W 60 POKE Z.Y:NEXT 70 IFW=7985THEN80ELSEPRINT "DATA ERROR":STOP 80 EXEC X:END 90 DATA 182, 1, 106, 167, 140, 60, 134 100 DATA 126, 183, 1, 106, 190, 1, 107 110 DATA 175, 140, 50, 48, 140, 4, 191 120 DATA 1, 107, 57, 129, 10, 38, 38 130 DATA 52, 22, 79, 158, 25, 230, 129 140 DATA 39, 12, 171, 128, 171, 128 150 DATA 230, 132, 38, 250, 48, 1, 32 160 DATA 240, 183, 2, 222, 48, 140, 14 170 DATA 159, 166, 166, 132, 28, 254 180 DATA 189, 173, 198, 53, 22, 126, 0 190 DATA 0, 135, 255, 134, 40, 55 200 DATA 51, 52, 41, 0

# **Using Machine Language**

Machine Language programs are one of the features of THERAINBOW. There are a number of ways to "get" these programs into memory so that you can operate them.

The easiest way is by using an Editor-Assembler, a program you can purchase from a number of sources.

An editor-assembler allows you to enter mnemonics into your CoCo and then have the editor-assembler assemble them into specific instructions that are understood by the 6809 chip that controls your computer.

When you use an editor-assembler, all you have to do, essentially, is copy the relevant instructions from THE RAINBOW'S listing into CoCo.

Another method of getting an assembly language listing into CoCo is called "hand assembly." As the name implies, you do the assembly by hand. This can sometimes cause problems when you have to set up an ORIGIN statement or an EQUATE. In short, you have to know something about assembly to hand assemble some programs.

Use the following program if you wish to hand assemble machine language

listings:

10 CLEAR200,&H3F00:1=&H3F80 20 PRINT "ADDRESS:";HEX\$(I); 30 INPUT "BYTE";B\$ 40 POKE I,VAL("&H"+B\$) 50 I=I+1:GOTO 20

This program assumes you have a 16K CoCo. If you have 32K, change the &H3F00 in Line 10 to &H7F00.

# The Rainbow Seal



The Rainbow Certification Seal is our way of helping you, the consumer. The purpose of the Seal is to certify to you that any product which carries the Seal has been physically seen by us and that it does, indeed, exist.

Manufacturers of products — hardware, software and firmware — are encouraged by us to submit their products to THE RAINBOW for certification. We ascertain that their products are, in actuality, what they purport to be and, upon such determination, award a Seal. This lets you know that we have seen the product and that it does, indeed, exist.

The Seal, however, is not a "guarantee of satisfaction." The certification process is different from the review process. You are encouraged to read our reviews to determine whether the product is right for your needs.

There is absolutely no relationship between advertising in THE RAINBOW and the certification process. Certification is open and available to any product pertaining to CoCo. A Seal will be awarded to any commercial product, regardless of whether the firm advertises or not.

We will appreciate knowing of instances of violation of Seal use.

# Different Sights and Sounds With Graphics Bazaar

# By Paul Vernon Miller

have to do absolutely nothing except type RUN and press ENTER! Graphics Bazaar is a BASIC program requiring a 16K Extended CoCo. It consists of three graphics screens, each running for five cycles and changing according to the value in the FOR... NEXT loop in Line 5.

The basic premise running throughout the whole program is the switching of the on screen design between different *PMODEs* and *SCREENs* while playing a series of sounds (lines 13, 24


(Paul Vernon Miller is attending Brigham Young University. He enjoys computer programming as a hobby, and plans to major in electrical or mechanical engineering.) through 26, and 31 through 33). Each of the three screens uses the 'pattern POKE' at one time or another, which creates some interesting effects when using this switching routine. The program uses a BREAK key disable (Line 3) and a speedup POKE (Line 2) to help the sound and graphics flow more smoothly. Most of the sounds in the program are contained in string statements (lines 34 through 45). These sounds were contrived through a great deal of experimentation with the PLAY command. Some of these sound strings use the effective volume controls, V+; and V-;, to increase or decrease the volume.

Screen one can start from either side of the screen, depending on what happens in the random statement in Line 6. Screen one (basically Line 9) alternates between *PMODEs 1, 3,* and 4, creating

a series of mirages and bright flashes. It also employs a 'Box Subroutine', which does nothing more than add a 'B' to both *LINE* statements and uses the 'pattern *POKE*' to paint around these boxes, creating bright colors in *PMODE4*.

The idea behind the circular line patterns in screen two and three was borrowed from the ECB manual. A little knowledge of trigonometry is required to understand the 'hows' and 'whys' of this technique (lines 18 and 29 through 30), but even if you don't understand the reason behind it, you can still experiment to gain the desired results.

The program will continually renew the global loop in Line 5 and run forever, so just push the Reset button to exit the program. I hope you enjoy *Graphics Bazaar*. Happy computing.



The listing:

Ø ' GRAPHICS BAZAAR

1 ' TITLE SCREEN

2 POKE65495,0:CLS:GOSUB35:DIMR(1 6):K=178:PRINT@101,"GRAPHICS":PR INT@169,"BAZAAR":PRINT@239,"BY": PRINT@306,"PAUL":PRINT@373,"MILL ER":PLAY"T255L255V104":FORX=1T03 0:PLAY"V+;ADBEADBE":NEXTX:FORX=1
TO30:PLAY"V-;GFGFEFEF":NEXT
3 PRINT:FORX=1TO15:PLAY"V+;O4ABC
DEFGFEDCBAV+;CDEABFCD":PRINT:NEX
TX:POKE248,50:POKE249,98:POKE250,28:POKE251,175:POKE252,126:POKE
253,173:POKE254,165:POKE410,126:

4 'SCREEN 1

POKE411,0:POKE412,248

5 FORQ=1TO5:X=RND(-TIMER):PLAY"V 4":PMODE4,1:PCLS:SCREEN1,1:IFQ=2 ORQ=5THENM=3ELSEIFQ=4THENM=1ELSE M=4

6 R=RND(0): IFR>.5THENX=4:Y=196:Z =4ELSEX=196:Y=4:Z=-4

# New From Saguaro Software!



### EAGLE

A graphic-enhanced lunar lander simulator. The pilot breaks out of lunar orbit and attempts a soft landing on the lunar surface. Joysticks control thrust and craft altitude and information is continually displayed on horizontal and vertical velocities, acceleration values, vertical and horizontal distances from target, fuel consumption and much more. On advanced levels, problems such as fuel leaks and computer screen failures can provide hairraising final approaches. Disk version allows choice of landing site between Mars and Earth's moon. Takeoffs from the surface can be made and the upper stage placed back in orbit. The simulation is as educational as it is fun and exciting. A great tool for that future astronaut or physicist. 32K, 2 joysticks required. Available in tape or an enhanced disk version.

Tape - \$24.95

Disk or Amdek - \$29.95

# SKETCHPAD

Sketchpad is a graphics drawing program designed to provide the computer hobbyist with easy manipulation of the powerful graphics capabilities of the Coco. Advanced programmers can design graphics screens and characters for Basic and ML programs and games. Sketchpad was

used to create the graphics for "Eagle."
Two joysticks control cursors that provide endpoints and boundaries for lines, boxes, circles, ellipses and painting. Point-to-point drawstrings may be plotted on the screen and then rotated. enlarged or shrunk, moved or inverted. Patterns may be programmed in easily to create dazzling illusions using lines, boxes, circles, ellipses and drawstrings Sketchpad supports all PMODES and color sets and gives false colors in Pmodes 1 and 4. Text and graphics can be combined on high-resolution screens. All pictures and drawstrings can be saved to disk for future use. 32K, 2 joysticks required. Disk only \$29.95

# **TDIR**

# **Tape Directory**

TDIR is a menu-driven, user-friendly tape directory program. When installed and maintained on your cassette tapes, it allows complete directory control of your tapes. This means you will no longer need to go through a complete tape to discover that the program you wanted is on another tape

TDIR also eliminates the drudgery of trying to remember tape position settings, or program names. All this, and more, is controlled by TDIR, 16K tape, \$24.95.

#### MAYCODE

#### Disassembler For The TRS-80" Color Computer

A 6809 disassembler. It will read Object Codes from memory and convert them to standard 6809 assembly language mnemonics, which can be disassembled to the screen, printer, cassette, or disk. When output is to tape or disk, the source code can then be loaded into EDTASM for modification, even changing the origin address. 16K min., 32K recommended Tape, \$24.95. Disk or Amdek, \$29.95.

#### TESTMAKER

The TESTMAKER series is a menu-driven, userfriendly system of programs. These programs are internally linked, meaning that once you have begun, the program will automatically control the operation of the system.

TESTMAKER will allow the user to create both multiple choice and true-false tests. These tests may be run on the screen for an immediate test of the student or they may be printed and passed out to

the class for a more standard exam.

TESTMAKER also has the feature of allowing an unlimited number of files with an unlimited file length. This means that the educator may create tests weeks, months, or years ahead and keep them on file until needed. This also means that each test may have as many questions as the educator wishes. 32K disk, \$29,95.

# The **Digestive System**

An educational quiz game for 2 players covering different areas of the human digestive system. Each question is assigned a point value relative to its difficulty. A fun way to learn about a serious subject.

**Circulatory System**Using the same format as "The Digestive System," this program covers the heart, lungs, veins, arteries,

BOTH ONLY: Disk or Amdek - \$24.95 Tape - \$19.95


# **ALPHACOPY**

The Disk Organizer

An alphabetized disk directory is great, but if that should crash it doesn't help tell you where the programs are. ALPHACOPY will write the programs in alphabetical order. Each program will be written on the same or consecutive sectors, making rebuilding of the disk much easier than the other currently available "zapping" utilities. 32K disk. Disk or Amdek. \$24.95

OTHXO	24.95	, Worlds Of Flight	23.75					
Co-Co Keno	24.95	Sailor Man	23.75					
Ultimate Bingo/Jackpot	19.95	To Preserve Quandic - Disk	29.75					
Confusion	19.95	Gravitor	18.75					
Kidstuff	19.95	Compleat Enchanter	18.75					
Stars of Amer./Civil War	19.95	Lizpack Stat. Anal 8 Disks	145.00					
History - 1863 to 1976	19.95	Telepatch 64K	11.75					
Treasure Hunt - Disk Only	29.95	Demon+ 64K	26.75					
Raid On Burdanovka	24.95	Rainbow Screen Machine	22.75					
Search For The Llangth	24.95	Super Screen Machine	33.75					
Do Or Die	24.95	FILMASTR	23.75					
Add \$5.00 For Disk or Amo	lek	Add \$3.00 For Disk, \$6.00 For Amdek						

# Hardware, Too!



Amdek Dual 3" Disk Drive

Includes Box Of Diskettes And Drive Cables

If You Can Find A Better Advertised Price. Show Us... We'll Beat It!

# New!



**Amdek Color Monitors** Color 300 • Color 500

> Call For **Lowest Prices** Anywhere!

# This Month's Special!

Amdek 3" Diskettes

Good Through March 15, 1985 Limit 3 Boxes • While Supply Lasts

We Have Gift Certificates! In Any Amount

**TOLL-FREE ORDER LINE** 

Saguaro Software



1-800-223-5369, Ext. 260 Monday - Friday, 9 AM - 5 PM Mountain Time

Questions? Call 602-623-3321 Saturday Also - 9 AM - 3 PM

VISA®

7331 E. Beverly Drive 

Tucson, AZ 85710

Arizona Residents Add 7% Tax 

Add \$1.50 Shipping Per Program (\$6 Max.)

Dealer Inquiries Welcome 

Ask About Royalties 

Quantities Limited

7 PLAYA\$: IFQ=30RQ=5THEN11 8 FORA=X TO Y STEPZ: IFA=100THENP LAYA\$

9 PMODEM, 1: SCREEN1, 0: LINE (A-1, 19 6-A) - (A+56, A-4), PSET: PMODE4, 1: SC REEN1,1:LINE(A-1,A-4)-(A+56,196-A), PSET: NEXTA: PLAYA\$: IFQ=10RQ=4T HENV=RND (255): W=RND (255): POKEK, V :PAINT(150,150),,1:POKEK,W:PAINT (150,5),,1:GOTO13ELSE13

10 ' BOX SUBROUTINE

11 FORA=X TO Y STEPZ: IFA=100THEN PLAYA\$

12 PMODEM, 1: SCREEN1, Ø: LINE (A-1,1 96-A)-(A+56,A-4),PSET,B:PMODE4,1 :SCREEN1,1:LINE(A-1,A-4)-(A+56,1 96-A), PSET, B: NEXTA: PLAYAs: FORX=1 TO200: V=RND (255): POKEK, V: PAINT (V ,X),,1:NEXTX

13 PMODE4,1:PLAYI\$:PLAYB\$:PLAYC\$ :PLAYD\$:PLAYE\$:PMODE3.1:SCREEN1. 0:PLAYF\$:PLAYG\$:PLAYH\$:PLAYI\$:PL AYJ\$: PLAY"V31": FORX=1TO10: PMODE3 ,1:SCREEN1,1:PLAYM\$:PMODE4,1:SCR EEN1,1:PLAYK\*:NEXTX

14 'SCREEN 2

15 IFQ=5THENPMODE4,1:PCLS5:SCREE N1,1:COLORSELSEPMODE4,1:PCLS:SCR EEN1,1

16 LINE (0,96) - (255,96), PSET: LINE (128.0)-(128.192), PSET: Y=0: FORX= 128TD255STEP4:LINE(128,Y)-(X,96) .PSET: Y=Y+3: NEXTX

17 X=0:FORY=96T0192STEP3:LINE(X. 96)-(128,Y),PSET: X=X+4:NEXTY: Y=9 6:FORX=1T0128STEP4:LINE(X,96)-(1 28, Y) , PSET: Y=Y-3: NEXTX: Y=192: FOR X=128T0255STEP4:LINE(X,96)-(128, Y) .PSET: Y=Y-3: NEXTX: PLAY"V403" 18 FORT=30TO-25STEP-5: A=(2\*3.141 5)\*T/60:LINE(50,50)-(25\*SIN(A)+5 0,25\*COS(A)+51),PSET:LINE(205,50 )-(25\*SIN(A)+205,25\*COS(A)+51),P SET:LINE(50,142)-(25\*SIN(A)+50,2 5\*COS(A)+142),PSET:LINE(205,142) -(25\*SIN(A)+205,25\*COS(A)+142),P SET: PLAY"V+; V+; AFAF": NEXTT 19 ' PAINT ROUTINE

20 IFQ=2THEN23ELSEIFQ=3ORQ=5THEN 24

21 CIRCLE (50,50),26:CIRCLE (205,5 0),26:CIRCLE(50,142),26:CIRCLE(2 Ø5,142),26:FORX=1TO16:R(X)=RND(2 55):NEXTX:POKEK,R(1):PAINT(55,35 ),,1:POKEK,R(2):PAINT(60,65),,1: POKEK,R(3):PAINT(31,55),,1:POKEK R(4):PAINT(210,40),,1:POKEK,R(5

# **Setting The Standards**



Graphics and sound effects like never before on the CoCo. An exciting original arcade action game. Control your hero through a maze of moving conveyor belts. Outsmart bad guys and save 0.P. Doll. Over 1,000 frames of increasing difficulty.

No. 1.00% ML, original title screen music, 1 or 2 players, colorfur Hi Res graphics, exciting sound effects, joystick or keyboard input, pause leature, 8 digit scores and high score name entry. For 32K CoCo and TDP-100.

Cassette-34.95

Casssette-29.95

Disk-34.95



Strap yourself into the ultra responsive Formula I car and rev the throttle to fire 500 screaming horses to life. Your heart pounds in anticipation of the race. The green flag drops and you are slammed back into your seat as the field thunders off in a deafening roar. An exciting racing game in colorful-Hi Res graphics with realistic sound effects. Joystick for keyboard input. Joystick input is compatible with all joysticks. Many different tracks to choose from. For 32K CoCo and TDP-100.

Cassette-34.95

Disk-34 95





Another exciting original arcade action game. Help Willy stock the warehouse while keeping up with incoming orders. Watch out for the antagonists who intend to make your day long.

Excellent graphics and sound effects. 100% ML, 1 or 2 players, demonstration mode, selectable difficulty, joystick or keyboard input, pause feature and high score list with name entry. For 32K CoCo and TDP-100.

Cassette-34.95

Disk-34.95

# COLORPEDE

... forefront of the pack ... " RAINBOW, Dec. '82



This truly outstanding engineer designed, 100% ML game with multi-colored Hi Res characters and fast action will challenge the most avid arcade buff. 1 or 2 players with joysticks or keyboard. COLORPEDE slithers through the toad stools. Demonstration mode with top 5 scores. Pause feature. For 16K CoCo and TDP-100. You are the super human who must fight off the attacking robots and save the remaining humans from destruction. You have super human powers, can shoot in any direction and move anywhere on the screen to accomplish your vital mission.

Engineer designed, 1 or 2 players and top 5 scores displayed Pause feature. For 16K CoCo and TDP-100 with joysticks. Cassette-24.95 Disk-27.95 AT YOUR DEALERS NOW.
From INTRACOLOR: VISA. MASTERCARD. Money Order. Please allow 2 weeks for checks. Add 1.50 for shipping, 3.00 outside U.S. 4% lax in MI.

DEALER INQUIRIES INVITED

QUALITY PROGRAMS SOLICITED

22 PAINT(215,65),,1:POKEK,R(6):P AINT(186,55),,1:POKEK,R(7):PAINT (55,125),,1:POKEK,R(8):PAINT(60, 157),,1:POKEK,R(9):PAINT(31,147) ,,1:POKEK,R(10):PAINT(215,157),, 1:POKEK,R(11):PAINT(185,147),,1: POKEK,R(12):PAINT(206,132),,1 23 POKEK,R(13):PAINT(1,120),,1:P OKEK,R(14):PAINT(1,1),,1:POKEK,R (15):PAINT(255,1),,1:POKEK,R(16) :PAINT(255,120),.1:IFQ=4THENFORX =1T0255STEP3: V=RND(255): POKEK,V: PAINT(X,1),,1:V=RND(255):POKEK,V :PAINT(X,190),,1:PAINT(X,80),,1: PAINT (X, 110), , 1: NEXTX 24 PLAY"V31":FORX=1TO11:R=RND(0) : IFR>.5THENR=1ELSER=0 25 S=RND(0):IFS<.5THENS=1ELSES=0 26 PMODE 3.1:SCREEN 1.R:PLAYK\$:P MODE4,1:SCREEN1,S:PLAYL\$:NEXTX 27 'SCREEN 3 28 IFQ=4THENPMODE4.1:PCLS5:SCREE

EEN1,1
29 FORT=3ØTO-27STEP-3:A=(2\*3.141
5)\*T/6Ø:LINE(128,96)-(75\*SIN(A)+
128,75\*COS(A)+96),PSET:LINE(25,2
5)-(75\*SIN(A)+128,75\*COS(A)+96),
PSET:LINE(23Ø,167)-(75\*SIN(A)+12
8,75\*COS(A)+96),PSET:LINE(23Ø,25)-(75\*SIN(A)+128,75\*COS(A)+96),P

N1,1:COLOR8ELSEPMODE4,1:PCLS:SCR

30 LINE(25,167)-(75\*SIN(A)+128,7 5\*COS(A)+96),PSET:NEXTT:IFQ<3ORQ =4THENV=RND(255):POKEK,V:PAINT(1,1),,1ELSEPOKEK,250:PAINT(1,1),, 1:FORX=1TO300:V=RND(255):Y=RND(255):Z=RND(191):POKEK,V:PAINT(Y,Z),,1:NEXTX

31 PLAY"V11":FORX=1TO20:R=RND(0)
:IFR>.5THENR=1ELSER=0

32 S=RND(0):IFS<.5THENS=1ELSES=0 33 PMODE3,1:SCREEN1,R:PLAYN\*:PMO DE4,1:SCREEN1,S:PLAYO\*:NEXTX:NEX TQ:GOTO5

34 ' SOUND STRINGS

36 B\$="05GFEDCBABCDEFGFEDCBA04BC
DEFGFEDCBABCDEFGG3GFEDCBABCDEFGF
EDCBA02ABCDEFGFEDBCA01BCDEFGFEDC
BABCDEFGFEDCBA02BCDEFGFEDCBABCDE
FG03FDECBABCDEFG04EDCBABCDEFG05F
EDCBABCDEFGFEDCBABCDEFFFGGG"

37 C\$="04V10AAAAAAFFFFFFAAAAAAF FFFFFV1502AAAAAAAFFFFFFFV20AAAAA AAFFFFFGABACAADAAFAAV3101AAAAAB AAACAAADAAAFAAAFFFFFAAAAACAAACAA FAAFFFFFACAAAAFAAFFFFFV15FFFFAA AAAAFFFFGGGGGGAAAAAV6FFFFFAAAAA GGGGGFFFFFAAAAAV3FFFFAAAAGGG"

38 D\$="V301GGGGGFFAAAAV6AAAAAFFF GABCDABDDDEEEAABBAAFFV1ØAABBBCAA ACDDDFFFFGGGGGGGGV15AAAAFFFFAAA AAGGGGGDDDFFFBBBBV31ABCDEFGABCDE FGABCDEFGO2AAAAFFFBBBBBGGGGAAAAA BBBBBFFFFFFAAAAAAAGGGGGGO3ABCDE FGAAAABBBBBFFFFAAAAAAGGGGGAAAAAGG GGGBBBBBBBAAAAAAFFFAABB"

41 G\$="BBFFFAAAFFFGGAABBBGGGFFFA AGGGAAADDDDV3101AABBGGGFFAABBFFF CCCGGGAAABBGGGGBBBAAFFFAAAGGGBBB AAAAGGGCCFFFAAAFGFGFGFGFGFABABAB ABACDDCDCDCDCDCDAFFFFFAAAV2ØAAA FFFGGGGGAAABBBBFFFGGGABACDDABCD FDABDFDABDFEFFFV15ABCDGGGAAABBFF FAABBBGGGAAAFFFFBBBGC"

42 H\$="V1@ABCDGGAGAGBBBBBV5BBBCG BCBGV3ABABABAB"

45 K\*="V-; 04GFEDCBABCDEFGFEDCBAB CDEFGABCDEFGABCDEFG": L\*="V-; 05FE DCBABCDEFGABCDEFGABCDEFAB CDEF": M\*="V-; V-; 03ABABCFCFABABCF CF02ABCDEFGFEGFE": N\*="V+; 03AAFAA FAAFAAFGBBGBB": 0\*="04AABCDEABFCD CDEABFCD": RETURN: PCLEAR8

# **DISKTEST.UTL** Source Code Listings

```
00100 ****************************
                                               "PAGEFILL" SUBROUTINE
                    00102 *
                    00104 *******************
                                                                                        *
                    00110 * This subroutine fills the 256 byte page of memory
                    00112 * beginning at $400 (upper half of text meory) with a
                                                                                        *
                    00114 * repeating 3-byte pattern used for diskette testing.
                    00116 * The pattern is one of 5 predetermined patterns as
                                                                                        *
                    00118 * selected by a value passed from BASIC. .
                    00120 * INPUT:
                    00122 *
                               Pattern # sent from BASIC via the USR arguement
                    00124 *
                                O produces DB 6D B6 recurrent pattern
                                                                                        *
                    00126 *
                                            6D B6 DB
                                                                                        *
                    00128 *
                                2
                                            B6 DB 6D
                                 5
                                                                                        *
                    00130 *
                                            00 00 00
                    00132 *
                                8
                                            FF FF FF
                                                                                        *
                    00134 * OUTPUT:
                               256 Bytes in text memory - used as disk I/O buffer *
                    00136 *
                    00138 ****************************
0000
                    00220
                                  ORG
                                          $0000
0000 34
          7F
                    00230 START
                                  PSHS
                                          A,B,X,Y,U,DP,CC Save everything
0002 BD
                    00240
                                          $B3ED
                                                       Get arg. (patt #) from BASIC
          B3ED
                                  JSR
0005 33
                    00250
                                          PATTRN, PCR
                                                       Get start of pattern list
          8D 002D
                                  LEAU
0009 33
          CB
                    00260
                                  LEAU
                                          D,U
                                                       Get start of desired pattern
000B 10AE 8D 0023
                    00270
                                  LDY
                                          PAGADR, PCR
                                                       Get page start address
0010 6F
          8D 0021
                    00280
                                   CLR
                                          LOOPCT, PCR
                                                       Initialize counter
0014 1F
                    00290 LOOP
                                   TFR
                                                       Pattern start address to X
          31
                                          U,X
          8D 001B
0016 A6
                    00300
                                  LDA
                                          LOOPCT, PCR
                                                       Get loop count
001A 81
           55
                    00310
                                   CMPA
                                          #85
                                                       Check if done
001C 27
           0E
                                          LASTBY
                     00320
                                   BEO
                                                       If done go to finish
001E EC
           81
                     00330
                                  LDD
                                                       Not done; Get 2 bytes from patt.
                                          ,X++
0020 ED
                                           , Y++
          A1
                     00340
                                   STD
                                                       Put in text page
0022 A6
           84
                    00350
                                   LDA
                                           ,X
                                                       Get one more byte
0024 A7
          A0
                    00360
                                   STA
                                          , Y+
                                                       Put in page also
0026 6C
          8D 000B
                    00370
                                   INC
                                          LOOPCT, PCR
                                                       Increment loop counter
002A 20
          E8
                     00380
                                   BRA
                                          LOOP
                                                       Repeat the cycle
002C A6
           84
                     00390 LASTBY LDA
                                          ,X
                                                       Get last byte of pattern
                                          ,Y
002E A7
          A4
                     00400
                                   STA
                                                       Put in page
0030 35
           7F
                    00410
                                   PULS
                                          A,B,X,Y,U,DP,CC Restore registers
0032 39
                     00420
                                  RTS
                                                       Return from subroutine
                     00430 *
                                                       Work areas
0033
           0400
                                          $0400
                     00450 PAGADR FDB
0035
           00
                     00460 LOOPCT FCB
                                          0
0036
                     00470 PATTRN FCB
                                          $DB
          DB
0037
           6D
                     00480
                                   FCB
                                          $6D
                                                    These are the two assembly language program listings
0038
                     00490
                                   FCB
                                          $B6
           B6
                                                  Pagefill and Grantest, that were left out of the "Block Out
0039
                     00500
                                   FCB
           DB
                                          $DB
                                                  Those Troublesome Granules With DISKTEST.UTL"
                                                  article on Page 89 of the January 1985 issue. As was stated
003A
           6D
                     00510
                                   FCB
                                          $6D
                                                  in the article, the resulting code is contained in the main
003B
           00
                     00520
                                   FCB
                                          $00
                                                  program; these listings will help you if you want to try
003C
           00
                     00530
                                   FCB
                                          $00
                                                  modifying the machine language code.
                                          $00
003D
           00
                     00540
                                   FCB
003E
                     00550
                                   FCB
                                          $FF
           FF
003F
           FF
                     00560
                                   FCB
                                          SFF
0040
           FF
                     00570
                                   FCB
                                          $FF
           0000
                     00580
                                   END
                                          START
00000 TOTAL ERRORS
```

```
00100 *********************
                   00112 *
                                          "GRANTEST" SUBROUTINE
                   00114 ***************************
                   00116 * This subroutine does disk I/O to all 9 sectors in an
                   00118 * addressed granule. If an error is detected it aborts *
                   00120 * testing of the balance of the granule and returns an
                   00122 * error code to basic.
                   00124 * INPUTS:
                                                                                  *
                   00126 *
                             1. The following must have previously setup:
                   00128 *
                                - Read or Write code set in DSKCON table
                                - Drive # and buffer address set in DSKCON table *
                   00130 *
                   00132 *
                                - Write data previously set into buffer
                   00134 *
                             2. Basic must pass the track # and 1st/2nd granule
                   00136 *
                                information to GRANTEST via the USR argument e.g.*
                   00138 *
                                X=USRn(ARG) Where ARG=256*Track+(0 or 1)
                   00140 *
                                                   0 for 1st gran, 1 for 2nd gran*
                   00144 *
                           OUTPUTS:
                   00146 *
                             1. Either:
                   00148 *
                                - The buffer data is written to the 9 sectors or *
                                - The 9 sectors are read sequentially to the buf.*
                   00150 *
                   00152 *
                             2. Results code returned to the calling variable (X)*
                   00154 *
                                0=No error
                   00156 *
                                1=Error in data track (0-16,18-34)
                   00158 *
                                2=Error in directory track (17)
                   00160 ****************************
0000
                   00230
                                ORG
                                     $0000
0000 34
          3F
                   00240 START
                                PSHS
                                      A,B,X,Y,DP,CC
                                                            Save registers
0002 BD
          B3ED
                   00250
                                JSR
                                      $B3ED
                                              Get arg (track & gran) from BASIC
0005 BE
          C006
                                LDX
                                      $C006
                                              Get DSKCON param table pointer
                   00260
                                              Put track # in DSKCON table
0008 A7
          02
                   00270
                                STA
                                      2,X
                                      #9
000A 86
          09
                   00280
                                LDA
                                              Get const. for next calculation
000C 3D
                                              Get sector # prior to 1st
                   00290
                                MUL
                                              Increment cycle counter
000D 4C
                   00300 SECTLP INCA
                                              Increment sector number
000E 5C
                                INCB
                   00310
                                              Put sector # in DSKCON table
000F E7
          03
                   00320
                                STB
                                      3,X
0011 1F
          02
                   00330
                                TFR
                                      D,Y
                                              Save cycle counter and sector #
                                      [$C004] Call DSKCON
0013 AD
          9F C004
                   00340
                                JSR
0017 E6
          06
                   00350
                                              Get status from DSKCON
                                LDB
                                      6,X
0019 27
                                      ENDCHK
                                              Branch if status=0 (no error)
          10
                   00360
                                BEQ
                                              Error! Get track # from DSKCON
                                      2,X
001B E6
          02
                   00370
                                LDB
001D C1
          11
                   00380
                                CMPB
                                      #17
                                              Is it the directory track?
                                              Branch if not directory track 17
001F 26
          05
                   00390
                                BNE
                                      GRNBAD
0021 CC
          0002
                   00400
                                LDD
                                      #0002
                                              Directory bad! Get error code
                                      RETURN
                                              Back to BASIC
0024 20
          0E
                   00410
                                BRA
                                      #0001
                                              Granule bad!
0026 CC
          0001
                   00420 GRNBAD LDD
                                                              Get error code
                                              Back to BASIC
0029 20
          09
                   00430
                                BRA
                                      RETURN
002B 1F
                                      Y,D
                                              Get cyc counter and sector # back
          20
                   00440 ENDCHK TFR
002D 81
          09
                   00450
                                CMPA
                                       #9
                                               See if done
                                              Go to next sector if not done
002F 26
          DC
                   00460
                                BNE
                                      SECTLP
                                       #0000
                                               Done!
                                                     Get OK code
0031 CC
          0000
                   00470
                                LDD
                                       $B4F4
                                               Send code back to BASIC
0034 BD
          B4F4
                   00480 RETURN JSR
                                      A,B,X,Y,DP,CC Restore registers
0037 35
                   00490
          3F
                                PULS
                   00500
                                RTS
                                               Return from subroutine
0039 39
          0000
                   00510
                                END
                                      START
00000 TOTAL ERRORS
```



# COMPUTER SOFTWARE AND ACCESSORIES



D

#### **PRINTERS**

SPIRITP (EPSON CODE COMPATIBLE)\$279.00
OKIDATA 82 (SER.) W/COCO CABLE\$329.00
OKIDATA 92 (PAR)\$394.00
(160 CPS Draft - 40 CPS Correspondance Quality)
OKIDATA 93 (PAR - 15" CARRIAGE)\$595.00
(160 CPS Draft - 40 CPS Correspondance Quality)
ABATI LQ-20 (PARALLEL)\$389.00
(18 CPS - DAISY WHEEL)
TRACTOR FEED FOR ABATI\$ 79.00
PANASONIC KX 1090 (PAR)\$247 00
(80 CPS F/T EPSON CODE COMPATIBLE)
PANASONIC KX 1091 (PAR)\$306.00
(120 CPS DRAFT & NEAR LETTER QUALITY)
· · · · · · · · · · · · · · · · · · ·

# PRINTER INTERFACE (Serial to Parallel)

pbh (PRINTER & MODEM CONNECTIONS) .	\$59.95
PURCHASED WITH PRINTER	\$54.95

#### MODEMS

VOLKSMODEM WITH ALL CABLES	\$69.95
(300 BAUD - MANUAL ANSWER/DIAL)	

## **NEW! A GREAT BUY! NEW!**

(300/1200 BAUD - AUTO ANSWER/DIAL) VOLKSMODEM 1200 WITH ALL CABLES...

## MONITORS

AMDEK (2 YEAR WARRANTY)	
COLOR 300 (COLOR COMPOSITE AND B	&W MODE)
(REPLACES OLD COLOR I)	\$262.00
VIDEO 300 (GREEN, NO GLARE)	\$149.00
VIDEO 300 (AMBER, NO GLARE)	\$155.00
GORILLA (GREEN)	\$ 88.00
GORILLA (AMBER)	

#### MONITOR INTERFACES

VIDEO PLUS\$24.95 (COLOR OR MONOCHROME)	,
PURCHASED WITH MONITOR\$20.95	
VIDEO PLUS IIM\$26.95	,
(MONOCHROME FOR COLOR II)	
PURCHASED WITH MONITOR \$21.95	)
VIDEO PLUS IIC\$39.95	,
(COLOR FOR COLOR II)	
PURCHASED WITH MONITOR\$31.95	)
UNIVERSAL VIDEO ADAPTER (By Mark Data) \$28.95	
PURCHASED WITH MONITOR \$24 95	
WORKS WITH ALL COCO'S, BUT A MUST FOR	
NEW COCO II'S WITH SOLDERED IN VIDEO CHIP	

## KEYBOARD

SUPER PRO BY MARK DATA	.\$56.95
(NOT FOR COCO II)	
ADAPTER (FOR POST - 10/82 COCO)	\$ 3.95

# **AUTO/MODEM SALE!**

AUTOTERM WITH

VOLKSMODEM (SEE VOLKSMODEM 1200			
	DISKS	1 BX	2 + BX
ELEPHANT SSSD ELEPHANT SSDD			

# BASF QUALIMETRIC SSDD...... \$20.00 \$19.00 BASF QUALIMETRIC DSDD...... \$23.00 \$22.00 **TAPES**

ELEPHANT DSDD......\$23.00 \$22.00

C-10 (ONE DOZEN)	\$7.	50
TWO OR MORE DOZEN\$7.00	/D	OZ

#### DISK STORAGE

		_	-			-	_	-	_	-		_		-				-	_								
FLIP'N'FILE	10	١.			÷									 								. ,		\$	5.	45	
FLIP'N'FILE	25								60		,				. ,	,				,	, ,			 \$	16	95	,
FLIP'N'FILE	50	١.		,									٠				ě			,			,	\$2	23	95	
DISK BANK	5 (	H	C	L	C	3	6	5	C	1).			0			9								 \$1	2.	95	

#### JOYSTICKS/ADAPTERS

WICC	JOYSTICK ADAPTER\$1	7.95
WICC	ANALOG JOYSTICK\$3	8.95
(NO	ADAPTER REQUIRED - FREE FLOATOR S	ELF
CE	NTERING BIG BAT HANDLE - RUGGED!)	

# Look at These Discounts and Compare...Remember WE PAY SHIPPING!

SOFTWARE PRICES SHOWN ARE 20% OFF LIST PRICE!

# SPECTRAL ASSOCIATES

D	CRYSTAL CASTLES	.\$19.95	\$22.35
D	GALAGON	. \$19.95	\$22.35
D	PENGON	.\$19.95	\$22.35
Þ	COLOR PANIC	.\$19.95	\$22.35
Þ	CUBIX	\$19.95	\$22.35
D	LANCER	.\$19.95	\$22.35
D	MS GOBBLER	.\$19.95	\$22.35
	WHIRLYBIRD RUN	. \$19.95	\$22.35
	LUNAR ROVER PATROL	\$19.95	\$22.35
	COMPUTERWARE	т	D
	STAR TRADER (32K CASS/64K DISK	(1\$19.95	\$22.35
D	MAJOR ISTAR	\$19.95	\$22.35
•	SAM SLEUTH (64K)		\$22.35
D	MR. DIG.		\$24.75
	JUNIOR'S REVENGE		\$25.55
-	RANDOM BASIC (OS-9)		\$60.00
D	COLOR BASIC COMPILER		\$31.95
•	64K SCREEN EXPANDER (64K)	\$19.95	\$22.35
*	THE SOURCERER (R DOS)	\$27.95	\$31.95
	THE SOURCERER (OS-9)		\$31.95
D	MACRO ASSEMBLER & XREF (R DC	S)	\$39.95
	MACRO ASSEMBLER & XREF (OS-9	)	\$39.95
D	COLOR EDITOR	\$19.95	\$23.95
	COLOR MONITOR		\$22.35
D	MOON HOPPER	\$19.95	\$22.35
	BLOC HEAD (Q-BERT)	.\$21.55	\$23.95
	DOODLE BUG (LADY BUG)		\$22.35
	GRAN PRIX	. \$17.55	\$21.55
	SOFT LAW T&D	INCLUDE	D
_	VIP WRITER (INC. SPELLER!)	\$55.05	
片	VIP SPELLER	\$30.05	(DISK)
	VIP CALC		
	VIP TERMINAL		
	VIP DATA BASE		
Ħ	VID DICK 7AD	£20.05	

SOFILAW	T & D INCLUDED
VIP WRITER (INC. SPELLE)	R!)\$55.95
VIP SPELLER	\$39.95 (DISK)
VIP CALC	
VIP TERMINAL	\$39.95
VIP DATA BASE	\$47.95 (DISK)
VIP DISK-ZAP	\$39.95 (DISK)
VIP INTEGRATED LIBRAR	Y\$119.00 (DISK)

#### COGNITEC ☐ TELEWRITER 64... \$39.95 \$47.95

#### **ELITE SOFTWARE**

.....\$47.95 \$47.95

L ELITE-WORD\$47.95	\$47.90
■ ELITE-WORD/SPEL	\$59.95
☐ ELITE-SPEL	\$23.95
☐ ELITE-CALC\$47.95	\$47.95
□ ELITE-FILE	
■ ENTIRE LIBRARY (DISK)	\$157.00
DEFT SYSTEMS T	D
DEFT PASCAL	\$63.95
DEFT BENCH	\$39.95
DEFT PASCAL WORKBENCH	\$95.95

PXE COMPUTING	T	D
TOTERM	\$31 95	\$39.95

(SEE PAGE 15 OF RAINBOW)

# SPECIAL SALE! 30% OFF

# PRICKLY-PEAR SOFTWARE

		,	U
*	MODEM MASTER		\$17.45
	SUPER SCROLL (64K)\$17	45	\$17.45
*	COLOR DISK TRIVIA		\$20.95
	BIBLE		\$13.95
	ENTERTAINMENT		\$13.95
	SPORTS		\$13.95
	CHILDREN		\$13.95
D	JUMBO JET\$17	45	\$20.95
	MUSIC READER\$24		\$27.95
*	ERLAND\$17	45	\$20.95
D	TRAVELIN TOAD\$17	45	\$20.95
	OCKYWOKY\$17		\$20.95
D	ADVENTURE IN WONDERLAND\$17	.45	\$20.95
	THE DISK MANAGER		\$20.95
	THE DISK MASTER		\$17.45
	COLORKIT (Programming Utility)\$24	.45	\$27.95
	FLIGHT\$13	.95	\$17.45

# TOM MIX

	TOWN WITA	T	D
	THE SAILORMAN (64K)	\$23.95	\$27.95
٠	PAC PANIC	\$19.95	\$22.35
	QUIX	\$19.95	\$22.35
,	WORLDS OF FLIGHT	\$23.95	\$26.35
	SKRAMBLE	\$19.95	\$22.35
•	SR-71	\$23.15	\$25.55
۰	CU*BER	\$22.35	\$24.75
>	BUZZARD BAIT	\$22.35	\$24.75
•	AIR TRAFFIC CONTROLLER	\$23.15	\$25.55
	SPACE SHUTTLE	\$23.15	\$25.55
	THE KING		\$23.95
•	COLOR GOLF	\$14.35	
	TAPE TO DISK	\$14.35	
	SCREEN PRINT ROUTINE	\$15.95	\$17.55

#### ADVENTURE INTERNATIONAL

MDAEIAI OHE HAIEHIA	T b  OPTER\$19.95		
	T	D	
* FIRE COPTER	.\$19.95		
* SAIGON: THE FINAL DAYS			
* EARTHQUAKE			
* AIRLINE	.\$19.95		
SEA DRAGON	. 421.00		
▶ TRIAD	.\$27.95		
DISKEY (Utility To Examine And Change	ge Disk Co	ontents	

# Plus Computer Diagnostics) \$39.95 **B5 SOFTWARE**

	T	D	)
MONEY\$15	5.95		
BORROW\$15	5.95		
CARRY\$15	5.95		
MATH FACT \$13			
ABC'S \$ 7			
ALL\$64	.00	-	

#### PROGRAMMERS INSTITUTE

P	COMPLETE PERSONAL		
	ACCOUNTANT - (1,2,83).	·	
	The state of the s		

(Specify Printer)

NOTE: ALL SALES FINAL. NO RETURNS UNLESS DEFECTIVE. ADDITIONAL LISTINGS IN OUR FREE CATALOG — CALL OR WRITE. Others 16K Ext. Std. Basic Minimum \*Requires 16K Ext. Basic Minimum. DRequires 32K Ext. Basic Minimum. ☐We Recommend 32K or 64K.

WE PAY SHIPPING TO U.S.A., CANADA, AND MEXICO. C.O.D. ADD \$2.00 (U.S.A. ONLY). ALLOW 2 WEEKS FOR CHECKS TO CLEAR. NO P.O. BOXES! MUST HAVE STREET ADDRESS. SHIPPING — OTHER COUNTRIES: ADD \$2.00 EACH SOFTWARE ITEM AND EACH JOYSTICK. ADD \$5.00 EACH ALL OTHER ITEMS (NO MONITORS OR PRINTERS SHIPPED OUTSIDE U.S.A., ITEMS ARE SHIPPED AIR MAIL, PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

Computer Software And Accessories

2806-A S. MEMORIAL PARKWAY **HUNTSVILLE, ALABAMA 35801** 

**VISIT OUR STORE** PRICES IN AD ARE MAIL ORDER ONLY

# PHONE ORDERS 205/536-4400

(PHONE OPEN 7 DAYS A WEEK)



**WE PAY SHIPPING!** 



..\$59.95 \$63.95

# Having Fun With Number Patterns

# By Bob Albrecht and Ramon Zamora Rainbow Contributing Editors

"School Is In The Heart Of A Child" is for parents of quite young children. We want to help you work and play with your 3- to 8-year-old child and learn to use computers as a joyful family experience. We suggest ways to use the home computer as another means to encourage your child's independence, growth and control over his own life. See the pride on her face as she directs the computer to do what she selects with deliberation. See her head gears switch to "on" as she progresses step by step with your presence and caring guidance. We will explore (we hope, with your help) the following:

- Specific "teaching" techniques so the discovery can be the child's own.
- Critical evaluation of software based on extensive playtesting in family and related environments.
- Additional resources to consult: books, magazines, software publishers, networks, etc.
- Suggestions for interludes and fun times away from the computer (a must!):
   call the librarian for information; watch TV together and discuss it; work
   together as volunteers in a community project; take a winter awareness walk
- Whatever we learn from families we work with in Menlo Park or from you, our readers. Let's pool our knowledge and share our experiences as we learn from our children.

Copyright® 1984 by DragonQuest, P.O. Box 310, Menlo Park, CA 94026.

(Well-known author Bob Albrecht also writes the "Game Master's Apprentice" feature for THE RAINBOW each month. Ramon Zamora is author and co-author of several books, co-founder of Computer Town USA!, and currently designing computer games for kids at Child Ware Corp. in Menlo Park, Calif.)

n elementary school exercise: explore a number pattern. The student is shown the first few numbers in the pattern, then asked to guess the next number or the next few numbers.

Number patterns are favorite tools of the grand inquisitors who construct IQ tests. Students who pencil in the numbers the test constructors have in mind are assigned "high IQs." Creative students might do something entirely different and, of course, be tagged with "lower IQs."

Remove the fear of failure and number patterns become fun! Make it a game, controlled by the player. Make it a computer game using an ever-patient CoCo to present numbers, one by one, as requested by the game player. Only the player knows if he or she "wins" or "loses." And the player always knows when she or he has fun.

Let's begin with some easy number patterns. In these patterns, each number after the first is obtained by doing something to the previous number. For example:

- 1) 1, 2, 3, 4, 5 and so on. The first number is 1. After the first number, each new number is obtained by adding 1 to the preceding number.
- 2) 2, 4, 6, 8, 10 and so on. The first number is 2. Each successive number is obtained by adding 2 to the preceding number.
- 3) 1, 3, 5, 7, 9 and so on. The first number is 1. Each successive number is obtained by adding 2 to the preceding number.
- 4) 2, 5, 8, 11, 14, 17 and so on. The first number is 2. Each successive number is obtained by adding 3 to the preceding number.

The above patterns are simple sequences of numbers. The first number in the sequence is given, then each successive number in the sequence is obtained by adding something (always the *same* something) to the preceding number.

Easy to program! Our first program works like this:

- The CoCo asks for the first number in the pattern and the number to be added to get the next number. Someone enters these numbers.
- The CoCo then clears the screen and shows the first number in the pattern.
- 3) To get the next number, press the space bar. Or, to start over, press the CLEAR key.

Here is the program.

```
100 REM**NMBR PATTERNS SCH 11-1
199 *
200 REM**GET PATTERN NUMBERS
21Ø CLS
220 PRINT @480,;
23Ø INPUT "FIRST NUMBER ";
24Ø INPUT "ADD-ON NUMBER";
250 PRINT: PRINT
299 3
300 REM**SHOW 'LATEST' NUMBER
310 PRINT @448, S
320 PRINT
399 *
400 REM**COMPUTE NEXT NUMBER
410 S = S + A
499 3
500 REM**TELL WHAT TO DO NEXT
510 PRINT @480, "FOR NEXT NUMBER
  PRESS spacebar"
520 PRINT "TO START OVER, PRESS
clear KEY";
53Ø K$=INKEY$: IF K$="" THEN 53Ø
540 IF K$=" " THEN 310
55Ø IF K$=CHR$(12) THEN 21Ø
    ELSE 530
599 END
```

Enter and RUN the program. It might go like this:

```
FIRST NUMBER ? 1
ADD-ON NUMBER? 1

FOR NEXT NUMBER, PRESS SPACE BAR

TO START OVER, PRESS CLEAR KEY

Reverse color
```

Press the space bar and see the next number.

```
FIRST NUMBER? 1
ADD-ON NUMBER? 1

FOR NEXT NUMBER, PRESS SPACE BAR
TO START OVER, PRESS CLEAR KEY
```

Guess the next number, then press the space bar. Did you guess the CoCo's number? Is this an "educational activity?" A drill? A game?

We suggest you and a kid or two try some of the following patterns together.

First Number	Add-On Number	Pattern
1	1	1,2,3,4 and so on.
2	2	2,4,6,8 and so on.
0	I	0,1,2,3 and so on.
0	2	0,2,4,6 and so on.
1	2	1,3,5,7 and so on.
5	5	5,10,15,20 and so on.

Next, take turns entering the "first number" and "addon number." The other person guesses the next number. As you all get good at this, try some tricky patterns.

First Number	Add-On Number	Pattern
10	10	10,20,30,40 and so on.
2	3	2,5,8,11 and so on.
0	3	0,3,6,9 and so on.
10	-1	10,9,8,7 and so on.

Start with easy patterns and go s-l-o-w-l-y, or as quickly as the child wants to go. Also, spend some time learning to read the words on the screen. Most of all, have fun!

### Color LOGO

Lots of folks believe that LOGO is better than BASIC as a kid's first computer language, especially for younger kids. We agree. We have used LOGO on several computers, including the CoCo.

Unfortunately, Color LOGO is the worst LOGO we have seen, especially for kids. We wonder if the authors intentionally tried to make Color LOGO hard to understand. Nevertheless, we will try to suggest ways for you and your kids to explore Color LOGO. If you want to explore even further, get these booklets at your Radio Shack store: Color LOGO Guide for Parents: Book One by Ramon Zamora and Bob Albrecht, Cat. No. 26-2763, \$3.95; or Color LOGO Guide for Teachers: Book One by Don Inman and Bob Albrecht, Cat. No 26-2761, \$3.95.


Now set up Color LOGO in your CoCo so your screen looks like this.

COLOR LOGO COPYRIGHT 1982 LARRY KHERIATY & GEORGE GERHOLD LICENSE TO TANDY CORP ALL RIGHTS RESERVED

LOGO: \_

Get ready to meet the turtle. You will find the turtle in the "Run" room. To get to the Run room, press the 'R' key.

Press the 'R' key and this is what you see:



This is called the cursor

The very unturtle-like shape near the center of the screen represents the turtle. Some home computers use a triangle. Atari does it best: the turtle looks like a turtle.

When you are in the Run room and see the cursor, you know it is your turn to do something.

Type your name and press the ENTER key. Here is what happened when Seemore the Wizard typed his name.

### SEEMORE


I DONT KNOW HOW TO SEEMORE\_

The cursor ends up here


Oops! Color LOGO doesn't know what Seemore wants it to do. If you typed your name, you probably saw a similar message.

Ramon Saw: I DON'T KNOW HOW TO RAMON\_ Bob Saw: I DON'T KNOW HOW TO BOB\_

Note that the cursor ended up at the right end of the line. Press the ENTER key and the cursor will move down to the next line.



Now type *CLEAR* and press ENTER. Poof! Everything disappears except the turtle and the cursor.



Let's play hide and find. Type: HIDETURTLE and press ENTER.

# WAILABLE DRAGON NOW USER

To make the most of your new Dragon microcomputer from Dragon-Tano, you need *Dragon User*— the international, independent magazine for Dragon owners.

Each issue of Dragon User contains:

- reviews of the latest software
- programming advice for beginners
- hardware projects

The Dragon microcomputer was launched in the UK last year. Since then we have developed a knowledge and mastery of the machine's abilities. You can benefit from our experience by subscribing to Dragon User, which is expanding its coverage to include all US developments.


To make sure that you receive a copy of *Dragon User* regularly, subscribe direct to us. This costs only \$29.95 for 12 issues airspeeded to you — or take advantage of our special offer to long-term subscribers. Individual copies of the magazine can be obtained from your Dragon dealer.

- program listings covering games and utilities
- reviews of Dragon peripherals and add-ons
- technical advisory service
- programming articles for users


Subscription order form. Receive a free book and save money by taking out a long-term subscription — a two-year subscription saves 10%, a three-year subscription saves 20%. In addition, long-term subscribers will receive a free copy of either ☐ *The Working Dragon or* ☐ *Dragon Games Master.* Please send a check, made payable to *Dragon User*, with this form. Start my subscription from the following issue

Signed. Date.

Subscription rates US and Canada airspeeded US\$29.95 for 12 issues/1 year US\$53.90 for 24 issues US\$71.90 for 36 issues. Send this form to Dragon User. % Business Press International, 205 E. 42nd St., New York, NY 10017.



How can we make the turtle reappear? Easy, type: SHOWTURTLE and press ENTER.



By the way, the turtle's name is Telli. She likes to hide, then move about and reappear. Telli suggests that you can save time by using LOGO shorthand.

# SPECTRUM PROJECTS

Announces The Appointment Of **DERBY CITY SOFTWARE** 

As Spectrum's new

Southern Division Distributor

(AL, FL, GA, KY, LA, MS, NC, SC TN, TX, VA, WV) FIRST TIME ORDER SPECIAL

> SOFTWARE — 10% OFF HARDWARE — 5% OFF

# **EXCLUSIVE DERBY CITY ITEMS**

**DISK SORT & ORDER** 

A disk utility that will eliminate all sectored data and alphabetize the directory. Also will allow the conversion of a RS-35 Diskette to a JDOS 40 track. One or more drives.

D-\$1195

**CGP-115 PRINTER/PLOTTER UTILITIES** 

PP Color Dump — All machine language - fastest and highest quality screen dump for CGP-115 ANYWHERE. Works in all PMODES and compatable with Graphicom. Many powerful and user friendly features. T-\$1995 D-\$2195

T-\$1095 PP Color BioRhythm — Prints out a four color one year BioRhythm. One month Page with both graph and daily codes fully color coded. D-\$1295

GEMINI/EPSON Screen Dump

T- \$995 All machine language - full or quarter page pictures in less than 3 minutes. Works in PMODES 3 & 4 - Negative or D-\$1195 Positive. Compatible with Graphicom

RS-232-C SERIAL PORT 2 POSITION SWITCH

\$19<sup>95</sup>

**DERBY CITY SOFTWARE** 

4180 Bardstown Road Louisville, KY 40218

(502) 499-9393; In Canada call: 1-800-361-5155

All orders add \$3.00 shipping & handling: KY residents add 5% sales tax

C.O.D., VISA, MasterCard and Cash


Use HT for HIDETURTLE Use ST for SHOWTURTLE

Try it — use HT to make Telli disappear; ST to make Telli reappear.

Telli can jump through hyperspace to another place on the screen. Try some hyperspace jumps.

Type: SETX 20 and press ENTER. Type: SETX 200 and press ENTER.

Experiment! Find a number that gives Telli a split personality, so the screen looks like this:



WHAT number did this?

SETX makes Telli jump left or right. SETY makes Telli jump up or down. Try some SETY hyperspace jumps.

Type: SETY 160 and press ENTER. Type: SETY 30 and press ENTER.

What numbers give Telli a split personality with SETY?

Here is a game for two or more people. One person hides Telli, then uses SETX and SETY to tell Telli to make a hyperspace jump to somewhere on the screen. Another player guesses where Telli is hiding and points to the place. Someone then types ST so Telli reappears. The player who pointed closest to where she reappears is the winner.

OK, here we go. We Type:

CLEAR HT**SETX 120 SETY 160** 

Where is Telli? Point to the place, then someone type ST. Were you right on? Were you close? Your turn!

# The Wordsworth Letters

We love the letters! Here are letters from families who play together, learn together — solving our Wordsworth challenges. The first letter is from Marcie Lauterbach and her son, Eric.

My 7-year-old son, Eric, and I would like to submit our answers to your Wordsworth contest as described in the August 1984 issue of RAINBOW magazine.

- Q1) ABRACADABRA (52)
- Q2) ABACK (66)
- Q3) ZIOTY (1,755,000) ZIPPY (1.497,600)
- Q4) Eleven Letters: ABRACADABRA (15,552)

These answers are based on The American Heritage Dictionary, paperback edition, published by Dell. I'm

not sure this is the same edition as described in your article. It was, however, the only one available in our area. Our answers may be judged accordingly.

Eric and I had a lot of fun doing this puzzle; he typed in most of both WW programs. We both looked up words. He would type them in as I spelled them. His 5-year-old brother, Jack, had fun typing in names of our family and pets, and getting a number value for them.

We have had our TRS-80 CoCo for about two months and all of us enjoy playing games, typing in programs and just fooling around on it.

I appreciate the format of your article being geared to the "younger users." It is also helpful and fun for us not-so-young beginners! Keep up the good work. I look forward to future articles.

Our next letter is from Margaret Mary Jones and three of her children.

Here are the answers to your contest:

- 1) ABRACADABRA
- 2) ABACK
- 3) YUMMY (2,218,125)
- 4) ABRACADABRA

I did this activity with three of my four children (ages 10, 7, 5). We enjoy your column very much both the reviews and the programs.

I have a few comments on Peanut Butter Panic which you reviewed a couple of months ago. First, you were wrong about the nutkins "eating" the stars. They catch them and put them in the star machine to make peanut butter sandwiches, which they do

eat for energy. Second, the name probably refers to the panic that ensues when you have piled up six sandwiches and are unable to catch the snarf, and then have to eat all six sandwiches before the snarf gets one. Believe me, there is a panic in our house when that happens. We think it's a good name. Third, this game is one all three children can play. The 5year-old is not as good as the 10-year-old, but he is able to manage to play the game correctly and can play with the 10-year-old.

Next, let's hear from Stephen Lathom, who wrote his own letter. Good show, Stephen!

My name is Stephen Lathom. I am 8 years old going on 9. I used my family's 16K CoCo and my Webster's Beginning Dictionary to answer your questions in the July issue of THE RAINBOW. My answers are listed below.

- 1) ABRACADABRA 52
- 2) ABACK 66
- 3) WORRY 2,794,500
- 4) BABBLED 1,920

Thanks, everyone. We have more letters and will share them with you next time. Meanwhile, please send your answers to our Wordsworth challenges to Bob and Ramon, P.O. Box 310, Menlo Park, CA 94026.

# **Dragon Smoke**

We have decided to publish a newsletter called "DragonSmoke" about four times a year. If you want a free copy, send a self-addressed, stamped envelope to DragonSmoke, P.O. Box 310, Menlo Park, CA 94026.

# TCE News Release

MONDAY OCTOBER 1, 1984

GAITHERSBURG, MARYLAND

# In 1985 TCE Will Introduce CHILD'S PLAY

Mouse Technological Software For The Color Computer!

Ted Malaska, President & Co-founder of TCE Programs Inc., announced today a new division for the development of business software.

The new division will distribute a series machine language business programs, under the name Child's Play beginning in the first half of 1985. The Child's Play series will use mouse technology what Mr. Malaska termed "Floating Overlays", to control the operations within the program.

When asked why the name Child's Play selected for a business series, Mr. Malaska responded: "Floating Overlays will make the program operation seem like Child's Play, compared to other business software of today."



TCE BUSINESS DIVISION
P.O. BOX 2477
GAITHERSBURG, MD 20879 1-(301) 963-3848





DISK \$44.95 NEW

Introducing The "Super Smart"

Also Supports The PBJ 80 Column "Word Pak", Deluxe RS-232 Pak.

Parallel Printer Card and PBJ 2SP Pak

DATA PACK II

TERMINAL COMMUNICATIONS SOFTWARE

TAPE

<sup>9</sup> Unlimited

**为一种种种种种种的** 

MATHEMAN REPORTED

Macro Key Buffers

THE WAY SHE IS NOT



Text Buffer

NAME OF THE PARTY 
"FEATURES"

No Lost Information When Using Hi-Resolution Display On Line ASCII Compatible File Format

Full Text Buffering

Terminal Baud Rates 300 to 9600

natic Word Wrap Eliminates Split Words

Full/Half Duplex

Automatic File Capture Programmable Word Length, Parity and Stop Bits

Save and Load Text Buffer and Program Key Buffers to Tape

9 Hi-Resolution Display Formats, 28 to 255 x 24 True Upper/lower Case Display

Kill Graphics Option for an Extra 6K Supports Line Break

 Freeze Display and Review Information On Line
 Send Files Directly from Buffer or Disk
 Full Disk Support for Disk Version
 Send Control Codes from Keyboard
 Separate Printer Baud Rates 110-9600

Penland Display on Screen or Output Contents of Buffer to Printer

Automatic Memory Sense 16-64K 9 Programmable Function Key Variable Length Macro Buffer Programmable Prompt Character or Delay to Send Next Line

Programmable Control Character Trapping Programmable Open/Close Buffer Characters Automatic Key Repeat For Editing

Program and Memory Status Displays

A SAME AND INCOME. NEW

MANIA

# "The Wait is Finally Over" ANNOUNCING The CBASIC COMPILER

Now anyone can create fast efficient Machine Language Programs without the Drudgery of using an Assembler.

CBASIC is a fast Machine Language integer Basic Complier that can convert Color Basic programs into fast machine language programs. CBASIC features over 100 Basic Commands and functions that fully support Disk, Tape, Screen and Printer I/O, Hi & Low Resolution Graphics, Sound, Play and String Operations just like Color Basic. CBASIC also includes a powerful full featured Basic program Editor using a 51,64 or 85 by 24 line display. The Hi-Resolution display can be automatically included in your compiled program for enhanced display capability and allow mixed text and graphic displays.

CIRCLE, COLOR, CLS, DRAW, GET, LINE, PAINT, PCLS, PCOPY, PMODE, PRESET, PSET, PUT, RESET, SCREEN, SET, POINT, PPOINT

Sound Commands:

String Functions:

CHR\$, LEFT\$, MID\$, RIGHT\$, LEN, INSTR, LSET, RSET, TRM\$, STR\$, STRING\$, INKEY\$, MKN\$

Numeric Functions:

I/O Commands:

ABS, POS, TIMER, RND, ASC, TAB, CAL, JOYSTK, PEEK, POKE, LOC, LOF, EOF, FREE, CVN, ERR, VARPTR. SWAP

OPEN, CLOSE, INPUT, LINEINPUT, PRINT WRITE, PRINT @, GET, PUT, KILL, CHAINM, FIELD, DATA,

READ. RESTORE

Program Control:

**Editor Commands:** 

FOR/NEXT/STEP, GOTO/GOSUB, IF/THEN/ELSE, RETURN, STOP, RETI, ON n GOTO/GOSUB, ON ERROR, ON RESET, ON IRQ/FIRQ/NMI, ON OVR/NOVR, EXEC, LET

Directives:

ORG, REM OR', END, DIM, END, BASE, RAM, ON/ OFF, RAM64K, HIRES, GENERATE, DPSET, STACK

LINE EDIT, AUTO EDIT, COPY, MOVE, RENUMBER, AUTO LINE\*, PRINTER, LIST, DELETE, SEARCH, REPLACE, BAUD RATE, PRINTER. CBASIC, TAPPEND, SKIP, SIZE, LOAD, SAVE, APPEND, KILL, DIR, and much, much more.

REQUIRES 32K and Disk, 64K recommended

**Introductory Price \$119.00** Regularly \$149.00

# NEW IMPROVED VERSION

- **UP TO 85 CHARACTERS PER LINE** READABILITY
- ADJUSTABLE AUTOMATIC KEY REPEAT
- PROPTECT 1-23 SCREEN LINES
- CONTROL CODE KEYBOARD

· FULLY BASIC COMPATIBLE

- DISPLAY FORMATS OF 28 to 255 CHARACTERS PER LINE
- FULL 96 UPPER/LOWER CASE CHARACTERS MIXED GRAPHICS & TEXT OR SEPARATE
- GRAPHIC & TEXT SCREENS
- INDIVIDUAL CHARACTER HIGHLIGHTING
- REVERSE CHARACTER HIGHLIGHT MODE
- WRITTEN IN FAST MACHINE LANGUAGE
- AUTOMATIC RELOCATES TO TOP OF 16/32K AUTOMATICALLY SUPPORTS 64K of RAM WITH RESET CONTROL
- REVERSE SCREEN
- ON SCREEN UNDERLINE
- DOUBLE SIZE CHARACTERS ERASE TO END OF LINE
- ERASE TO END OF SCREEN
- HOME CURSOR
- BELL TONE CHARACTER
- HOME CURSOR & CLEAR SCREEN REQUIRES ONLY 2K OF RAM
- COMPATIBLE WITH ALL TAPE & DISK SYSTEMS

HI-RES II SCREEN UTILITY

Featuring: Double Height Characters

Discreen White Lights

Frot et of Cursor Control Functions Revense Video High ighting Full Control Code Keyboard & Automatic Key Rereat

All functions are easily programmable thru BASIC Fully BASIC COMPATIBLE including CLS & PRINT &

**24**95 **\$9** TAPE

ALL ORDERS SHIPPED FROM STOCK ADD \$2.50 POSTAGE

CER

5566 Ricochet Avenue Las Vegas, Nevada 89110

(702) 452-0632

Screen Enhancement	Program C	Comparison	Chart
PROGRAM FEATURES	HI-RES II NEW	OLD	BRAND X
Upper/Lower case characters Mixed Text and Graphics Separate Text & Graphics	Yes Yes Yes	Yes Yes Yes	Yes Yes No


	NEW	OLD		
Upper/Lower case characters	Yes	Yes	Yes	
Mixed Text and Graphics	Yes	Yes	Yes	
Separate Text & Graphics	Yes	Yes	No	
Print @ fully implemented	Yes	Yes	Yes	
Print @ on all line lengths	Yes	Yes	51 only	
Different line lengths	28 to 255 (9	)28 to 255 (9)	51 only (1)	
Automatic Key Repeat	Yes	Yes	Yes	
Adjustable Key Repeat	Yes	No	No	
Auto Repeat Disable	Yes	No	No	
Erase to end of line/screen	Yes	Yes	Yes	
Home Cursor	Yes .	Yes	Yes	
Solid or Blinking Cursor	Yes	No	Yes	
CLS command supported	Buff/Biack	Buff/Black	Buff/Black	
X.Y Coordinate Cursor				
Positioning	Yes	Yes	No	
Double Size Characters	Yes	Yes	No	
Individual/Continuous				
Highlighting	Yes	Yes	No	
On Screen Underlining	Yes	Yes	No	
Clear Key functional	Clear/Lkey	sClear key	No	
16.32 & 64K Supported	Yes	Yes	Yes	
Green or Black Background				
Color	Yes	No	No	
Dual Character sets for				
Enhanced 64 and 85				
Characters per line display	Yes	No	No	
Protected Screen Lines				
(programmable)	1 to 23	No	No	
Full Control Code Keyboard				
for Screen control directly				
from the keyboard	Yes	No	No	
Programmable Tab Character				
Spacing	Yes	No	No	
Full Screen Reverse Function		Yes	No	
Switch to & from the Standard				
16 by 32 Screen for full	0.01	20	224	
compatability	Yes	No	No	
On Error Goto Function	No	No	Yes	
Extended Basic Required	No	Yes	Yes	
All Machine Language Program	iYes	Yes	Yes	
RAM Required in addition to		211	211	
	2K	2K	2K	
Program Price (Tape)	\$24.95	\$19.95	\$29.95	





VISA, MASTERCARD AND C.O.D. ACCEPTED

# RAINBOWIECH



Downloads/Dan Downard	260
hogg_wash/Frank HoggYet another CoCo 2?	263
KISSable OS-9/Dale Puckett Potpourri! A medley of hints and tips	269
Personable Pascal/Daniel A. Eastham	278

# RANBOWTECH

# **DOWNLOADS**

# This Contest Entry Has Strings Attached

# By Dan Downard Rainbow Technical Editor

• Is there a simple way to determine the number of bytes remaining in a cleared string space after string data has been loaded into that space? In the August '84 RAINBOW on Page 111, Andy Kluck suggests using EXEC 46481:FRE=FNP1(35)-FNPL(33) but all I get is a UF Error. Am I doing something wrong?

J.M. Stevens Costa Mesa, CA

The reason you are getting a UF Error is because you are using the BASIC FN function without first defining the function. Let's see if we can't do the same thing another way. Use the following to find the free string space:

EXEC 46481: PRINT (PEEK(35) \* 256 + PEEK(36)) - (PEEK(33) \* 256

+ PEEK(34))

EXEC464481 reorganizes the string space. The two bytes at memory location 35 (\$27) are the address of the top of string space. Location 33 (\$23) stores the address of the start of string variable storage. By subtracting the two, the resultant will give you the amount of string storage left. This program will be the "Downloads" entry into

RAINBOW's One-liner Contest this month.

# **COCO SPECIALITIES**

• Your article in the November 1984 issue of THE RAINBOW was just what I have been

(Dan Downard is an electrical engineer and has been involved in electronics for 24 years through ham radio [K4KWT]. His interest in computers began about five years ago and he has built several 68XX systems.)

looking for. I have heard the CoCo can be used for Morse code, slow-scan TV, RTTY, ASCII and facsimile, but have never seen it actually written (I have seen advertisements for Morse/RTTY interfaces).

Unfortunately, your article did not give any specific information regarding equipment, etc. If you have a list of manufacturers of slow-scan, facsimile, etc., hardware and software interface products, I would greatly appreciate it, along with any bibliography you have of articles on this subject.

I hope this is not an unreasonable request because I have been looking high and low for information about how to use the CoCo for specialized communications.

Thank you for any help you can offer.

Richard A. Belz Gainesville, FL

Richard, you are in luck this month. If you look around in this issue of RAINBOW, you will see an article on receiving weather facsimile transmissions on your CoCo by inputting audio from your receiver into the cassette port.

I know of a few sources of ham-related software for the CoCo:

Clay Abrams Software 1758 Comstock Lane San Jose, CA 95124

A-5 Magazine, Mike Stone 1110 E. 4th St. Durant, IA 52747

GRAFX Box 254 West Mifflin, PA 15122

These software sources offer programs for the reception of CW, Slo-Scan, FAX, RTTY and ASCII. Some programs require interfacing hardware, others don't. Other companies have programs for utilities, such as electronic design or logging.

I will pass along any other information received in the near future, Richard. If enough interest is generated, we will compile a list of ham-related software in a future issue. I don't think this will be a problem though, since I received about two dozen letters similar to yours.

### MORE K SURPRISE

• I found I had a 64K machine after being told by Radio Shack I had a 32K upgrade.

Why would Radio Shack put 64K chips in somebody's CoCo who asked for only 32K upgrade? I have the 1.0 ROM. I thought that wouldn't work with 64K? You have a good magazine. Keep on trucking.

Bob Hart, Jr. Alton, IL

There never were any 32K chips on the market, just half-bad 64K chips. They were considerably cheaper than good chips. Radio Shack designed the CoCo so these chips could be used if necessary. I've only run across one set of half-bad (32K) chips and they were in a 'D' board CoCo. You need the 1.1 Color BASIC ROM to recognize your 64K, Bob. Try typing EXEC41175 and see what happens. This will give you the version of BASIC ROM that is in your CoCo.

### FOUND THE HAPPY MEDIAN

• I have just spent days devouring my first issue of THE RAINBOW. When I finally reached your column, I couldn't resist noting that it's possible I know something that someone else doesn't.

Mr. Noel P. Tomas, of Virginia Beach,

wrote with a problem regarding BWDUMP being off-center. I had the same problem with Sugar Software's CoCo Calligraphers program. I was fortunate to have an angel of mercy who suggested I try elongation! He was correct! I simply enter ?#-2,CHR\$(27);CHR\$(14) prior to loading either program.

Just for the record, I have the new 64K CoCo 2 and the DMP-110.

I do hope this helps!

Dolores Rosenthal Los Angeles, CA

It's people like you, Dolores, who keep the rest of us informed. The only way to learn is by sharing your hints with others. Thanks for the tip.

### WHICH DISK IS WHICH?

We have had our CoCo for a year and a half, and have upgraded to 64K and added a printer. We are now ready to take the big step to disk, but are a little confused. The obvious objective is to get the most capability from our limited resources. The RAINBOW carries numerous ads for disk drive systems from third party sources and there is an abundance of options available. Drives are available either SSDD or DSDD. with multiples of either type mounted in one case. Does a single DSDD drive give you "two drive" capability? What about controllers - Radio Shack or third party? Same with DOSs - Radio Shack or third party? Is Disk BASIC resident in the controller or do we have to get our CoCo upgraded yet again?

Can you help with a little advice for a setup for home use? Thank you for a great magazine.

Mike Lotti Centerville, VT

Mike, we receive on the average of one letter a day on the subject of which disk drive and controller to buy. While I won't tell you which to buy, I will give you some information to use in the decision making

There are several controllers on the market. The two most popular are the Radio Shack and the J&M. The J&M seems to be superior mechanically due to gold plated connectors, and electrically due to a different data separator circuit. A later generation controller chip allows it to work equally well with the CoCo or CoCo 2 since

a 12-volt supply is not necessary.

At the same time, JDOS, the standard BASIC ROM supplied with the J&M controller, is not 100 percent compatible with Disk BASIC. Radio Shack has a copyright on Disk BASIC, and even though JDOS may be compatible from a BASIC standpoint, certain routines have different addresses causing problems for ROM calls. Disk formatting is also slightly different. At the same time, JDOS has some additional commands that are handy. One method of

compatibility has been to use a J&M controller with a Disk BASIC ROM.

The bottom line of the situation, though, is that you get what you pay for, and there is absolutely nothing wrong with the Radio

Shack disk controller.

The common drives that are available are 40- and 80-track, single or double-sided. Double density is standard, as single density is rarely used anymore. This question is the crux of the situation. Disk BASIC is designed to use a 35-track, single-sided, double-density (SSDD), disk drive. Actually, the drives Radio Shack is currently supplying are 40-track drives. You can still only use 35 tracks with Disk BASIC due to software limitations.

The whole idea of having a disk drive is storing programs and data. The more storage, the better off you are. A double-sided drive will store twice as much data as a single-sided drive. An 80-track drive will store twice as much data as a 40-track drive. The only catch is that double-sided (DSDD) disks are required for a double-sided drive.

Hence, we take another look at JDOS since you can use different disk formats. JDOS will allow use of more than 35 tracks for data. The price you pay is a non-Radio Shack disk format. You can transfer all of your programs to this format and have more storage on each disk.

The above discussion assumes you are using Disk BASIC. For advanced operating systems, such as FLEX, OS-9 and STAR-DOS, the drivers for these "non-standard" disk drives are either built in or easily

modified for their use.

In any case, you must have one standard 35/40-track in the system as this is the standard format for CoCo software. The second drive can be anything you desire for data storage. For OS-9, the larger, the better. The only disadvantage of not having a standard second drive is the ability to make two-drive backups, which save a little bit of time by not having to swap disks as you do for a single drive copy.

I hope this helps you, Mike. For your information, I use a Radio Shack controller and two Radio Shack drives, but I have an 80-track double-sided drive that I use for OS-9 occasionally. I have BASIC 1.1, Extended Color BASIC 1.1 and Disk BASIC

1.0.

# ONLY SEEING ONE SIDE OF THE STORY

• I purchased a 4K CoCo. I could not get it to work on any of the 256 x 192 PMODE 4 graphics. All I can get is 128 x 64.

Anyone I talked with said I could not do it unless I had Extended BASIC, as well as 16K. So, I installed 16K myself; I had Radio Shack install Extended BASIC.

In the meantime, I had to clean contacts on the keyboard and, of course, the warranty is out. I still cannot get PMODE 4. With programs of PMODE 4, I get a picture twice as wide as it should be. Only the left half of a picture, full screen, on a cold start, I get: Color BASIC 1.0. EXEC 41175 gives me 1.1 and POKE 25,6:New 2MEM yields 14631 and after PMODE 0:PCLEAR1 2MEM gives 13095. This seems to be correct. But, still the same problem. Mine is the E Board and I have been a service tech on TV so I feel if I could find out what to do I am sure I could do any modification necessary.

Am I the only one who has had this problem or have others? Can anyone help

me? Thank you.

Maurice R. Reynolds Bellflower, CA

Maurice, the problem you are having is not due to Extended BASIC, but how much memory it takes for *PMODE 4* graphics.

It is possible to display *PMODE 4* with Color BASIC. In fact, an entire chapter of the manual *Getting Started With Color BASIC*, starting on Page 252 is devoted to

Hi-Res graphics.

Your problem is memory. *PMODE 4* graphics require 6K of screen memory. You are only seeing half of a page since that's all of the screen memory you have. It appears you have not changed the jumpers required for the 16K upgrade. Change these jumpers and you will be able to create the same graphics as the guys with Extended BASIC.

### HUSH-HUSH HEX CODES

• How do you read the Hex codes (eight each) that make up the 8 x 12 (5 x 7 characters) dot-matrix alphanumerics blocks that are stored in the VDG? I'd like to know. Thank you.

F. Emil Stolarik Cleveland, OH

Sorry, Emil, this is secret information. Actually, you can't read the codes since they are in a ROM that is part of the 6847 Video Display Generator (VDG) inside your CoCo. Depending on the graphics mode of the VDG, each byte of screen memory is converted to either an alphanumeric, or a graphics character by the VDG.

If you are interested in changing the characters, there are several screen enhancement packages available allowing custom character sets. If you are just interested in the dot-matrix patterns internal to the VDG, you will have to obtain a data sheet from

Motorola on the 6847.

Your technical questions are welcomed. Please address them to: Downloads, THE RAINBOW, P.O. Box 385, Prospect, KY 40059. We reserve the right to publish only questions of general interest and to edit for space and clarity.






# **HI-RES ADVENTURES!**

Disc not required · Cassettes - \$24.95 · Discs - \$27.95





This exciting hi-res adventure begins aboard the starship TREKBOER in the 21st century. Life on Earth is threatened by a deadly virus and your mission is to search the frontiers of space and return with a cure to save mankind from disaster. But how? Where? The name of your starship provides the first clue.

PRESS RELEASE "Trekboer is the latest in the collection of fine adventure games from Mark Data Products. Sure to be a hit."






# CALIXTO ISLAND

A valuable museum treasure has been stolen, can you recover it??? This is a challenging puzzle with an occasional twist of humor. You'll visit a secret laboratory, a Mayan pyramid and you'll meet crazy Trader Jack—all in living color and exciting detail. You will really love this hi-res graphic version of the classic Calixto Island Adventure. 32K required.

Rainbow—April '84 "It was enough to keep my wife and 8 year old son glued to the computer for an entire weekend and two



adventure even more challenging than any of our others.



### SEA SEARCH

Get your shark repellant and scuba tanks ready! The graphics in this adventure are truly outstanding and the underwater scenes are unforgettable. You'll run into a pirate, a mermaid and some hungry sharks in this colorful and unique treasure hunt. 32K required.

Hot CoCo—April '84 "The fine graphic accent your imagination."





### SHENANIGANS

Countless legends tell of a magnificent Pot of Gold hidden at the end of the rainbow. Many have attempted to find the marvelous treasure but success has eluded them and it remains hidden to this day. You, as a dedicated adventurer, have determined to search for the fabled riches and succeed where others have failed. This one is great fun! 32K required.





### **BLACK SANCTUM**

Encounter the forces of black magic as you roam around an old 18th century monastery. You'll see all the century monastery. You'll see all the ceil locations in this spooky adventure; you'll love searching out and destroying the evil in this classic tale. A MUST for every adventure game fan! 32K required.

Rainbow—May '84 "It's the graphic screen that are the shining stars... Some of the bes

FREE — Send for our NEW 24 page Catalog!



Mark Data Products

24001 ALICIA PKWY., NO. 207 • MISSION VIEIO, CA 92691 • (714) 768-1551

SHIPPING: All orders under \$100 please add \$2 regular, \$5 air. All orders over \$100 please add 2% regular, 5% air. California residents please add 6% sales tax. Orders outside the continental U.S., check with us for shipping amount, please remit U.S. funds. Software authors—contact us for exciting program marketing details. We accept MasterCard and VISA. Distributed in Canada by Kelly Software.

# WHERE'S-IT

by C.E. Laidlaw

What programs are on this disk? Which disk is my WIDGET program? WHERE'S-IT will answer these questions for you and maintain disk directory index files with up to 972 programs in each. Completely user-friendly, just run WHERE'S-IT and follow the prompts to:

Create index files holding up to 972 programs

Load or save existing index files

Add, delete or update index files for a

specific disk

Sort index files alphabetically with a machine language sort List index files to screen

Print index out with 162 programs to the page

Disk only.....\$19.95 (32K Extended Color BASIC)

# We are also a dealer for the following companies:

Moreton Bay Software
Computerware
Spectrum Projects
Mark Data, Amdek, Epson
Pal Creations, Tom Mix
PBH Computer, Inc.
Spectral Associates,
Cognitec, Elite Software
Prickly Pear, Botek
Cobra Software
and many more fine companies



SOFTWARE HARDWARE

1636 D Avenue, Suite C National City, CA 92050 After hours: BBS 619-474-8981 Orderline: 619-474-8982



### **FEATURES**

Creates stand-alone programs

Up to 100 rooms, 60 objects, 30 command words, and 9 conditional flags
Supports tape and disk output

Optional printer output of important sections during creation of ADVENTURE
Complete documentation
Includes sample ADVENTURE
Works with all models of the CoCo except MC-10
Requires 32K Extended Color BASIC



by Terry A. Steen

Control your submarine in its efforts to destroy the enemy fleet. You must launch your sub to surface missiles while avoiding the depth charges. Five different types, hi-res graphics and spectacular sounds. Also a talking version included at no extra charge for those who have an SC01 based voice pack. Four screens and progressive difficulty make this all machine language program a real bargain.

Cassette: \$19.95 Disk/Amdisk: \$24.95

U.S. COD orders accepted, no charge cards please.
Shipping and handling \$3.00
California residents please add 6% sales tax



oining in the fun and excitement of RAINBOWfest is a great way to get to know the CoCo Community. Many of those who write for THE RAINBOW -and those who are written about - attend CoCo's very own show. It's a people-to-people event as well as a valuable learning experience.

For the 1984-85 season, we've scheduled three RAINBOWfests in three parts of the country. If you missed the RAINBOWfest in Princeton, N.J., why don't you make plans now to be with us in Irvine, Calif., or Chicago, III.? Each show will offer fun, excitement, new products, seminars and information for your CoCo! And for those who (perish the thought) don't like CoCo as

much as you, we've scheduled each RAIN-BOWfest in an area that will provide fun and enjoyment for the whole family.

Our Irvine, California, show is being held at the Irvine Marriott Hotel, which offers special rates for RAINBOWfest. The show opens Friday evening with a 7 p.m. to 10 p.m. session. It's a daytime-only show Saturday - the CoCo Community Breakfast is at 8 a.m., then the exhibit hall opens promptly at 10 a.m. and runs continuously until 6 p.m. There will be no exhibition hours or seminars Saturday evening. On Sunday, the exhibit hall opens at 11 a.m. and closes at 4 p.m.

Our highly popular CoCo Community Breakfast will again feature a well-known figure from the Color Computer Community. And the exhibition will be interspaced

with a number of seminar sessions on all aspects of CoCo - from writing in machine language to making your BASIC work better.

But most of all, there will be exhibitors. Lots of them. All ready to demonstrate products of every kind. Some with special programs and hardware items to introduce. Others with show specials.

Tickets can be secured directly from THE RAINBOW. We'll also send you a special reservation form so you can get your special room rate.

Come to RAINBOWfest . . . help us all celebrate CoCo Community at its finest.

United Airlines and THE RAINBOW have joined together to offer a special discounted fare to those attending RAINBOWfest-Irvine. Simply by calling United at the toll free number listed below and identifying our meeting, with account number 522-1, you will be eligible for a 20 percent discount or. the Easy Saver Fare. The only requirement is a Saturday night stay.

> (800) 521-4041 Account Number 522-I

RAINBOWfest-Irvine, California (L.A. area) Date: February 15-17, 1985 Hotel: Irvine Marriott Hotel

Rooms: \$65 per night, single or double Advance Ticket Deadline: February 8, 1985 RAINBOWfest-Chicago, Illinois Date: May 17-19, 1985 Hotel: Hyatt Regency Woodfield Rooms: \$49 per night, single or double Advance Ticket Deadline: May 10, 1985

# **RAINBOWfest Irvine**

# Seminar Program And Speakers

Linda Nielsen

The CoCo Artist High Res Graphics

Linda, of Moreton Bay Laboratory, and several others active in the CoCo area, will demonstrate some graphics and help you to learn about some techniques you can use.

Dale Puckett

Beginner's Tour Of OS-9 Beginner's Tour Of BASIC09

A free-lance writer and programmer, Dale has worked with microprocessors since 1976, and is the author of *The Official BASICO9 Tour Guide*. Dale will be available to sign copies of his new book. *The Complete BAINBOW Guide to OS-9*.

Bob Albrecht

School Is In The Heart Of The Child

Bob Albrecht, RAINBOW columnist who writes "School Is In The Heart Of The Child," is one of the most prolific authors in the microcomputer world today. A specialist in writing for beginners, he is the author of numerous books, including TRS-80 Color BASIC.

Jim Reed

Writing For RAINBOW

Jim, managing editor of THE RAINBOW, will talk about how you can submit programs and articles to magazines for fun and profit. He is also senior editor of PCM — and editorial director of SOFT SECTOR (for the Sanyo).

- Bill Nolan
- Bob Albrecht

GameMaster's Apprentice And Dragon's Byte

Bill Nolan, who teaches "Programming In BASIC" at the college level, owns Prickly-Pear Software Co. and has written several commercially successful software packages.

Dan Downard

Inside Your Color Computer Software And Hardware Interfacing

Dan Downard is the technical editor for THE RAINBOW and an electrical engineer. He has been involved in electronics for 24 years through ham radio (K4KWT). His interest in computers began about five years ago and he has built several 68XX systems.

- Don Inman
- Tim Finger

A Realizable Fantasy: The Home Dream Machine

Bob Albrecht

Along with several other panelists

Don Inman is a co-author of a series of booklets for Radio Shack titled *Color Logo Guide for Teachers*. He is a former teacher and is presently a full-time author with the DYMAX group.

Tim Finger is a member of the DYMAX group, along with Don and Bob.

Wayne Day

Exploring CompuServe and the Color SIG

The CoCo User and the Local Bulletin Board

Wayne Day, a traffic engineering signal technician, is the SYSOP of The Color SIG of CompuServe, the world's largest consumer information service. He is also a certified paramedic and works part-time for an Emergency Medical Service provider. His amateur radio operator call sign is WA5WDB.

Radio Shack

CoCo Classroom

Sharpen your programming skills and learn about LOGO. Introduce your computer illiterate friends to the wonderful world of CoCo. Classes will be conducted by trained Radio Shack instructors during show hours on Friday, Saturday and Sunday.

•Ken Kaplan, president of Microware Systems Corp., will be our keynote speaker at the CoCo Community Breakfast, Saturday morning at 8 a.m.

FREE Rainbow poster for first 500 ticket orders received.

FREE T-Shirt to first five ticket orders received from each state.

Make checks payable to: THE RAINBOW

MAIL TO:

RAINBOWfest P.O. BOX 385 Prospect, KY 40059 (502) 228-4492

YES, I'm coming to RAINBOWfest! I want to advance sale price. Send me tickets for (check	
☐ Irvine, California ☐ Chicago, Illinois	
Please send me:	
three day tickets at \$9 each	total
one day tickets at \$7 each	total
Circle one: Friday / Saturday / Sund Saturday breakfast tickets at \$12 ea	day
Handling Charge \$1	ch total
TOTAL ENCLOSED (U.S. FUNDS ONLY, PLEASE)	\$
Also send me a hotel reservation card for (	) Irvine, or ( ) Chicago.
NAME (please print)	
STREET & NUMBER	
CITY & STATE	
TELEPHONE	ZIP CODE
COMPANY	
Orders received less than two weeks prior to sl	now opening will be held for you at the door.
VISA, MasterCharge, American Express accept	
My Account #	
Signature	
Oignature	

can backspace over characters to edit them. Also, command repeat has been added. The key will auto-repeat if you hold it down for a second.

The final feature is that the keyboard is table driven. This means you can redefine any non-alpha key to be anything you want. This also supports the full matrix so keyboards with the extra four keys, like HJL's, can be used. You can either make the changes in the table or in the source, the choice is yours.

We encourage keyboard vendors to provide suggestions for their customers on the use of their keyboards with XEX. If you will send this information to us, we will include it with XEX when we ship it out.

### Screen

The screen driver and all the font files are provided in source, also. The major feature here is that the fonts are in separate modules and are therefore very easy to change. You can also create your own fonts and use them. If you create some and send them in, we will include them with the package.

Another feature is sideways scroll. With this, we hope to make DynaStar work with text wider than the screen. Another group is working on that. There are other features here that were in CC FLEX, so I won't repeat them.

### Disk Driver

The disk drivers are also provided in source. They support all types of disks, 35-, 40- and 80-track single- and doublesided and double density. The drivers are also able to double step, which means you can read a 40-track disk with an 80-track drive. Each drive can have separate stepping speeds from 30 ms to 6 ms. These drivers are a little faster than those in CC FLEX, but otherwise are the same.

We did make one minor change in that the default format for Track 0 is now double density instead of single. This means that XEX format disks cannot be read by other FLEX systems. You can make a standard FLEX disk on XEX, and that is what you would do to transfer information between systems. XEX will read and write standard FLEX disks with no problem. The reason we did this was to provide more room on the disk. With doublesided disks, you get 16 sectors more than standard FLEX. No big deal, but 16 sectors is 4K more storage and it might make the difference some day.

This feature is an option, anyway; you can do it either way you choose.

# Startup Routine

The startup routine is also provided in source. This is the routine that asks for the date and executes the startup file. If you have a clock board in your system, this routine would be modified to get the date from the board. You can also modify this routine to set up the system the way you like it. Because this routine resides in memory that is

"Another feature is sideways scroll. With this, we hope to make DynaStar work with text wider than the screen."

reused by the system, you can do just about anything you like without making the system itself bigger. Third party vendors like PBJ will replace this routine with their own for their clock boards.

### Utilities

Many of the utilities are provided in source form. This is useful both for modification and education reasons. The entire list that will be provided was not complete at the writing of this article, but it includes the disk formatting program and the utilities for using an external terminal, the various printer drivers and the programs that support everything we can. The only reason we would leave something out would be if the code was proprietary or not in a condition to be seen. As time goes part of February 1985. by, we will add more source to the package. Updates will be available for \$5 per disk plus shipping. The system comes on three disks.

# The Manual

We have redone the manual. It now comes in a D-ring easel binder and in loose-leaf form. CC FLEX came in book form, and it is difficult to add pages to the manual for future versions

and options. With the D-ring binder, it is easy to keep your manual updated. XEX also includes ED/ASM and DBASIC, which makes the manual twice as large as CC FLEX.

# The Package

When you get it, all you need to do is run the main system disk. It is not protected, nor is any of the system. The other disks are the source and modules. You only need to bother with them if you want to modify the system. The modules are provided in source and binary, so if you modify one of them, all you need to do is assemble it and append a new system with the modified module. Full instructions are provided on how to do this.

## **Technical Assistance**

We provide assistance by mail and by phone. However, like most companies, we cannot guarantee that someone who can help you will be there when you call. For that reason, it is better to do it by mail. You should limit your questions to two or three. We get some letters with 20 questions, and the response to that kind of letter has to wait many days or weeks until all the questions have been answered. If you limit your questions, you will receive an answer more quickly.

### Upgrades

XEX is a new implementation of FLEX for the CoCo. In order to do it, we incurred the same costs that we did when we first did CC FLEX two years ago. Also, XEX has considerably more in it than CC FLEX has. For these reasons, we are not providing an upgrade to XEX from CC FLEX. We are offering a discount of 15 percent off what you paid for CC FLEX if you purchased it after Oct. 1, 1984, and before Feb. 1, 1985. All others will have the 128K options. We plan to provide to pay full price. We will still offer CC FLEX, but if you buy it after Feb. 1, 1985, there will be no discount.

We will be shipping XEX the first

# On the Catty Side

I found a new use for Nomad the robot. I got a new kitten that was driving me nuts! It wanted to play and play and then play some more. I tied a stick with a string on it to Nomad and programmed it to move randomly around. I sat back and just laughed, as I watched the kitten's antics!



# RAINBOWTECH

# KISSable OS-9

# Potpourri! A Medley of Hints And Tips

# By Dale L. Puckett Rainbow Contributing Editor

ne of the things I enjoy most about writing this column is the opportunity to see the ingenuity of Color Computer OS-9 enthusiasts. We'll share some of this creativity with you this month and try to answer a few of your questions. A few listings will round out the column.

Our first tip and the one that will grab a lot of attention comes from John E. Carter, WB4HLZ, of Smyrna, Ga. Since most people have three initials and the standard OS-9 prompt has three characters, John reasoned that he could find a way to personalize the OS-9 prompt. His procedure, *chgprompt*, will do the job. Use it by typing:

(Dale L. Puckett is a free-lance writer and programmer who has worked with the Motorola family of microprocessors since 1976. Dale has written two books on OS-9: The Official BASIC09 Tour Guide, published by Microware and The Complete Rainbow Guide to OS-9, published by Rainbow Bookshelf. He is the author of DynaSpell, Readtest, Esther and Help, all from Frank Hogg Laboratories. Dale serves on the Info World Software Review Board and is a Chief Warrant Officer in the U.S. Coast Guard.)

OS9: debug <chgprompt

The command line above assumes you have saved *chaprompt* in your current data directory. Do that using the OS-9 BUILD utility command or your favorite editor now. Here's the listing.

1 shell

. .+36

=4A

=45

=43

After you run the command line above you will see the following prompt on your Color Computer screen.

JEC:

Of course, I forced OS-9 on my Color Computer to prompt me with "DLP: Do your thing!"

Later, I tried John's trick on the GIMIX. It worked. The prompt string of the Level II SHELL was at the same exact offset as the Level I SHELL that runs on the Color Computer.

Here's another trick John sent in. If you have been using OS-9 for awhile, you know you can use the DISPLAY utility command to do many things. For example, you can clear your Color Computer screen by typing:

OS9: display C ENTER

Or, you can send a form feed to your printer by typing:

OS9: display C >/p ENTER

And, since you can send more than one character with the DISPLAY command, you may send complex cursor commands to your screen or make your printer sing and dance. But, if you're like me, you can never remember the codes needed to do the job, and it's a major hassle to look them up in the "OS-9 Commands" manual or some appendix to your printer's users manual. For example, on my Epson MX-80 printer, I can switch into the Italics mode by displaying a two-byte string.

OS9: display 1B 34 >/p ENTER

Since it's much easier to remember the word "Italic," John rightly suggests that we place the command line above in an OS-9 procedure file named "Italic." Then, as long as that file is in our working data directory we may tell our printer to switch into its Italic mode by typing:

OS9: italic ENTER

The command line above that sends the form feed to your printer could be put in a procedure file named FF. That would be easy to type. If you like to make your printer impress the neighbors, get out the manual and turn your imagination loose on some OS-9 procedure files.

John also sent in a short procedure file that prints a simple graphics display on your Color Computer. Try John's demo, then create your own. Have fun! temporary duty in San Francisco following the explosion and sinking of the tanker vessel Puerto Rican, and a month of burnout that hit after we completed *The Complete Rainbow Guide To OS-9*, we finally got a chance to check into the OS-9 SIG on CompuServe again. We picked up a couple of hints we thought we should share.

The concept of having a current execution directory and a current data directory is one of the most powerful features of OS-9. Besides, it saves a lot of typing. But, sometimes we get in trouble because we try to execute a program that isn't stored in our current execution directory. The infamous

of when I visited the OS-9 SIG. Study the /d0/SYS/password file on my system.

"0,150,...,shell dale,coastie,0,128,/d0/cmds,.,shell esther,tripp,1,128,/d0/cmds,.,ds michele,tiffy,2,128,/d0/cmds,.,shell

Everything here is standard except the third line. What do you think happens if Esther signs on with TSMON? You guessed it! She never sees the "OS9:" prompt. LOGIN takes her directly to the *DynaStar* text editor and lets her go to work.

During the long discussion that took place, David L. Kindred offered a suggestion that takes the process one step further. He showed how to let each user come online using his/her own "startup" file.

To do this, put the following entry in the last position of a user's password file.

shell startup; shell

This entry will call a SHELL to process a file called "startup." That file will be located in the user's current data directory. In the password file above that would be the current data directory when LOGIN was called. However, it doesn't need to be. A pathlist to any directory could be typed in the entry position held by the period. Give it a try!

Just before we were called to San Francisco, Richard Don at GIMIX called us with hot news from the Windy City. GIMIX is now shipping UniFLEX for its 6809 GMX III computers. Don also told us that Bob Phillips, GIMIX president, visited Technical Systems Consultants (TSC) and that he was presently designing a 68010 CPU to work with the virtual memory version of UniFLEX 68000.

Don said the new card will run on GIMIX S-50 bus computers using existing intelligent I/O cards. He said that BASIC, COBOL, FORTRAN and a C compiler with bit fields already runs under UniFLEX, and noted that up to 15 users can each use up to four megabytes of virtual memory. The 68010 virtual memory systems reportedly run five times faster than present 6809 systems.

Speaking of upgrades, I received word from Tandy in Fort Worth recently that OS-9 *Version 01.01.00* had been released. Unfortunately, when I

load display

display 20 6f 73 39 20 4f 53 39 
We were sorry to receive the last issue of Dick Dundon's 68XX(X) newsletter earlier this week. Dundon had served the Color Computer and SS-50 family in the Evergreen State for several years with a quality newsletter. He was especially bullish about OS-9 and passed on a number of OS-9 tips to eager readers. We personally appreciated the nice things he said about DynaSpell and The Official BASIC09 Tour Guide.

Dundon's newsletter will be missed by everyone in Washington state that was lucky enough to subscribe. However, his writing talents won't be wasted. He started editing *MOTD*, the OS-9 users group newsletter in November and it was the best issue yet.

Speaking of MOTD, kudos to Jim Schmidt, who wrote a tremendous story about a conversation between several Radio Shack computers at a computer center after hours. His "CoCo Advocate" column will soon be required reading for all users group members. Tim Grovac also made a nice contribution to the new MOTD with an excellent BASIC09 tutorial. Keep up the good work.

After recovering from three weeks of

Error #216 message hits the screen.

Here's a novel way to beat the system. It was suggested by Greg Law. Remember though, if you don't follow this same procedure with all your disks, you could get in trouble using this technique. Every time you make a new system disk— or any disk that will hold an execution directory— follow these steps.

OS9: format /d1 ENTER OS9: cobbler /d1 ENTER OS9: makdir /d1/CMDS ENTER

Can you figure out the trick? During operation, OS-9 doesn't search for your current execution directory by name. It looks at the particular sector on your disk that it learned when you last ran the CHX command. If you run the sequence of commands above each time, you make a new disk; the CMDS directory will always be in the same location on each disk. Thus, once OS-9 has set itself up to use /d0/CMDS as the execution directory on one disk, it will find /d0/CMDS on all disks initialized the same way.

Here's another trick I was reminded

arrived at the Radio Shack Computer Store in Springfield, Va., they were already out of the \$14.95 upgrade. The new version contains an enhanced screen that lets you clear to the end of a line, clear to the end of the screen as well as change the background color of your screen. It also supports the Radio Shack RS-232 pack at Baud rates as high as 9600.

A new version of OS-9 for the Color Computer is good news. However, I have been told by several readers that a few of the old bugs are still in the release. I am told you will find that the most important non-change is in the Baud rate tables for the Printer and RS-232 modules.

That's the bad news. The good news is the tables are the same. Only the offset from the beginning of the modules has changed. This means you can correct them with DEBUG. In the new PRINT-ER module the offset is now \$65. In the new RS-232, the offset is \$72. Use the following procedure file to do the job.

\* make changes to allow 9600 Baud rate for printer

```
l printer
. .+65
=04
=82
=01
=a2
=00
=cd
=00
=63
=00
=2d
=00
=13
=00
=0.5
1 printer
. .+a5
=12
=c6
=00
=59
=58
1 printer
..+b3
=f2-
* Make changes to allow /tl to work
 at 9600 Baud
1 rs232
. .+72
=04
=82
=01
```

=a2			
=00			
=cd			
=00			
=63			
=00			
=2d			
=00			
=13			
=00			
=05			
1 rs232			
+b2			
=12			
=c6			
=00			
=59			
=58			
l rs232			
+ba			
=f2			
q			

Save the procedure above in a file named Baud\_changes and then make the changes with the following command line

# OS9: debug <baud\_changes

As before, the file Baud\_changes must be located in your current data directory.

K. J. Johnson of Brechin, Ontario,

posed a problem. "For fun, you might poll your readers to submit how they resolved with the SHELL or BASIC09. the simple command frequently used in Radio Shack BASIC — Print Hex\$(30) ENTER. Here's one solution using BASIC09:

# PRINT USING "H2",30

Johnson wanted a filter that would indent the front of each line before printing. We'll try to put together a quick and dirty BASIC09 filter soon.


We have some TANO Dragon users out there. Kent D. Meyers wrote to say he could be reached at any of the following BBS numbers: 312-286-9015, 405-728-7654, 612-433-5194, 512-285-5028. You may also write him at Box 266, Le Roy, MN 55951.

And finally, we close this edition of KISSable OS-9 with two more listings from Tim Harris, a brand new programmer at Microware. CRYPT is an assembly language program that shows you how to encrypt and decrypt a file for security purposes. "F.C" shows you how to write a simple text formatter you can use to print and number text files.

Enjoy! And if you live on the West Coast, we hope to see you at RAIN-BOWfest in Irvine, February 15-17.

```
Listing 1:
```

```
CRYPT: AN ASSEMBLY LANGUAGE ENCRYPTION FILTER
* crypt utility: crypts files for user protection
 6809 Assembly Language
* for Color Computer OS-9 v. 01.00.00
* (c) 6/17/84 by Tim Harris
* Uses std. input and output so it acts as a filter
  Sample calls:
      crypt keyword <infile >codedfile
      crypt keyword <codedfile
                                         prints file to screen
      list infile ! crypt keyword >outfile
      crypt keyword <infile ! crypt keyword will print out file
         nam crypt
         use /d0/DEFS/OS9Defs
* Data Area
         equ 211
FOF
MAXKEY
         equ 15
         org 0
OUTCHAR
         rmb 1
         rmb 1
KEYLEN
CHAR
         rmb 1
         rmb MAXKEY
KEYBUF
         rmb 200 stack area
CR PME11
         equ .
* Program Area
         mod CRPEND, CRPNAM, PRGRM+OBJCT, REENT+1, CRPENT, CRPMEM
CRPNAM
         fcs "crypt
         clrb clear the counter
CRPENT
```





Presidential Decisions is a political simulation. You are presented with ten issues that President Jackson had to face, and the object is to make the same decisions that the President made. To help you with your decisions, you may read period newspaper accounts, ask advice of Jackson's contemporaries, or reflect on the past experiences of Jackson. Presidential Decisions is an exercise in critical thinking that is packed with interesting historical data. When you complete this simulation, you feel as though you know Andrew Jackson. Students and history buffs will love it!

CoCo - 32K ECB Disk - \$31.95

# MUSIC THEORY



Music Theory is a complete computer assisted instruction program that ter assisted instruction program that teaches the construction of scales and chords, and ear training. It is written by Albert G. Huetteman, Associate Professor of Music at the University of Massachusetts, and includes sequential lessons on: Major scales, Harmonic Minor Scales, Interval Spelling, Triads (chords), Inversions, Dominant 7th Chords, and Intervals (Ear Training). Each lesson features background information, drill and practice routines, and scoring. Music Theory is a well organized, in depth tutorial. Excellent visual and auditory screens make this program wonderful for any theory level, beginning through college!

# CoCo - 32K ECB Disk - \$49.95

★ Other popular B-5 Programs

for Grades K - 12 ABC's • Spelling • Clock
Hangword/Scramble • Keyboard
Borrow • Carry • Mathfacts
Money • Skip Counting • Congress
Questions • Basketball Statistics

In addition to our programs, we carry a full line of software from other publishers. Let us meet all your educational needs. Programs available for Color Computer, TI 994/A, Commodore 64 and Apple. Selected B-5 software titles available through Radio Shack's Educational Express Order Service.

Write for a free brochure



B-5 Software Co. 1024 Bainbridge Place

olumbus, Ohio 43228 Phone (614) 276-2752 \*\*\*\*\*


leay KEYBUF, u get the key value CRP10 1da ,x+ cmpa #\$0D are you done? beg CRP15 yes, go on with program cmpa #\$20 maybe, check again? beq CRP15 yes, go on sta ,y+ no, store the char incb incriment the counter bra CRP10 go back for more CRP15 stb KEYLEN save the key length CRP20 1db KEYLEN get key length leay KEYBUF, u point to start of key CRP25 pshs y,b clra 1dy #\$1 leax CHAR, u os9 I\$Readln bcs CRP30 puls b,y lda CHAR get the char eora ,y+ crypt it sta CHAR store it for output pshs y,b 1da #\$1 1dy #\$1 leax CHAR, u os9 I\$Writln bcs CRP30 puls b,y decb are you done? bne CRP25 no, crypt more bra CRP20 yes, get more of the file cmpb #EOF is it at EOF? CRP30 bne CRP35 no, exit with error clrb yes, clear error status CRP35 os9 F\$Exit exit the program emod CRPEND equ \* END

# Listing 2:


# "F.C": A SIMPLE TEXT FORMATTING UTILITY

```
/* f utility: optional formatter for DynaStar */
                                                */
/* formats with tm=6; bm=60; p1=66; 1m=8
/* has optional page numbering (use -n)
/* has no problems with double spacing
/* sends to stdout so use redirection for /p
/* CoCo OS-9
                C-Compiler 01.00.00
/* (c) 6/6/84
                                                */
                by: Tim Harris
/* Call:
    f <-n><filename> (> redirection)
#include <stdio.h>
#define MAXLINE 80
#define PAGLEN 54
main(argc,argv)
int argc;
char *argv[];
     FILE *fp, *fopen();
     int linenum=1, number=0, pageno=1;
     char line[MAXLINE];
     if (argc>3 argc==1)
          error ("f: improper arguments", NULL);
     if (argc == 2)
          if ((fp=fopen(argv[1],"r"))==NULL)
               error ("f: can't open %s",argv[1]);
     else
          if (argv[1][0]=='-' && argv[1][1]=='n')
               number=1:
```

```
else
          error ("f: illegal option %c",argv[1][1]);
if ((fp=fopen(argv[2],"r"))== NULL)
               error ("f: can't open %s", argv[2]);
     printf("\n\n\n\n\n\n");
     while (fgets(line, MAXLINE, fp)!=NULL)
          printf('
                          %s",line);
          ++linenum;
          if (linenum>PAGLEN)
               linenum=1;
               printf("\n\n\n");
               if (number)
                    printf("
                                                                      else
                    printf("\n\n\n\n\n\n\n\n\n");
     while (linenum <= PAGLEN)
          ++linenum;
          printf("\n");
     printf("\n\n\n");
     if (number)
          printf("
                                                            %d\n\n\n", pageno++);
     else
          printf("\n\n\n");
     fclose(fp);
error(s1,s2)
char *s1, *s2;
     printf(s1,s2);
     printf("/n");
     exit(1);
```



# Get the most out BASIC



The OFFICIAL BASIC09 TOUR GUIDE is skillfully written in a friendly and easy-to-read style. Just perfect for those new to computers and to BASIC09. It's also a valuable reference book for programmers, engineers, students and hobbyists, providing an in-depth look at BASIC09 plus an overview of the OS-9 operating system. Comprehensive reference sections on BASIC09 and OS-9 commands are also included.

The book "maps" out your route through the Mercedes of Basics... BASIC09 and puts you in the driver's seat in no time. Fasten your seatbelt, sit back and enjoy the ride to perfecting your programming skills.

# MICROWARE . . .

The OFFICIAL BASIC09 TOUR GUIDE comes from the people who wrote BASIC09. As the leader in 6809 system software, we at MICROWARE care about our users and want to help you get the most from our products.

# It's Easy to Order.

Phone orders are accepted from MasterCard or VISA cardholders or for COD shipment. You can also order by mail using the coupon below. Quantity discounts are available to educational organizations and dealers. For further information contact Microware.

Please send \_\_\_\_\_ copies of the Basic09 Tour Guide book at \$18.95 each. Add \$2.00 for UPS shipping in the U.S. or \$5.00 for overseas air mail

Microware Systems Corporation

1866 N.W. 114th Street

Des Moines, Iowa 50322

Telephone 515/224-1929

each. Add \$2.00 for UPS shipping in the U.S. or \$5.00 for overseas air mail per book. Iowa residents add 4% sales tax.

Name \_\_\_\_\_

Address \_\_\_\_\_

State Zip\_\_\_\_

☐ I have enclosed a check

Expiration\_

Charge to my bank card:

MasterCard VISA Card Number

microware\*

Specialists in system software for 68-family microprocessors since 1977.

OS-9 and BASIC09 are trademarks of Microware and Motorola.

# RAINBOWTECH

# OS-9 UTILITY

# Tidy Up Listings With LISTFILE

By Gerry Schechter

If you do any programming at all, you already know it can be very helpful to have a hard copy listing available in order to assist in debugging and modifying programs. When using Extended BASIC, a simple *LLIST* will provide the desired listing. In BASIC09, a *LIST procname* >/p will also do the job.

In either case, however, there are no top and bottom page margins, so you wind up printing on the perforations of the paper, which is kind of sloppy. If you ever break up your listings, punch holes in them and file them away as I do, then you know this can be a problem. Even if you don't, wouldn't it be nice to have a neatly formatted listing?

(Gerry Schechter has over 12 years of data processing experience. He is currently employed by Mercy College where he is the manager of technical services. Writing software for the Color Computer is one of his hobbies.)

Since I like to have things simplified, I came up with a program called LISTFILE. This program, which is written in BASIC09, will produce a neatly formatted listing of any OS-9 file that would normally be LISTable. Although it is designed with BASIC09 programs in mind, it can also be used with most other OS-9 files as well, with no problem.

Aside from skipping over the perforations, it will also print out today's date, the filename in elongated printer mode, and a page number at the top of every page for better readability and documentation. For BASIC09 programs, the listing is indented five spaces on each line that does not have a line number, in a manner similar to that of BASIC09's LIST command.

Using this program could not be easier. When it prompts you for the filename to be listed, all you have to do is to enter its name. This name must follow the OS-9 pathname conventions, so if the file to be listed is in your current data directory, all you need to do is

to enter the filename. If it is not, you must enter the full pathname.

When your file has been listed, you will again be prompted for a filename to be listed. If you have no more files to be listed, just hit ENTER, and the program will end by itself.

The only part of this program you might have to modify has to do with putting your printer into the elongated print mode. As written, it is designed for the Radio Shack Line Printer VIII. Between lines 120 and 130 (not every line in mubered in BASIC09, you will find the necessary comments to help you in modifying the program to suit your particular printer.

I hope you will find this program useful, and that it will encourage you to write your own utility programs when the need arises. For those of you who don't like typing in programs, I would be happy to send you a copy of my program for \$1, if you will send a blank disk and a SASE to: 75 Midland Terrace, Yonkers, NY 10704.

```
DIM XX: INTEGER
The listing:
                                                             DIM KEY:STRING[1]
                                                             DIM FILENAME: STRING[24]
PROCEDURE LISTFILE
                                                             DIM FIRSTTIME, BASIC: BOOLEAN
                                                             DIM INDATA, TEMP: STRING[128]
(* LIST FILE UTILITY *)
                                                             DIM LINECOUNT, PAGECOUNT: BYTE
(* GERRY SCHECHTER
                                                             DIM DISK, PRINTER, POINTER: BYTE
(* 75 MIDLAND TERRACE *)
(* YONKERS, NY 10704 *)
                                                             100 FIRSTTIME=TRUE
(* V1.1 - APRIL 1984 *)
                                                             PRINT
                                                             PRINT "
                                                                     ENTER FILE NAME TO BE LISTED:"
                                                             INPUT " ",FILENAME
PRINT CHR$(12)
PRINT "
                                                             IF LEN(FILENAME)=0 THEN
          ** LIST FILE UTILITY **"
ON ERROR GOTO 130
                                                             PRINT
```

THE RAINBOW

CLOSE #DISK PRINT " PROCEDURE CONCLUDED." CLOSE #PRINTER PRINT **GOTO 100** END ENDIF ENDIF OPEN #DISK, FILENAME: READ LINECOUNT=LINECOUNT+1 GOTO 110 PRINT INPUT " LINE UP PAPER AND HIT ENTER..", KEY 120 IF NOT(FIRSTTIME) THEN FOR XX=1 TO 5 PRINT PRINT #PRINTER OPEN #PRINTER,"/P":WRITE 110 READ #DISK, INDATA NEXT XX ELSE IF FIRSTTIME THEN COSUB 120 PAGECOUNT=1 FIRSTTIME=FALSE ENDIF IF LEFT\$(INDATA,9)="PROCEDURE" THEN PRINT #PRINTER, LEFT\$ (DATE\$, 8); (\* START ELONGATION FOR LP VIII \*) BASIC=TRUE PRINT #PRINTER, CHR\$(27); CHR\$(14); ELSE PRINT #PRINTER, TAB((50-LEN(FILENAME))/2); FILENAME; BASIC=FALSE (\* END ELONGATION FOR LP VIII \*) ENDIF PRINT #PRINTER, CHR\$(27); CHR\$(15); PRINT #PRINTER, TAB(50); "PAGE NO: "; PAGECOUNT ENDIF IF BASIC THEN IF LEFT\$(INDATA,9)="PROCEDURE" THEN PRINT #PRINTER "+INDATA LINECOUNT=2 INDATA="\*\*\* PAGECOUNT=PAGECOUNT+1 ELSE IF LEFT\$(INDATA,1)>"9" OR LEFT\$(INDATA,1)="(" THEN RETURN 130 ERRNO=ERR INDATA=" "+INDATA PRINT ELSE POINTER=SUBSTR(" ", INDATA) IF ERRNO=215 OR ERRNO=216 THEN PRINT " FILE NOT FOUND!" TEMP=LEFT\$ (INDATA, POINTER)+" GOTO 100 INDATA=LEFT\$(TEMP,5)+RIGHT\$(INDATA,LEN(INDATA)-POINTER) ELSE ENDIF PRINT " ERROR # "; ERRNO; " ENCOUNTERED!" ENDIF ENDIF ENDIF IF LINECOUNT>60 THEN PRINT " PROCEDURE TERMINATED" PRINT GOSUB 120 PRINT " DUE TO ABOVE ERROR. ENDIF PRINT #PRINTER, INDATA PRINT 0 IF EOF(#DISK) THEN END

# OS-9™ SOFTWARE FOR COCO

**SDISK**—Standard disk driver module allows the use of 35, 40, or 80 track single and double sided drives with CoCo OS-9 plus you gain the ability to read/write/format the standard OS-9 single and double density disk formats used on other OS-9 systems. **\$29.95** 

**BOOTFIX**—To make bootable double-sided disks \$9.95

SDISK + BOOTFIX—when ordered together \$35.95

**FILTER KIT #1**—Eleven utilities used as filters (with pipes) to give you "wild card" directory lists, copies, deletes, moves, lists, pagination, etc. \$29.95

FILTER KIT #2—Command Macro Generator to build new commands by combining old ones, and 9 other utilities. \$29.95

**HACKER'S KIT #1—**Disassembler and memory dump/fill utilities allow you to disassemble OS-9 assembly code from disk or memory. **\$24.95** 

Send SASE for current catalog. Terms: Prepaid check, MO, Visa, Mastercard or COD. Add \$1 S&H, (COD \$3 extra).

D.P. Johnson, 7655 S.W. Cedarcrest St. Portland, OR 97223 (503) 244-8152

(We appreciate your calling between 9-11 AM Pacific Time.)

OS-9 is a trademark of Microware and Motorola Inc.



YOKE AND THROTTLE FUNCTION LIKE A 'REAL' AIRPLANE - HAS 'RUDDER' CONTROL KNOB AND 'FIRE' BUTTONS.

SPECIAL COMBO DFFER
TOM MIX 'MORLDS OF FLIGHT'(MOF) + COCO-150
\$22,95(1)/\$25,95(0)

OR

ASI-IFR FLIGHT SIMULATOR - THE MOST VALID HOME COMPUTER INSTRUMENT
FLIGHT SIMULATOR PROGRAM BE KNOW OF FOR PRACTICING IFR NAWIGATION
AND APPROACHES USING CURRENT ACTUAL FOR MAPS AND APPROACH PLATES.
PROGRAM ALLOWS QUICK AND EASY CUSTOHIZING ID YOUR LOCAL AREA AND
UPDATES AS YOUR LOCAL FOR CHORTS CHANGE, PRICE INCLIDES COPIES OF
OFFICIAL FOR FLORION SECTIONAL AND 6 ILS APPROACH PLATES, INSTRUCTIONS, KEYBOARD DUERLAY, AND 8 1/2 BY 11 LOOSELAF BINDER, COCO-150
OR JOYSTICKS REQUIRED + 16K OR 32/64K EXT. COLOR BASIC (SPECIFY).

ASI-IFR 415.95 (TAPE DNLY)

COCC-150 + NOF(D) + ASI-IFR(T) 485.95

ADD #3.50 PDSTAGE AND HANDLING - FLA. RESIDENTS ADD 5\* SALES TAX.

FOR ASI-IFR DNLY ADD #3.50 P&H AND 5\* FLA. TAX IF APPLICABLE.

9LBAN SCIENTIFIC, INC. P.O. BOX 15226 DAYTONA BEACH, FLORIDA 32014

CALL 904-252-5302



VISA

1-416-529-1319



# GRAPHICMASTER

This extremely powerful, compact program adds 30 new commands to any version of RS COCO BASIC. The commands are more versatile and operate up to 60 times faster than Extended Basic.

You write your own Basic graphic programs that operate so fast they appear to be written in machine language. For even greater speed you can compile the final program (compiler not supplied). Works with TEXTMASTER and PRINTMASTER.

32 software sprights, dual page flipping, vertical scroll, polygon and dye are just a few of the features you can use in your own programs. A 60 page manual is included.

O□O \$42.95US O \$46.95US +\$2.50 \$49.95CN S&H

NEW Double sided

\$9.95US \$12.95CR prototyping

board

# TEXTMASTER

Textmaster displays text on the graphics screen using one of the supplied character sets or a custom set that you create (Hebrew, Greek, Chinese etc.) to use the completely redefinable keyboard.

redefinable keyboard.
Residing in the top of a 64K
machine it takes only 8 bytes from
Basic. Many additional features
have been added like smooth scroll,
top and bottom scroll protect, key
beep and repeat, full error
messages, non destructive cursor,
invert text etc..

A total of 24 sizes of text are possible in line lengths of 32,36,42,51,64, & 85 chrs./line. Text can be echoed to a printer using the printers character set or you can use PRINTMASTER to print exactly what you see on the screen.

This unprotected program comes in a vinyl binder with full documentation, a demo program and character design program.

O□○ \$25.95US 529.95CN

\$29.95US +\$2.50 \$33.95CN S&H

INTERNATIONAL 125 SOUTH FIFTH STREET LEWISTON, N.Y. 14092 INTERNATIONAL 420 FERGUSON AVE. N. HAMILTON, ONT., L8L 4Y9



# PERSONABLE PASCAL

# Pointers And The Heap

# By Daniel Adams Eastham Rainbow Contributing Editor

where you were dealing with a collection of data items, but really didn't want to put a limit on the number of items you could handle? In BASIC, you would probably use an array and make the *DIM* statement declare as many elements as would fit in memory. But, what if you needed two such arrays? How big do you make each one?

This problem occurs because of the way BASIC allocates memory for data; you either use one of the legal two character names as a simple variable or array, or declare an array with a DIM statement. The memory is allocated when the interpreter encounters the name and all subsequent references to that name refer to that particular area of memory.

(Daniel Eastham holds a B.S. in computer science and has 13 years experience in systems and communications programming including work on the original Telenet packet switching network. He is the author of the DEFT Pascal Workbench and is currently president of Deft Systems, Inc.)

## **Automatic Allocation**

The normal mechanism for allocating data memory in PASCAL is only a little different. In this case, when the block in which a variable is declared is activated, memory for the variable is allocated, then all references to that variable in that activation of the block reference the same area of memory.

The major difference occurs if the block recursively activates itself, then a second allocation of the variable is made. As each activation is terminated, memory for the variable for that activation is released and becomes available for use by other variables.

Last month's calculator program used this technique to allocate memory for intermediate expression values depending on the number of levels of parentheses nesting. Each time a left parenthesis was encountered, the function *Expression* would be activated allocating another memory area for *TermAmount*. Each time a right parenthesis was encountered, the function would return, releasing its memory.

### Pointers

But what if you want to allocate many copies of a variable without having to call a procedure or function? Answer:

you use *pointers*. A pointer is a special kind of type in PASCAL which has as its value the memory location of a variable. For example:

VAR P : ^Real;

This statement allocates a variable 'P' which is a pointer to a real number. Memory for the pointer 'P' is automatically allocated; memory for the real number to which 'P' points is not allocated.

# **Dynamic Allocation**

In order to allocate memory for the real number, you have to use the built-in procedure NEW. For example:

NEW (P);

When this procedure is invoked, memory for a real number is allocated from an area of memory called the *heap*. The address of this allocated memory is placed in the variable 'P'. This memory area can then be accessed as a real variable by *dereferencing* the pointer variable. For example:

 $P^{:} = 15.3E2;$ A := A \* (P^ + 3.2); In this example, the constant 15.3E2 is placed in the real number pointed to by 'P'. Then, in the second statement this value is used in an expression that modifies the variable 'A'. By suffixing the pointer variable name with an uparrow, you indicate that you want to use or modify the variable the pointer is referencing (or pointing to), rather than the pointer itself.

In addition to dereferencing, pointers can be compared for equality, used as parameters in procedures and functions, and assigned. Some examples of these operations are shown further on.

### Pointers to Pointers

This still doesn't solve our "as many as you want" problem since the pointer variable itself is allocated automatically. In order to completely solve the problem, we will also have to dynamically allocate the pointer variable. Our first inclination is to create a pointer to 'P' as follows:

TYPE PType : ^Real; VAR Q : ^PType; . . . . NEW (Q); NEW (Q^); Q^^ := 3.15E2;


Where *PType* is a type which is a pointer to a real, and 'Q' is a variable which is a pointer to *PType*. The first NEW allocates a pointer to a real and puts the address of the pointer in 'Q'. The second NEW allocates the real number and puts its value in the pointer allocated by the first NEW. The assignment statement sets the value of the real number.

# **Linked Lists**

Although this is legal PASCAL, it really isn't what we want. We need to allocate a pointer variable at the same time we allocate a real so we always have a "free" pointer variable to use to allocate another real. What we need is a *Node*:

TYPE Node = RECORD
P: ^Node;
R: Real;
END;
VAR Q: ^Node;

Now, when we allocate memory, we are allocating both a pointer and a real number. The way this works is that each Node contains a value (R) and a pointer to the next Node (P). We are going to create a structure that looks like this:




Where Root is a pointer variable that points to the first Node. NIL is a built-in pointer type constant that indicates the pointer is not pointing to any memory location. A structure of this type is called a *linked list*. The following program creates this list:

PROGRAM LinkedList: TYPE Node = RECORD P: ^Node; R: Real; END: VAR Q, Root : ^Node; I: Integer; BEGIN Root := NIL: FOR I := 10 DOWNTO I DO BEGIN NEW (Q);  $Q^R := I;$  $Q^{}$ .P := Root; Root := Q; END; END.

The program starts by initializing Root to the NIL value and then executing a FOR loop. On each iteration of the loop, the program allocates a Node, inserts a value, points it to the last allocated Node and then saves the address of this last Node in Root. We need two pointer variables since we need to be able to reference the last Node while allocating the next one.

You can see from the example that the Nodes end up in the reverse order from the one in which they were allocated. To make them come out in the same order, we can either use another pointer variable (since we now have to keep track of the first one, the most recently allocated as well as the next one) or a doubly-linked list. A doubly-linked version of this structure looks like this:



Now each Node points to each of its neighbors instead of just the next one. The following program will build this list:

PROGRAM Double:

TYPE Node = RECORD P1. P2: ^Node; R: Real; END; VAR First, Last, Q: ^Node; I: Integer; **BEGIN** Last := NIL: FOR I := 1 TO 10 DO BEGIN NEW (Q); IF Last = NIL THEN First := Q ELSE Last $^.$ P1 := Q;  $Q^P1 := NIL$ O^.P2 := Last;  $Q^{R} := I;$ Last := Q; END; END.

With doubly-linked lists it is much easier to add or delete nodes in the middle of the list. For example, a procedure to delete a node from the above list would be:


TYPE NodePtr = ^Node;

PROCEDURE DeleteNode (Q:
NodePtr);
BEGIN
IF Q^.PI <> NIL THEN Q^.PI^.
.P2 := Q^.P2;
IF Q^.P2 <> NIL THEN Q^.
.P2^.P1 := Q^.P1;
END;

This puts the backward pointer into the backward pointer of the next node, and the forward pointer into the forward pointer of the last node. This results in the next node pointing to the previous one and vice versa.

# **Binary Trees**

This month's example program uses a *binary tree* to sort a list of records. This is a group of nodes arranged in the following type of structure:



It is in the form of an inverted tree with each node having up to two branches. Pointers are used to denote branches off of each node. This type of structure is usually used to place and maintain data in a particular order.

We are going to use this structure to sort a list of records into ascending order. We will use the following rules to build the tree:

- Each node will contain one data record.
- The first pointer (Smaller) will point to the branch of nodes which contain data records which are all less than this data record.
- The second pointer (Larger) will point to the branch of nodes which contain data records which are all greater than or equal to this data record.

Since every node will follow these rules, you could find the data record with the smallest value by following the chain of Smaller pointers down the left side of the above picture. The largest value will be at the end of the Larger pointers on the right side of the picture. In fact, going from left to right, you can see that the data values will be in ascending order.

# **Example Program**

The question, of course, is how to get them into this structure. Looking at the program listing we can see that the procedure AddNode is used to build

the tree. By taking advantage of PASCAL's recursive abilities, the routine is very simple. It is called from the main program with the address of the top node in the tree (the main program puts the address of the first data record in Root).

AddNode first checks to see whether the data in Current is less than or greater than the data in Branch. If it is less and there is no Smaller branch, then Current gets added to Branch directly. If there is a Smaller branch, then AddNode calls itself with Smaller in order to add it to the appropriate node on that branch. If the data in Current is greater than or equal to that in Branch, then the same operation is performed using the Larger branch.

AddNode will continue to call itself until it finds an "empty" branch (one with a NIL pointer) to attach Current to. This whole process then gets repeated for each record in the file.

Once all the records have been read in and the tree built, the routine WriteNode is used to write all the records back out in order. WriteNode is called from the main program with the top node in the tree. It first checks to see if it has been called with a NIL pointer. If not, it calls itself to write out all the data which is in its Smaller branch, then it writes out the data that is in Branch. It then calls itself again in order to write out the data that is in its Larger branch. In effect, Write-Node is merely following the three rules that we originally listed above.

This binary tree technique for sorting records is a very efficient means of sorting data that is randomly distributed. This is because many short branches will be constructed. However, if the incoming data is primarily in sequence or exactly out of sequence, then the tree will be very lopsided and the sort will take much longer.

# Special Notes

At the beginning of the program you can see that *NodePtr* is declared as a pointer to the type Node. However, at this point in the program, Node is not known. PASCAL allows pointers to forward reference a type declaration so that you can declare types which point to themselves.

The built-in functions MEMAVAIL and SIZEOF provide the ability to determine whether there is sufficient memory left to allocate another Node. MEMAVAIL returns the number of bytes of memory remaining in the heap. SIZEOF returns the number of bytes of memory that a particular type or variable uses.

We did not discuss the two routines used in *DEFT Pascal* to return a memory area to the heap. These are *MARK* and *RELEASE*. You call the *MARK* routine at a point in your program just before you start allocating memory that you will later want to release. After you have allocated all the memory you need and are finished using it, you call *RELEASE* with the same pointer value that *MARK* returned in order to release the memory back to the heap. For example:

VAR Save : ^Integer;

MARK (Save); (\* save heap state in Save \*)

NEW ( ...);

... (\* allocate and use memory \*)

RELEASE (Save); (\* heap restored to point of MARK \*)

The pointer you use with MARK and RELEASE can be pointers to any type.

If you have any questions about the use of pointers or the heap in PASCAL, you can call (301) 253-1300 during normal business hours for help. Next month we will learn about the separate compilation facilities in *DEFT Pascal*. (If you have a disk system, these commands are needed prior to loading:)

PCLEAR 1 FILES 0,0 CLEAR 16,4999

```
00 00A4
                                                                              00 00A4
                                                                                        (*****************
The listing:
                                                                              00 00A4
                                                                              00 00A4
                                                                                           Recursive routine to write the nodes back out
                                                                              00 00A4
                                                                              00 00A4
                                                                                        *********
          (****************
00 0000
                                                                              00 00A4
00 0000
                                                                             00 00A4
                                                                                        PROCEDURE WriteNode (Branch : NodePtr);
00 0000
             This program uses a binary tree to
                                                                              10 00A4
00 0000
             sort records as they are read in from a file.
                                                                             10 00A4
                                                                                        RECIN
00 0000
             It then writes the sorted records out to
                                                                              11 00AB
                                                                                          IF Branch (> NIL THEN BEGIN
00 0000
             another file.
                                                                                OOBC
                                                                                            WriteNode (Branch . Smaller);
00 0000
                                                                              12 00CC
                                                                                            WRITELN (DataFile, Branch . Data);
00 0000
             When the program prompts you for INPUT FILE: enter the name of the file that contains the
                                                                             12 00E6
                                                                                            RecordCount := RecordCount + 1;
00 0000
                                                                             12 00F7
                                                                                            WriteNode (Branch . Larger);
             data to be sorted. The program will read and
sort the records, print the total read and
prompt you for OUTPUT FILE:. Enter the name
of the file that the sorted records are to be
00 0000
                                                                             12
                                                                                0107
                                                                                            END;
00 0000
                                                                             11 0107
                                                                                        END:
00 0000
                                                                             00 010B
00 010B
                                                                                        (************************
00 0000
00 0000
                                                                             00 010B
00 0000
                                                                                           Main entry for BinarySort
00 0000
          ************
                                                                              00 010B
                                                                                        *************
00 0000
                                                                             00 010B
                                                                             00 0108
00 0000
          PROGRAM BinarySort (Input, Output);
00 0000
                                                                             00 010B
00 0000
          CONST RecordSize = 80;
                                                                             01 0113
                                                                                          WRITELN;
WRITELN ('BINARY SORT PROGRAM');
00 0000
                                                                             01 011F
01 0127
          TYPE NodePtr = 'Node;
00 0000
00 0000
                                                                             01 014C
                Node = RECORD
                                                                                          WRITELN;
WRITE ('INPUT FILE: ');
                                                                             01
00 0000
                         Smaller : NodePtr;
                                                                                0154
                          Larger : NodePtr;
Data : String (RecordSize);
                                                                             01 0171
01 0186
                                                                                          READLN (FileName);
RESET (DataFile, FileName);
00 0000
00 0000
                         Data
                                                                             01 019B
                       END:
                                                                             01
                                                                                019B
00 0000
                                                                                          Root := NIL;
                                                                                          RecordCount := 0;
WHILE (MEMAVAIL > SIZEOF (Node)) AND
                                                                             01 019F
00 0000
                Root, Current : NodePtr;
                                                                             01 01A5
                Filename : String;
00 0000
                                                                                01BA
                                                                                                NOT EOF (DataFile) DO BEGIN
00 0000
                DataFile : Text;
                                                                                            NEW (Current);
00 0000
                                                                             02 01DF
                RecordCount : Integer;
                                                                             02 01EB
                                                                                            Current . Smaller := NIL:
          (********************
00 0000
                                                                                            Current^.Larger := NIL;
READLN (DataFile, Current^.Data);
                                                                             02 01FB
00 0000
                                                                             02
                                                                                020D
00 0000
            Recursive routine to Add a Node to the tree
                                                                             02 0226
                                                                                            IF Root = NIL THEN Root := Current
00 0000
                                                                             02 023A
                                                                                                          ELSE AddNode (Root);
00 0000
          **************
                                                                             02 024C
                                                                                            RecordCount := RecordCount + 1;
00 0000
                                                                             02 025B
                                                                                            END:
00 0000
          PROCEDURE AddNode (Branch : NodePtr);
                                                                                025E
                                                                             01
10 0003
                                                                                025E
                                                                                          IF NOT EOF (DataFile) THEN WRITELN ('OUT OF MEMORY');
10 0003
                                                                             01
                                                                                029B
                                                                                          WRITELN (RecordCount, ' RECORDS READ');
11 0007
            IF Current^.Data < Branch^.Data THEN BEGIN
                                                                             01 0208
                                                                                          WRITELN;
              IF Branch'. Smaller <> NIL THEN AddNode (Branch'. Smaller)
12 0020
                                                                             01 0200
12 003E
              ELSE Branch . Smaller := Current;
                                                                             01
                                                                                02D0
                                                                                          WRITE ('OUTPUT FILE: ');
12 005D
                                                                             01
                                                                                02EE
0303
                                                                                          READLN (FileName);
11 005D
                                                                             01
                                                                                          REWRITE (DataFile, FileName);
RecordCount := 0;
  0060
              IF Branch^.Larger <> NIL THEN AddNode (Branch^.Larger)
                                                                                0318
12 007E
              ELSE Branch . Larger := Current;
                                                                                031E
                                                                             01
                                                                                          WriteNode (Root):
12 00A0
              END:
                                                                             01 0329
                                                                                          CLOSE (DataFile);
11 00A0
                                                                             01 0336
                                                                                          WRITELN (RecordCount, ' RECORDS WRITTEN'):
                                                                                                                                               1
```

# CORRECTIONS

"Cooking With CoCo" (December 1984, Page 155): Two numbers were reversed in the paragraph beginning with "Mount the SN7404 . . . ." The corrected sentences read: ". . . connect pins 1, 3, 5, 7, 9 and 11 together and also to pin 1 of the 40-pin socket. Connect pin 14 to pin 20 of the 40-pin socket." Also, in later models of the CoCo (NC board and CoCo 2) the circuit board is "piggybacked" over the MC6821 PIA chip; the second "PIA" is actually an MC6822 IIA chip in these machines (or in older computers with Radio Shack's upgraded keyboard installed).

"Creating Moire Patterns in PMODE 4" (October 1984, Page 19): Larry Taylor suggests that a problem he had in the "Bouncing Line" program (Listing 3) can be fixed by inserting this line:

115 GOTO 160


and by removing the -1 in the equation INT(number/Q)-1 in lines 160, 170, 200 and 210.

"Developing A Database Manager" (December 1984, Page 256): Bill Nolan tells us that there have been problems with FN Errors (filename) occurring when a file is sorted twice. The reason is that the extension (/DAT) is added well after the start of the program; if a file is sorted twice, the extension is added a second time and you end up with something like "SAMPLE/DAT/DAT," which causes the error. To fix it, he suggests changing lines 40 and 2100 to the following.

40 PRINT:PRINT " WORK ON WHICH F ILE?":INPUT F\$:F\$=F\$+"/DAT":GOSU B 5500:CLOSE #1

2100 T\$=F\$: TT\$="TEMP/DAT"

1



# RAINBOWTECH

# OS-9 UTILITY

# Get A 'Boot' Out Of OS-9

By Charles Robitaille

ave you recently purchased OS-9 from Radio Shack and found that its system master disk wasn't directly bootable? Do you wish it was? Then read on! The reason you can't directly boot to your system disk is because you have Version 1.0 Disk BASIC ROM, instead of the newer Version 1.1. The newer version has the boot routine built into it and if you had this ROM you would only have to insert the system master disk, type DOS, and be on your way.

There are, fortunately, several ways around this. You could, for one, upgrade to the newer ROM, which isn't exactly cheap. You could wait for Radio Shack to send you a version upgrade patch and hope it includes direct booting. Or, you could do it yourself by following the simple procedure outlined in this article. Should you decide to do it yourself, you'll find you will have used only three sectors of disk space, and your system will seem much more professional.

My only caution is that if you have modified your original system master disk, then this procedure might not work for

you. I would further add that this original system master

(Charles Robitaille is a service engineer for CGR Corporation. He maintains complex medical imaging equipment, his specialty being CT scanners. Charles has a wife and two children and enjoys spy novels.)

disk should never be modified, except under instructions from Radio Shack, or you could lose compatibility with other users.

We will be working with a backup of the OS-9 system master disk, so if you haven't already done so, write-protect your original system master disk, Version 01.00.00. This is to protect it from being written to inadvertently. If you're not familiar with how to make a backup, I suggest you study Chapter 4 of the Getting Started with OS-9 manual.

Once the backup is made, put away your original system master disk until it is specifically asked for. When your backup is made, leave it in drive 0 and delete two files from it. The files are named LIST and OS9GEN. They are occupying the three sectors we will need for our boot program. Don't worry, though, because the last thing we will do is copy these files back from the original. At that time, they'll occupy different sectors, but will operate just fine. By the way, to delete these files all you need to type at the OS9: prompt is:

# DEL /D0/CMDS/LIST DEL /D0/CMDS/OS9GEN

After this is done, we will need to write a couple of short BASIC programs, one of them being the *BOOT* program itself. So, power down your system and power it back up again to get under control of Disk BASIC. Your backup system master disk should be in drive 0. Type in Listing 1 and then *RUN* it.

This program will set up Track 17, Sector 2 as Disk BASIC's granule allocation table. By doing this, we have told Disk BASIC that the only granule left to write to begins at Track 16, Sector 1, which is where we want our BOOT program to reside. It will then set up Track 17, Sector 3 to accept a directory entry.

The last thing it does is set up Track 0, Sector 2, which is OS-9's cluster allocation table. We will have, in effect, told OS-9 that it cannot use the above mentioned sectors because they are already in use. This program not only makes it possible to run the BOOT program, but it also protects the BOOT program from an inadvertent SAVE when under Disk BASIC, while also protecting it from OS-9 writing over it.

The next step in this procedure is the most pleasurable, because when we are done, we will have a bootable OS-9 system master disk. Type in Listing 2, which is the *BOOT* program. With the backup disk still in drive 0, type the following:

### SAVE"BOOT"

You now have a bootable OS-9 system master disk. But, don't throw away your OS-9 Boot disk because it contains your drive speed test program which you will want to run from time to time. We must now get back the two files we deleted earlier. To get back into OS-9 simply type:

RUN"BOOT"

Insert your original write-protected system master disk and copy these two files to the bootable backup disk we just made. At the OS9: prompt, you'll need to type:

COPY /D0/CMDS/LIST /D0/ CMDS/LIST -S #16K

COPY /D0/CMDS/OS9GEN /D0/ CMDS/OS9GEN -S #16K

That's all there is to it. If you choose, you can make a backup of this disk, although it's not really necessary since if you somehow "bombed" it out, you could easily make another. By the way, the drive speed test program is named CHR\$(130)+CHR\$(129)+".BIN". So, if you wanted to rename this program to SPDTST.BIN, for example, you would type under Disk BASIC:

# RENAME CHR\$(130)+CHR\$(129)+ ".BIN" TO "SPDTST.BIN"

The program will be a lot easier to call up and send to another disk should you choose to use your OS-9 Boot disk for something else.

OS-9 is one of the most powerful operating systems in the world for a microcomputer. It may very well be the most powerful of all, so to all of you who have become part of the OS-9 network, I say congratulations. You have done your homework well and spent your money wisely. Learn OS-9 and master it, and if this little boot program will help you enjoy OS-9 more, then your time will have been well spent.

# Listing 1:

5 DEFUSRØ=&HD66C:POKE&HEA,3:POKE &HEB,Ø:POKE&HEC,17:POKE&HED,2:PO KE&HEE,&H5Ø:POKE&HEF,Ø 1Ø FORI=&H5ØØØ TO &H51ØØ:POKEI,& HC9:NEXTI 15 POKE&H5Ø2Ø,&HFF 2Ø A=USR(Ø) 25 FORI=&H5ØØØ TO &H51ØØ:POKEI,& HFF:NEXTI 3Ø POKE&HED,3 35 A=USR(Ø) 4Ø POKE&HEA,2:POKE&HEC,Ø:POKE&HE D,2 45 A=USR(Ø)

50 POKE&H5024, &HFF: POKE&H5026, &H

D9: POKE&HEA, 3

55 A=USR(Ø)

60 NEW

### Listing 2:

5 DEFUSRØ=&HD66C:S=1:H=&H27
1Ø POKE&HEA,2:POKE&HEB,Ø:POKE&HE
C,34:POKE&HED,S:POKE&HEE,H:POKE&
HEF,Ø
15 A=USR(Ø)
2Ø S=S+1:H=H+1

25 IFS<19 THEN 10

3Ø EXEC&H27ØC

# OS-9 SOFTWARE WITH X-TRA POWER

# **XTERM**

XTERM is a full featured OS-9 communications program that takes full advantage of the power of OS-9. It works with the normal text screen, XSCREEN, or the Wordpak 80 column board.

XTERM is menu oriented for ease of use, it is simple to use even for the novice OS-9 user. And yet, XTERM is powerful enough for the expert OS-9 user.

Some of the features of XTERM include: full upload and download support with remote buffer operation; supports XON/XOFF protocol; 110/300/600/1200 baud, 5/6/7/8 bits, even/odd/no parity, full or half duplex; able to execute an OS-9 shell command from within XTERM.

XTERM works with a Color Computer using the standard serial interface, but also will work with a hardware serial port. Also, if you are using a hardware parallel printer port, you can print data to the printer as it is received.

**XTERM \$59.95** 

# **XMENU**

XMENU is a system that creates a menudriven environment for the Color Computer using OS-9. OS-9 now becomes easy-to-use with command selections made from menus. Menus are included to access OS-9 commands. An easy-to-use utility is provided that allows for the creation and maintenance of menus.

XMENU works with XSCREEN, the normal text screen, O-PAK, and the WORDPAK 80-column board.

**XMENU \$39.95** 

# XWORD

XWORD is a powerful word processing system for the Color Computer using OS-9. XWORD is feature packed with only a few features mentioned here.

Some of the editing features of XWORD include: true character oriented full screen editor; works with the normal text screen, XSCREEN, O-PAK, or WORDPAK 80 column card; full block commands with blocks displayed in inverse characters (except with normal text screen) for easy block manipulation; file size not limited to a buffer size; full find and replace commands with wildcard character; able to execute an OS-9 shell command in the middle of editing. Many, many more features, too many to mention here.

Some of the formatting features of XWORD include: proportional spacing supported; perfectly aligned hanging indents and columns, even when using proportional characters; full printer control with control of character size, emphasized, italics, overstrike, underlining (with or without spaces), super and sub-scripts; up to 10 header/footers; page numbering in decimal or Roman numerals; margins and headers can be set differently for even and odd pages; automatically reads printer initialization file to define XWORD for your printer (many included, and easy to write or modify your own). Many more features.

**XWORD \$79.95** 

# **XSCREEN**

XSCREEN creates a high resolution screen for the Color Computer using OS-9. This high resolution screen gives you 24 lines of text with 51, 64, or 85 characters per line. Characters can be either white on a black background or vice versa. Easy menu operation.

**XSCREEN \$19.95** 





## Ordering Information

Add \$2.50 shipping & handling. MN residents add 6% sales tax. Visa, Mastercard, COD (add \$2.50), personal checks: all shipped from stock within 24 hours.

(612) 633-6161

# THESE FINE STORES **CARRY THE RAINBOW**

The retail stores listed below carry THE RAINBOW on a regular basis and may have other products of interest to Color Computer users. We suggest you patronize those in your area.

ALABAMA

Albertville Birmingham Brewton Florence Huntsville Madison Montgomery

ALASKA Fairbanks ARIZONA Phoenix

> Scottsdale Tempe

Tucson

ADKANSAS

CALIFORNIA Citrus Heights El Cajon Exton Folsom Ft. Bragg Fortuna Gretna Half Moon Bay Hesperia Hollywood Livermore Lompoc Los Ángeles Milpitas Modesto National City

Pacific Beach Palo Alto Sacramento San Diego

Santa Rosa Southgate Stockton Sunnyvale

COLORADO Aurora Colorado Springs Westminster

CONNECTICUT Monroe

DELAWARE Wilmington

FLORIDA Boca Raton

Clearwater

Cocoa Ft. Lauderdale

Kissimmee

Melbourne Orange Park

Orlando Panama City

Pensacola Pinellas Park Sewell TV & Radio Shack Jefferson News Co. McDowell Electronics Anderson News Co. Endicott Software Madison Books Trade 'N' Books

Electronic World

Home Brew Computers The Computer Shop Tri-Teck Computers Data Concepts Softwareland Corp. All Systems Go Books Etc.

Computer Library Anderson News Co. Minz Electronics

Anderson News Co

Software Plus The Floppi Disk Radio Shack Software City Computers, Etc. Earthly Delights **R&V Sound** The Computer Supply Store Strawflower Electronics Dessert Sound, Inc Levity Distributors Software Galeria L&H Electronics Emporium Polygon Co.
AVS Computer Systems
Software Mart
JARB Software

Willy's Electronics Pro Am Electronics Printers, Inc.
Tower Magazine
Computer Dimension
The Computer Store Dimensional Software Disney's Electronics

Radio Shack Sawyer's News, Inc. Color Computing Hardings Way News Computer Literacy

Aurora Newsland

Hathaway's Magazines Software City

Computer Serv. of Danbury Monroe-Radio Shack Software City

Normar, Inc.—The Smoke Shop

Software, Software, Inc. The Avid Reader Soenen & Wilmoth Books Software City Village Book Shop Software Plus More Mike's Electronics Distributor Software Connection

The Book Nook Book Town Radio Shack & Elec. Hut City Newsstand The Little Store The News Rack

Software City The Alamo Software Unlimited Boyd-Ebert Corp. Computer Systems Group Anderson News Co. Wolf's Newsstand

Sarasota South

Pasadena Stuart Tallahassee Tampa

Poling Place Caribbean Engineering Corp. Anderson News Co. Fine Print Bookstore Software City Sound Trader & Computer Center

GEORGIA Atlanta Augusta Columbus

Marietta Island

Jesup

IDAHO Blackfoot Moscow

ILLINOIS Aurora Champaian Chicago

Chips, Inc. Guild News Agency Software City Boogie Shoppe Muscogee News Co. Kent Radio Shack

Kannon Music

Family Computers

Radio Shack Martin Music Radio Shack

F/M Systems Electronics Johnson News Agency

Kroch's & Brentano's Book Market B. Dalton Booksellers N. Walbash St. West Jackson St Bob's in Newtown Bob's News Emporium Bob's Rogers Park Book Market East Cedar North Cicero

Kroch's & Brentano's South Walbash West Jackson 516 N. Michigan 835 N. Michigan Parkway Drugs Parkwest Books

Videomat, Inc. Book Emporium Book Market Book Emporium

DeKalb East Moline Evanston Geneseo Kewanee Lisle Newton Oak Brook Oak Park

Chillicothe

Danville Decatur

Paris Peoria

Schaumberg Skokie South Holland Springfield

Sunnyland West Frankfort Wheeling

INDIANA Berne Greenwood Indianapolis

Book Market Illinois News Service Kroch's & Brentano's Book Emporium Sangamon Center North Town & Country Shopping Ctr. Book Emporium Paper Place North Shore Distributors White Cottage Electronics

Finn News Agency, Inc.
The Computer Experience Bookland, Inc. Indiana News Computer Store Elex Mart

Lawrenceburg Madison Marion Martinsville New Haven Scottsburg Walbash

IOWA Davenport

KANSAS Junction City Topeka Wichita

Radio Shack Act One Video KENTUCKY

> Hopkinsville Louisville Maysville Paducah

West Diversey E.B. Garcia & Associates Guild Books & Periodicals

Sandmeyer's Bookstore Univ. of Chicago Bookstore Univ. of Illinois Bookstore

K-Mart Plaza Northgate Mall Appletree Computers Book Emporium Chicago-Main News B & J Supply Book Emporium Book Nook Bill's TV Radio Shack Kroch's & Brentano's

B.I.E.S. Systems Kroch's & Brentano's Book Emporium Book Emporium Sheridan Village Westlake Shopping Center

Kroch's & Brentano's Abacus Computer Distributors

Mitting's Electronics Cosmos Computers Interstate Book Store

Bauer Electronics Arcs Office Supplies

Computer Corner Radio Shack

Advanced Color Software Radio Shack of Scottsburg

Software City III H's Stereo

Palmer News, Inc. Town Crier of Topeka, Inc. Amateur Radio Equipment Co. Lloyd's Radio

Skaggs Electric/Radio Shack Williams & Wells, Inc. Bardstown Greenville Hobby Shop The Computer Store Radio Shack Radio Shack **Paintsville Gus-Stan Enterprises** Gus-Stan Enterprises Pikeville Princeton Miller Electronics LOUISIANA

Acme Book Co. Software Solutions Acadiana Newsstand Computer SOS Radio Shack 7181

MAINE Bangar Brockton South Portland Magazines, Inc. Voyager Bookstore Portland News Co. Radio Shack

MARYLAND Lexington Park Books, Etc.

MASSACHUSETTS Brockton Cambridge

Lynn

Lapeer

Baton Rouge

Crowley

Shreveport Slidell

Vogager Bookstore Ninis Corner, Inc. Out Of Town News The Program Store Microcon Computer & Software Store

Danvers Fitchburg Corners Book Shop Ipswich News Computer Plus Ipswich Littleton North Shore News Co. Woburn Microcon Softwarecenters

MICHIGAN Allen Park Book Nook, Inc. Community News Center Weatherwax Radio Shack Ann Arbor Brooklyn Computer Options DSL Computer Products Charlotte Dearborn Robbins Electronics Tri-County Electronics Radio Shack "I O" Fenton Kalamazoo John Rollins

Software City Computer Corner User Friendly Curt's Sound & Home Arcade Center Lowell Mt. Clemens Key Book Shop

Michigan Radio Shop And Save The Eight Bit Corner MI Software Dist., Inc. Mt. Morris Muskegon Novi Software City C/C Computer Systems Owosso

Hi-Fi Audio Co. Perry Computers Perry Oil & Gas Perry Computer Shack Pontiac Roseville Royal Oak New Horizons Software City St. Johns Southfield Clinton Electronics Software City Sterling Heights Wyoming

Gerry's Book Co MINNESOTA Minneapolis

Read-More News

Mount Orab MISSISSIPPI Mount Orab Radio Shack CANADA: Stereo Store of Grenada, Inc. Grenada Rocky River Programs Unlimited ALBERTA Gulfport Leo's Book & Wine Shop McLeans Ltd. Banff Radio Shack Athabasca Reitz Electronics Banff MISSOURI Home Computer Store Westerville Barrhead Sound 1982 Ltd. L & K Sports & Music Barrhead Midwest CoCo Systems Kansas City Blairmore St. Louis Book Emporium OKLAHOMA Double "D" A.S.C. Radio Shack Billy's News Brooks Calgary Shortgrass Electronics Softwaire Centre Hobart Computer Xchange Softwaire Centre Oklahoma Imperial Computer Ltd. Rainbow Software Services City Merit Micro Software University City Final Edition OREGON Camrose Claresholm Radio Shack Associated Stores Radio Shack Associated Stores **NEBRASKA** Aloha Hermiston B. Color Computer and Software Lee's TV & Radio Clinic Hobby Town Coaldale Sight & Sound Langard Electronics CMD Micro Lincoln Coaldale Drayton Valley Omaha Computers & Components Portland 80-Plus PENNSYLVANIA Edmonton NEVADA Kelly Software Distributors Allison Park Altoona Software City Newborn Enterprises Las Vegas Hurley Electronics Edson Radio Shack Software City D.N.R. Furniture & TV Fairview Brookville Coudersport Larry's Stereo Shop Weiss Computers NEW HAMPSHIRE Fox Creek Ft. Macleod Fox City Color & Sound Fort Pharmacy BRW Electronics/Radio Shack Portsmouth Computers eterborough The Program Store
Harrisburg News Co.
Personal Software
City Software Center Greensburg Portsmouth Radio Shack Harrisburg Verham News Corp West Lebanon Grande Malvern Philadelphia Cache Grande The Stereo Hut **NEW JERSEY** Cedar Knolls Cherry Hill Clinton Newsy Stevens Radio Shack Village Computer & Software Centre The Book Nook Phoenixville Software City Micro World II Grande Prairie Northern Computer Service Technics TV Ltd. Pittsburgh Pleasant Hills All-Pro Souveniers Pitt Computer & Software Hanna Innisfail Software City
Micro Con Software Center
Software City
Outpost Radio Shack Flemington Lawrenceville L & S Stereo Pottstown Shippensburg Video Programming, Inc. Rainbow Adventure Lacombe Tall Pine TV Linwood Marmora Radio Shack Associated Stores Leduc Tunkhannock Williamsport The Donna Comm. Co. Shade Tree Lloydminster Peace River Lloyd Radio Shack H & S Music Centre Montvale Software City Morristown Software City York The Computer Center of York Radio Shack Associated Stores Dave's Elect. Radio Shack Software City Pennsville River Edge RHODE ISLAND Thornton & Son's Pincher Creek Inoriton & Son's
Gale Distributing
Computer World
Roy's TV
Tele-Logic
Sundre Sound
Pynewood Sight & Sound
Don's Radio Shop Kelly's Variety Software Connection Newport Redcliff Red Deer Rockaway Summit Software Station Software City Warwick Rimbey Teaneck Wayne Software City Wayne Software SOUTH CAROLINA St. Paul Data Byte Computer Center Software Haus, Inc. Palmetto News Co. Beaufort Sundre Charleston Hts. NEW MEXICO Taber Greenville Hilton Head New Horizons Computer Systems Alamogordo Albuquerque Vallevview Megatron Corporation Software City Fleming's Electronics East West Enterprises Vermillon Photocraft Vermilion Ltd. Spartanburg Page One Newsstand Radio Shack Wetaskiwin Union Salt of the Earth BRITISH COLUMBIA Sound Center — Radio Shack TENNESSEE Los Alamos Burnaby Campbell Compulit Chattanooga Dickson Anderson News Co. Highland Electronics NEW YORK Brockport Elmira Heights Lift Bridge Book Shop, Inc. Southern Tier News Co., Inc. River Chilliwack TRS Electronics Charles Parker Anderson News Co. First Byte Computer Co. Knoxville Fairport Hudson Falls Software City G.A. West & Co. Bell Radio & TV Valley Computers Courtenay Memphis Computer Center Software, Inc. Unicorn Electronics
Software City
Barnes & Noble—Sales Annex
Coliseum Books Johnson City Mt. Kisco Ft. St. John Merrit Ken Dawson Merrit Radio Shack Stewart Software
Campus Computer Corp.
Mosko's Book Store
Software First Nashville Microwest Distributors Shuswap Electronics New York N. Vancouver Sicamous Grand Central Station, Track 37 200 Park Ave., (Pan Am #1) 55 Water Street Sidney Victoria Sidney Electronics Datafact Smyrna Delker Electronics TEXAS International Software Austin Capitol Microcomputers Techworld World Trade Center #2 First Stop News Elgin Ft. Worth The Homing Pigeon RFI Electronics Norcom Software Williams Lake MANITOBA Idle Hours Bookstore International Smoke Shop Software Terminal Jodi's Sight & Sound MicroSolutions Houston Winnipeg J & J Electronics Ltd. Irving Orange Jonil Smoke Software Access Penn Book Northway Books & News Software Solutions NEW BRUNSWICK State News Usercom Systems, Inc. **Paris** Canadian Colour Connection Moncton UTAH NEWFOUNDLAND Walden Books World Wide Media Services Deseret Book Computer City Murray Labrador City Sound & Vision Oaden Software City
Adirondack Computer Supplies
Village Green
World Wide News N. White Plains NOVA SCOTIÁ VIRGINIA Plattsburg Sector Software Dartmouth Rocheste Gafton Electronics Marketing Halifax Atlantic News Norfolk I-O Computers ONTARIO Woodhaven Spectrum Projects Richmond Software City Micro Computer Service Angus Atikokam NORTH CAROLINA WASHINGTON Gill's Furniture Bowmanville Audio Vision LTD Software City More Than Games Aberdeen King Electronics Bowmanville Radio Shack Marvsville Cochrane Etobicoke Frederickhouse Sound NEPCOM Charlotte Newsstand Int'l Mount Lake **Emerald Computer Services** Papers & Paperback Computer Concerns C<sup>2</sup> Books & Comics Galls Book World CMUG Hamilton Hanover Terrace Data Borne Adams News Co., Inc. Havlock Renton Kingston Ottawa T.M. Computers National News Co., Ltd. Hickory Seattle Laurinburg Radio Shack Boomers Rhythm Center Nybbles 'N Bytes South River Strathroy Max TV Marion WEST VIRGINIA Alpine Electronic Systems D.J.'s Book and News Newland Downtown Sound Pioneer Technology Stan's Electronics & Radio Shack Valley News Service Lesage Raleiah Logan Parkersburg QUEBEC Softmart Total Data Systems Messageries de Presse Benjamin Enr. Soc. De Loc LaSalle SvIva Sherbrooke Winston-Salem K & S News Stand WISCONSIN Badger Periodicals Cudahy News & Hobby Book World Appleton Cudahy Janesville SASKATCHEWAN NORTH DAKOTA Assiniboia Telstar News Computer Associates Fargo Cornerstone Sound George Glass Nipiwan OHIO Ladysmith Electronics, Etc. Abacus Micro Regina Little Professor Book Center Canton Milwaukee Regina CoCo Club Softwre Supermarket Cincinnati Cinsoft Utopia Software Book Tree Booked Solid Coshocton Saskatoon Computertime Paul's Service Dayton Fairborn Wilke News News-Readers Booked Solid II Harvey Schwartz Bookshop Tisdale The News Shop
T.W. Hogan & Associates
Lakewood International News
Brunner News Agency YUKON Kent Kenton Univ. of Wisconsin Bookshop Big Byte Computer Services Whitehorse WYOMING H & O Holdings Lakewood Casper The Computer Store Lima **Edu-Caterers** PUERTO RICO Mayfield AUSTRALIA: Software City San Juan

Paris Radio Electronics Also available at all Waldenbooks, Coles and selected B. Dalton Bookseller stores in the United States and Canada.

SYDNEY Kingsford

Heights Miamisburg

Software City

# ADVERTISER'S INDEX

We encourage you to patronize our advertisers — all of whom support the TRS-80 Color and TDP System-100 computers. We will appreciate your mentioning **THE RAINBOW** when you contact these firms.

Alban Scientific
Ankia Research
Ark Royal Games225
Aurora Software166
B & B Software
B5 Software
Bee Color Computer117
Belox Tech
Betasoft Systems8
Big 3, The
Bluegrass Software53, 79
Botek Instruments
Cer-Comp
Challenger Software209
Cinsoft
Classical Computing224
CMD210
CNR Engineering 198
Cognitec
Color Micro Journal
Color Software Services 199
Colorware
Compugenesis183
Compagenesis
Computer Island
Computer Mom, The
Computer Plus3
Computer Systems Distributors71
Computerware 155, 156, 157
Computize, Inc
Cosmos Computer Services Inc 30
Custom Computer Products
Ouston Computer Products
Custom Software Engineering 127
Data-Comp121
Datafact Software LTD200
Dataman International
Dayton Associates of W. R. Hall, Inc 184
Deft Systems
Delker Electronics
Desky City Cottypes
Derby City Software
Derringer Software 22 23 115 135
Derringer Gortware
Dorsett
Double Density Software
Dorsett
Dorsett
Dorsett       98         Double Density Software       68, 69         Dragon User       255         Dragonfly Writing       88, 133, 227
Dorsett       98         Double Density Software       68, 69         Dragon User       255         Dragonfly Writing       88, 133, 227         DSL Computer Products       174
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61
Dorsett       98         Double Density Software       68, 69         Dragon User       255         Dragonfly Writing       88, 133, 227         DSL Computer Products       174         DYNACALC       159         E.D.C. Industries       61         EAP Co       200
Dorsett       98         Double Density Software       68, 69         Dragon User       255         Dragonfly Writing       88, 133, 227         DSL Computer Products       174         DYNACALC       159         E.D.C. Industries       61         EAP Co       200         Elite Software       81, 82, 83
Dorsett       98         Double Density Software       68, 69         Dragon User       255         Dragonfly Writing       88, 133, 227         DSL Computer Products       174         DYNACALC       159         E.D.C. Industries       61         EAP Co       200         Elite Software       81, 82, 83         Endicott Software       252
Dorsett       98         Double Density Software       68, 69         Dragon User       255         Dragonfly Writing       88, 133, 227         DSL Computer Products       174         DYNACALC       159         E.D.C. Industries       61         EAP Co       200         Elite Software       81, 82, 83         Endicott Software       252         Essential Engineering       204
Dorsett       98         Double Density Software       68, 69         Dragon User       255         Dragonfly Writing       88, 133, 227         DSL Computer Products       174         DYNACALC       159         E.D.C. Industries       61         EAP Co       200         Elite Software       81, 82, 83         Endicott Software       252         Essential Engineering       204
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193
Dorsett       98         Double Density Software       68, 69         Dragon User       255         Dragonfly Writing       88, 133, 227         DSL Computer Products       174         DYNACALC       159         E.D.C. Industries       61         EAP Co       200         Elite Software       81, 82, 83         Endicott Software       252         Essential Engineering       204         Federal Hill Software       193         Four Star Software       154
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243
Dorsett       98         Double Density Software       68, 69         Dragon User       255         Dragonfly Writing       88, 133, 227         DSL Computer Products       174         DYNACALC       159         E.D.C. Industries       61         EAP Co       200         Elite Software       81, 82, 83         Endicott Software       252         Essential Engineering       204         Federal Hill Software       193         Four Star Software       154         GIMIX       290         GRAFX       243         Grantham Software Division       58, 59
Dorsett       98         Double Density Software       68, 69         Dragon User       255         Dragonfly Writing       88, 133, 227         DSL Computer Products       174         DYNACALC       159         E.D.C. Industries       61         EAP Co       200         Elite Software       81, 82, 83         Endicott Software       252         Essential Engineering       204         Federal Hill Software       193         Four Star Software       154         GIMIX       290         GRAFX       243         Grantham Software Division       58, 59         Great Plains Computer Co. Inc.       273
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Grantham Software Division         58, 59           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co.         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Grantham Software Division         58, 59           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hard Drive Specialists         32
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co.         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Grantham Software Division         58, 59           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hard Drive Specialists         32           Hawkes Research Services         212
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Grantham Software Division         58, 59           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hard Drive Specialists         32           Hawkes Research Services         212           HJL div. of Touchstone
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Great Plains Computer Co. Inc.         273           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hard Drive Specialists         32           Hawkes Research Services         212           HJL div. of Touchstone         Technology, Inc.         89
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Great Plains Computer Co. Inc.         273           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hard Drive Specialists         32           Hawkes Research Services         212           HJL div. of Touchstone         Technology, Inc.         89
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D. C. Industries         61           EAP Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Grantham Software Division         58, 59           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hard Drive Specialists         32           Hawkes Research Services         212           HJL div. of Touchstone         201           Technology, Inc.         89           Frank Hogg Laboratory         IBC
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co.         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Grantham Software Division         58, 59           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hard Drive Specialists         32           Hawkes Research Services         212           HJL div. of Touchstone         Technology, Inc.         89           Frank Hogg Laboratory         IBC           Howard Medical         34, 168
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           E.P.Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Grantham Software Division         58, 59           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hard Drive Specialists         32           Hawkes Research Services         212           HJL div. of Touchstone         Technology, Inc.         89           Frank Hogg Laboratory         IBC           Howard Medical         34, 168           Incentive Software         192
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Great Plains Computer Co. Inc.         273           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hawkes Research Services         212           HJL div. of Touchstone         32           Technology, Inc.         89           Frank Hogg Laboratory         IBC           Howard Medical         34, 168           Incentive Software         192           Intracolor         248
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Grantham Software Division         58, 59           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hard Drive Specialists         32           HayL div. of Touchstone         212           Technology, Inc.         89           Frank Hogg Laboratory         IBC           Howard Medical         34, 168           Incentive Software         192           Intracolor         248           J & M Systems         BC
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co.         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Grantham Software Division         58, 59           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hard Drive Specialists         32           Hawkes Research Services         212           HJL div. of Touchstone         Technology, Inc.         89           Frank Hogg Laboratory         IBC           Howard Medical         34, 168           Incentive Software         192           Intracolor         248           J & M Systems         BC           JARB Software         <
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           E.P.Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Grantham Software Division         58, 59           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hard Drive Specialists         32           Hawkes Research Services         212           HJL div. of Touchstone         Technology, Inc.         89           Frank Hogg Laboratory         IBC           Howard Medical         34, 168           Incentive Software         192           Intracolor         248           J & M Systems         BC           JARB Software <t< td=""></t<>
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           EAP Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Great Plains Computer Co. Inc.         273           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hawkes Research Services         212           HJL div. of Touchstone         202           Technology, Inc.         89           Frank Hogg Laboratory         IBC           Howard Medical         34, 168           Incentive Software         192           Intracolor         248           J & M Systems         BC           JARB Software         97, 265
Dorsett         98           Double Density Software         68, 69           Dragon User         255           Dragonfly Writing         88, 133, 227           DSL Computer Products         174           DYNACALC         159           E.D.C. Industries         61           E.P.Co         200           Elite Software         81, 82, 83           Endicott Software         252           Essential Engineering         204           Federal Hill Software         193           Four Star Software         154           GIMIX         290           GRAFX         243           Grantham Software Division         58, 59           Great Plains Computer Co. Inc.         273           Green Mountain Micro         201           Hard Drive Specialists         32           Hawkes Research Services         212           HJL div. of Touchstone         Technology, Inc.         89           Frank Hogg Laboratory         IBC           Howard Medical         34, 168           Incentive Software         192           Intracolor         248           J & M Systems         BC           JARB Software <t< td=""></t<>

Kelly Software Distributors	. 21	5
Key Color Software	. 22	3
KRT Software		
Mark Data Products 234, 235,		
Metric Industries	. 11	1
MichTron		
Micro Accessories	. 10	4
Micro Data Systems		
Micro Works, The		
Microcom Software		
Microtech Consultants Inc		
Microware Systems Corporation	. 27	4
Microworld II	. 7	3
Mix, Tom SoftwareIFC, 74	, 75	i,
Moreton Bay	10	7
Multi Venture	24	0
NOVASOFT		
Oelrich Publications		
Other Guys Software, The		
Owls Nest Software		
Owl-Ware	. 19	1
Ozone Engineering	. 4	4
Parsons Software		
PBJ, Inc.		
PD Software		
Perry Computers		
Picosoft Games		
Polygon Co		
Dr. Preble's Programs		
Prickly-Pear Software		
PXE Computing	. 1	5
R.G.S Micro Inc	), 1	1
Radio Shack		
Rainbow Bookshelf	23	7

Rainbow Gift Certificate
Rainbow On Tape
RAINBOWfest 266, 267
REM Industries84
Sadare Software
Saguaro Software247
Sancher Enterprize
Soft Shop, The
Softlaw Corp
Softmart
Software Connection240
Software House, The230
Software Plus9
Software Support, Inc162, 163
Southwestern Digital
Spectro Systems
Spectrum Projects Inc.
137, 138, 139, 141, 142, 143, 145
Speech Systems 169, 170, 171, 172, 173
Sugar Software
T & D Software222
TCE Programs, Inc 14, 134, 239, 257
Tri-Tech Electronics
Triad Pictures
True Data Products92, 93
Valley Micro
Vidtron
VIP Technologies (Softlaw Corp.)
Wasatchware
Woodstown Electronics221
Workbase Data Systems
YGS133
York 10



Call: Jack Garland Garland Associates, Inc. 10, Industrial Park Drive Hingham, MA 02043 (617) 749-5852

Call:
Cindy Shackleford
Director, West Coast Office
12110 Meridian South — Suite 8
P.O. Box 73-578
Puyallup, WA 98373-0578
(206) 848-7766

Call:
Kate Tucci
Advertising Representative
9529 U.S. Highway 42
P.O. Box 385
Prospect, KY 40059
(502) 228-4492







-1












GRAPHIC









Input directly into Graphicom for easy enhancements, manipulation, stamping, and storage. Catalog all your favorite "video photos" of your friends, family, movie & TV characters on diskette

otskette. Accepts composite video signal in (1.0v p-p) from video camera, VCR, video disc player, another computer, or other compatible video sources. View "off air" or "VCR" digitized video at close to real-time. "Snapshot" video frames to the digitizer's internal memory. No slow, "blurry" serial manipulation... just hit your joystick's fire

digitizer's internal memory. No slow, "blurry" serial manipulation . . . . just nit your joystick's life button! It's that simple.

Use with your multi-pak or a "Y" cable ("Y" cable available at \$19.95)

Video is input via a "BNO" connector. External controls for HORIZONTAL POSITION, VER-TICAL POSITION, HORIZONTAL WIDTH, BRIGHTNESS, and CONTRAST (FUZZ) settings.

Don't be fooled by imitations...this is the GRAPHICOM "UDED DIGITIZER" . . . the only digitizer that "DIRECTLY" inputs into Graphicom (The original design by Cheshire Cat, the folks that brought

Graphicom to the COCO world).

REQUIRES 64K COCO, 1 DISK DRIVE, AND 2 ANALOG JOYSTICKS. FREE GRAPHICOM PROGRAM, PICTURE DISK, AND GRAPHICOM UTILITY SUPPLIED WITH PURCHASE OF UIDED DISTITION (A \$50 VALUE).

# APHICOM

Graphicom Part II is a video processing package that provides many functions that are missing in Graphicom. Here are just a few of the features provided by Graphicom Part II: ENLARGE/REDUCE/ROTATE

Enlarge or reduce any portion of a screen by any amount, just like a photographic enlarger! In-dependent of the enlargement or reduction, rotate by any degree or fraction of a degree about any point on the screen.

No more clumsy "stamping" to get your colors! Paint or "fill" any irregular area on the screen! More than 50 different colored patterns available. Unlike Extended Basic's PAINT command, painting will stop at any boundry. Undo or "Oops" function allows experimenting, and prevents time consuming mistakes. Additional paint patterns may be user-defined.

PAN & ZOOM
"Zoom in" x2, x4, or x8 on any portion of the screen to do fine pixel work. Allows editing of Graphicom \_haracter sets with ease!

TYPESETTER & FONT EDITOR
Add text in 16 different sizes with several display modes to chose from including COLORED FOREGROUND & BACKGROUND text! Edit 8x8 characters for use in the typesetter "GRAB" function allows transfer of some Graphicom character sets to Graphicom Part II format.

PIXEL BLASTER

Allows the user to easily substitute or remove colors. Widen lines, swap BLUE & RED without effec-ting BLACK & WHITE, etc.
GRAPHICOM PART II DOES NOT REQUIRE GRAPHICOM TO RUN!

Graphicom Part II requires a 64K extended disk basic system, it will load and save both standard BIN files and Graphicom screens, and supports 1 to 4 disk drives with keyboard or joystick (analog or switch type). All functions support color or Hi-Res operation, as well as 4 screen display modes.

# AST CHANCE! SPECIAL \$49.95 GRAPHICOM G.C.U. GRAPHICOM PART II a \$70 value!

Available from COMPUTIZE Artifact color palette

- Large character sets drawn with master design (from Derringer Software)
- Same as 5C but set up as stamp set

- 10 11C
- 12C 13C
- Same as 5C but set up as stamp set
   Miscellaneous Art Set #1
   Miscellaneous Art Set #2
   Miscellaneous Ads and Examples
   Miscellaneous Fonts
   Miscellaneous Fonts
   Artifact color palette type Ionts
   Art demo from WHITESMITH
   GRAPHICOM PART II function demo

# APHICOM

### Simply stated - One of the finest graphics program written for the Color Computer

S.E.R F.R.I.E.N.D.L.Y !

- 4 Display modes (Including Hi-Res red/blue artifact) Animate mode
- Animate mode Color Palette with over 15 color patterns for use with Hi-Res artifact Send/Receive pictures over standard modem at 300, 600, or 1200 baud Supplied
- utility allows capturing Hi-Res rom most COCO arcade games Supplied utility allows capturing Hi-Res screens from most COCO arcade games (even protected ones)

  Multiple Hi-Res character fonts (user re-
- definable)
- · Supplied utility for transferring Graphicom
- Supplied utility for transferring Graphicom screens to Basic or other ML programs,
   Supplied utility for loading screens from Basic or other sources
   Built in Hi-Res SCREEN PRINT (compatible with EPSON, C-ITOH, GEMINI-10, OKI, plus Radio Shack's LP-VII, LP-VIII, DMP-100, DMP-200, and GCP-115 printers) from 110 to 9600 based. 9600 baud
- 9600 baud Slow-scan television SEND/RECEIVE options Many additional features, operating hints, hardware mod's and suggestions, etc.

\* EASY TO LEARN GRAPHIC MENU \*
REQUIRES 64K COCO, 1 DRIVE SYSTEM, AND 2 ANALOG JOYSTICKS

### **\$19.95** GRAPHICOM

- MULTI DRIVE Copy pictures from one disk to another. KILL Blank out individual pictures on a pix disk. TRANSFER Copy pictures between Graphicom and binary formats. DISPLAY View individual pictures.



(215) 946-7260 P.O. BOX 207 • LANGHORNE, PA 19047

Check or M.O. • Add \$3.00 shipping • PA residents add 6% sales tax













LOOK AT SCREEN PAINT PICTURE!







I DOK AT SCREEN BLITTHE MINDON BUT MINDON BUT MINDON PRODE CAME

SEE E















# GIMIN STATE OF THE ART 6809 SYSTEMS FOR THE SERIOUS USER.



GIMIX has 19MB or high performance 47MB Winchester Drive Systems and/or Floppy Disk Drive Systems. For the user who appreciates the need for a bus structured system using STATIC RAM and powered by a ferro resonant constant voltage transformer.

GIMIX has single user systems that can run both FLEX and OS-9 or Multi user systems for use with UniFLEX or OS-9.

GIMIX versions of OS9 and UniFLEX include maintenance and support by Microware (90 days) and TSC (1 year). Mainte-

nance and support after this period are available at extra

cost.

(NOTE: this support and maintenance is only for use with approved GIMIX hardware)

GIMIX 6809 systems support five predominant operating systems:

OS-9 GMX III, OS-9 GMX II, UniFLEX, OS-9 GMX I, FLEX

and a wide variety of languages and development software

Whatever your application: software development, instrumentation, process control, educational, scientific or business; whether you need single or multi-user capabilities, GIMIX has hardware and the operating systems to get the job done reliably.

Please phone or write if you need further information.

For the ultimate in performance, the Unique GMX 6809 CPUIII, using either OS-9-GMXIII or UniFLEX GMXIII (available shortly), gives protection to the system and other users from crashes caused by defective user programs. e.g. During program development, a programmer who crashes goes back to the shell or the debugger, while the other users are not even aware anything occurred.

The intelligent serial I/O processor boards significantly reduce system overhead by handling rou-

tine I/O functions, thereby freeing up the host CPU for running user programs. This speeds up system performance and allows multiple terminals to be used at 19.2K band.

BASIC-09 and OS-9 are trademarks of Microware Systems Corp. and MOTOROLA, Inc. FLEX and UniFLEX are trademarks of Technical Systems Consultants, Inc. GIMIX, GHOST, GMX, CLASSY CHASSIS, are trademarks of GIMIX, Inc.





operating system for the 64K CoCo XEX stands for eXtended FLEX, the most widely used operating system for the 6809. More software is available for FLEX than any other operating system and XEX will run all of it. XEX includ assembler plus DBAS

All for only \$99.95. Rush your order in today.

SPECIFICATIONS: XEX's SCREEN has user definable SPECIFICATIONS: XEX's SCREEN has user definable fonts, many of which are supplied 24 X's 1's the default screen size, but this can be changed to suit the user Smooth scroll, sideways scroll, invert aisplay, and 4 cursor types are just some of the features XEX's KEYBOADD has user definable keys, supports extra key keyboards, auto key repeat, line editing and command. repeat XEX DISK DRIVERS supports all sizes, 35, 40 or 80 track, single and double sided and density Also supports double stepping so that 40 track disks can be used with 80 track drives Individual stepping rates for drives are definable MODULAR CONSTRUCTION allows easy modification and changes to XEX. It is easy to add or modify the drivers for things like Word-Pak and other hardware, because most of the source is included SOURCE IS INCLUDED for the screen drivers, keyboard

drivers, disk drivers, printer drivers, initialization code. other system code, external terminal, and many of the utilities, making modifications simple it is easy to create your own custom version of XEX. Other major packages include ED, a powerful screen-oriented line editor ASM is a conditional MACRO assembler DBASIC is Radio Shack Disk BASIC modified to work with XEX RTF allows copying text files from RS BASIC to XEX 128K support is built into XEX XEX stands for extended FLEX and is compatible with FLEX runs all FLEX software and supports all the functions that CC FLEX does, plus the above added features XEX is supplied on three 5-inch disks and has a 3-ring bound manual. The tutorial section gets you up and running with a minimum of hassle or confusion XEX proves that an operating system doesn't have to be complicated to be powerful

### **FUNCTION** XEX 059 Hi-Res screen (24X51 default) YES NO (0-Pak \$34.95) Supports all disk drives YES NO (SDisk w/bootfix \$35.95) User definable keyboard YES NO User friendly, easy to use YES NO Some system source included YES NO Powerful screen like editor YES NO (Simple line editor) Conditional Macro Assembler YES NO (No Macro capability) RS BASIC competible with DBASIC YES Supports 128K upgrades YES NO One disk boot YES NO (Yes if you have DOS) Telephone support YES NO Supports 3rd party hardware





# Heat Up Your COCO With J&M'S Hot Disk Controller

# DRIVE O SYSTEM \$289

Upgrade your COCO by adding J&M's famous disk controller, our advanced JDOS operating system, and a top quality drive all for only \$289.

Drive 0 System with one single side drive . . . . \$289 Drive 0,1 System with two single side drives ... \$429 Drive 0,1 System with two double side drives . . . \$499

# IFD-COCO DISK CONTROLLER \$139

The I&M Systems' IFD-COCO Disk Controller has set new standards in performance and quality. Gold contacts assure reliability, built-in digital phase lock loop data separator means NO adjustments, and the JFD-COCO is plug compatible with both the original COCO and the new COCO-2.

# IDOS

JDOS implements all RS DOS basic commands, plus many more, including auto line numbering, up and down arrow keys for scrolling, DOS to boot OS/9°, FLEX°, and error trapping. IDOS supports RS compatible disk formats, plus handles 40 track single side and double side drives.

# DISK DRIVES

A drive is just a drive without a case. We manufacture our own high quality cases and TransPower power supplies. Gold contacts are brought out at the back for easy connection.

# MEMORY MINDER\*

Memory Minder is a disk drive test program that makes the following major checks of your drives without disassembly or special test equipment: head alignment, disk speed, index hole timing, azimuth, hysteresis, read sensitivity, and clamping. Memory Minder can be used to actually align the drives while viewing the graphics on the screen. This program is a must for anyone who values the data that is saved on diskettes. MM-COCO-1 Memory Minder for single side

drives..... \$79 MM-COCO-2 Memory Minder for double side drives......\$99

\*FLEX is a registered trademark of Technical Systems Consultants, Inc. \*OS/9 is a registered trademark of Microware, Inc.

\*Memory Minder is a registered trademark of J&M Systems, Inc.

To order, call (505) 292-4182, or send payment with order to:



15100 CENTRAL SE ALBUQUERQUE, NEW MEXICO 87123 505/292-4182

We accept MasterCard and Visa